eurofins | Environment Testing America

# ANALYTICAL REPORT

Job Number: 280-162386-1

Job Description: Cornhusker (CHAAP)

For:
Brice Environmental Services, Corp
3800 Centerpoint Drive, Suite 520
Anchorage, AK 99503

Attention: Corey Schwabenlander



Approved for release.
Patrick J McEntee
Client Service Manager
6/6/2022 7:00 PM

Patrick J McEntee, Client Service Manager
4955 Yarrow Street, Arvada, CO, 80002
(303)736-0107
Patrick.McEntee@et.eurofinsus.com
06/06/2022

cc: Dean Converse
Jared DeSadier
Mr. Anthony Farinacci

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the Eurofins TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins TestAmerica Project Manager.This report has been electronically signed and authorized by the signatory. Electronic signature

# Table of Contents


Cover Title Page . . . . . 1

Data Summaries . . . . . 5

- Definitions . . . . . 5
- Case Narrative . . . . . 7
- Detection Summary . . . . . 10
- Client Sample Results . . . . . 13
- Default Detection Limits . . . . . 22
- Surrogate Summary . . . . . 23
- QC Sample Results . . . . . 24
- QC Association . . . . . 34
- Chronicle . . . . . 40
- Certification Summary . . . . . 45
- Method Summary . . . . . 46
- Sample Summary . . . . . 47
- Manual Integration Summary . . . . . 48
- Reagent Traceability . . . . . 81
  - COAs . . . . . 88

Organic Sample Data . . . . . 245

- GC VOA . . . . . 245
  - RSK_175_DOD5 . . . . . 245
    - RSK_175_DOD5 QC Summary . . . . . 246
    - RSK_175_DOD5 Sample Data . . . . . 269
    - Standards Data . . . . . 309
      - RSK_175_DOD5 ICAL Data . . . . . 309
      - RSK_175_DOD5 CCAL Data . . . . . 389
    - Raw QC Data . . . . . 470

# Table of Contents


RSK_175_DOD5 Blank Data . . . . . 470

RSK_175_DOD5 LCS/LCSD Data . . . . . 479

RSK_175_DOD5 MS/MSD Data . . . . . 495

RSK_175_DOD5 Duplicate/Triplicate Data . . . . . 503

RSK_175_DOD5 Run Logs . . . . . 507

RSK_175_DOD5 Prep Data . . . . . 512

HPLC/IC . . . . . 516

8330A_DOD5 . . . . . 516

8330A_DOD5 QC Summary . . . . . 517

8330A_DOD5 Sample Data . . . . . 530

Standards Data . . . . . 684

8330A_DOD5 ICAL Data . . . . . 684

8330A_DOD5 CCAL Data . . . . . 868

Raw QC Data . . . . . 944

8330A_DOD5 Blank Data . . . . . 944

8330A_DOD5 LCS/LCSD Data . . . . . 952

8330A_DOD5 MS/MSD Data . . . . . 963

8330A_DOD5 Run Logs . . . . . 989

8330A_DOD5 Prep Data . . . . . 993

Inorganic Sample Data . . . . . 1001

General Chemistry Data . . . . . 1001

Gen Chem Cover Page . . . . . 1002

Gen Chem Sample Data . . . . . 1003

Gen Chem QC Data . . . . . 1023

Gen Chem ICV/CCV . . . . . 1023

Gen Chem Blanks . . . . . 1032

# Table of Contents


Gen Chem MS/MSD/PDS . . . . . 1033

Gen Chem Duplicates . . . . . 1035

Gen Chem LCS/LCSD . . . . . 1036

Gen Chem MDL . . . . . 1039

Gen Chem Preparation Log . . . . . 1055

Gen Chem Analysis Run Log . . . . . 1059

Gen Chem Prep Data . . . . . 1087

Gen Chem Raw Data . . . . . 1123

Shipping and Receiving Documents . . . . . 1437

Client Chain of Custody . . . . . 1438

Sample Receipt Checklist . . . . . 1444

## Qualifiers

### GC VOA

| Qualifier | Qualifier Description |
|---|---|
| M | Manual integrated compound. |
| U | Undetected at the Limit of Detection. |

### HPLC/IC

| Qualifier | Qualifier Description |
|---|---|
| J | Estimated: The analyte was positively identified; the quantitation is an estimation |
| M | Manual integrated compound. |
| Q | One or more quality control criteria failed. |
| U | Undetected at the Limit of Detection. |

### General Chemistry

| Qualifier | Qualifier Description |
|---|---|
| B | Blank contamination: The analyte was detected above one-half the reporting limit in an associated blank. |
| D | The reported value is from a dilution. |
| J | Estimated: The analyte was positively identified; the quantitation is an estimation |
| J1 | Estimated: The quantitation is an estimation due to discrepancies in meeting certain analyte-specific quality control criteria. |
| M | Manual integrated compound. |
| U | Undetected at the Limit of Detection. |

## Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|---|---|
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

## Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|---|---|
| TNTC | Too Numerous To Count |

# CASE NARRATIVE

## Client: Brice Environmental Services, Corp

## Project: Cornhusker (CHAAP)

## Report Number: 280-162386-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

**RECEIPT**

The samples were received on 5/14/2022 9:25 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 0.6º C, 2.2º C, 2.3º C and 4.7º C.

**Receipt Exceptions**

The container label for the following samples did not match the information listed on the Chain-of-Custody (COC): PZ007-22A (280-162386-1), PZ007-22A (280-162386-1[MS]), PZ007-22A (280-162386-1[MSD]), G0117-22A (280-162386-3), G0116-22A (280-162386-6), PZ014-22A (280-162386-7) and PZ013-22A (280-162386-9). The container labels lists the sample collection date as 06/13/2022, while the COC lists 05/13/2022. Logged per the COC.

One out of three VOA vials received does not have the sample collection date or time recorded on the client label. Logged per the COC. PZ007-22A (280-162386-1[MS])

The container label for the following sample did not match the information listed on the Chain-of-Custody (COC): G0092-22A (280-162386-8). The container labels lists the sample collection date as 6/12/22, while the COC lists 05/12/2022. Logged per the COC.

**DISSOLVED GASES (GC)**

Samples PZ007-22A (280-162386-1), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0116-22A (280-162386-6), PZ014-22A (280-162386-7), G0092-22A (280-162386-8), PZ013-22A (280-162386-9) and G0081-22A (280-162386-10) were analyzed for Dissolved Gases (GC) in accordance with RSK_175. The samples were analyzed on 05/26/2022.

The following sample(s) was collected in a properly preserved vial; however, the pH was 7 and outside the required criteria when verified by the laboratory. The sample was analyzed outside the 7-day holding time specified for unpreserved samples but within the 14-day holding time specified for preserved samples: G0116-22A (280-162386-6).

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**NITROAROMATICS AND NITRAMINES (HPLC)**

Samples PZ007-22A (280-162386-1), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0116-22A (280-162386-6), PZ014-22A (280-162386-7), G0092-22A (280-162386-8), PZ013-22A (280-162386-9) and G0081-22A (280-162386-10) were analyzed for Nitroaromatics and Nitramines (HPLC) in accordance with 8330A. The samples were prepared on 05/19/2022 and analyzed on 05/19/2022 and 05/20/2022.

Surrogate recovery for the following sample in preparation batch 280-575516 and analytical batch 280-575712 for method 8330 was outside the lower control limits: G0116-22A (280-162386-6). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed. Surrogate recovered within control limit in the primary instrument.

In preparation batch 280-575516, the following samples required filtration to reduce matrix interferences: G0117-22A (280-162386-3), G0116-22A (280-162386-6) and PZ014-22A (280-162386-7).

In preparation batch 280-575516, the following samples: PZ007-22A (280-162386-1), PZ007-22A (280-162386-1[MS]), PZ007-22A (280-162386-1[MSD]), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0092-22A (280-162386-8), PZ013-22A (280-162386-9) and G0081-22A (280-162386-10) was decanted prior to preparation.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**ALKALINITY**
Samples PZ007-22A (280-162386-1), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0116-22A (280-162386-6), PZ014-22A (280-162386-7), G0092-22A (280-162386-8), PZ013-22A (280-162386-9) and G0081-22A (280-162386-10) were analyzed for Alkalinity in accordance with SM20 2320B. The samples were analyzed on 05/24/2022.

Total Alkalinity as CaCO3 was detected in method blank MB 280-576106/32 at a level that was above one half the LOQ but below the LOQ. Associated sample results are greater than 10x the method blank concentration.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**AMMONIA**
Samples PZ007-22A (280-162386-1), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0116-22A (280-162386-6), PZ014-22A (280-162386-7), G0092-22A (280-162386-8), PZ013-22A (280-162386-9) and G0081-22A (280-162386-10) were analyzed for ammonia in accordance with EPA Method 350.1. The samples were analyzed on 06/01/2022.

Samples G0117-22A (280-162386-3)[2X] and G0116-22A (280-162386-6)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**TOTAL KJELDAHL NITROGEN**
Samples PZ007-22A (280-162386-1), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0116-22A (280-162386-6), PZ014-22A (280-162386-7), G0092-22A (280-162386-8), PZ013-22A (280-162386-9) and G0081-22A (280-162386-10) were analyzed for total kjeldahl nitrogen in accordance with EPA Method 351.2. The samples were prepared on 05/23/2022 and analyzed on 05/25/2022.

Nitrogen, Total Kjeldahl failed the recovery criteria high for the MS of sample PZ007-22AMS (280-162386-1) in batch 280-576217.
Nitrogen, Total Kjeldahl failed the recovery criteria high for the MSD of sample PZ007-22AMSD (280-162386-1) in batch 280-576217.

Sample G0116-22A (280-162386-6)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**NITRATE-NITRITE AS NITROGEN**
Samples PZ007-22A (280-162386-1), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0116-22A (280-162386-6), PZ014-22A (280-162386-7), G0092-22A (280-162386-8), PZ013-22A (280-162386-9) and G0081-22A (280-162386-10) were analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 06/02/2022.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**SULFIDE**
Samples PZ007-22A (280-162386-1), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0116-22A (280-162386-6), PZ014-22A (280-162386-7), G0092-22A (280-162386-8), PZ013-22A (280-162386-9) and G0081-22A (280-162386-10) were analyzed for sulfide in accordance with EPA SW-846 Method 9034. The samples were prepared and analyzed on 05/16/2022 and 05/17/2022.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**ANIONS (28 DAYS)**
Samples PZ007-22A (280-162386-1), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0116-22A (280-162386-6), PZ014-22A (280-162386-7), G0092-22A (280-162386-8), PZ013-22A (280-162386-9) and G0081-22A (280-162386-10) were analyzed for anions (28 days) in accordance with 9056A (28 Days). The samples were analyzed on 06/01/2022.

Samples PZ007-22A (280-162386-1)[5X], G0117-22A (280-162386-3)[5X], G0088-22A (280-162386-5)[2X], G0116-22A (280-162386-6)[5X], PZ014-22A (280-162386-7)[5X], G0092-22A (280-162386-8)[5X] and PZ013-22A (280-162386-9)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**DISSOLVED ORGANIC CARBON**
Samples PZ007-22A (280-162386-1), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0116-22A (280-162386-6), PZ014-22A (280-162386-7), G0092-22A (280-162386-8), PZ013-22A (280-162386-9) and G0081-22A (280-162386-10) were analyzed for dissolved organic carbon in accordance with EPA SW-846 Method 9060A. The samples were analyzed on 05/26/2022 and 05/27/2022.

The following samples were unpreserved in the field: PZ007-22A (280-162386-1), PZ007-22A (280-162386-1[MS]), PZ007-22A (280-162386-1[MSD]), G0087-22A (280-162386-2), G0117-22A (280-162386-3), G0022-22A (280-162386-4), G0088-22A (280-162386-5), G0116-22A (280-162386-6), PZ014-22A (280-162386-7), G0092-22A (280-162386-8) and PZ013-22A (280-162386-9). The pH measured at the bench was >2, it was reduced to <2 using concentrated Sulfuric acid after filtration prior to analysis.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Detection Summary

Client: Brice Environmental Services, Corp
Project/Site: Cornhusker (CHAAP)

Job ID: 280-162386-1

## Client Sample ID: PZ007-22A — Lab Sample ID: 280-162386-1

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.074 | J | 0.10 | 0.050 | 0.029 | mg/L | 1 | | 350.1 | Total/NA |
| Nitrate Nitrite as N | 0.59 | | 0.10 | 0.050 | 0.044 | mg/L | 1 | | 353.2 | Total/NA |
| Sulfate | 850 | D M | 25 | 13 | 5.2 | mg/L | 5 | | 9056A | Total/NA |
| Total Alkalinity as CaCO3 | 380 | B | 10 | 6.4 | 3.1 | mg/L | 1 | | SM 2320B | Total/NA |
| Dissolved Organic Carbon - Quad | 4.2 | | 1.0 | 0.80 | 0.35 | mg/L | 1 | | 9060A | Dissolved |

## Client Sample ID: G0087-22A — Lab Sample ID: 280-162386-2

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| 2-Amino-4,6-dinitrotoluene | 0.42 | | 0.11 | 0.10 | 0.051 | ug/L | 1 | | 8330A | Total/NA |
| 4-Amino-2,6-dinitrotoluene | 0.73 | | 0.15 | 0.12 | 0.058 | ug/L | 1 | | 8330A | Total/NA |
| HMX | 0.59 | M | 0.21 | 0.20 | 0.087 | ug/L | 1 | | 8330A | Total/NA |
| RDX | 0.19 | J M | 0.21 | 0.20 | 0.051 | ug/L | 1 | | 8330A | Total/NA |
| Nitrate Nitrite as N | 6.8 | | 0.10 | 0.050 | 0.044 | mg/L | 1 | | 353.2 | Total/NA |
| Sulfate | 140 | M | 5.0 | 2.5 | 1.0 | mg/L | 1 | | 9056A | Total/NA |
| Total Alkalinity as CaCO3 | 290 | B | 10 | 6.4 | 3.1 | mg/L | 1 | | SM 2320B | Total/NA |
| Dissolved Organic Carbon - Quad | 3.1 | | 1.0 | 0.80 | 0.35 | mg/L | 1 | | 9060A | Dissolved |

## Client Sample ID: G0117-22A — Lab Sample ID: 280-162386-3

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 17 | | 0.0050 | 0.0013 | 0.00063 | mg/L | 1 | | RSK-175 | Total/NA |
| Ammonia | 6.4 | | 0.20 | 0.10 | 0.058 | mg/L | 2 | | 350.1 | Total/NA |
| Nitrogen, Total Kjeldahl | 8.7 | | 1.0 | 0.80 | 0.69 | mg/L | 1 | | 351.2 | Total/NA |
| Sulfate | 380 | D M | 25 | 13 | 5.2 | mg/L | 5 | | 9056A | Total/NA |
| Total Alkalinity as CaCO3 | 890 | B | 10 | 6.4 | 3.1 | mg/L | 1 | | SM 2320B | Total/NA |
| Dissolved Organic Carbon - Quad | 10 | | 1.0 | 0.80 | 0.35 | mg/L | 1 | | 9060A | Dissolved |

## Client Sample ID: G0022-22A — Lab Sample ID: 280-162386-4

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 4.3 | | 0.0050 | 0.0013 | 0.00063 | mg/L | 1 | | RSK-175 | Total/NA |
| 2-Amino-4,6-dinitrotoluene | 0.33 | | 0.11 | 0.10 | 0.053 | ug/L | 1 | | 8330A | Total/NA |
| 4-Amino-2,6-dinitrotoluene | 0.49 | | 0.16 | 0.12 | 0.060 | ug/L | 1 | | 8330A | Total/NA |
| Ammonia | 0.89 | | 0.10 | 0.050 | 0.029 | mg/L | 1 | | 350.1 | Total/NA |
| Nitrate Nitrite as N | 7.5 | | 0.10 | 0.050 | 0.044 | mg/L | 1 | | 353.2 | Total/NA |
| Sulfate | 140 | M | 5.0 | 2.5 | 1.0 | mg/L | 1 | | 9056A | Total/NA |
| Total Alkalinity as CaCO3 | 350 | B | 10 | 6.4 | 3.1 | mg/L | 1 | | SM 2320B | Total/NA |
| Dissolved Organic Carbon - Quad | 3.9 | | 1.0 | 0.80 | 0.35 | mg/L | 1 | | 9060A | Dissolved |

## Client Sample ID: G0088-22A — Lab Sample ID: 280-162386-5

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 0.013 | | 0.0050 | 0.0013 | 0.00063 | mg/L | 1 | | RSK-175 | Total/NA |
| 1,3,5-Trinitrobenzene | 4.1 | M | 0.21 | 0.20 | 0.085 | ug/L | 1 | | 8330A | Total/NA |
| 4-Amino-2,6-dinitrotoluene | 0.38 | | 0.15 | 0.12 | 0.058 | ug/L | 1 | | 8330A | Total/NA |

This Detection Summary does not include radiochemical test results.

## Client Sample ID: G0088-22A (Continued) — Lab Sample ID: 280-162386-5

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.096 | J | 0.10 | 0.050 | 0.029 | mg/L | 1 | | 350.1 | Total/NA |
| Nitrate Nitrite as N | 1.4 | | 0.10 | 0.050 | 0.044 | mg/L | 1 | | 353.2 | Total/NA |
| Sulfate | 280 | D M | 10 | 5.0 | 2.1 | mg/L | 2 | | 9056A | Total/NA |
| Total Alkalinity as CaCO3 | 300 | B | 10 | 6.4 | 3.1 | mg/L | 1 | | SM 2320B | Total/NA |
| Dissolved Organic Carbon - Quad | 2.9 | | 1.0 | 0.80 | 0.35 | mg/L | 1 | | 9060A | Dissolved |

## Client Sample ID: G0116-22A — Lab Sample ID: 280-162386-6

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 19 | | 0.0050 | 0.0013 | 0.00063 | mg/L | 1 | | RSK-175 | Total/NA |
| Ammonia | 12 | | 1.0 | 0.50 | 0.29 | mg/L | 10 | | 350.1 | Total/NA |
| Nitrogen, Total Kjeldahl | 14 | D | 5.0 | 4.0 | 3.4 | mg/L | 5 | | 351.2 | Total/NA |
| Sulfate | 250 | D M | 25 | 13 | 5.2 | mg/L | 5 | | 9056A | Total/NA |
| Total Alkalinity as CaCO3 | 1000 | B | 10 | 6.4 | 3.1 | mg/L | 1 | | SM 2320B | Total/NA |
| Dissolved Organic Carbon - Quad | 17 | | 1.0 | 0.80 | 0.35 | mg/L | 1 | | 9060A | Dissolved |

## Client Sample ID: PZ014-22A — Lab Sample ID: 280-162386-7

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 7.8 | | 0.0050 | 0.0013 | 0.00063 | mg/L | 1 | | RSK-175 | Total/NA |
| Ammonia | 0.49 | | 0.10 | 0.050 | 0.029 | mg/L | 1 | | 350.1 | Total/NA |
| Nitrogen, Total Kjeldahl | 1.5 | | 1.0 | 0.80 | 0.69 | mg/L | 1 | | 351.2 | Total/NA |
| Sulfate | 490 | D M | 25 | 13 | 5.2 | mg/L | 5 | | 9056A | Total/NA |
| Total Alkalinity as CaCO3 | 590 | B | 10 | 6.4 | 3.1 | mg/L | 1 | | SM 2320B | Total/NA |
| Dissolved Organic Carbon - Quad | 7.8 | | 1.0 | 0.80 | 0.35 | mg/L | 1 | | 9060A | Dissolved |

## Client Sample ID: G0092-22A — Lab Sample ID: 280-162386-8

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 0.039 | | 0.0050 | 0.0013 | 0.00063 | mg/L | 1 | | RSK-175 | Total/NA |
| Sulfate | 410 | D M | 25 | 13 | 5.2 | mg/L | 5 | | 9056A | Total/NA |
| Total Alkalinity as CaCO3 | 330 | B | 10 | 6.4 | 3.1 | mg/L | 1 | | SM 2320B | Total/NA |
| Dissolved Organic Carbon - Quad | 3.4 | | 1.0 | 0.80 | 0.35 | mg/L | 1 | | 9060A | Dissolved |

## Client Sample ID: PZ013-22A — Lab Sample ID: 280-162386-9

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 9.3 | | 0.0050 | 0.0013 | 0.00063 | mg/L | 1 | | RSK-175 | Total/NA |
| 2,4,6-Trinitrotoluene | 0.98 | | 0.11 | 0.10 | 0.046 | ug/L | 1 | | 8330A | Total/NA |
| 2-Amino-4,6-dinitrotoluene | 3.3 | | 0.11 | 0.10 | 0.051 | ug/L | 1 | | 8330A | Total/NA |
| 4-Amino-2,6-dinitrotoluene | 4.3 | | 0.15 | 0.12 | 0.059 | ug/L | 1 | | 8330A | Total/NA |
| Ammonia | 1.9 | | 0.10 | 0.050 | 0.029 | mg/L | 1 | | 350.1 | Total/NA |
| Nitrogen, Total Kjeldahl | 0.90 | J | 1.0 | 0.80 | 0.69 | mg/L | 1 | | 351.2 | Total/NA |
| Nitrate Nitrite as N | 5.7 | | 0.10 | 0.050 | 0.044 | mg/L | 1 | | 353.2 | Total/NA |
| Sulfate | 340 | D M | 25 | 13 | 5.2 | mg/L | 5 | | 9056A | Total/NA |
| Total Alkalinity as CaCO3 | 810 | B | 10 | 6.4 | 3.1 | mg/L | 1 | | SM 2320B | Total/NA |
| Dissolved Organic Carbon - Quad | 8.6 | | 1.0 | 0.80 | 0.35 | mg/L | 1 | | 9060A | Dissolved |

This Detection Summary does not include radiochemical test results.

# Detection Summary

Client: Brice Environmental Services, Corp
Project/Site: Cornhusker (CHAAP)

Job ID: 280-162386-1

## Client Sample ID: G0081-22A

## Lab Sample ID: 280-162386-10

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 1.4 | | 0.0050 | 0.0013 | 0.00063 | mg/L | 1 | | RSK-175 | Total/NA |
| 1,3,5-Trinitrobenzene | 0.36 | M | 0.21 | 0.20 | 0.086 | ug/L | 1 | | 8330A | Total/NA |
| Ammonia | 0.49 | | 0.10 | 0.050 | 0.029 | mg/L | 1 | | 350.1 | Total/NA |
| Nitrate Nitrite as N | 0.13 | | 0.10 | 0.050 | 0.044 | mg/L | 1 | | 353.2 | Total/NA |
| Sulfate | 170 | M | 5.0 | 2.5 | 1.0 | mg/L | 1 | | 9056A | Total/NA |
| Total Alkalinity as CaCO3 | 320 | B | 10 | 6.4 | 3.1 | mg/L | 1 | | SM 2320B | Total/NA |
| Dissolved Organic Carbon - Quad | 6.0 | | 1.0 | 0.80 | 0.35 | mg/L | 1 | | 9060A | Dissolved |

This Detection Summary does not include radiochemical test results.

## Client Sample ID: PZ007-22A
**Lab Sample ID: 280-162386-1**

**Date Collected: 05/13/22 09:15**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### Method: RSK-175 - Dissolved Gases (GC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Methane | 0.0013 | U | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 03:38 | 1 |

### Method: 8330A - Nitroaromatics and Nitramines (HPLC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.084 | ug/L | | 05/19/22 22:00 | 1 |
| 1,3-Dinitrobenzene | 0.099 | U | 0.11 | 0.099 | 0.037 | ug/L | | 05/19/22 22:00 | 1 |
| 2,4,6-Trinitrotoluene | 0.099 | U | 0.11 | 0.099 | 0.045 | ug/L | | 05/19/22 22:00 | 1 |
| 2,4-Dinitrotoluene | 0.080 | U | 0.099 | 0.080 | 0.027 | ug/L | | 05/19/22 22:00 | 1 |
| 2,6-Dinitrotoluene | 0.080 | U | 0.099 | 0.080 | 0.040 | ug/L | | 05/19/22 22:00 | 1 |
| 2-Amino-4,6-dinitrotoluene | 0.099 | U | 0.11 | 0.099 | 0.050 | ug/L | | 05/19/22 22:00 | 1 |
| 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.085 | ug/L | | 05/19/22 22:00 | 1 |
| 3-Nitrotoluene | 0.40 | U | 0.40 | 0.40 | 0.19 | ug/L | | 05/19/22 22:00 | 1 |
| 4-Amino-2,6-dinitrotoluene | 0.12 | U | 0.15 | 0.12 | 0.057 | ug/L | | 05/19/22 22:00 | 1 |
| 4-Nitrotoluene | 0.40 | U | 0.41 | 0.40 | 0.099 | ug/L | | 05/19/22 22:00 | 1 |
| HMX | 0.20 | U | 0.21 | 0.20 | 0.087 | ug/L | | 05/19/22 22:00 | 1 |
| MNX | 0.40 | U | 2.0 | 0.40 | 0.15 | ug/L | | 05/19/22 22:00 | 1 |
| Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.090 | ug/L | | 05/19/22 22:00 | 1 |
| RDX | 0.20 | U | 0.21 | 0.20 | 0.051 | ug/L | | 05/19/22 22:00 | 1 |
| Tetryl | 0.099 | U | 0.11 | 0.099 | 0.032 | ug/L | | 05/19/22 22:00 | 1 |

| *Surrogate* | *%Recovery* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *108* | *M* | *83 - 119* | *05/19/22 14:06* | *05/19/22 22:00* | *1* |

### General Chemistry

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Ammonia** | **0.074** | **J** | 0.10 | 0.050 | 0.029 | mg/L | | 06/01/22 09:58 | 1 |
| Nitrogen, Total Kjeldahl | 0.80 | U J1 | 1.0 | 0.80 | 0.69 | mg/L | | 05/25/22 17:12 | 1 |
| **Nitrate Nitrite as N** | **0.59** | | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 18:27 | 1 |
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 10:24 | 1 |
| **Sulfate** | **850** | **D M** | 25 | 13 | 5.2 | mg/L | | 06/01/22 00:16 | 5 |
| **Total Alkalinity as CaCO3** | **380** | **B** | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 15:01 | 1 |

### General Chemistry - Dissolved

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Dissolved Organic Carbon - Quad** | **4.2** | | 1.0 | 0.80 | 0.35 | mg/L | | 05/26/22 22:15 | 1 |

## Client Sample ID: G0087-22A
**Lab Sample ID: 280-162386-2**

**Date Collected: 05/13/22 13:15**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### Method: RSK-175 - Dissolved Gases (GC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Methane | 0.0013 | U | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 04:30 | 1 |

### Method: 8330A - Nitroaromatics and Nitramines (HPLC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.084 | ug/L | | 05/19/22 23:54 | 1 |
| 1,3-Dinitrobenzene | 0.10 | U M | 0.11 | 0.10 | 0.037 | ug/L | | 05/19/22 23:54 | 1 |
| 2,4,6-Trinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.045 | ug/L | | 05/19/22 23:54 | 1 |
| 2,4-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.027 | ug/L | | 05/19/22 23:54 | 1 |
| 2,6-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.040 | ug/L | | 05/19/22 23:54 | 1 |

## Client Sample ID: G0087-22A

**Date Collected: 05/13/22 13:15**
**Date Received: 05/14/22 09:25**

## Lab Sample ID: 280-162386-2

**Matrix: Water**

### Method: 8330A - Nitroaromatics and Nitramines (HPLC) (Continued)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **2-Amino-4,6-dinitrotoluene** | **0.42** | | 0.11 | 0.10 | 0.051 | ug/L | | 05/19/22 23:54 | 1 |
| 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.085 | ug/L | | 05/19/22 23:54 | 1 |
| 3-Nitrotoluene | 0.40 | U | 0.40 | 0.40 | 0.19 | ug/L | | 05/19/22 23:54 | 1 |
| **4-Amino-2,6-dinitrotoluene** | **0.73** | | 0.15 | 0.12 | 0.058 | ug/L | | 05/19/22 23:54 | 1 |
| 4-Nitrotoluene | 0.40 | U | 0.41 | 0.40 | 0.10 | ug/L | | 05/19/22 23:54 | 1 |
| **HMX** | **0.59** | **M** | 0.21 | 0.20 | 0.087 | ug/L | | 05/19/22 23:54 | 1 |
| MNX | 0.40 | U | 2.0 | 0.40 | 0.15 | ug/L | | 05/19/22 23:54 | 1 |
| Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.091 | ug/L | | 05/19/22 23:54 | 1 |
| **RDX** | **0.19** | **J M** | 0.21 | 0.20 | 0.051 | ug/L | | 05/19/22 23:54 | 1 |
| Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.032 | ug/L | | 05/19/22 23:54 | 1 |

| *Surrogate* | *%Recovery* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *103* | *M* | *83 - 119* | *05/19/22 14:06* | *05/19/22 23:54* | *1* |
| *1,2-Dinitrobenzene* | *102* | | *83 - 119* | *05/19/22 14:06* | *05/20/22 19:46* | *1* |

### General Chemistry

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.050 | U | 0.10 | 0.050 | 0.029 | mg/L | | 06/01/22 10:06 | 1 |
| Nitrogen, Total Kjeldahl | 0.80 | U | 1.0 | 0.80 | 0.69 | mg/L | | 05/25/22 17:13 | 1 |
| **Nitrate Nitrite as N** | **6.8** | | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 18:33 | 1 |
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 10:24 | 1 |
| **Sulfate** | **140** | **M** | 5.0 | 2.5 | 1.0 | mg/L | | 06/01/22 01:52 | 1 |
| **Total Alkalinity as CaCO3** | **290** | **B** | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 15:07 | 1 |

### General Chemistry - Dissolved

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Dissolved Organic Carbon - Quad** | **3.1** | | 1.0 | 0.80 | 0.35 | mg/L | | 05/26/22 23:02 | 1 |

## Client Sample ID: G0117-22A

**Date Collected: 05/13/22 12:55**
**Date Received: 05/14/22 09:25**

## Lab Sample ID: 280-162386-3

**Matrix: Water**

### Method: RSK-175 - Dissolved Gases (GC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Methane** | **17** | | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 04:43 | 1 |

### Method: 8330A - Nitroaromatics and Nitramines (HPLC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.085 | ug/L | | 05/20/22 00:17 | 1 |
| 1,3-Dinitrobenzene | 0.10 | U | 0.11 | 0.10 | 0.037 | ug/L | | 05/20/22 20:21 | 1 |
| 2,4,6-Trinitrotoluene | 0.10 | U M | 0.11 | 0.10 | 0.045 | ug/L | | 05/20/22 00:17 | 1 |
| 2,4-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.028 | ug/L | | 05/20/22 00:17 | 1 |
| 2,6-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.040 | ug/L | | 05/20/22 00:17 | 1 |
| 2-Amino-4,6-dinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.051 | ug/L | | 05/20/22 00:17 | 1 |
| 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.086 | ug/L | | 05/20/22 00:17 | 1 |
| 3-Nitrotoluene | 0.40 | U | 0.40 | 0.40 | 0.20 | ug/L | | 05/20/22 00:17 | 1 |
| 4-Amino-2,6-dinitrotoluene | 0.12 | U | 0.15 | 0.12 | 0.058 | ug/L | | 05/20/22 00:17 | 1 |
| 4-Nitrotoluene | 0.40 | U | 0.41 | 0.40 | 0.10 | ug/L | | 05/20/22 00:17 | 1 |
| HMX | 0.20 | U | 0.21 | 0.20 | 0.088 | ug/L | | 05/20/22 00:17 | 1 |
| MNX | 0.40 | U M | 2.0 | 0.40 | 0.15 | ug/L | | 05/20/22 00:17 | 1 |
| Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.091 | ug/L | | 05/20/22 00:17 | 1 |

## Client Sample ID: G0117-22A
**Lab Sample ID: 280-162386-3**

**Date Collected: 05/13/22 12:55**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### Method: 8330A - Nitroaromatics and Nitramines (HPLC) (Continued)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| RDX | 0.20 | U | 0.21 | 0.20 | 0.052 | ug/L | | 05/20/22 00:17 | 1 |
| Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.032 | ug/L | | 05/20/22 00:17 | 1 |

| *Surrogate* | *%Recovery* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *100* | *M* | *83 - 119* | *05/19/22 14:06* | *05/20/22 00:17* | *1* |
| *1,2-Dinitrobenzene* | *106* | *M* | *83 - 119* | *05/19/22 14:06* | *05/20/22 20:21* | *1* |

### General Chemistry

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Ammonia** | **6.4** | | 0.20 | 0.10 | 0.058 | mg/L | | 06/01/22 15:13 | 2 |
| **Nitrogen, Total Kjeldahl** | **8.7** | | 1.0 | 0.80 | 0.69 | mg/L | | 05/25/22 17:14 | 1 |
| Nitrate Nitrite as N | 0.050 | U | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 18:47 | 1 |
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 12:50 | 1 |
| **Sulfate** | **380** | **D M** | 25 | 13 | 5.2 | mg/L | | 06/01/22 15:12 | 5 |
| **Total Alkalinity as CaCO3** | **890** | **B** | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 15:17 | 1 |

### General Chemistry - Dissolved

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Dissolved Organic Carbon - Quad** | **10** | | 1.0 | 0.80 | 0.35 | mg/L | | 05/26/22 23:21 | 1 |

## Client Sample ID: G0022-22A
**Lab Sample ID: 280-162386-4**

**Date Collected: 05/13/22 14:25**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### Method: RSK-175 - Dissolved Gases (GC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Methane** | **4.3** | | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 04:56 | 1 |

### Method: 8330A - Nitroaromatics and Nitramines (HPLC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.21 | U | 0.22 | 0.21 | 0.087 | ug/L | | 05/20/22 01:49 | 1 |
| 1,3-Dinitrobenzene | 0.10 | U | 0.11 | 0.10 | 0.038 | ug/L | | 05/20/22 01:49 | 1 |
| 2,4,6-Trinitrotoluene | 0.10 | U M | 0.11 | 0.10 | 0.047 | ug/L | | 05/20/22 20:57 | 1 |
| 2,4-Dinitrotoluene | 0.083 | U | 0.10 | 0.083 | 0.028 | ug/L | | 05/20/22 01:49 | 1 |
| 2,6-Dinitrotoluene | 0.083 | U | 0.10 | 0.083 | 0.042 | ug/L | | 05/20/22 01:49 | 1 |
| **2-Amino-4,6-dinitrotoluene** | **0.33** | | 0.11 | 0.10 | 0.053 | ug/L | | 05/20/22 01:49 | 1 |
| 2-Nitrotoluene | 0.21 | U M | 0.22 | 0.21 | 0.089 | ug/L | | 05/20/22 01:49 | 1 |
| 3-Nitrotoluene | 0.41 | U | 0.41 | 0.41 | 0.20 | ug/L | | 05/20/22 01:49 | 1 |
| **4-Amino-2,6-dinitrotoluene** | **0.49** | | 0.16 | 0.12 | 0.060 | ug/L | | 05/20/22 01:49 | 1 |
| 4-Nitrotoluene | 0.41 | U | 0.42 | 0.41 | 0.10 | ug/L | | 05/20/22 01:49 | 1 |
| HMX | 0.21 | U | 0.22 | 0.21 | 0.091 | ug/L | | 05/20/22 01:49 | 1 |
| MNX | 0.41 | U | 2.1 | 0.41 | 0.16 | ug/L | | 05/20/22 01:49 | 1 |
| Nitrobenzene | 0.21 | U | 0.22 | 0.21 | 0.094 | ug/L | | 05/20/22 01:49 | 1 |
| RDX | 0.21 | U | 0.22 | 0.21 | 0.053 | ug/L | | 05/20/22 01:49 | 1 |
| Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.033 | ug/L | | 05/20/22 01:49 | 1 |

| *Surrogate* | *%Recovery* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *106* | *M* | *83 - 119* | *05/19/22 14:06* | *05/20/22 01:49* | *1* |
| *1,2-Dinitrobenzene* | *108* | | *83 - 119* | *05/19/22 14:06* | *05/20/22 20:57* | *1* |

## Client Sample ID: G0022-22A
**Lab Sample ID: 280-162386-4**

**Date Collected: 05/13/22 14:25**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### General Chemistry

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Ammonia** | **0.89** | | 0.10 | 0.050 | 0.029 | mg/L | | 06/01/22 10:11 | 1 |
| Nitrogen, Total Kjeldahl | 0.80 | U | 1.0 | 0.80 | 0.69 | mg/L | | 05/25/22 17:15 | 1 |
| **Nitrate Nitrite as N** | **7.5** | | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 18:49 | 1 |
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 12:50 | 1 |
| **Sulfate** | **140** | **M** | 5.0 | 2.5 | 1.0 | mg/L | | 06/01/22 02:24 | 1 |
| **Total Alkalinity as CaCO3** | **350** | **B** | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 15:23 | 1 |

### General Chemistry - Dissolved

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Dissolved Organic Carbon - Quad** | **3.9** | | 1.0 | 0.80 | 0.35 | mg/L | | 05/27/22 00:10 | 1 |

## Client Sample ID: G0088-22A
**Lab Sample ID: 280-162386-5**

**Date Collected: 05/13/22 15:35**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### Method: RSK-175 - Dissolved Gases (GC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Methane** | **0.013** | | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 05:09 | 1 |

### Method: 8330A - Nitroaromatics and Nitramines (HPLC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **1,3,5-Trinitrobenzene** | **4.1** | **M** | 0.21 | 0.20 | 0.085 | ug/L | | 05/20/22 02:12 | 1 |
| 1,3-Dinitrobenzene | 0.10 | U | 0.11 | 0.10 | 0.037 | ug/L | | 05/20/22 02:12 | 1 |
| 2,4,6-Trinitrotoluene | 0.10 | U M | 0.11 | 0.10 | 0.046 | ug/L | | 05/20/22 21:32 | 1 |
| 2,4-Dinitrotoluene | 0.081 | U | 0.10 | 0.081 | 0.028 | ug/L | | 05/20/22 02:12 | 1 |
| 2,6-Dinitrotoluene | 0.081 | U | 0.10 | 0.081 | 0.041 | ug/L | | 05/20/22 02:12 | 1 |
| 2-Amino-4,6-dinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.051 | ug/L | | 05/20/22 21:32 | 1 |
| 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.086 | ug/L | | 05/20/22 02:12 | 1 |
| 3-Nitrotoluene | 0.40 | U | 0.40 | 0.40 | 0.20 | ug/L | | 05/20/22 02:12 | 1 |
| **4-Amino-2,6-dinitrotoluene** | **0.38** | | 0.15 | 0.12 | 0.058 | ug/L | | 05/20/22 02:12 | 1 |
| 4-Nitrotoluene | 0.40 | U | 0.41 | 0.40 | 0.10 | ug/L | | 05/20/22 21:32 | 1 |
| HMX | 0.20 | U M | 0.21 | 0.20 | 0.089 | ug/L | | 05/20/22 02:12 | 1 |
| MNX | 0.40 | U | 2.0 | 0.40 | 0.16 | ug/L | | 05/20/22 02:12 | 1 |
| Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.092 | ug/L | | 05/20/22 02:12 | 1 |
| RDX | 0.20 | U | 0.21 | 0.20 | 0.052 | ug/L | | 05/20/22 02:12 | 1 |
| Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.032 | ug/L | | 05/20/22 02:12 | 1 |

| *Surrogate* | *%Recovery* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *107* | | *83 - 119* | *05/19/22 14:06* | *05/20/22 02:12* | *1* |
| *1,2-Dinitrobenzene* | *103* | | *83 - 119* | *05/19/22 14:06* | *05/20/22 21:32* | *1* |

### General Chemistry

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Ammonia** | **0.096** | **J** | 0.10 | 0.050 | 0.029 | mg/L | | 06/01/22 10:14 | 1 |
| Nitrogen, Total Kjeldahl | 0.80 | U | 1.0 | 0.80 | 0.69 | mg/L | | 05/25/22 17:16 | 1 |
| **Nitrate Nitrite as N** | **1.4** | | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 18:51 | 1 |
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 12:50 | 1 |
| **Sulfate** | **280** | **D M** | 10 | 5.0 | 2.1 | mg/L | | 06/01/22 02:40 | 2 |
| **Total Alkalinity as CaCO3** | **300** | **B** | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 15:30 | 1 |

## Client Sample ID: G0088-22A
**Lab Sample ID: 280-162386-5**
**Date Collected: 05/13/22 15:35**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### General Chemistry - Dissolved

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Dissolved Organic Carbon - Quad** | **2.9** | | 1.0 | 0.80 | 0.35 | mg/L | | 05/27/22 00:28 | 1 |

## Client Sample ID: G0116-22A
**Lab Sample ID: 280-162386-6**
**Date Collected: 05/13/22 14:40**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### Method: RSK-175 - Dissolved Gases (GC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Methane** | **19** | | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 05:22 | 1 |

### Method: 8330A - Nitroaromatics and Nitramines (HPLC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.21 | U | 0.22 | 0.21 | 0.088 | ug/L | | 05/20/22 02:35 | 1 |
| 1,3-Dinitrobenzene | 0.10 | U Q | 0.12 | 0.10 | 0.039 | ug/L | | 05/20/22 22:07 | 1 |
| 2,4,6-Trinitrotoluene | 0.10 | U M | 0.12 | 0.10 | 0.047 | ug/L | | 05/20/22 02:35 | 1 |
| 2,4-Dinitrotoluene | 0.084 | U | 0.10 | 0.084 | 0.029 | ug/L | | 05/20/22 02:35 | 1 |
| 2,6-Dinitrotoluene | 0.084 | U M | 0.10 | 0.084 | 0.042 | ug/L | | 05/20/22 02:35 | 1 |
| 2-Amino-4,6-dinitrotoluene | 0.10 | U M | 0.12 | 0.10 | 0.053 | ug/L | | 05/20/22 02:35 | 1 |
| 2-Nitrotoluene | 0.21 | U M | 0.22 | 0.21 | 0.090 | ug/L | | 05/20/22 02:35 | 1 |
| 3-Nitrotoluene | 0.42 | U | 0.42 | 0.42 | 0.20 | ug/L | | 05/20/22 02:35 | 1 |
| 4-Amino-2,6-dinitrotoluene | 0.13 | U | 0.16 | 0.13 | 0.061 | ug/L | | 05/20/22 02:35 | 1 |
| 4-Nitrotoluene | 0.42 | U | 0.43 | 0.42 | 0.10 | ug/L | | 05/20/22 02:35 | 1 |
| HMX | 0.21 | U | 0.22 | 0.21 | 0.092 | ug/L | | 05/20/22 02:35 | 1 |
| MNX | 0.42 | U M | 2.1 | 0.42 | 0.16 | ug/L | | 05/20/22 02:35 | 1 |
| Nitrobenzene | 0.21 | U M | 0.22 | 0.21 | 0.095 | ug/L | | 05/20/22 02:35 | 1 |
| RDX | 0.21 | U | 0.22 | 0.21 | 0.054 | ug/L | | 05/20/22 02:35 | 1 |
| Tetryl | 0.10 | U M | 0.12 | 0.10 | 0.033 | ug/L | | 05/20/22 02:35 | 1 |

| *Surrogate* | *%Recovery* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *119* | *M* | *83 - 119* | *05/19/22 14:06* | *05/20/22 02:35* | *1* |
| *1,2-Dinitrobenzene* | *81* | *M Q* | *83 - 119* | *05/19/22 14:06* | *05/20/22 22:07* | *1* |

### General Chemistry

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Ammonia** | **12** | | 1.0 | 0.50 | 0.29 | mg/L | | 06/01/22 10:27 | 10 |
| **Nitrogen, Total Kjeldahl** | **14** | **D** | 5.0 | 4.0 | 3.4 | mg/L | | 05/25/22 17:29 | 5 |
| Nitrate Nitrite as N | 0.050 | U | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 18:53 | 1 |
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 12:50 | 1 |
| **Sulfate** | **250** | **D M** | 25 | 13 | 5.2 | mg/L | | 06/01/22 16:48 | 5 |
| **Total Alkalinity as CaCO3** | **1000** | **B** | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 15:42 | 1 |

### General Chemistry - Dissolved

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Dissolved Organic Carbon - Quad** | **17** | | 1.0 | 0.80 | 0.35 | mg/L | | 05/27/22 00:45 | 1 |

## Client Sample ID: PZ014-22A
**Lab Sample ID: 280-162386-7**

**Date Collected: 05/13/22 15:50**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### Method: RSK-175 - Dissolved Gases (GC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Methane** | **7.8** | | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 05:35 | 1 |

### Method: 8330A - Nitroaromatics and Nitramines (HPLC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.22 | U | 0.23 | 0.22 | 0.090 | ug/L | | 05/20/22 02:58 | 1 |
| 1,3-Dinitrobenzene | 0.11 | U M | 0.12 | 0.11 | 0.040 | ug/L | | 05/20/22 02:58 | 1 |
| 2,4,6-Trinitrotoluene | 0.11 | U | 0.12 | 0.11 | 0.048 | ug/L | | 05/20/22 02:58 | 1 |
| 2,4-Dinitrotoluene | 0.086 | U | 0.11 | 0.086 | 0.029 | ug/L | | 05/20/22 02:58 | 1 |
| 2,6-Dinitrotoluene | 0.086 | U | 0.11 | 0.086 | 0.043 | ug/L | | 05/20/22 02:58 | 1 |
| 2-Amino-4,6-dinitrotoluene | 0.11 | U | 0.12 | 0.11 | 0.055 | ug/L | | 05/20/22 02:58 | 1 |
| 2-Nitrotoluene | 0.22 | U M | 0.23 | 0.22 | 0.092 | ug/L | | 05/20/22 02:58 | 1 |
| 3-Nitrotoluene | 0.43 | U | 0.43 | 0.43 | 0.21 | ug/L | | 05/20/22 02:58 | 1 |
| 4-Amino-2,6-dinitrotoluene | 0.13 | U | 0.16 | 0.13 | 0.062 | ug/L | | 05/20/22 02:58 | 1 |
| 4-Nitrotoluene | 0.43 | U | 0.44 | 0.43 | 0.11 | ug/L | | 05/20/22 02:58 | 1 |
| HMX | 0.22 | U M | 0.23 | 0.22 | 0.094 | ug/L | | 05/20/22 02:58 | 1 |
| MNX | 0.43 | U | 2.2 | 0.43 | 0.17 | ug/L | | 05/20/22 02:58 | 1 |
| Nitrobenzene | 0.22 | U | 0.23 | 0.22 | 0.098 | ug/L | | 05/20/22 02:58 | 1 |
| RDX | 0.22 | U | 0.23 | 0.22 | 0.055 | ug/L | | 05/20/22 02:58 | 1 |
| Tetryl | 0.11 | U M | 0.12 | 0.11 | 0.034 | ug/L | | 05/20/22 02:58 | 1 |

| *Surrogate* | *%Recovery* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *108* | *M* | *83 - 119* | *05/19/22 14:06* | *05/20/22 02:58* | *1* |

### General Chemistry

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Ammonia** | **0.49** | | 0.10 | 0.050 | 0.029 | mg/L | | 06/01/22 10:30 | 1 |
| **Nitrogen, Total Kjeldahl** | **1.5** | | 1.0 | 0.80 | 0.69 | mg/L | | 05/25/22 17:16 | 1 |
| Nitrate Nitrite as N | 0.050 | U | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 18:55 | 1 |
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 12:50 | 1 |
| **Sulfate** | **490** | **D M** | 25 | 13 | 5.2 | mg/L | | 06/01/22 17:04 | 5 |
| **Total Alkalinity as CaCO3** | **590** | **B** | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 15:50 | 1 |

### General Chemistry - Dissolved

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Dissolved Organic Carbon - Quad** | **7.8** | | 1.0 | 0.80 | 0.35 | mg/L | | 05/27/22 01:03 | 1 |

## Client Sample ID: G0092-22A
**Lab Sample ID: 280-162386-8**

**Date Collected: 05/12/22 14:20**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### Method: RSK-175 - Dissolved Gases (GC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Methane** | **0.039** | | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 05:48 | 1 |

### Method: 8330A - Nitroaromatics and Nitramines (HPLC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.21 | U | 0.22 | 0.21 | 0.089 | ug/L | | 05/20/22 03:21 | 1 |
| 1,3-Dinitrobenzene | 0.11 | U | 0.12 | 0.11 | 0.039 | ug/L | | 05/20/22 03:21 | 1 |
| 2,4,6-Trinitrotoluene | 0.11 | U | 0.12 | 0.11 | 0.048 | ug/L | | 05/20/22 03:21 | 1 |
| 2,4-Dinitrotoluene | 0.085 | U | 0.11 | 0.085 | 0.029 | ug/L | | 05/20/22 03:21 | 1 |
| 2,6-Dinitrotoluene | 0.085 | U | 0.11 | 0.085 | 0.043 | ug/L | | 05/20/22 03:21 | 1 |

## Client Sample ID: G0092-22A

**Date Collected: 05/12/22 14:20**
**Date Received: 05/14/22 09:25**

## Lab Sample ID: 280-162386-8

**Matrix: Water**

### Method: 8330A - Nitroaromatics and Nitramines (HPLC) (Continued)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 2-Amino-4,6-dinitrotoluene | 0.11 | U | 0.12 | 0.11 | 0.054 | ug/L | | 05/20/22 03:21 | 1 |
| 2-Nitrotoluene | 0.21 | U M | 0.22 | 0.21 | 0.091 | ug/L | | 05/20/22 03:21 | 1 |
| 3-Nitrotoluene | 0.43 | U | 0.43 | 0.43 | 0.21 | ug/L | | 05/20/22 03:21 | 1 |
| 4-Amino-2,6-dinitrotoluene | 0.13 | U | 0.16 | 0.13 | 0.061 | ug/L | | 05/20/22 03:21 | 1 |
| 4-Nitrotoluene | 0.43 | U | 0.44 | 0.43 | 0.11 | ug/L | | 05/20/22 03:21 | 1 |
| HMX | 0.21 | U M | 0.22 | 0.21 | 0.093 | ug/L | | 05/20/22 03:21 | 1 |
| MNX | 0.43 | U | 2.1 | 0.43 | 0.16 | ug/L | | 05/20/22 03:21 | 1 |
| Nitrobenzene | 0.21 | U M | 0.22 | 0.21 | 0.097 | ug/L | | 05/20/22 03:21 | 1 |
| RDX | 0.21 | U | 0.22 | 0.21 | 0.055 | ug/L | | 05/20/22 03:21 | 1 |
| Tetryl | 0.11 | U M | 0.12 | 0.11 | 0.034 | ug/L | | 05/20/22 03:21 | 1 |

| *Surrogate* | *%Recovery* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *105* | *M* | *83 - 119* | *05/19/22 14:06* | *05/20/22 03:21* | *1* |

### General Chemistry

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.050 | U | 0.10 | 0.050 | 0.029 | mg/L | | 06/01/22 10:33 | 1 |
| Nitrogen, Total Kjeldahl | 0.80 | U | 1.0 | 0.80 | 0.69 | mg/L | | 05/25/22 17:16 | 1 |
| Nitrate Nitrite as N | 0.050 | U | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 18:57 | 1 |
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/16/22 11:02 | 1 |
| **Sulfate** | **410** | **D M** | 25 | 13 | 5.2 | mg/L | | 06/01/22 03:28 | 5 |
| **Total Alkalinity as CaCO3** | **330** | **B** | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 15:56 | 1 |

### General Chemistry - Dissolved

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Dissolved Organic Carbon - Quad** | **3.4** | | 1.0 | 0.80 | 0.35 | mg/L | | 05/27/22 01:21 | 1 |

## Client Sample ID: PZ013-22A

**Date Collected: 05/13/22 11:40**
**Date Received: 05/14/22 09:25**

## Lab Sample ID: 280-162386-9

**Matrix: Water**

### Method: RSK-175 - Dissolved Gases (GC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Methane** | **9.3** | | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 06:01 | 1 |

### Method: 8330A - Nitroaromatics and Nitramines (HPLC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.085 | ug/L | | 05/20/22 22:42 | 1 |
| 1,3-Dinitrobenzene | 0.10 | U M | 0.11 | 0.10 | 0.037 | ug/L | | 05/20/22 03:43 | 1 |
| **2,4,6-Trinitrotoluene** | **0.98** | | 0.11 | 0.10 | 0.046 | ug/L | | 05/20/22 03:43 | 1 |
| 2,4-Dinitrotoluene | 0.081 | U | 0.10 | 0.081 | 0.028 | ug/L | | 05/20/22 03:43 | 1 |
| 2,6-Dinitrotoluene | 0.081 | U | 0.10 | 0.081 | 0.041 | ug/L | | 05/20/22 03:43 | 1 |
| **2-Amino-4,6-dinitrotoluene** | **3.3** | | 0.11 | 0.10 | 0.051 | ug/L | | 05/20/22 03:43 | 1 |
| 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.087 | ug/L | | 05/20/22 03:43 | 1 |
| 3-Nitrotoluene | 0.41 | U | 0.41 | 0.41 | 0.20 | ug/L | | 05/20/22 03:43 | 1 |
| **4-Amino-2,6-dinitrotoluene** | **4.3** | | 0.15 | 0.12 | 0.059 | ug/L | | 05/20/22 03:43 | 1 |
| 4-Nitrotoluene | 0.41 | U M | 0.42 | 0.41 | 0.10 | ug/L | | 05/20/22 22:42 | 1 |
| HMX | 0.20 | U M | 0.21 | 0.20 | 0.089 | ug/L | | 05/20/22 03:43 | 1 |
| MNX | 0.41 | U M | 2.0 | 0.41 | 0.16 | ug/L | | 05/20/22 03:43 | 1 |
| Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.092 | ug/L | | 05/20/22 03:43 | 1 |
| RDX | 0.20 | U | 0.21 | 0.20 | 0.052 | ug/L | | 05/20/22 03:43 | 1 |

## Client Sample ID: PZ013-22A
**Lab Sample ID: 280-162386-9**

**Date Collected: 05/13/22 11:40**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### Method: 8330A - Nitroaromatics and Nitramines (HPLC) (Continued)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.032 | ug/L | | 05/20/22 03:43 | 1 |

| *Surrogate* | *%Recovery* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *105* | | *83 - 119* | *05/19/22 14:06* | *05/20/22 03:43* | *1* |
| *1,2-Dinitrobenzene* | *92* | *M* | *83 - 119* | *05/19/22 14:06* | *05/20/22 22:42* | *1* |

### General Chemistry

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Ammonia** | **1.9** | | 0.10 | 0.050 | 0.029 | mg/L | | 06/01/22 10:35 | 1 |
| **Nitrogen, Total Kjeldahl** | **0.90** | **J** | 1.0 | 0.80 | 0.69 | mg/L | | 05/25/22 17:17 | 1 |
| **Nitrate Nitrite as N** | **5.7** | | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 18:59 | 1 |
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 12:50 | 1 |
| **Sulfate** | **340** | **D M** | 25 | 13 | 5.2 | mg/L | | 06/01/22 17:19 | 5 |
| **Total Alkalinity as CaCO3** | **810** | **B** | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 16:16 | 1 |

### General Chemistry - Dissolved

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Dissolved Organic Carbon - Quad** | **8.6** | | 1.0 | 0.80 | 0.35 | mg/L | | 05/27/22 01:37 | 1 |

## Client Sample ID: G0081-22A
**Lab Sample ID: 280-162386-10**

**Date Collected: 05/13/22 12:05**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

### Method: RSK-175 - Dissolved Gases (GC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Methane** | **1.4** | | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 06:14 | 1 |

### Method: 8330A - Nitroaromatics and Nitramines (HPLC)

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **1,3,5-Trinitrobenzene** | **0.36** | **M** | 0.21 | 0.20 | 0.086 | ug/L | | 05/20/22 04:06 | 1 |
| 1,3-Dinitrobenzene | 0.10 | U M | 0.11 | 0.10 | 0.038 | ug/L | | 05/20/22 04:06 | 1 |
| 2,4,6-Trinitrotoluene | 0.10 | U M | 0.11 | 0.10 | 0.046 | ug/L | | 05/20/22 23:17 | 1 |
| 2,4-Dinitrotoluene | 0.082 | U | 0.10 | 0.082 | 0.028 | ug/L | | 05/20/22 04:06 | 1 |
| 2,6-Dinitrotoluene | 0.082 | U | 0.10 | 0.082 | 0.041 | ug/L | | 05/20/22 04:06 | 1 |
| 2-Amino-4,6-dinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.052 | ug/L | | 05/20/22 23:17 | 1 |
| 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.087 | ug/L | | 05/20/22 04:06 | 1 |
| 3-Nitrotoluene | 0.41 | U | 0.41 | 0.41 | 0.20 | ug/L | | 05/20/22 04:06 | 1 |
| 4-Amino-2,6-dinitrotoluene | 0.12 | U | 0.15 | 0.12 | 0.059 | ug/L | | 05/20/22 23:17 | 1 |
| 4-Nitrotoluene | 0.41 | U | 0.42 | 0.41 | 0.10 | ug/L | | 05/20/22 04:06 | 1 |
| HMX | 0.20 | U | 0.21 | 0.20 | 0.089 | ug/L | | 05/20/22 04:06 | 1 |
| MNX | 0.41 | U | 2.0 | 0.41 | 0.16 | ug/L | | 05/20/22 04:06 | 1 |
| Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.093 | ug/L | | 05/20/22 04:06 | 1 |
| RDX | 0.20 | U | 0.21 | 0.20 | 0.053 | ug/L | | 05/20/22 04:06 | 1 |
| Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.032 | ug/L | | 05/20/22 04:06 | 1 |

| *Surrogate* | *%Recovery* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *108* | *M* | *83 - 119* | *05/19/22 14:06* | *05/20/22 04:06* | *1* |
| *1,2-Dinitrobenzene* | *105* | *M* | *83 - 119* | *05/19/22 14:06* | *05/20/22 23:17* | *1* |

## Client Sample ID: G0081-22A
**Date Collected: 05/13/22 12:05**
**Date Received: 05/14/22 09:25**

## Lab Sample ID: 280-162386-10
**Matrix: Water**

### General Chemistry

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Ammonia** | **0.49** | | 0.10 | 0.050 | 0.029 | mg/L | | 06/01/22 10:38 | 1 |
| Nitrogen, Total Kjeldahl | 0.80 | U | 1.0 | 0.80 | 0.69 | mg/L | | 05/25/22 17:18 | 1 |
| **Nitrate Nitrite as N** | **0.13** | | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 19:01 | 1 |
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 12:50 | 1 |
| **Sulfate** | **170** | **M** | 5.0 | 2.5 | 1.0 | mg/L | | 06/01/22 04:32 | 1 |
| **Total Alkalinity as CaCO3** | **320** | **B** | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 16:23 | 1 |

### General Chemistry - Dissolved

| Analyte | Result | Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Dissolved Organic Carbon - Quad** | **6.0** | | 1.0 | 0.80 | 0.35 | mg/L | | 05/27/22 01:56 | 1 |

# Default Detection Limits

Client: Brice Environmental Services, Corp
Project/Site: Cornhusker (CHAAP)

Job ID: 280-162386-1

## Method: RSK-175 - Dissolved Gases (GC)

| Analyte | LOQ | DL | Units |
|---|---|---|---|
| Methane | 0.0050 | 0.00063 | mg/L |

## Method: 8330A - Nitroaromatics and Nitramines (HPLC)

### Prep: 3535

| Analyte | LOQ | DL | Units |
|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.21 | 0.084 | ug/L |
| 1,3-Dinitrobenzene | 0.11 | 0.037 | ug/L |
| 2,4,6-Trinitrotoluene | 0.11 | 0.045 | ug/L |
| 2,4-Dinitrotoluene | 0.10 | 0.027 | ug/L |
| 2,6-Dinitrotoluene | 0.10 | 0.040 | ug/L |
| 2-Amino-4,6-dinitrotoluene | 0.11 | 0.051 | ug/L |
| 2-Nitrotoluene | 0.21 | 0.086 | ug/L |
| 3-Nitrotoluene | 0.40 | 0.20 | ug/L |
| 4-Amino-2,6-dinitrotoluene | 0.15 | 0.058 | ug/L |
| 4-Nitrotoluene | 0.41 | 0.10 | ug/L |
| HMX | 0.21 | 0.088 | ug/L |
| MNX | 2.0 | 0.15 | ug/L |
| Nitrobenzene | 0.21 | 0.091 | ug/L |
| RDX | 0.21 | 0.052 | ug/L |
| Tetryl | 0.11 | 0.032 | ug/L |

## General Chemistry

| Analyte | LOQ | DL | Units |
|---|---|---|---|
| Ammonia | 0.10 | 0.029 | mg/L |
| Nitrate Nitrite as N | 0.10 | 0.044 | mg/L |
| Sulfate | 5.0 | 1.0 | mg/L |
| Total Alkalinity as CaCO3 | 10 | 3.1 | mg/L |

## General Chemistry

### Prep: 351.2

| Analyte | LOQ | DL | Units |
|---|---|---|---|
| Nitrogen, Total Kjeldahl | 1.0 | 0.69 | mg/L |

## General Chemistry

### Prep: 9030B

| Analyte | LOQ | DL | Units |
|---|---|---|---|
| Sulfide | 4.0 | 1.6 | mg/L |

## General Chemistry - Dissolved

| Analyte | LOQ | DL | Units |
|---|---|---|---|
| Dissolved Organic Carbon - Quad | 1.0 | 0.35 | mg/L |

# Surrogate Summary

Client: Brice Environmental Services, Corp
Project/Site: Cornhusker (CHAAP)

Job ID: 280-162386-1

## Method: 8330A - Nitroaromatics and Nitramines (HPLC)

**Matrix: Water** **Prep Type: Total/NA**

| | | Percent Surrogate Recovery (Acceptance Limits) | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Lab Sample ID | Client Sample ID | 12DNB1 (83-119) | | | | | | |
| 280-162386-1 | PZ007-22A | 108 M | | | | | | |
| 280-162386-1 MS | PZ007-22A | 109 | | | | | | |
| 280-162386-1 MS | PZ007-22A | 107 M | | | | | | |
| 280-162386-1 MSD | PZ007-22A | 108 | | | | | | |
| 280-162386-1 MSD | PZ007-22A | 106 M | | | | | | |
| 280-162386-2 | G0087-22A | 103 M | | | | | | |
| 280-162386-3 | G0117-22A | 100 M | | | | | | |
| 280-162386-4 | G0022-22A | 106 M | | | | | | |
| 280-162386-5 | G0088-22A | 107 | | | | | | |
| 280-162386-6 | G0116-22A | 119 M | | | | | | |
| 280-162386-7 | PZ014-22A | 108 M | | | | | | |
| 280-162386-8 | G0092-22A | 105 M | | | | | | |
| 280-162386-9 | PZ013-22A | 105 | | | | | | |
| 280-162386-10 | G0081-22A | 108 M | | | | | | |
| LCS 280-575516/2-A | Lab Control Sample | 105 | | | | | | |
| LCS 280-575516/3-A | Lab Control Sample | 104 M | | | | | | |
| MB 280-575516/1-A | Method Blank | 106 M | | | | | | |

**Surrogate Legend**

12DNB = 1,2-Dinitrobenzene

## Method: 8330A - Nitroaromatics and Nitramines (HPLC)

**Matrix: Water** **Prep Type: Total/NA**

| | | Percent Surrogate Recovery (Acceptance Limits) | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Lab Sample ID | Client Sample ID | 12DNB2 (83-119) | | | | | | |
| 280-162386-2 | G0087-22A | 102 | | | | | | |
| 280-162386-3 | G0117-22A | 106 M | | | | | | |
| 280-162386-4 | G0022-22A | 108 | | | | | | |
| 280-162386-5 | G0088-22A | 103 | | | | | | |
| 280-162386-6 | G0116-22A | 81 M Q | | | | | | |
| 280-162386-9 | PZ013-22A | 92 M | | | | | | |
| 280-162386-10 | G0081-22A | 105 M | | | | | | |

**Surrogate Legend**

12DNB = 1,2-Dinitrobenzene

## Method: RSK-175 - Dissolved Gases (GC)

**Lab Sample ID: MB 280-576169/5**
**Matrix: Water**
**Analysis Batch: 576169**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Methane | 0.0013 | U | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/25/22 17:42 | 1 |

**Lab Sample ID: LCS 280-576169/3**
**Matrix: Water**
**Analysis Batch: 576169**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Methane | | | 0.0657 | 0.0634 | | mg/L | | 97 | 73 - 125 | | |

**Lab Sample ID: LCSD 280-576169/4**
**Matrix: Water**
**Analysis Batch: 576169**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Methane | | | 0.0657 | 0.0639 | | mg/L | | 97 | 73 - 125 | 1 | 20 |

**Lab Sample ID: MB 280-576170/92**
**Matrix: Water**
**Analysis Batch: 576170**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Methane | 0.0013 | U M | 0.0050 | 0.0013 | 0.00063 | mg/L | | 05/26/22 00:23 | 1 |

**Lab Sample ID: LCS 280-576170/90**
**Matrix: Water**
**Analysis Batch: 576170**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Methane | | | 0.0657 | 0.0651 | | mg/L | | 99 | 73 - 125 | | |

**Lab Sample ID: LCSD 280-576170/91**
**Matrix: Water**
**Analysis Batch: 576170**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Methane | | | 0.0657 | 0.0601 | | mg/L | | 92 | 73 - 125 | 8 | 20 |

**Lab Sample ID: 280-162386-1 MS**
**Matrix: Water**
**Analysis Batch: 576170**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 0.0013 | U | 0.0657 | 0.0601 | | mg/L | | 92 | 73 - 125 | | |

**Lab Sample ID: 280-162386-1 MSD**
**Matrix: Water**
**Analysis Batch: 576170**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 0.0013 | U | 0.0657 | 0.0640 | | mg/L | | 97 | 73 - 125 | 6 | 20 |

## Method: RSK-175 - Dissolved Gases (GC)

**Lab Sample ID: 280-162386-1 DU**
**Matrix: Water**
**Analysis Batch: 576170**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|
| Methane | 0.0013 | U | 0.0013 | U | mg/L | | NC | 20 |

## Method: 8330A - Nitroaromatics and Nitramines (HPLC)

**Lab Sample ID: MB 280-575516/1-A**
**Matrix: Water**
**Analysis Batch: 575600**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 575516**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.084 | ug/L | | 05/19/22 20:51 | 1 |
| 1,3-Dinitrobenzene | 0.10 | U | 0.11 | 0.10 | 0.037 | ug/L | | 05/19/22 20:51 | 1 |
| 2,4,6-Trinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.045 | ug/L | | 05/19/22 20:51 | 1 |
| 2,4-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.027 | ug/L | | 05/19/22 20:51 | 1 |
| 2,6-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.040 | ug/L | | 05/19/22 20:51 | 1 |
| 2-Amino-4,6-dinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.051 | ug/L | | 05/19/22 20:51 | 1 |
| 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.086 | ug/L | | 05/19/22 20:51 | 1 |
| 3-Nitrotoluene | 0.40 | U | 0.40 | 0.40 | 0.20 | ug/L | | 05/19/22 20:51 | 1 |
| 4-Amino-2,6-dinitrotoluene | 0.12 | U | 0.15 | 0.12 | 0.058 | ug/L | | 05/19/22 20:51 | 1 |
| 4-Nitrotoluene | 0.40 | U | 0.41 | 0.40 | 0.10 | ug/L | | 05/19/22 20:51 | 1 |
| HMX | 0.20 | U | 0.21 | 0.20 | 0.088 | ug/L | | 05/19/22 20:51 | 1 |
| MNX | 0.40 | U | 2.0 | 0.40 | 0.15 | ug/L | | 05/19/22 20:51 | 1 |
| Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.091 | ug/L | | 05/19/22 20:51 | 1 |
| RDX | 0.20 | U M | 0.21 | 0.20 | 0.052 | ug/L | | 05/19/22 20:51 | 1 |
| Tetryl | 0.10 | U | 0.11 | 0.10 | 0.032 | ug/L | | 05/19/22 20:51 | 1 |

| *Surrogate* | *MB %Recovery* | *MB Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *1,2-Dinitrobenzene* | *106* | *M* | *83 - 119* | *05/19/22 14:06* | *05/19/22 20:51* | *1* |

**Lab Sample ID: LCS 280-575516/2-A**
**Matrix: Water**
**Analysis Batch: 575600**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 575516**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 2.00 | 2.06 | | ug/L | | 103 | 73 - 125 |
| 1,3-Dinitrobenzene | 2.00 | 2.09 | | ug/L | | 105 | 78 - 120 |
| 2,4,6-Trinitrotoluene | 2.00 | 2.07 | | ug/L | | 104 | 71 - 123 |
| 2,4-Dinitrotoluene | 2.00 | 1.96 | | ug/L | | 98 | 78 - 120 |
| 2,6-Dinitrotoluene | 2.00 | 2.05 | | ug/L | | 102 | 77 - 127 |
| 2-Amino-4,6-dinitrotoluene | 2.00 | 1.98 | | ug/L | | 99 | 79 - 120 |
| 2-Nitrotoluene | 2.00 | 1.98 | | ug/L | | 99 | 70 - 127 |
| 3-Nitrotoluene | 2.00 | 1.62 | | ug/L | | 81 | 73 - 125 |
| 4-Amino-2,6-dinitrotoluene | 2.00 | 1.96 | | ug/L | | 98 | 76 - 125 |
| 4-Nitrotoluene | 2.00 | 1.90 | | ug/L | | 95 | 71 - 127 |
| HMX | 2.00 | 2.00 | M | ug/L | | 100 | 65 - 135 |
| Nitrobenzene | 2.00 | 1.92 | | ug/L | | 96 | 65 - 134 |
| RDX | 2.00 | 1.96 | | ug/L | | 98 | 68 - 130 |
| Tetryl | 2.00 | 2.06 | | ug/L | | 103 | 64 - 128 |

## Method: 8330A - Nitroaromatics and Nitramines (HPLC) (Continued)

**Lab Sample ID: LCS 280-575516/2-A**
**Matrix: Water**
**Analysis Batch: 575600**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 575516**

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|---|---|---|---|
| 1,2-Dinitrobenzene | 105 | | 83 - 119 |

**Lab Sample ID: LCS 280-575516/3-A**
**Matrix: Water**
**Analysis Batch: 575600**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 575516**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| MNX | | | 2.34 | 2.41 | M | ug/L | | 103 | 57 - 132 | | |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|---|---|---|---|
| 1,2-Dinitrobenzene | 104 | M | 83 - 119 |

**Lab Sample ID: 280-162386-1 MS**
**Matrix: Water**
**Analysis Batch: 575600**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**
**Prep Batch: 575516**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.20 | U | 1.97 | 2.06 | M | ug/L | | 104 | 73 - 125 | | |
| 1,3-Dinitrobenzene | 0.099 | U | 1.97 | 2.10 | | ug/L | | 107 | 78 - 120 | | |
| 2,4,6-Trinitrotoluene | 0.099 | U | 1.97 | 2.05 | | ug/L | | 104 | 71 - 123 | | |
| 2,4-Dinitrotoluene | 0.080 | U | 1.97 | 1.89 | | ug/L | | 96 | 78 - 120 | | |
| 2,6-Dinitrotoluene | 0.080 | U | 1.97 | 1.99 | | ug/L | | 101 | 77 - 127 | | |
| 2-Amino-4,6-dinitrotoluene | 0.099 | U | 1.97 | 1.94 | | ug/L | | 98 | 79 - 120 | | |
| 2-Nitrotoluene | 0.20 | U M | 1.97 | 1.92 | | ug/L | | 97 | 70 - 127 | | |
| 3-Nitrotoluene | 0.40 | U | 1.97 | 1.51 | | ug/L | | 77 | 73 - 125 | | |
| 4-Amino-2,6-dinitrotoluene | 0.12 | U | 1.97 | 1.89 | | ug/L | | 96 | 76 - 125 | | |
| 4-Nitrotoluene | 0.40 | U | 1.97 | 1.85 | | ug/L | | 93 | 71 - 127 | | |
| HMX | 0.20 | U | 1.97 | 2.01 | M | ug/L | | 102 | 65 - 135 | | |
| Nitrobenzene | 0.20 | U | 1.97 | 1.98 | | ug/L | | 100 | 65 - 134 | | |
| RDX | 0.20 | U | 1.97 | 1.82 | M | ug/L | | 92 | 68 - 130 | | |
| Tetryl | 0.099 | U | 1.97 | 2.03 | | ug/L | | 103 | 64 - 128 | | |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|---|---|---|---|
| 1,2-Dinitrobenzene | 109 | | 83 - 119 |

**Lab Sample ID: 280-162386-1 MS**
**Matrix: Water**
**Analysis Batch: 575600**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**
**Prep Batch: 575516**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| MNX | 0.40 | U | 2.35 | 2.33 | M | ug/L | | 99 | 57 - 132 | | |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|---|---|---|---|
| 1,2-Dinitrobenzene | 107 | M | 83 - 119 |

## Method: 8330A - Nitroaromatics and Nitramines (HPLC) (Continued)

**Lab Sample ID: 280-162386-1 MSD**
**Matrix: Water**
**Analysis Batch: 575600**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**
**Prep Batch: 575516**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 0.20 | U | 1.94 | 2.02 | M | ug/L | | 105 | 73 - 125 | 2 | 30 |
| 1,3-Dinitrobenzene | 0.099 | U | 1.94 | 2.05 | | ug/L | | 106 | 78 - 120 | 3 | 30 |
| 2,4,6-Trinitrotoluene | 0.099 | U | 1.94 | 1.99 | | ug/L | | 103 | 71 - 123 | 3 | 30 |
| 2,4-Dinitrotoluene | 0.080 | U | 1.94 | 1.86 | | ug/L | | 96 | 78 - 120 | 1 | 30 |
| 2,6-Dinitrotoluene | 0.080 | U | 1.94 | 1.96 | | ug/L | | 101 | 77 - 127 | 2 | 30 |
| 2-Amino-4,6-dinitrotoluene | 0.099 | U | 1.94 | 1.89 | | ug/L | | 98 | 79 - 120 | 3 | 30 |
| 2-Nitrotoluene | 0.20 | U M | 1.94 | 1.95 | | ug/L | | 100 | 70 - 127 | 1 | 30 |
| 3-Nitrotoluene | 0.40 | U | 1.94 | 1.50 | | ug/L | | 78 | 73 - 125 | 1 | 30 |
| 4-Amino-2,6-dinitrotoluene | 0.12 | U | 1.94 | 1.85 | | ug/L | | 96 | 76 - 125 | 2 | 30 |
| 4-Nitrotoluene | 0.40 | U | 1.94 | 1.87 | | ug/L | | 97 | 71 - 127 | 2 | 30 |
| HMX | 0.20 | U | 1.94 | 1.96 | M | ug/L | | 101 | 65 - 135 | 2 | 30 |
| Nitrobenzene | 0.20 | U | 1.94 | 1.96 | | ug/L | | 101 | 65 - 134 | 1 | 30 |
| RDX | 0.20 | U | 1.94 | 1.80 | M | ug/L | | 93 | 68 - 130 | 1 | 30 |
| Tetryl | 0.099 | U | 1.94 | 1.99 | | ug/L | | 103 | 64 - 128 | 2 | 30 |

| *Surrogate* | *MSD %Recovery* | *MSD Qualifier* | *Limits* |
|---|---|---|---|
| *1,2-Dinitrobenzene* | *108* | | *83 - 119* |

**Lab Sample ID: 280-162386-1 MSD**
**Matrix: Water**
**Analysis Batch: 575600**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**
**Prep Batch: 575516**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| MNX | 0.40 | U | 2.46 | 2.39 | M | ug/L | | 97 | 57 - 132 | 3 | 30 |

| *Surrogate* | *MSD %Recovery* | *MSD Qualifier* | *Limits* |
|---|---|---|---|
| *1,2-Dinitrobenzene* | *106* | *M* | *83 - 119* |

## Method: 350.1 - Nitrogen, Ammonia

**Lab Sample ID: MB 280-576796/19**
**Matrix: Water**
**Analysis Batch: 576796**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.050 | U | 0.10 | 0.050 | 0.029 | mg/L | | 06/01/22 09:55 | 1 |

**Lab Sample ID: MB 280-576796/97**
**Matrix: Water**
**Analysis Batch: 576796**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.050 | U | 0.10 | 0.050 | 0.029 | mg/L | | 06/01/22 13:23 | 1 |

## Method: 350.1 - Nitrogen, Ammonia (Continued)

**Lab Sample ID: LCS 280-576796/17**
**Matrix: Water**
**Analysis Batch: 576796**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Ammonia | | | 2.50 | 2.50 | | mg/L | | 100 | 90 - 110 | | |

**Lab Sample ID: LCS 280-576796/95**
**Matrix: Water**
**Analysis Batch: 576796**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Ammonia | | | 2.50 | 2.37 | | mg/L | | 95 | 90 - 110 | | |

**Lab Sample ID: LCSD 280-576796/18**
**Matrix: Water**
**Analysis Batch: 576796**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Ammonia | | | 2.50 | 2.56 | | mg/L | | 103 | 90 - 110 | 2 | 10 |

**Lab Sample ID: LCSD 280-576796/96**
**Matrix: Water**
**Analysis Batch: 576796**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Ammonia | | | 2.50 | 2.46 | | mg/L | | 98 | 90 - 110 | 4 | 10 |

**Lab Sample ID: 280-162386-1 MS**
**Matrix: Water**
**Analysis Batch: 576796**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.074 | J | 1.00 | 1.09 | | mg/L | | 101 | 90 - 110 | | |

**Lab Sample ID: 280-162386-1 MSD**
**Matrix: Water**
**Analysis Batch: 576796**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.074 | J | 1.00 | 1.09 | | mg/L | | 102 | 90 - 110 | 1 | 10 |

## Method: 351.2 - Nitrogen, Total Kjeldahl

**Lab Sample ID: MB 280-575901/2-A**
**Matrix: Water**
**Analysis Batch: 576217**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 575901**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Nitrogen, Total Kjeldahl | 0.80 | U | 1.0 | 0.80 | 0.69 | mg/L | | 05/25/22 17:11 | 1 |

## Method: 351.2 - Nitrogen, Total Kjeldahl (Continued)

**Lab Sample ID: LCS 280-575901/1-A**
**Matrix: Water**
**Analysis Batch: 576217**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 575901**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Nitrogen, Total Kjeldahl | | | 6.00 | 6.20 | | mg/L | | 103 | 90 - 110 | | |

**Lab Sample ID: 280-162386-1 MS**
**Matrix: Water**
**Analysis Batch: 576217**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**
**Prep Batch: 575901**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Nitrogen, Total Kjeldahl | 0.80 | U J1 | 3.00 | 3.36 | J1 | mg/L | | 112 | 90 - 110 | | |

**Lab Sample ID: 280-162386-1 MSD**
**Matrix: Water**
**Analysis Batch: 576217**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**
**Prep Batch: 575901**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Nitrogen, Total Kjeldahl | 0.80 | U J1 | 3.00 | 3.37 | J1 | mg/L | | 112 | 90 - 110 | 1 | 25 |

## Method: 353.2 - Nitrogen, Nitrate-Nitrite

**Lab Sample ID: MB 280-576988/60**
**Matrix: Water**
**Analysis Batch: 576988**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Nitrate Nitrite as N | 0.050 | U | 0.10 | 0.050 | 0.044 | mg/L | | 06/02/22 18:25 | 1 |

**Lab Sample ID: LCS 280-576988/59**
**Matrix: Water**
**Analysis Batch: 576988**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Nitrate Nitrite as N | | | 5.00 | 4.85 | | mg/L | | 97 | 90 - 110 | | |

**Lab Sample ID: 280-162386-1 MS**
**Matrix: Water**
**Analysis Batch: 576988**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Nitrate Nitrite as N | 0.59 | | 4.00 | 4.47 | | mg/L | | 97 | 90 - 110 | | |

**Lab Sample ID: 280-162386-1 MSD**
**Matrix: Water**
**Analysis Batch: 576988**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Nitrate Nitrite as N | 0.59 | | 4.00 | 4.45 | | mg/L | | 96 | 90 - 110 | 0 | 10 |

## Method: 9034 - Sulfide, Acid Soluble and Insoluble (Titrimetric)

**Lab Sample ID: MB 280-575031/2-A**
**Matrix: Water**
**Analysis Batch: 575054**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 575031**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/16/22 11:02 | 1 |

**Lab Sample ID: LCS 280-575031/1-A**
**Matrix: Water**
**Analysis Batch: 575054**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 575031**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Sulfide | 19.4 | 13.6 | | mg/L | | 70 | 44 - 110 |

**Lab Sample ID: MB 280-575174/2-A**
**Matrix: Water**
**Analysis Batch: 575192**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 575174**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 10:24 | 1 |

**Lab Sample ID: LCS 280-575174/1-A**
**Matrix: Water**
**Analysis Batch: 575192**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 575174**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Sulfide | 19.1 | 12.8 | | mg/L | | 67 | 44 - 110 |

**Lab Sample ID: 280-162386-1 MS**
**Matrix: Water**
**Analysis Batch: 575192**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**
**Prep Batch: 575174**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Sulfide | 2.0 | U | 19.1 | 12.8 | | mg/L | | 67 | 44 - 110 |

**Lab Sample ID: 280-162386-1 MSD**
**Matrix: Water**
**Analysis Batch: 575192**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**
**Prep Batch: 575174**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfide | 2.0 | U | 19.1 | 13.6 | | mg/L | | 71 | 44 - 110 | 6 | 20 |

**Lab Sample ID: MB 280-575177/2-A**
**Matrix: Water**
**Analysis Batch: 575233**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 575177**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Sulfide | 2.0 | U | 4.0 | 2.0 | 1.6 | mg/L | | 05/17/22 12:50 | 1 |

**Lab Sample ID: LCS 280-575177/1-A**
**Matrix: Water**
**Analysis Batch: 575233**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 575177**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Sulfide | 19.1 | 12.8 | | mg/L | | 67 | 44 - 110 |

## Method: 9056A - Anions, Ion Chromatography

**Lab Sample ID: MB 280-576575/57**
**Matrix: Water**
**Analysis Batch: 576575**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 2.5 | U | 5.0 | 2.5 | 1.0 | mg/L | | 06/01/22 00:00 | 1 |

**Lab Sample ID: LCS 280-576575/55**
**Matrix: Water**
**Analysis Batch: 576575**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | | | 100 | 100 | M | mg/L | | 100 | 87 - 112 | | |

**Lab Sample ID: LCSD 280-576575/56**
**Matrix: Water**
**Analysis Batch: 576575**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | | | 100 | 101 | M | mg/L | | 101 | 87 - 112 | 1 | 10 |

**Lab Sample ID: MRL 280-576575/3**
**Matrix: Water**
**Analysis Batch: 576575**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | | | 5.00 | 4.56 | J M | mg/L | | 91 | 50 - 150 | | |

**Lab Sample ID: 280-162386-1 MS**
**Matrix: Water**
**Analysis Batch: 576575**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 850 | D M | 250 | 1070 | D M J1 | mg/L | | 88 | 87 - 112 | | |

**Lab Sample ID: 280-162386-1 MSD**
**Matrix: Water**
**Analysis Batch: 576575**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 850 | D M | 250 | 1080 | D M J1 | mg/L | | 90 | 87 - 112 | 0 | 10 |

**Lab Sample ID: 280-162386-1 DU**
**Matrix: Water**
**Analysis Batch: 576575**

**Client Sample ID: PZ007-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | | DU Result | DU Qualifier | Unit | D | | | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 850 | D M | | 834 | D M | mg/L | | | | 2 | 10 |

**Lab Sample ID: MB 280-576718/6**
**Matrix: Water**
**Analysis Batch: 576718**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 2.5 | U | 5.0 | 2.5 | 1.0 | mg/L | | 06/01/22 12:28 | 1 |

## Method: 9056A - Anions, Ion Chromatography

**Lab Sample ID: LCS 280-576718/4**
**Matrix: Water**
**Analysis Batch: 576718**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | | | 100 | 98.3 | M | mg/L | | 98 | 87 - 112 | | |

**Lab Sample ID: LCSD 280-576718/5**
**Matrix: Water**
**Analysis Batch: 576718**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | | | 100 | 97.7 | M | mg/L | | 98 | 87 - 112 | 1 | 10 |

**Lab Sample ID: MRL 280-576718/3**
**Matrix: Water**
**Analysis Batch: 576718**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | | | 5.00 | 4.07 | J M | mg/L | | 81 | 50 - 150 | | |

**Lab Sample ID: 280-162386-3 MS**
**Matrix: Water**
**Analysis Batch: 576718**

**Client Sample ID: G0117-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 380 | D M | 250 | 653 | D | mg/L | | 109 | 87 - 112 | | |

**Lab Sample ID: 280-162386-3 MSD**
**Matrix: Water**
**Analysis Batch: 576718**

**Client Sample ID: G0117-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 380 | D M | 250 | 656 | D M | mg/L | | 110 | 87 - 112 | 0 | 10 |

**Lab Sample ID: 280-162386-3 DU**
**Matrix: Water**
**Analysis Batch: 576718**

**Client Sample ID: G0117-22A**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | | DU Result | DU Qualifier | Unit | D | | | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 380 | D M | | 380 | D M | mg/L | | | | 0.2 | 10 |

## Method: 9060A - Organic Carbon, Dissolved (DOC)

**Lab Sample ID: MB 280-576248/2-A**
**Matrix: Water**
**Analysis Batch: 576443**

**Client Sample ID: Method Blank**
**Prep Type: Dissolved**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 0.80 | U | 1.0 | 0.80 | 0.35 | mg/L | | 05/26/22 22:01 | 1 |

## Method: 9060A - Organic Carbon, Dissolved (DOC) (Continued)

**Lab Sample ID: LCS 280-576248/1-A**
**Matrix: Water**
**Analysis Batch: 576443**

**Client Sample ID: Lab Control Sample**
**Prep Type: Dissolved**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | | | 25.0 | 25.1 | | mg/L | | 100 | 88 - 112 | | |

**Lab Sample ID: 280-162386-1 MS**
**Matrix: Water**
**Analysis Batch: 576443**

**Client Sample ID: PZ007-22A**
**Prep Type: Dissolved**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 4.2 | | 25.0 | 28.4 | | mg/L | | 97 | 88 - 112 | | |

**Lab Sample ID: 280-162386-1 MSD**
**Matrix: Water**
**Analysis Batch: 576443**

**Client Sample ID: PZ007-22A**
**Prep Type: Dissolved**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 4.2 | | 25.0 | 28.7 | | mg/L | | 98 | 88 - 112 | 1 | 15 |

## Method: SM 2320B - Alkalinity

**Lab Sample ID: MB 280-576106/32**
**Matrix: Water**
**Analysis Batch: 576106**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Alkalinity as CaCO3 | 5.40 | J | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 14:33 | 1 |

**Lab Sample ID: MB 280-576106/6**
**Matrix: Water**
**Analysis Batch: 576106**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | LOQ | LOD | DL | Unit | D | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Alkalinity as CaCO3 | 6.4 | U | 10 | 6.4 | 3.1 | mg/L | | 05/24/22 11:33 | 1 |

**Lab Sample ID: LCS 280-576106/31**
**Matrix: Water**
**Analysis Batch: 576106**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Alkalinity as CaCO3 | | | 200 | 201 | | mg/L | | 101 | 89 - 109 | | |

**Lab Sample ID: LCSD 280-576106/5**
**Matrix: Water**
**Analysis Batch: 576106**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Alkalinity as CaCO3 | | | 200 | 186 | | mg/L | | 93 | 89 - 109 | 2 | 10 |

## GC VOA

### Analysis Batch: 576169

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| MB 280-576169/5 | Method Blank | Total/NA | Water | RSK-175 | |
| LCS 280-576169/3 | Lab Control Sample | Total/NA | Water | RSK-175 | |
| LCSD 280-576169/4 | Lab Control Sample Dup | Total/NA | Water | RSK-175 | |

### Analysis Batch: 576170

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | RSK-175 | |
| 280-162386-2 | G0087-22A | Total/NA | Water | RSK-175 | |
| 280-162386-3 | G0117-22A | Total/NA | Water | RSK-175 | |
| 280-162386-4 | G0022-22A | Total/NA | Water | RSK-175 | |
| 280-162386-5 | G0088-22A | Total/NA | Water | RSK-175 | |
| 280-162386-6 | G0116-22A | Total/NA | Water | RSK-175 | |
| 280-162386-7 | PZ014-22A | Total/NA | Water | RSK-175 | |
| 280-162386-8 | G0092-22A | Total/NA | Water | RSK-175 | |
| 280-162386-9 | PZ013-22A | Total/NA | Water | RSK-175 | |
| 280-162386-10 | G0081-22A | Total/NA | Water | RSK-175 | |
| MB 280-576170/92 | Method Blank | Total/NA | Water | RSK-175 | |
| LCS 280-576170/90 | Lab Control Sample | Total/NA | Water | RSK-175 | |
| LCSD 280-576170/91 | Lab Control Sample Dup | Total/NA | Water | RSK-175 | |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | RSK-175 | |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | RSK-175 | |
| 280-162386-1 DU | PZ007-22A | Total/NA | Water | RSK-175 | |

## HPLC/IC

### Prep Batch: 575516

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | 3535 | |
| 280-162386-2 | G0087-22A | Total/NA | Water | 3535 | |
| 280-162386-3 | G0117-22A | Total/NA | Water | 3535 | |
| 280-162386-4 | G0022-22A | Total/NA | Water | 3535 | |
| 280-162386-5 | G0088-22A | Total/NA | Water | 3535 | |
| 280-162386-6 | G0116-22A | Total/NA | Water | 3535 | |
| 280-162386-7 | PZ014-22A | Total/NA | Water | 3535 | |
| 280-162386-8 | G0092-22A | Total/NA | Water | 3535 | |
| 280-162386-9 | PZ013-22A | Total/NA | Water | 3535 | |
| 280-162386-10 | G0081-22A | Total/NA | Water | 3535 | |
| MB 280-575516/1-A | Method Blank | Total/NA | Water | 3535 | |
| LCS 280-575516/2-A | Lab Control Sample | Total/NA | Water | 3535 | |
| LCS 280-575516/3-A | Lab Control Sample | Total/NA | Water | 3535 | |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 3535 | |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 3535 | |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 3535 | |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 3535 | |

### Analysis Batch: 575600

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-2 | G0087-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-3 | G0117-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-4 | G0022-22A | Total/NA | Water | 8330A | 575516 |

## HPLC/IC (Continued)

### Analysis Batch: 575600 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-5 | G0088-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-6 | G0116-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-7 | PZ014-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-8 | G0092-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-9 | PZ013-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-10 | G0081-22A | Total/NA | Water | 8330A | 575516 |
| MB 280-575516/1-A | Method Blank | Total/NA | Water | 8330A | 575516 |
| LCS 280-575516/2-A | Lab Control Sample | Total/NA | Water | 8330A | 575516 |
| LCS 280-575516/3-A | Lab Control Sample | Total/NA | Water | 8330A | 575516 |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 8330A | 575516 |

### Analysis Batch: 575712

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-2 | G0087-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-3 | G0117-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-4 | G0022-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-5 | G0088-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-6 | G0116-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-9 | PZ013-22A | Total/NA | Water | 8330A | 575516 |
| 280-162386-10 | G0081-22A | Total/NA | Water | 8330A | 575516 |

## General Chemistry

### Prep Batch: 575031

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-8 | G0092-22A | Total/NA | Water | 9030B | |
| MB 280-575031/2-A | Method Blank | Total/NA | Water | 9030B | |
| LCS 280-575031/1-A | Lab Control Sample | Total/NA | Water | 9030B | |

### Analysis Batch: 575054

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-8 | G0092-22A | Total/NA | Water | 9034 | 575031 |
| MB 280-575031/2-A | Method Blank | Total/NA | Water | 9034 | 575031 |
| LCS 280-575031/1-A | Lab Control Sample | Total/NA | Water | 9034 | 575031 |

### Prep Batch: 575174

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | 9030B | |
| 280-162386-2 | G0087-22A | Total/NA | Water | 9030B | |
| MB 280-575174/2-A | Method Blank | Total/NA | Water | 9030B | |
| LCS 280-575174/1-A | Lab Control Sample | Total/NA | Water | 9030B | |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 9030B | |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 9030B | |

### Prep Batch: 575177

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-3 | G0117-22A | Total/NA | Water | 9030B | |
| 280-162386-4 | G0022-22A | Total/NA | Water | 9030B | |

## General Chemistry (Continued)

### Prep Batch: 575177 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-5 | G0088-22A | Total/NA | Water | 9030B | |
| 280-162386-6 | G0116-22A | Total/NA | Water | 9030B | |
| 280-162386-7 | PZ014-22A | Total/NA | Water | 9030B | |
| 280-162386-9 | PZ013-22A | Total/NA | Water | 9030B | |
| 280-162386-10 | G0081-22A | Total/NA | Water | 9030B | |
| MB 280-575177/2-A | Method Blank | Total/NA | Water | 9030B | |
| LCS 280-575177/1-A | Lab Control Sample | Total/NA | Water | 9030B | |

### Analysis Batch: 575192

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | 9034 | 575174 |
| 280-162386-2 | G0087-22A | Total/NA | Water | 9034 | 575174 |
| MB 280-575174/2-A | Method Blank | Total/NA | Water | 9034 | 575174 |
| LCS 280-575174/1-A | Lab Control Sample | Total/NA | Water | 9034 | 575174 |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 9034 | 575174 |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 9034 | 575174 |

### Analysis Batch: 575233

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-3 | G0117-22A | Total/NA | Water | 9034 | 575177 |
| 280-162386-4 | G0022-22A | Total/NA | Water | 9034 | 575177 |
| 280-162386-5 | G0088-22A | Total/NA | Water | 9034 | 575177 |
| 280-162386-6 | G0116-22A | Total/NA | Water | 9034 | 575177 |
| 280-162386-7 | PZ014-22A | Total/NA | Water | 9034 | 575177 |
| 280-162386-9 | PZ013-22A | Total/NA | Water | 9034 | 575177 |
| 280-162386-10 | G0081-22A | Total/NA | Water | 9034 | 575177 |
| MB 280-575177/2-A | Method Blank | Total/NA | Water | 9034 | 575177 |
| LCS 280-575177/1-A | Lab Control Sample | Total/NA | Water | 9034 | 575177 |

### Prep Batch: 575901

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | 351.2 | |
| 280-162386-2 | G0087-22A | Total/NA | Water | 351.2 | |
| 280-162386-3 | G0117-22A | Total/NA | Water | 351.2 | |
| 280-162386-4 | G0022-22A | Total/NA | Water | 351.2 | |
| 280-162386-5 | G0088-22A | Total/NA | Water | 351.2 | |
| 280-162386-6 | G0116-22A | Total/NA | Water | 351.2 | |
| 280-162386-7 | PZ014-22A | Total/NA | Water | 351.2 | |
| 280-162386-8 | G0092-22A | Total/NA | Water | 351.2 | |
| 280-162386-9 | PZ013-22A | Total/NA | Water | 351.2 | |
| 280-162386-10 | G0081-22A | Total/NA | Water | 351.2 | |
| MB 280-575901/2-A | Method Blank | Total/NA | Water | 351.2 | |
| LCS 280-575901/1-A | Lab Control Sample | Total/NA | Water | 351.2 | |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 351.2 | |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 351.2 | |

### Analysis Batch: 576106

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | SM 2320B | |
| 280-162386-2 | G0087-22A | Total/NA | Water | SM 2320B | |
| 280-162386-3 | G0117-22A | Total/NA | Water | SM 2320B | |

## General Chemistry (Continued)

### Analysis Batch: 576106 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-4 | G0022-22A | Total/NA | Water | SM 2320B | |
| 280-162386-5 | G0088-22A | Total/NA | Water | SM 2320B | |
| 280-162386-6 | G0116-22A | Total/NA | Water | SM 2320B | |
| 280-162386-7 | PZ014-22A | Total/NA | Water | SM 2320B | |
| 280-162386-8 | G0092-22A | Total/NA | Water | SM 2320B | |
| 280-162386-9 | PZ013-22A | Total/NA | Water | SM 2320B | |
| 280-162386-10 | G0081-22A | Total/NA | Water | SM 2320B | |
| MB 280-576106/32 | Method Blank | Total/NA | Water | SM 2320B | |
| MB 280-576106/6 | Method Blank | Total/NA | Water | SM 2320B | |
| LCS 280-576106/31 | Lab Control Sample | Total/NA | Water | SM 2320B | |
| LCSD 280-576106/5 | Lab Control Sample Dup | Total/NA | Water | SM 2320B | |

### Analysis Batch: 576217

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | 351.2 | 575901 |
| 280-162386-2 | G0087-22A | Total/NA | Water | 351.2 | 575901 |
| 280-162386-3 | G0117-22A | Total/NA | Water | 351.2 | 575901 |
| 280-162386-4 | G0022-22A | Total/NA | Water | 351.2 | 575901 |
| 280-162386-5 | G0088-22A | Total/NA | Water | 351.2 | 575901 |
| 280-162386-6 | G0116-22A | Total/NA | Water | 351.2 | 575901 |
| 280-162386-7 | PZ014-22A | Total/NA | Water | 351.2 | 575901 |
| 280-162386-8 | G0092-22A | Total/NA | Water | 351.2 | 575901 |
| 280-162386-9 | PZ013-22A | Total/NA | Water | 351.2 | 575901 |
| 280-162386-10 | G0081-22A | Total/NA | Water | 351.2 | 575901 |
| MB 280-575901/2-A | Method Blank | Total/NA | Water | 351.2 | 575901 |
| LCS 280-575901/1-A | Lab Control Sample | Total/NA | Water | 351.2 | 575901 |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 351.2 | 575901 |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 351.2 | 575901 |

### Filtration Batch: 576248

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Dissolved | Water | FILTRATION | |
| 280-162386-2 | G0087-22A | Dissolved | Water | FILTRATION | |
| 280-162386-3 | G0117-22A | Dissolved | Water | FILTRATION | |
| 280-162386-4 | G0022-22A | Dissolved | Water | FILTRATION | |
| 280-162386-5 | G0088-22A | Dissolved | Water | FILTRATION | |
| 280-162386-6 | G0116-22A | Dissolved | Water | FILTRATION | |
| 280-162386-7 | PZ014-22A | Dissolved | Water | FILTRATION | |
| 280-162386-8 | G0092-22A | Dissolved | Water | FILTRATION | |
| 280-162386-9 | PZ013-22A | Dissolved | Water | FILTRATION | |
| 280-162386-10 | G0081-22A | Dissolved | Water | FILTRATION | |
| MB 280-576248/2-A | Method Blank | Dissolved | Water | FILTRATION | |
| LCS 280-576248/1-A | Lab Control Sample | Dissolved | Water | FILTRATION | |
| 280-162386-1 MS | PZ007-22A | Dissolved | Water | FILTRATION | |
| 280-162386-1 MSD | PZ007-22A | Dissolved | Water | FILTRATION | |

### Analysis Batch: 576443

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Dissolved | Water | 9060A | 576248 |
| 280-162386-2 | G0087-22A | Dissolved | Water | 9060A | 576248 |
| 280-162386-3 | G0117-22A | Dissolved | Water | 9060A | 576248 |

## General Chemistry (Continued)

### Analysis Batch: 576443 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-4 | G0022-22A | Dissolved | Water | 9060A | 576248 |
| 280-162386-5 | G0088-22A | Dissolved | Water | 9060A | 576248 |
| 280-162386-6 | G0116-22A | Dissolved | Water | 9060A | 576248 |
| 280-162386-7 | PZ014-22A | Dissolved | Water | 9060A | 576248 |
| 280-162386-8 | G0092-22A | Dissolved | Water | 9060A | 576248 |
| 280-162386-9 | PZ013-22A | Dissolved | Water | 9060A | 576248 |
| 280-162386-10 | G0081-22A | Dissolved | Water | 9060A | 576248 |
| MB 280-576248/2-A | Method Blank | Dissolved | Water | 9060A | 576248 |
| LCS 280-576248/1-A | Lab Control Sample | Dissolved | Water | 9060A | 576248 |
| 280-162386-1 MS | PZ007-22A | Dissolved | Water | 9060A | 576248 |
| 280-162386-1 MSD | PZ007-22A | Dissolved | Water | 9060A | 576248 |

### Analysis Batch: 576575

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | 9056A | |
| 280-162386-2 | G0087-22A | Total/NA | Water | 9056A | |
| 280-162386-4 | G0022-22A | Total/NA | Water | 9056A | |
| 280-162386-5 | G0088-22A | Total/NA | Water | 9056A | |
| 280-162386-8 | G0092-22A | Total/NA | Water | 9056A | |
| 280-162386-10 | G0081-22A | Total/NA | Water | 9056A | |
| MB 280-576575/57 | Method Blank | Total/NA | Water | 9056A | |
| LCS 280-576575/55 | Lab Control Sample | Total/NA | Water | 9056A | |
| LCSD 280-576575/56 | Lab Control Sample Dup | Total/NA | Water | 9056A | |
| MRL 280-576575/3 | Lab Control Sample | Total/NA | Water | 9056A | |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 9056A | |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 9056A | |
| 280-162386-1 DU | PZ007-22A | Total/NA | Water | 9056A | |

### Analysis Batch: 576718

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-3 | G0117-22A | Total/NA | Water | 9056A | |
| 280-162386-6 | G0116-22A | Total/NA | Water | 9056A | |
| 280-162386-7 | PZ014-22A | Total/NA | Water | 9056A | |
| 280-162386-9 | PZ013-22A | Total/NA | Water | 9056A | |
| MB 280-576718/6 | Method Blank | Total/NA | Water | 9056A | |
| LCS 280-576718/4 | Lab Control Sample | Total/NA | Water | 9056A | |
| LCSD 280-576718/5 | Lab Control Sample Dup | Total/NA | Water | 9056A | |
| MRL 280-576718/3 | Lab Control Sample | Total/NA | Water | 9056A | |
| 280-162386-3 MS | G0117-22A | Total/NA | Water | 9056A | |
| 280-162386-3 MSD | G0117-22A | Total/NA | Water | 9056A | |
| 280-162386-3 DU | G0117-22A | Total/NA | Water | 9056A | |

### Analysis Batch: 576796

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | 350.1 | |
| 280-162386-2 | G0087-22A | Total/NA | Water | 350.1 | |
| 280-162386-3 | G0117-22A | Total/NA | Water | 350.1 | |
| 280-162386-4 | G0022-22A | Total/NA | Water | 350.1 | |
| 280-162386-5 | G0088-22A | Total/NA | Water | 350.1 | |
| 280-162386-6 | G0116-22A | Total/NA | Water | 350.1 | |
| 280-162386-7 | PZ014-22A | Total/NA | Water | 350.1 | |

## General Chemistry (Continued)

### Analysis Batch: 576796 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-8 | G0092-22A | Total/NA | Water | 350.1 | |
| 280-162386-9 | PZ013-22A | Total/NA | Water | 350.1 | |
| 280-162386-10 | G0081-22A | Total/NA | Water | 350.1 | |
| MB 280-576796/19 | Method Blank | Total/NA | Water | 350.1 | |
| MB 280-576796/97 | Method Blank | Total/NA | Water | 350.1 | |
| LCS 280-576796/17 | Lab Control Sample | Total/NA | Water | 350.1 | |
| LCS 280-576796/95 | Lab Control Sample | Total/NA | Water | 350.1 | |
| LCSD 280-576796/18 | Lab Control Sample Dup | Total/NA | Water | 350.1 | |
| LCSD 280-576796/96 | Lab Control Sample Dup | Total/NA | Water | 350.1 | |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 350.1 | |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 350.1 | |

### Analysis Batch: 576988

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Total/NA | Water | 353.2 | |
| 280-162386-2 | G0087-22A | Total/NA | Water | 353.2 | |
| 280-162386-3 | G0117-22A | Total/NA | Water | 353.2 | |
| 280-162386-4 | G0022-22A | Total/NA | Water | 353.2 | |
| 280-162386-5 | G0088-22A | Total/NA | Water | 353.2 | |
| 280-162386-6 | G0116-22A | Total/NA | Water | 353.2 | |
| 280-162386-7 | PZ014-22A | Total/NA | Water | 353.2 | |
| 280-162386-8 | G0092-22A | Total/NA | Water | 353.2 | |
| 280-162386-9 | PZ013-22A | Total/NA | Water | 353.2 | |
| 280-162386-10 | G0081-22A | Total/NA | Water | 353.2 | |
| MB 280-576988/60 | Method Blank | Total/NA | Water | 353.2 | |
| LCS 280-576988/59 | Lab Control Sample | Total/NA | Water | 353.2 | |
| 280-162386-1 MS | PZ007-22A | Total/NA | Water | 353.2 | |
| 280-162386-1 MSD | PZ007-22A | Total/NA | Water | 353.2 | |

## Client Sample ID: PZ007-22A
**Lab Sample ID: 280-162386-1**

**Date Collected: 05/13/22 09:15**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | RSK-175 | | 1 | 20 mL | 20 mL | 576170 | 05/26/22 03:38 | CAS | TAL DEN |
| Total/NA | Prep | 3535 | | | 502.8 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575600 | 05/19/22 22:00 | JZ | TAL DEN |
| Total/NA | Analysis | 350.1 | | 1 | 10 mL | 10 mL | 576796 | 06/01/22 09:58 | MMP | TAL DEN |
| Total/NA | Prep | 351.2 | | | 25 mL | 25 mL | 575901 | 05/23/22 15:54 | SVC | TAL DEN |
| Total/NA | Analysis | 351.2 | | 1 | | | 576217 | 05/25/22 17:12 | SVC | TAL DEN |
| Total/NA | Analysis | 353.2 | | 1 | 100 mL | 100 mL | 576988 | 06/02/22 18:27 | SVC | TAL DEN |
| Total/NA | Prep | 9030B | | | 50 mL | 50 mL | 575174 | 05/17/22 09:10 | ZPM | TAL DEN |
| Total/NA | Analysis | 9034 | | 1 | | | 575192 | 05/17/22 10:24 | ZPM | TAL DEN |
| Total/NA | Analysis | 9056A | | 5 | 10 mL | 10 mL | 576575 | 06/01/22 00:16 | RAF | TAL DEN |
| Dissolved | Filtration | FILTRATION | | | 1.0 mL | 1.0 mL | 576248 | 05/26/22 08:42 | ABW | TAL DEN |
| Dissolved | Analysis | 9060A | | 1 | 20 mL | 20 mL | 576443 | 05/26/22 22:15 | ABW | TAL DEN |
| Total/NA | Analysis | SM 2320B | | 1 | | | 576106 | 05/24/22 15:01 | KEG | TAL DEN |

## Client Sample ID: G0087-22A
**Lab Sample ID: 280-162386-2**

**Date Collected: 05/13/22 13:15**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | RSK-175 | | 1 | 20 mL | 20 mL | 576170 | 05/26/22 04:30 | CAS | TAL DEN |
| Total/NA | Prep | 3535 | | | 501.7 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575600 | 05/19/22 23:54 | JZ | TAL DEN |
| Total/NA | Prep | 3535 | | | 501.7 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575712 | 05/20/22 19:46 | JZ | TAL DEN |
| Total/NA | Analysis | 350.1 | | 1 | 10 mL | 10 mL | 576796 | 06/01/22 10:06 | MMP | TAL DEN |
| Total/NA | Prep | 351.2 | | | 25 mL | 25 mL | 575901 | 05/23/22 15:54 | SVC | TAL DEN |
| Total/NA | Analysis | 351.2 | | 1 | | | 576217 | 05/25/22 17:13 | SVC | TAL DEN |
| Total/NA | Analysis | 353.2 | | 1 | 100 mL | 100 mL | 576988 | 06/02/22 18:33 | SVC | TAL DEN |
| Total/NA | Prep | 9030B | | | 50 mL | 50 mL | 575174 | 05/17/22 09:10 | ZPM | TAL DEN |
| Total/NA | Analysis | 9034 | | 1 | | | 575192 | 05/17/22 10:24 | ZPM | TAL DEN |
| Total/NA | Analysis | 9056A | | 1 | 10 mL | 10 mL | 576575 | 06/01/22 01:52 | RAF | TAL DEN |
| Dissolved | Filtration | FILTRATION | | | 1.0 mL | 1.0 mL | 576248 | 05/26/22 08:42 | ABW | TAL DEN |
| Dissolved | Analysis | 9060A | | 1 | 20 mL | 20 mL | 576443 | 05/26/22 23:02 | ABW | TAL DEN |
| Total/NA | Analysis | SM 2320B | | 1 | | | 576106 | 05/24/22 15:07 | KEG | TAL DEN |

## Client Sample ID: G0117-22A
**Lab Sample ID: 280-162386-3**

**Date Collected: 05/13/22 12:55**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | RSK-175 | | 1 | 20 mL | 20 mL | 576170 | 05/26/22 04:43 | CAS | TAL DEN |
| Total/NA | Prep | 3535 | | | 497.3 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575600 | 05/20/22 00:17 | JZ | TAL DEN |

## Client Sample ID: G0117-22A
**Lab Sample ID: 280-162386-3**

**Date Collected: 05/13/22 12:55**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | 3535 | | | 497.3 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575712 | 05/20/22 20:21 | JZ | TAL DEN |
| Total/NA | Analysis | 350.1 | | 2 | 10 mL | 10 mL | 576796 | 06/01/22 15:13 | MMP | TAL DEN |
| Total/NA | Prep | 351.2 | | | 25 mL | 25 mL | 575901 | 05/23/22 15:54 | SVC | TAL DEN |
| Total/NA | Analysis | 351.2 | | 1 | | | 576217 | 05/25/22 17:14 | SVC | TAL DEN |
| Total/NA | Analysis | 353.2 | | 1 | 100 mL | 100 mL | 576988 | 06/02/22 18:47 | SVC | TAL DEN |
| Total/NA | Prep | 9030B | | | 50 mL | 50 mL | 575177 | 05/17/22 09:13 | ZPM | TAL DEN |
| Total/NA | Analysis | 9034 | | 1 | | | 575233 | 05/17/22 12:50 | ZPM | TAL DEN |
| Total/NA | Analysis | 9056A | | 5 | 5 mL | 5 mL | 576718 | 06/01/22 15:12 | RAF | TAL DEN |
| Dissolved | Filtration | FILTRATION | | | 1.0 mL | 1.0 mL | 576248 | 05/26/22 08:42 | ABW | TAL DEN |
| Dissolved | Analysis | 9060A | | 1 | 20 mL | 20 mL | 576443 | 05/26/22 23:21 | ABW | TAL DEN |
| Total/NA | Analysis | SM 2320B | | 1 | | | 576106 | 05/24/22 15:17 | KEG | TAL DEN |

## Client Sample ID: G0022-22A
**Lab Sample ID: 280-162386-4**

**Date Collected: 05/13/22 14:25**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | RSK-175 | | 1 | 20 mL | 20 mL | 576170 | 05/26/22 04:56 | CAS | TAL DEN |
| Total/NA | Prep | 3535 | | | 482.8 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575600 | 05/20/22 01:49 | JZ | TAL DEN |
| Total/NA | Prep | 3535 | | | 482.8 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575712 | 05/20/22 20:57 | JZ | TAL DEN |
| Total/NA | Analysis | 350.1 | | 1 | 10 mL | 10 mL | 576796 | 06/01/22 10:11 | MMP | TAL DEN |
| Total/NA | Prep | 351.2 | | | 25 mL | 25 mL | 575901 | 05/23/22 15:54 | SVC | TAL DEN |
| Total/NA | Analysis | 351.2 | | 1 | | | 576217 | 05/25/22 17:15 | SVC | TAL DEN |
| Total/NA | Analysis | 353.2 | | 1 | 100 mL | 100 mL | 576988 | 06/02/22 18:49 | SVC | TAL DEN |
| Total/NA | Prep | 9030B | | | 50 mL | 50 mL | 575177 | 05/17/22 09:13 | ZPM | TAL DEN |
| Total/NA | Analysis | 9034 | | 1 | | | 575233 | 05/17/22 12:50 | ZPM | TAL DEN |
| Total/NA | Analysis | 9056A | | 1 | 10 mL | 10 mL | 576575 | 06/01/22 02:24 | RAF | TAL DEN |
| Dissolved | Filtration | FILTRATION | | | 1.0 mL | 1.0 mL | 576248 | 05/26/22 08:42 | ABW | TAL DEN |
| Dissolved | Analysis | 9060A | | 1 | 20 mL | 20 mL | 576443 | 05/27/22 00:10 | ABW | TAL DEN |
| Total/NA | Analysis | SM 2320B | | 1 | | | 576106 | 05/24/22 15:23 | KEG | TAL DEN |

## Client Sample ID: G0088-22A
**Lab Sample ID: 280-162386-5**

**Date Collected: 05/13/22 15:35**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | RSK-175 | | 1 | 20 mL | 20 mL | 576170 | 05/26/22 05:09 | CAS | TAL DEN |
| Total/NA | Prep | 3535 | | | 494.5 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575600 | 05/20/22 02:12 | JZ | TAL DEN |
| Total/NA | Prep | 3535 | | | 494.5 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575712 | 05/20/22 21:32 | JZ | TAL DEN |

## Client Sample ID: G0088-22A
**Lab Sample ID: 280-162386-5**

**Date Collected: 05/13/22 15:35**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | 350.1 | | 1 | 10 mL | 10 mL | 576796 | 06/01/22 10:14 | MMP | TAL DEN |
| Total/NA | Prep | 351.2 | | | 25 mL | 25 mL | 575901 | 05/23/22 15:54 | SVC | TAL DEN |
| Total/NA | Analysis | 351.2 | | 1 | | | 576217 | 05/25/22 17:16 | SVC | TAL DEN |
| Total/NA | Analysis | 353.2 | | 1 | 100 mL | 100 mL | 576988 | 06/02/22 18:51 | SVC | TAL DEN |
| Total/NA | Prep | 9030B | | | 50 mL | 50 mL | 575177 | 05/17/22 09:13 | ZPM | TAL DEN |
| Total/NA | Analysis | 9034 | | 1 | | | 575233 | 05/17/22 12:50 | ZPM | TAL DEN |
| Total/NA | Analysis | 9056A | | 2 | 10 mL | 10 mL | 576575 | 06/01/22 02:40 | RAF | TAL DEN |
| Dissolved | Filtration | FILTRATION | | | 1.0 mL | 1.0 mL | 576248 | 05/26/22 08:42 | ABW | TAL DEN |
| Dissolved | Analysis | 9060A | | 1 | 20 mL | 20 mL | 576443 | 05/27/22 00:28 | ABW | TAL DEN |
| Total/NA | Analysis | SM 2320B | | 1 | | | 576106 | 05/24/22 15:30 | KEG | TAL DEN |

## Client Sample ID: G0116-22A
**Lab Sample ID: 280-162386-6**

**Date Collected: 05/13/22 14:40**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | RSK-175 | | 1 | 20 mL | 20 mL | 576170 | 05/26/22 05:22 | CAS | TAL DEN |
| Total/NA | Prep | 3535 | | | 476.8 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575600 | 05/20/22 02:35 | JZ | TAL DEN |
| Total/NA | Prep | 3535 | | | 476.8 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575712 | 05/20/22 22:07 | JZ | TAL DEN |
| Total/NA | Analysis | 350.1 | | 10 | 10 mL | 10 mL | 576796 | 06/01/22 10:27 | MMP | TAL DEN |
| Total/NA | Prep | 351.2 | | | 25 mL | 25 mL | 575901 | 05/23/22 15:54 | SVC | TAL DEN |
| Total/NA | Analysis | 351.2 | | 5 | | | 576217 | 05/25/22 17:29 | SVC | TAL DEN |
| Total/NA | Analysis | 353.2 | | 1 | 100 mL | 100 mL | 576988 | 06/02/22 18:53 | SVC | TAL DEN |
| Total/NA | Prep | 9030B | | | 50 mL | 50 mL | 575177 | 05/17/22 09:13 | ZPM | TAL DEN |
| Total/NA | Analysis | 9034 | | 1 | | | 575233 | 05/17/22 12:50 | ZPM | TAL DEN |
| Total/NA | Analysis | 9056A | | 5 | 5 mL | 5 mL | 576718 | 06/01/22 16:48 | RAF | TAL DEN |
| Dissolved | Filtration | FILTRATION | | | 1.0 mL | 1.0 mL | 576248 | 05/26/22 08:42 | ABW | TAL DEN |
| Dissolved | Analysis | 9060A | | 1 | 20 mL | 20 mL | 576443 | 05/27/22 00:45 | ABW | TAL DEN |
| Total/NA | Analysis | SM 2320B | | 1 | | | 576106 | 05/24/22 15:42 | KEG | TAL DEN |

## Client Sample ID: PZ014-22A
**Lab Sample ID: 280-162386-7**

**Date Collected: 05/13/22 15:50**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | RSK-175 | | 1 | 20 mL | 20 mL | 576170 | 05/26/22 05:35 | CAS | TAL DEN |
| Total/NA | Prep | 3535 | | | 464.7 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575600 | 05/20/22 02:58 | JZ | TAL DEN |
| Total/NA | Analysis | 350.1 | | 1 | 10 mL | 10 mL | 576796 | 06/01/22 10:30 | MMP | TAL DEN |
| Total/NA | Prep | 351.2 | | | 25 mL | 25 mL | 575901 | 05/23/22 15:54 | SVC | TAL DEN |
| Total/NA | Analysis | 351.2 | | 1 | | | 576217 | 05/25/22 17:16 | SVC | TAL DEN |
| Total/NA | Analysis | 353.2 | | 1 | 100 mL | 100 mL | 576988 | 06/02/22 18:55 | SVC | TAL DEN |

## Client Sample ID: PZ014-22A
**Lab Sample ID: 280-162386-7**

**Date Collected: 05/13/22 15:50**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | 9030B | | | 50 mL | 50 mL | 575177 | 05/17/22 09:13 | ZPM | TAL DEN |
| Total/NA | Analysis | 9034 | | 1 | | | 575233 | 05/17/22 12:50 | ZPM | TAL DEN |
| Total/NA | Analysis | 9056A | | 5 | 5 mL | 5 mL | 576718 | 06/01/22 17:04 | RAF | TAL DEN |
| Dissolved | Filtration | FILTRATION | | | 1.0 mL | 1.0 mL | 576248 | 05/26/22 08:42 | ABW | TAL DEN |
| Dissolved | Analysis | 9060A | | 1 | 20 mL | 20 mL | 576443 | 05/27/22 01:03 | ABW | TAL DEN |
| Total/NA | Analysis | SM 2320B | | 1 | | | 576106 | 05/24/22 15:50 | KEG | TAL DEN |

## Client Sample ID: G0092-22A
**Lab Sample ID: 280-162386-8**

**Date Collected: 05/12/22 14:20**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | RSK-175 | | 1 | 20 mL | 20 mL | 576170 | 05/26/22 05:48 | CAS | TAL DEN |
| Total/NA | Prep | 3535 | | | 470.3 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575600 | 05/20/22 03:21 | JZ | TAL DEN |
| Total/NA | Analysis | 350.1 | | 1 | 10 mL | 10 mL | 576796 | 06/01/22 10:33 | MMP | TAL DEN |
| Total/NA | Prep | 351.2 | | | 25 mL | 25 mL | 575901 | 05/23/22 15:54 | SVC | TAL DEN |
| Total/NA | Analysis | 351.2 | | 1 | | | 576217 | 05/25/22 17:16 | SVC | TAL DEN |
| Total/NA | Analysis | 353.2 | | 1 | 100 mL | 100 mL | 576988 | 06/02/22 18:57 | SVC | TAL DEN |
| Total/NA | Prep | 9030B | | | 50 mL | 50 mL | 575031 | 05/16/22 10:04 | ZPM | TAL DEN |
| Total/NA | Analysis | 9034 | | 1 | | | 575054 | 05/16/22 11:02 | ZPM | TAL DEN |
| Total/NA | Analysis | 9056A | | 5 | 10 mL | 10 mL | 576575 | 06/01/22 03:28 | RAF | TAL DEN |
| Dissolved | Filtration | FILTRATION | | | 1.0 mL | 1.0 mL | 576248 | 05/26/22 08:42 | ABW | TAL DEN |
| Dissolved | Analysis | 9060A | | 1 | 20 mL | 20 mL | 576443 | 05/27/22 01:21 | ABW | TAL DEN |
| Total/NA | Analysis | SM 2320B | | 1 | | | 576106 | 05/24/22 15:56 | KEG | TAL DEN |

## Client Sample ID: PZ013-22A
**Lab Sample ID: 280-162386-9**

**Date Collected: 05/13/22 11:40**
**Matrix: Water**
**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | RSK-175 | | 1 | 20 mL | 20 mL | 576170 | 05/26/22 06:01 | CAS | TAL DEN |
| Total/NA | Prep | 3535 | | | 492.4 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575600 | 05/20/22 03:43 | JZ | TAL DEN |
| Total/NA | Prep | 3535 | | | 492.4 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575712 | 05/20/22 22:42 | JZ | TAL DEN |
| Total/NA | Analysis | 350.1 | | 1 | 10 mL | 10 mL | 576796 | 06/01/22 10:35 | MMP | TAL DEN |
| Total/NA | Prep | 351.2 | | | 25 mL | 25 mL | 575901 | 05/23/22 15:54 | SVC | TAL DEN |
| Total/NA | Analysis | 351.2 | | 1 | | | 576217 | 05/25/22 17:17 | SVC | TAL DEN |
| Total/NA | Analysis | 353.2 | | 1 | 100 mL | 100 mL | 576988 | 06/02/22 18:59 | SVC | TAL DEN |
| Total/NA | Prep | 9030B | | | 50 mL | 50 mL | 575177 | 05/17/22 09:13 | ZPM | TAL DEN |
| Total/NA | Analysis | 9034 | | 1 | | | 575233 | 05/17/22 12:50 | ZPM | TAL DEN |
| Total/NA | Analysis | 9056A | | 5 | 5 mL | 5 mL | 576718 | 06/01/22 17:19 | RAF | TAL DEN |

# Lab Chronicle

Client: Brice Environmental Services, Corp
Project/Site: Cornhusker (CHAAP)

Job ID: 280-162386-1

## Client Sample ID: PZ013-22A

**Lab Sample ID: 280-162386-9**

**Date Collected: 05/13/22 11:40**

**Matrix: Water**

**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Dissolved | Filtration | FILTRATION | | | 1.0 mL | 1.0 mL | 576248 | 05/26/22 08:42 | ABW | TAL DEN |
| Dissolved | Analysis | 9060A | | 1 | 20 mL | 20 mL | 576443 | 05/27/22 01:37 | ABW | TAL DEN |
| Total/NA | Analysis | SM 2320B | | 1 | | | 576106 | 05/24/22 16:16 | KEG | TAL DEN |

## Client Sample ID: G0081-22A

**Lab Sample ID: 280-162386-10**

**Date Collected: 05/13/22 12:05**

**Matrix: Water**

**Date Received: 05/14/22 09:25**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | RSK-175 | | 1 | 20 mL | 20 mL | 576170 | 05/26/22 06:14 | CAS | TAL DEN |
| Total/NA | Prep | 3535 | | | 489.4 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575600 | 05/20/22 04:06 | JZ | TAL DEN |
| Total/NA | Prep | 3535 | | | 489.4 mL | 5 mL | 575516 | 05/19/22 14:06 | DCL | TAL DEN |
| Total/NA | Analysis | 8330A | | 1 | | | 575712 | 05/20/22 23:17 | JZ | TAL DEN |
| Total/NA | Analysis | 350.1 | | 1 | 10 mL | 10 mL | 576796 | 06/01/22 10:38 | MMP | TAL DEN |
| Total/NA | Prep | 351.2 | | | 25 mL | 25 mL | 575901 | 05/23/22 15:54 | SVC | TAL DEN |
| Total/NA | Analysis | 351.2 | | 1 | | | 576217 | 05/25/22 17:18 | SVC | TAL DEN |
| Total/NA | Analysis | 353.2 | | 1 | 100 mL | 100 mL | 576988 | 06/02/22 19:01 | SVC | TAL DEN |
| Total/NA | Prep | 9030B | | | 50 mL | 50 mL | 575177 | 05/17/22 09:13 | ZPM | TAL DEN |
| Total/NA | Analysis | 9034 | | 1 | | | 575233 | 05/17/22 12:50 | ZPM | TAL DEN |
| Total/NA | Analysis | 9056A | | 1 | 10 mL | 10 mL | 576575 | 06/01/22 04:32 | RAF | TAL DEN |
| Dissolved | Filtration | FILTRATION | | | 1.0 mL | 1.0 mL | 576248 | 05/26/22 08:42 | ABW | TAL DEN |
| Dissolved | Analysis | 9060A | | 1 | 20 mL | 20 mL | 576443 | 05/27/22 01:56 | ABW | TAL DEN |
| Total/NA | Analysis | SM 2320B | | 1 | | | 576106 | 05/24/22 16:23 | KEG | TAL DEN |

**Laboratory References:**

TAL DEN = Eurofins Denver, 4955 Yarrow Street, Arvada, CO 80002, TEL (303)736-0100

# Accreditation/Certification Summary

Client: Brice Environmental Services, Corp
Job ID: 280-162386-1
Project/Site: Cornhusker (CHAAP)

## Laboratory: Eurofins Denver

The accreditations/certifications listed below are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|---|---|---|---|
| A2LA | Dept. of Defense ELAP | 2907.01 | 10-31-23 |

# Method Summary

Client: Brice Environmental Services, Corp
Project/Site: Cornhusker (CHAAP)

Job ID: 280-162386-1

| Method | Method Description | Protocol | Laboratory |
|---|---|---|---|
| RSK-175 | Dissolved Gases (GC) | RSK | TAL DEN |
| 8330A | Nitroaromatics and Nitramines (HPLC) | EPA | TAL DEN |
| 350.1 | Nitrogen, Ammonia | MCAWW | TAL DEN |
| 351.2 | Nitrogen, Total Kjeldahl | MCAWW | TAL DEN |
| 353.2 | Nitrogen, Nitrate-Nitrite | MCAWW | TAL DEN |
| 9034 | Sulfide, Acid Soluble and Insoluble (Titrimetric) | SW846 | TAL DEN |
| 9056A | Anions, Ion Chromatography | SW846 | TAL DEN |
| 9060A | Organic Carbon, Dissolved (DOC) | SW846 | TAL DEN |
| SM 2320B | Alkalinity | SM | TAL DEN |
| 351.2 | Nitrogen, Total Kjeldahl | MCAWW | TAL DEN |
| 3535 | Solid-Phase Extraction (SPE) | SW846 | TAL DEN |
| 9030B | Sulfide, Distillation (Acid Soluble and Insoluble) | SW846 | TAL DEN |
| FILTRATION | Sample Filtration | None | TAL DEN |

**Protocol References:**

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

None = None

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL DEN = Eurofins Denver, 4955 Yarrow Street, Arvada, CO 80002, TEL (303)736-0100

# Sample Summary

Client: Brice Environmental Services, Corp
Project/Site: Cornhusker (CHAAP)

Job ID: 280-162386-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---|---|---|---|---|
| 280-162386-1 | PZ007-22A | Water | 05/13/22 09:15 | 05/14/22 09:25 |
| 280-162386-2 | G0087-22A | Water | 05/13/22 13:15 | 05/14/22 09:25 |
| 280-162386-3 | G0117-22A | Water | 05/13/22 12:55 | 05/14/22 09:25 |
| 280-162386-4 | G0022-22A | Water | 05/13/22 14:25 | 05/14/22 09:25 |
| 280-162386-5 | G0088-22A | Water | 05/13/22 15:35 | 05/14/22 09:25 |
| 280-162386-6 | G0116-22A | Water | 05/13/22 14:40 | 05/14/22 09:25 |
| 280-162386-7 | PZ014-22A | Water | 05/13/22 15:50 | 05/14/22 09:25 |
| 280-162386-8 | G0092-22A | Water | 05/12/22 14:20 | 05/14/22 09:25 |
| 280-162386-9 | PZ013-22A | Water | 05/13/22 11:40 | 05/14/22 09:25 |
| 280-162386-10 | G0081-22A | Water | 05/13/22 12:05 | 05/14/22 09:25 |

GC VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Analysis Batch Number: 550959

Lab Sample ID: IC 280-550959/2 Client Sample ID:

Date Analyzed: 09/24/21 13:28 Lab File ID: 004F0201.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Methane | 1.29 | Peak assignment corrected | sciannac | 09/24/21 13:54 |
| Ethane | 1.56 | Peak assignment corrected | sciannac | 09/24/21 13:54 |
| Ethylene | 1.86 | Peak assignment corrected | sciannac | 09/24/21 13:54 |
| Acetylene | 4.18 | Peak assignment corrected | sciannac | 09/24/21 13:55 |

Lab Sample ID: IC 280-550959/2 Client Sample ID:

Date Analyzed: 09/24/21 13:28 Lab File ID: 004F0201.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Methane | 1.69 | Peak assignment corrected | sciannac | 09/24/21 13:54 |
| Ethylene | 2.61 | Peak assignment corrected | sciannac | 09/24/21 13:54 |
| Acetylene | 2.76 | Peak assignment corrected | sciannac | 09/24/21 13:55 |
| Ethane | 3.03 | Peak assignment corrected | sciannac | 09/24/21 13:54 |

Lab Sample ID: IC 280-550959/4 Client Sample ID:

Date Analyzed: 09/24/21 13:54 Lab File ID: 006F0401.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 4.23 | Peak assignment corrected | sciannac | 09/24/21 15:50 |

Lab Sample ID: IC 280-550959/4 Client Sample ID:

Date Analyzed: 09/24/21 13:54 Lab File ID: 006F0401.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 2.75 | Peak assignment corrected | sciannac | 09/24/21 15:50 |

GC VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Analysis Batch Number: 550959

Lab Sample ID: IC 280-550959/5 Client Sample ID:

Date Analyzed: 09/24/21 14:07 Lab File ID: 007F0501.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 4.23 | Split Peak | sciannac | 09/24/21 15:50 |

Lab Sample ID: IC 280-550959/5 Client Sample ID:

Date Analyzed: 09/24/21 14:07 Lab File ID: 007F0501.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 2.75 | Split Peak | sciannac | 09/24/21 15:50 |
| Ethane | 3.03 | Split Peak | sciannac | 09/24/21 15:50 |

Lab Sample ID: IC 280-550959/6 Client Sample ID:

Date Analyzed: 09/24/21 14:20 Lab File ID: 008F0601.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 4.23 | Peak assignment corrected | sciannac | 09/24/21 15:44 |

Lab Sample ID: IC 280-550959/6 Client Sample ID:

Date Analyzed: 09/24/21 14:20 Lab File ID: 008F0601.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Methane | 1.68 | Baseline Smoothing | sciannac | 09/29/21 09:21 |
| Acetylene | 2.75 | Peak assignment corrected | sciannac | 09/24/21 15:44 |

Lab Sample ID: IC 280-550959/7 Client Sample ID:

Date Analyzed: 09/24/21 14:33 Lab File ID: 009F0701.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 4.23 | Peak assignment corrected | sciannac | 09/24/21 15:46 |

RSK-175

GC VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Analysis Batch Number: 550959

Lab Sample ID: IC 280-550959/7 Client Sample ID:

Date Analyzed: 09/24/21 14:33 Lab File ID: 009F0701.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 2.75 | Peak assignment corrected | sciannac | 09/24/21 15:46 |

GC VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Analysis Batch Number: 576169

Lab Sample ID: CCVRT 280-576169/2 Client Sample ID:

Date Analyzed: 05/25/22 17:03 Lab File ID: 002F0201.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Ethylene | 1.79 | Peak assignment corrected | sciannac | 05/25/22 18:01 |
| Acetylene | 4.04 | Peak assignment corrected | sciannac | 05/25/22 18:02 |

Lab Sample ID: CCVRT 280-576169/2 Client Sample ID:

Date Analyzed: 05/25/22 17:03 Lab File ID: 002F0201.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Ethylene | 2.62 | Peak assignment corrected | sciannac | 05/25/22 18:01 |
| Acetylene | 2.77 | Peak assignment corrected | sciannac | 05/25/22 18:01 |

Lab Sample ID: CCV 280-576169/75 Client Sample ID:

Date Analyzed: 05/25/22 20:43 Lab File ID: 019F1901.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 4.21 | Peak assignment corrected | sciannac | 05/26/22 11:04 |

Lab Sample ID: CCV 280-576169/75 Client Sample ID:

Date Analyzed: 05/25/22 20:43 Lab File ID: 019F1901.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 2.75 | Peak assignment corrected | sciannac | 05/26/22 11:04 |

GC VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Analysis Batch Number: 576170

Lab Sample ID: CCVRT 280-576170/2 Client Sample ID:

Date Analyzed: 05/25/22 17:03 Lab File ID: 002F0201.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Ethylene | 1.79 | Peak assignment corrected | sciannac | 05/25/22 18:01 |
| Acetylene | 4.04 | Peak assignment corrected | sciannac | 05/25/22 18:02 |

Lab Sample ID: CCV 280-576170/89 Client Sample ID:

Date Analyzed: 05/25/22 23:44 Lab File ID: 033F3301.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 4.21 | Split Peak | sciannac | 05/27/22 16:01 |

Lab Sample ID: CCV 280-576170/89 Client Sample ID:

Date Analyzed: 05/25/22 23:44 Lab File ID: 033F3301.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 2.75 | Split Peak | sciannac | 05/27/22 16:00 |

Lab Sample ID: MB 280-576170/92 Client Sample ID:

Date Analyzed: 05/26/22 00:23 Lab File ID: 036F3601.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Methane | 1.26 | Peak assignment corrected | sciannac | 05/27/22 16:05 |

Lab Sample ID: MB 280-576170/92 Client Sample ID:

Date Analyzed: 05/26/22 00:23 Lab File ID: 036F3601.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Methane | 1.60 | Peak assignment corrected | sciannac | 05/27/22 16:05 |

GC VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Analysis Batch Number: 576170

Lab Sample ID: CCV 280-576170/106 Client Sample ID:

Date Analyzed: 05/26/22 03:25 Lab File ID: 050F5001.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Ethylene | 1.84 | Peak assignment corrected | sciannac | 05/31/22 09:31 |
| Acetylene | 4.21 | Peak assignment corrected | sciannac | 05/31/22 09:31 |

Lab Sample ID: CCV 280-576170/106 Client Sample ID:

Date Analyzed: 05/26/22 03:25 Lab File ID: 050F5001.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Ethylene | 2.61 | Peak assignment corrected | sciannac | 05/31/22 09:31 |
| Acetylene | 2.76 | Peak assignment corrected | sciannac | 05/31/22 09:31 |

Lab Sample ID: 280-162386-10 Client Sample ID: G0081-22A

Date Analyzed: 05/26/22 06:14 Lab File ID: 063F6301.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Methane | 1.27 | Peak not integrated | sciannac | 05/31/22 14:04 |

Lab Sample ID: CCV 280-576170/120 Client Sample ID:

Date Analyzed: 05/26/22 06:27 Lab File ID: 064F6401.D GC Column: Rt-Alumina KC ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 4.21 | Peak assignment corrected | sciannac | 05/26/22 10:47 |

Lab Sample ID: CCV 280-576170/120 Client Sample ID:

Date Analyzed: 05/26/22 06:27 Lab File ID: 064F6401.D GC Column: HP-Plot Q ID: 0.53(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Acetylene | 2.75 | Peak assignment corrected | sciannac | 05/26/22 10:47 |

RSK-175

# HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3  Analysis Batch Number: 562503

Lab Sample ID: IC 280-562503/11  Client Sample ID:

Date Analyzed: 01/04/22 18:28  Lab File ID: 01040011.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.59 | Baseline | zhangji | 01/04/22 19:18 |

Lab Sample ID: IC 280-562503/12  Client Sample ID:

Date Analyzed: 01/04/22 18:51  Lab File ID: 01040012.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.60 | Baseline | zhangji | 01/04/22 19:18 |

Lab Sample ID: IC 280-562503/18  Client Sample ID:

Date Analyzed: 01/04/22 21:08  Lab File ID: 01040018.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| RDX | 7.61 | Baseline | zhangji | 01/05/22 12:01 |
| Picric acid | 7.95 | Baseline | zhangji | 01/05/22 12:02 |
| PETN | 14.74 | Baseline | zhangji | 01/05/22 12:01 |

# HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3  Analysis Batch Number: 562503

Lab Sample ID: IC 280-562503/19  Client Sample ID:

Date Analyzed: 01/04/22 21:31  Lab File ID: 01040019.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.60 | Baseline | zhangji | 01/05/22 11:59 |
| RDX | 7.60 | Baseline | zhangji | 01/05/22 12:00 |
| Picric acid | 7.94 | Baseline | zhangji | 01/05/22 12:00 |
| 2,4,6-Trinitrotoluene | 10.95 | Baseline | zhangji | 01/05/22 12:00 |
| 4-Amino-2,6-dinitrotoluene | 11.15 | Baseline | zhangji | 01/05/22 12:00 |
| 2-Amino-4,6-dinitrotoluene | 11.41 | Baseline | zhangji | 01/05/22 12:00 |
| 2,6-Dinitrotoluene | 11.58 | Baseline | zhangji | 01/05/22 12:00 |
| 2,4-Dinitrotoluene | 11.75 | Baseline | zhangji | 01/05/22 12:00 |
| PETN | 14.71 | Baseline | zhangji | 01/05/22 12:00 |

Lab Sample ID: ICV 280-562503/20  Client Sample ID:

Date Analyzed: 01/04/22 21:54  Lab File ID: 01040020.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| RDX | 7.60 | Baseline | zhangji | 01/05/22 11:59 |
| Picric acid | 7.92 | Baseline | zhangji | 01/05/22 11:59 |

Lab Sample ID: IC 280-562503/30  Client Sample ID:

Date Analyzed: 01/05/22 01:43  Lab File ID: 01040030.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.47 | Baseline | zhangji | 01/05/22 12:05 |
| DNX | 6.79 | Baseline | zhangji | 01/05/22 12:07 |
| MNX | 7.22 | Baseline | zhangji | 01/05/22 12:07 |

HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3 Analysis Batch Number: 562503

Lab Sample ID: IC 280-562503/31 Client Sample ID:

Date Analyzed: 01/05/22 02:06 Lab File ID: 01040031.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.48 | Baseline | zhangji | 01/05/22 12:07 |
| DNX | 6.80 | Baseline | zhangji | 01/05/22 12:07 |
| MNX | 7.22 | Baseline | zhangji | 01/05/22 12:07 |

Lab Sample ID: IC 280-562503/32 Client Sample ID:

Date Analyzed: 01/05/22 02:29 Lab File ID: 01040032.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.48 | Baseline | zhangji | 01/05/22 12:07 |
| DNX | 6.80 | Baseline | zhangji | 01/05/22 12:07 |
| MNX | 7.22 | Baseline | zhangji | 01/05/22 12:08 |

Lab Sample ID: IC 280-562503/33 Client Sample ID:

Date Analyzed: 01/05/22 02:52 Lab File ID: 01040033.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.48 | Baseline | zhangji | 01/05/22 12:07 |
| DNX | 6.80 | Baseline | zhangji | 01/05/22 12:07 |
| MNX | 7.22 | Baseline | zhangji | 01/05/22 12:08 |

Lab Sample ID: IC 280-562503/34 Client Sample ID:

Date Analyzed: 01/05/22 03:15 Lab File ID: 01040034.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.48 | Baseline | zhangji | 01/05/22 12:08 |
| DNX | 6.80 | Baseline | zhangji | 01/05/22 12:08 |
| MNX | 7.22 | Baseline | zhangji | 01/05/22 12:08 |

# HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3 Analysis Batch Number: 562503

Lab Sample ID: IC 280-562503/35 Client Sample ID:

Date Analyzed: 01/05/22 03:38 Lab File ID: 01040035.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.48 | Baseline | zhangji | 01/05/22 12:08 |
| DNX | 6.80 | Baseline | zhangji | 01/05/22 12:08 |
| MNX | 7.22 | Baseline | zhangji | 01/05/22 12:08 |

Lab Sample ID: IC 280-562503/36 Client Sample ID:

Date Analyzed: 01/05/22 04:01 Lab File ID: 01040036.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.48 | Baseline | zhangji | 01/05/22 12:09 |
| DNX | 6.80 | Baseline | zhangji | 01/05/22 12:09 |
| MNX | 7.22 | Baseline | zhangji | 01/05/22 12:09 |

Lab Sample ID: IC 280-562503/37 Client Sample ID:

Date Analyzed: 01/05/22 04:24 Lab File ID: 01040037.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.48 | Baseline | zhangji | 01/05/22 12:09 |
| DNX | 6.80 | Baseline | zhangji | 01/05/22 12:09 |
| MNX | 7.22 | Baseline | zhangji | 01/05/22 12:09 |

Lab Sample ID: ICV 280-562503/38 Client Sample ID:

Date Analyzed: 01/05/22 04:47 Lab File ID: 01040038.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.48 | Baseline | zhangji | 01/05/22 12:09 |
| DNX | 6.80 | Baseline | zhangji | 01/05/22 12:09 |
| MNX | 7.22 | Baseline | zhangji | 01/05/22 12:09 |

# HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3  Analysis Batch Number: 575600

Lab Sample ID: CCV 280-575600/9  Client Sample ID:

Date Analyzed: 05/19/22 20:28  Lab File ID: 05190009.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.49 | Baseline | zhangji | 05/20/22 13:38 |
| DNX | 6.80 | Baseline | zhangji | 05/20/22 13:39 |

Lab Sample ID: MB 280-575516/1-A  Client Sample ID:

Date Analyzed: 05/19/22 20:51  Lab File ID: 05190011.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 1,2-Dinitrobenzene | 8.56 | Baseline | zhangji | 05/20/22 11:58 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 11:57 |
| RDX | | Invalid Compound ID | zhangji | 05/20/22 11:57 |

Lab Sample ID: LCS 280-575516/2-A  Client Sample ID:

Date Analyzed: 05/19/22 21:14  Lab File ID: 05190012.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.60 | Baseline | zhangji | 05/20/22 13:38 |

Lab Sample ID: LCS 280-575516/3-A  Client Sample ID:

Date Analyzed: 05/19/22 21:37  Lab File ID: 05190013.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| MNX | 7.22 | Baseline | zhangji | 05/20/22 11:59 |
| 1,2-Dinitrobenzene | 8.55 | Baseline | zhangji | 05/20/22 11:59 |

# HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3  Analysis Batch Number: 575600

Lab Sample ID: 280-162386-1  Client Sample ID: PZ007-22A

Date Analyzed: 05/19/22 22:00  Lab File ID: 05190014.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 1,2-Dinitrobenzene | 8.56 | Baseline | zhangji | 05/20/22 11:59 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 11:59 |

Lab Sample ID: 280-162386-1 MS  Client Sample ID: PZ007-22A MS

Date Analyzed: 05/19/22 22:23  Lab File ID: 05190015.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.60 | Baseline | zhangji | 05/20/22 12:07 |
| RDX | 7.60 | Baseline | zhangji | 05/20/22 12:08 |
| 1,3,5-Trinitrobenzene | 8.68 | Baseline | zhangji | 05/20/22 12:08 |

Lab Sample ID: 280-162386-1 MSD  Client Sample ID: PZ007-22A MSD

Date Analyzed: 05/19/22 22:46  Lab File ID: 05190016.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.60 | Baseline | zhangji | 05/20/22 12:08 |
| RDX | 7.60 | Baseline | zhangji | 05/20/22 12:08 |
| 1,3,5-Trinitrobenzene | 8.68 | Baseline | zhangji | 05/20/22 12:10 |

Lab Sample ID: 280-162386-1 MS  Client Sample ID: PZ007-22A MS

Date Analyzed: 05/19/22 23:08  Lab File ID: 05190017.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| MNX | 7.22 | Baseline | zhangji | 05/20/22 12:10 |
| 1,2-Dinitrobenzene | 8.56 | Baseline | zhangji | 05/20/22 12:10 |

HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3 Analysis Batch Number: 575600

Lab Sample ID: 280-162386-1 MSD Client Sample ID: PZ007-22A MSD

Date Analyzed: 05/19/22 23:31 Lab File ID: 05190018.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| MNX | 7.22 | Baseline | zhangji | 05/20/22 12:11 |
| 1,2-Dinitrobenzene | 8.55 | Baseline | zhangji | 05/20/22 12:10 |

Lab Sample ID: 280-162386-2 Client Sample ID: G0087-22A

Date Analyzed: 05/19/22 23:54 Lab File ID: 05190019.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.60 | Baseline | zhangji | 05/20/22 12:11 |
| RDX | 7.60 | Baseline | zhangji | 05/20/22 12:11 |
| 1,2-Dinitrobenzene | 8.55 | Baseline | zhangji | 05/20/22 12:11 |
| 1,3-Dinitrobenzene | 9.31 | Baseline | zhangji | 05/20/22 12:11 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:11 |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 12:11 |

Lab Sample ID: 280-162386-3 Client Sample ID: G0117-22A

Date Analyzed: 05/20/22 00:17 Lab File ID: 05190020.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 1,2-Dinitrobenzene | 8.55 | Baseline | zhangji | 05/20/22 12:14 |
| 1,3-Dinitrobenzene | 9.33 | Baseline | zhangji | 05/20/22 12:14 |
| 2,4,6-Trinitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:14 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:14 |
| MNX | | Invalid Compound ID | zhangji | 05/20/22 12:14 |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 12:14 |

# HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3  Analysis Batch Number: 575600

Lab Sample ID: CCV 280-575600/21  Client Sample ID:

Date Analyzed: 05/20/22 00:40  Lab File ID: 05190021.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.60 | Baseline | zhangji | 05/20/22 12:15 |

Lab Sample ID: CCV 280-575600/23  Client Sample ID:

Date Analyzed: 05/20/22 01:26  Lab File ID: 05190023.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.49 | Baseline | zhangji | 05/20/22 12:15 |
| DNX | 6.80 | Baseline | zhangji | 05/20/22 12:15 |

Lab Sample ID: 280-162386-4  Client Sample ID: G0022-22A

Date Analyzed: 05/20/22 01:49  Lab File ID: 05190024.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 1,2-Dinitrobenzene | 8.56 | Baseline | zhangji | 05/20/22 12:15 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:15 |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 12:15 |

Lab Sample ID: 280-162386-5  Client Sample ID: G0088-22A

Date Analyzed: 05/20/22 02:12  Lab File ID: 05190025.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 1,3,5-Trinitrobenzene | 8.68 | Baseline | zhangji | 05/20/22 12:22 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:22 |
| HMX | | Invalid Compound ID | zhangji | 05/20/22 12:22 |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 12:22 |

HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3 Analysis Batch Number: 575600

Lab Sample ID: 280-162386-6 Client Sample ID: G0116-22A

Date Analyzed: 05/20/22 02:35 Lab File ID: 05190026.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 1,2-Dinitrobenzene | 8.55 | Baseline | zhangji | 05/20/22 12:22 |
| 1,3-Dinitrobenzene | 9.29 | Baseline | zhangji | 05/20/22 12:22 |
| 2,4,6-Trinitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:22 |
| 2,6-Dinitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:22 |
| 2-Amino-4,6-dinitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:22 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:22 |
| MNX | | Invalid Compound ID | zhangji | 05/20/22 12:22 |
| Nitrobenzene | | Invalid Compound ID | zhangji | 05/20/22 12:22 |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 12:22 |

Lab Sample ID: 280-162386-7 Client Sample ID: PZ014-22A

Date Analyzed: 05/20/22 02:58 Lab File ID: 05190027.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 1,2-Dinitrobenzene | 8.56 | Baseline | zhangji | 05/20/22 12:23 |
| 1,3-Dinitrobenzene | | Invalid Compound ID | zhangji | 05/20/22 12:22 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:23 |
| HMX | | Invalid Compound ID | zhangji | 05/20/22 12:22 |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 12:23 |

HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3 Analysis Batch Number: 575600

Lab Sample ID: 280-162386-8 Client Sample ID: G0092-22A

Date Analyzed: 05/20/22 03:21 Lab File ID: 05190028.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 1,2-Dinitrobenzene | 8.56 | Baseline | zhangji | 05/20/22 12:23 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:23 |
| HMX | | Invalid Compound ID | zhangji | 05/20/22 12:23 |
| Nitrobenzene | | Invalid Compound ID | zhangji | 05/20/22 12:23 |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 12:23 |

Lab Sample ID: 280-162386-9 Client Sample ID: PZ013-22A

Date Analyzed: 05/20/22 03:43 Lab File ID: 05190029.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 1,3-Dinitrobenzene | | Invalid Compound ID | zhangji | 05/20/22 12:26 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:26 |
| HMX | | Invalid Compound ID | zhangji | 05/20/22 12:26 |
| MNX | | Invalid Compound ID | zhangji | 05/20/22 12:26 |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 12:26 |

Lab Sample ID: 280-162386-10 Client Sample ID: G0081-22A

Date Analyzed: 05/20/22 04:06 Lab File ID: 05190030.D GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 1,2-Dinitrobenzene | 8.56 | Baseline | zhangji | 05/20/22 12:28 |
| 1,3,5-Trinitrobenzene | 8.69 | Baseline | zhangji | 05/20/22 12:28 |
| 1,3-Dinitrobenzene | | Invalid Compound ID | zhangji | 05/20/22 12:28 |
| 2-Nitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 12:28 |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 12:28 |

# HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3  Analysis Batch Number: 575600

Lab Sample ID: CCV 280-575600/33  Client Sample ID:

Date Analyzed: 05/20/22 05:15  Lab File ID: 05190033.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.61 | Baseline | zhangji | 05/20/22 12:30 |

Lab Sample ID: CCV 280-575600/35  Client Sample ID:

Date Analyzed: 05/20/22 06:01  Lab File ID: 05190035.D  GC Column: UltraCarb5uOD ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| TNX | 6.49 | Baseline | zhangji | 05/20/22 12:30 |
| DNX | 6.80 | Baseline | zhangji | 05/20/22 12:30 |

HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X5 Analysis Batch Number: 567560

Lab Sample ID: IC 280-567560/10 Client Sample ID:

Date Analyzed: 03/02/22 21:22 Lab File ID: 03020010.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 2-Amino-4,6-dinitrotoluene | 18.73 | Unspecified | | |
| 1,3,5-Trinitrobenzene | 18.85 | Split Peak | zhangji | 03/03/22 12:08 |

Lab Sample ID: IC 280-567560/15 Client Sample ID:

Date Analyzed: 03/03/22 00:17 Lab File ID: 03020015.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| PETN | 26.21 | Baseline Smoothing | zhangji | 03/03/22 12:12 |

Lab Sample ID: IC 280-567560/16 Client Sample ID:

Date Analyzed: 03/03/22 00:53 Lab File ID: 03020016.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Nitroglycerin | 16.07 | Baseline Smoothing | zhangji | 03/03/22 12:12 |
| PETN | 26.22 | Baseline Smoothing | zhangji | 03/03/22 12:12 |

Lab Sample ID: IC 280-567560/17 Client Sample ID:

Date Analyzed: 03/03/22 01:28 Lab File ID: 03020017.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Nitroglycerin | 16.06 | Baseline Smoothing | zhangji | 03/03/22 12:12 |
| 2-Amino-4,6-dinitrotoluene | 18.76 | Baseline Smoothing | zhangji | 03/03/22 12:10 |
| 1,3,5-Trinitrobenzene | 18.96 | Baseline Smoothing | zhangji | 03/03/22 12:10 |
| PETN | 26.22 | Baseline Smoothing | zhangji | 03/03/22 12:12 |

HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X5 Analysis Batch Number: 567560

Lab Sample ID: IC 280-567560/18 Client Sample ID:

Date Analyzed: 03/03/22 02:03 Lab File ID: 03020018.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Nitroglycerin | 16.05 | Baseline Smoothing | zhangji | 03/03/22 12:12 |
| 2-Amino-4,6-dinitrotoluene | 18.75 | Baseline Smoothing | zhangji | 03/03/22 12:11 |
| 1,3,5-Trinitrobenzene | 18.95 | Baseline Smoothing | zhangji | 03/03/22 12:11 |
| PETN | 26.22 | Baseline Smoothing | zhangji | 03/03/22 12:11 |

HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X5 Analysis Batch Number: 575712

Lab Sample ID: CCV 280-575712/7 Client Sample ID:

Date Analyzed: 05/20/22 16:51 Lab File ID: 05200007.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Tetryl | 24.43 | Baseline Smoothing | zhangji | 05/20/22 17:45 |
| 2,4,6-Trinitrotoluene | 25.19 | Baseline Smoothing | zhangji | 05/20/22 17:45 |

Lab Sample ID: 280-162386-2 Client Sample ID: G0087-22A

Date Analyzed: 05/20/22 19:46 Lab File ID: 05200013.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.77 | Baseline Smoothing | zhangji | 05/20/22 20:44 |
| RDX | 8.94 | Baseline Smoothing | zhangji | 05/20/22 20:44 |
| 2,4,6-Trinitrotoluene | | Invalid Compound ID | zhangji | 05/20/22 20:44 |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 20:44 |

Lab Sample ID: 280-162386-3 Client Sample ID: G0117-22A

Date Analyzed: 05/20/22 20:21 Lab File ID: 05200014.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Tetryl | | Invalid Compound ID | zhangji | 05/20/22 20:57 |
| 1,2-Dinitrobenzene | 13.12 | Baseline Smoothing | zhangji | 05/20/22 20:57 |
| 2-Nitrotoluene | 16.66 | Baseline Smoothing | zhangji | 05/20/22 20:57 |

Lab Sample ID: 280-162386-4 Client Sample ID: G0022-22A

Date Analyzed: 05/20/22 20:57 Lab File ID: 05200015.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.77 | Baseline Smoothing | zhangji | 05/21/22 12:21 |
| 2,4,6-Trinitrotoluene | | Invalid Compound ID | zhangji | 05/21/22 12:21 |
| Tetryl | | Invalid Compound ID | zhangji | 05/21/22 12:21 |

8330A

HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X5 Analysis Batch Number: 575712

Lab Sample ID: 280-162386-5 Client Sample ID: G0088-22A

Date Analyzed: 05/20/22 21:32 Lab File ID: 05200016.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.76 | Baseline Smoothing | zhangji | 05/21/22 12:26 |
| 2,4,6-Trinitrotoluene | | Invalid Compound ID | zhangji | 05/21/22 12:21 |
| Tetryl | | Invalid Compound ID | zhangji | 05/21/22 12:21 |

Lab Sample ID: 280-162386-6 Client Sample ID: G0116-22A

Date Analyzed: 05/20/22 22:07 Lab File ID: 05200017.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| 2,4,6-Trinitrotoluene | | Invalid Compound ID | zhangji | 05/21/22 12:28 |
| 2,6-Dinitrotoluene | | Invalid Compound ID | zhangji | 05/21/22 12:28 |
| 2-Amino-4,6-dinitrotoluene | | Invalid Compound ID | zhangji | 05/21/22 12:28 |
| 3-Nitrotoluene | | Invalid Compound ID | zhangji | 05/21/22 12:28 |
| 4-Amino-2,6-dinitrotoluene | | Invalid Compound ID | zhangji | 05/21/22 12:28 |
| Tetryl | | Invalid Compound ID | zhangji | 05/21/22 12:28 |
| Nitrobenzene | 11.93 | Baseline Smoothing | zhangji | 05/21/22 12:28 |
| 1,2-Dinitrobenzene | 13.13 | Baseline Smoothing | zhangji | 05/21/22 12:28 |

HPLC/IC MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X5 Analysis Batch Number: 575712

Lab Sample ID: 280-162386-9 Client Sample ID: PZ013-22A

Date Analyzed: 05/20/22 22:42 Lab File ID: 05200018.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.77 | Baseline Smoothing | zhangji | 05/21/22 12:29 |
| 4-Nitrotoluene | | Invalid Compound ID | zhangji | 05/21/22 12:29 |
| Nitrobenzene | | Invalid Compound ID | zhangji | 05/21/22 12:28 |
| Tetryl | | Invalid Compound ID | zhangji | 05/21/22 12:29 |
| 1,2-Dinitrobenzene | 13.13 | Baseline Smoothing | zhangji | 05/21/22 12:29 |
| 4-Amino-2,6-dinitrotoluene | 17.59 | Baseline Smoothing | zhangji | 05/21/22 12:29 |
| 2-Amino-4,6-dinitrotoluene | 18.57 | Baseline Smoothing | zhangji | 05/21/22 12:29 |
| 2,4,6-Trinitrotoluene | 25.09 | Baseline Smoothing | zhangji | 05/21/22 12:29 |

Lab Sample ID: 280-162386-10 Client Sample ID: G0081-22A

Date Analyzed: 05/20/22 23:17 Lab File ID: 05200019.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| HMX | 6.77 | Baseline Smoothing | zhangji | 05/21/22 12:29 |
| 2,4,6-Trinitrotoluene | | Invalid Compound ID | zhangji | 05/21/22 12:29 |
| Tetryl | | Invalid Compound ID | zhangji | 05/21/22 12:29 |
| 1,2-Dinitrobenzene | 13.14 | Baseline Smoothing | zhangji | 05/21/22 12:29 |
| 2-Nitrotoluene | 16.66 | Baseline Smoothing | zhangji | 05/21/22 12:29 |
| 1,3,5-Trinitrobenzene | 18.75 | Baseline Smoothing | zhangji | 05/21/22 12:29 |

Lab Sample ID: CCV 280-575712/20 Client Sample ID:

Date Analyzed: 05/20/22 23:52 Lab File ID: 05200020.D GC Column: Luna-phenylhe ID: 4.6(mm)

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Tetryl | 24.32 | Baseline Smoothing | zhangji | 05/21/22 12:30 |
| 2,4,6-Trinitrotoluene | 25.08 | Baseline Smoothing | zhangji | 05/21/22 12:30 |

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom11 Analysis Batch Number: 576257

Lab Sample ID: STD 280-576257/2 IC Client Sample ID:

Date Analyzed: 05/26/22 10:38 Lab File ID: 0003.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 2.56 | Baseline Smoothing | foxr | 05/26/22 12:36 |
| Chloride | 3.73 | Baseline Smoothing | foxr | 05/26/22 12:35 |
| Sulfate | 10.17 | Baseline Smoothing | foxr | 05/26/22 12:36 |

Lab Sample ID: STD 280-576257/3 IC Client Sample ID:

Date Analyzed: 05/26/22 10:54 Lab File ID: 0004.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 2.56 | Baseline Smoothing | foxr | 05/26/22 12:36 |
| Sulfate | 10.18 | Baseline Smoothing | foxr | 05/26/22 12:37 |

Lab Sample ID: STD 280-576257/4 IC Client Sample ID:

Date Analyzed: 05/26/22 11:10 Lab File ID: 0005.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 2.56 | Baseline Smoothing | foxr | 05/26/22 12:37 |
| Sulfate | 10.18 | Baseline Smoothing | foxr | 05/26/22 12:37 |

Lab Sample ID: STD 280-576257/5 IC Client Sample ID:

Date Analyzed: 05/26/22 11:25 Lab File ID: 0006.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 2.56 | Baseline Smoothing | foxr | 05/26/22 12:37 |
| Sulfate | 10.24 | Baseline Smoothing | foxr | 05/26/22 12:37 |

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom11 Analysis Batch Number: 576257

Lab Sample ID: STD 280-576257/6 IC Client Sample ID:

Date Analyzed: 05/26/22 11:41 Lab File ID: 0007.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 2.56 | Baseline Smoothing | foxr | 05/26/22 12:38 |
| Sulfate | 10.31 | Baseline Smoothing | foxr | 05/26/22 12:38 |

Lab Sample ID: STD 280-576257/7 IC Client Sample ID:

Date Analyzed: 05/26/22 11:57 Lab File ID: 0008.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.36 | Baseline Smoothing | foxr | 05/26/22 12:38 |

Lab Sample ID: ICV 280-576257/8 Client Sample ID:

Date Analyzed: 05/26/22 12:13 Lab File ID: 0009.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 2.56 | Baseline Smoothing | foxr | 05/26/22 12:38 |
| Sulfate | 10.26 | Baseline Smoothing | foxr | 05/26/22 12:39 |

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom11 Analysis Batch Number: 576718

Lab Sample ID: CCV 280-576718/1 Client Sample ID:

Date Analyzed: 06/01/22 11:09 Lab File ID: 0002.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 2.55 | Baseline Smoothing | foxr | 06/01/22 11:29 |
| Sulfate | 10.07 | Baseline Smoothing | foxr | 06/01/22 11:29 |

Lab Sample ID: MRL 280-576718/3 Client Sample ID:

Date Analyzed: 06/01/22 11:41 Lab File ID: 0004.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.95 | Baseline Smoothing | foxr | 06/01/22 12:24 |

Lab Sample ID: LCS 280-576718/4 Client Sample ID:

Date Analyzed: 06/01/22 11:57 Lab File ID: 0005.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.06 | Baseline Smoothing | foxr | 06/01/22 12:25 |

Lab Sample ID: LCSD 280-576718/5 Client Sample ID:

Date Analyzed: 06/01/22 12:13 Lab File ID: 0006.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.07 | Baseline Smoothing | foxr | 06/01/22 12:37 |

Lab Sample ID: 280-162386-3 Client Sample ID: G0117-22A

Date Analyzed: 06/01/22 15:12 Lab File ID: 0016.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.04 | Baseline Smoothing | foxr | 06/01/22 16:04 |

9056A

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom11 Analysis Batch Number: 576718

Lab Sample ID: 280-162386-3 DU Client Sample ID: G0117-22A DU

Date Analyzed: 06/01/22 15:28 Lab File ID: 0017.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.04 | Baseline Smoothing | foxr | 06/01/22 16:06 |

Lab Sample ID: CCV 280-576718/18 Client Sample ID:

Date Analyzed: 06/01/22 15:44 Lab File ID: 0018.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 2.55 | Baseline Smoothing | foxr | 06/01/22 16:06 |
| Sulfate | 10.03 | Baseline Smoothing | foxr | 06/01/22 16:06 |

Lab Sample ID: 280-162386-3 MSD Client Sample ID: G0117-22A MSD

Date Analyzed: 06/01/22 16:32 Lab File ID: 0021.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.11 | Baseline Smoothing | foxr | 06/02/22 11:35 |

Lab Sample ID: 280-162386-6 Client Sample ID: G0116-22A

Date Analyzed: 06/01/22 16:48 Lab File ID: 0022.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.03 | Baseline Smoothing | foxr | 06/02/22 11:36 |

Lab Sample ID: 280-162386-7 Client Sample ID: PZ014-22A

Date Analyzed: 06/01/22 17:04 Lab File ID: 0023.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.07 | Baseline Smoothing | foxr | 06/02/22 11:36 |

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom11 Analysis Batch Number: 576718

Lab Sample ID: 280-162386-9 Client Sample ID: PZ013-22A

Date Analyzed: 06/01/22 17:19 Lab File ID: 0024.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.04 | Baseline Smoothing | foxr | 06/02/22 11:36 |

Lab Sample ID: CCV 280-576718/30 Client Sample ID:

Date Analyzed: 06/01/22 18:54 Lab File ID: 0030.d GC Column: Ion PAC AS 14 ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 2.55 | Baseline Smoothing | foxr | 06/02/22 11:38 |
| Sulfate | 10.04 | Baseline Smoothing | foxr | 06/02/22 11:38 |

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13 Analysis Batch Number: 575123

Lab Sample ID: STD 280-575123/2 IC Client Sample ID:

Date Analyzed: 05/16/22 17:34 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 3.39 | Incomplete Integration | jindaratc | 05/16/22 19:10 |
| Sulfate | 11.53 | Baseline Smoothing | mitchellj | 05/17/22 09:48 |

Lab Sample ID: STD 280-575123/3 IC Client Sample ID:

Date Analyzed: 05/16/22 17:50 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 3.40 | Baseline Smoothing | mitchellj | 05/17/22 09:49 |
| Sulfate | 11.59 | Baseline Smoothing | mitchellj | 05/17/22 09:49 |

Lab Sample ID: STD 280-575123/4 IC Client Sample ID:

Date Analyzed: 05/16/22 18:06 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 3.39 | Baseline Smoothing | mitchellj | 05/17/22 09:49 |
| Sulfate | 11.53 | Baseline Smoothing | mitchellj | 05/17/22 09:49 |

Lab Sample ID: STD 280-575123/5 IC Client Sample ID:

Date Analyzed: 05/16/22 18:22 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 3.00 | Peak Tail | jindaratc | 05/16/22 19:11 |
| Chloride | 4.28 | Peak assignment corrected | jindaratc | 05/16/22 18:42 |
| Bromide | 6.45 | Peak assignment corrected | jindaratc | 05/16/22 18:42 |
| Sulfate | 10.17 | Baseline Smoothing | mitchellj | 05/17/22 09:50 |

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13 Analysis Batch Number: 575123

Lab Sample ID: STD 280-575123/6 IC Client Sample ID:

Date Analyzed: 05/16/22 18:38 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Chloride | 4.30 | Peak assignment corrected | jindaratc | 05/16/22 19:00 |
| Bromide | 6.43 | Peak assignment corrected | jindaratc | 05/16/22 19:00 |
| Sulfate | 10.12 | Baseline Smoothing | mitchellj | 05/17/22 09:51 |

Lab Sample ID: STD 280-575123/7 IC Client Sample ID:

Date Analyzed: 05/16/22 18:54 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Chloride | 4.33 | Incomplete Integration | jindaratc | 05/16/22 19:13 |
| Bromide | 6.42 | Peak assignment corrected | jindaratc | 05/16/22 19:12 |
| Sulfate | 10.10 | Baseline Smoothing | mitchellj | 05/17/22 09:51 |

Lab Sample ID: ICV 280-575123/8 Client Sample ID:

Date Analyzed: 05/16/22 19:10 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Fluoride | 3.00 | Baseline Smoothing | mitchellj | 05/17/22 09:51 |
| Sulfate | 10.13 | Baseline Smoothing | mitchellj | 05/17/22 09:53 |

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13  Analysis Batch Number: 576575

Lab Sample ID: MRL 280-576575/3  Client Sample ID:

Date Analyzed: 05/31/22 11:29  Lab File ID: Info 2_DENPC584_Anions_20  GC Column: Metrosepp A S  ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.98 | Baseline Smoothing | foxr | 05/31/22 12:01 |

Lab Sample ID: CCV 280-576575/48  Client Sample ID:

Date Analyzed: 05/31/22 21:37  Lab File ID: Info 2_DENPC584_Anions_20  GC Column: Metrosepp A S  ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.98 | Baseline Smoothing | foxr | 06/01/22 11:36 |

Lab Sample ID: LCS 280-576575/55  Client Sample ID:

Date Analyzed: 05/31/22 23:28  Lab File ID: Info 2_DENPC584_Anions_20  GC Column: Metrosepp A S  ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.98 | Baseline Smoothing | foxr | 06/01/22 11:40 |

Lab Sample ID: LCSD 280-576575/56  Client Sample ID:

Date Analyzed: 05/31/22 23:44  Lab File ID: Info 2_DENPC584_Anions_20  GC Column: Metrosepp A S  ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.00 | Baseline Smoothing | foxr | 06/01/22 11:40 |

Lab Sample ID: 280-162386-1  Client Sample ID: PZ007-22A

Date Analyzed: 06/01/22 00:16  Lab File ID: Info 2_DENPC584_Anions_20  GC Column: Metrosepp A S  ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.97 | Baseline Smoothing | foxr | 06/01/22 11:41 |

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13 Analysis Batch Number: 576575

Lab Sample ID: 280-162386-1 DU Client Sample ID: PZ007-22A DU

Date Analyzed: 06/01/22 00:32 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.97 | Baseline Smoothing | foxr | 06/01/22 11:41 |

Lab Sample ID: CCV 280-576575/60 Client Sample ID:

Date Analyzed: 06/01/22 00:48 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.98 | Baseline Smoothing | foxr | 06/01/22 11:42 |

Lab Sample ID: 280-162386-1 MS Client Sample ID: PZ007-22A MS

Date Analyzed: 06/01/22 01:20 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.95 | Baseline Smoothing | foxr | 06/01/22 11:42 |

Lab Sample ID: 280-162386-1 MSD Client Sample ID: PZ007-22A MSD

Date Analyzed: 06/01/22 01:36 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.95 | Baseline Smoothing | foxr | 06/01/22 11:42 |

Lab Sample ID: 280-162386-2 Client Sample ID: G0087-22A

Date Analyzed: 06/01/22 01:52 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.99 | Baseline Smoothing | foxr | 06/01/22 11:43 |

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13 Analysis Batch Number: 576575

Lab Sample ID: 280-162386-4 Client Sample ID: G0022-22A

Date Analyzed: 06/01/22 02:24 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.00 | Baseline Smoothing | foxr | 06/01/22 11:44 |

Lab Sample ID: 280-162386-5 Client Sample ID: G0088-22A

Date Analyzed: 06/01/22 02:40 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.99 | Baseline Smoothing | foxr | 06/01/22 11:44 |

Lab Sample ID: 280-162386-8 Client Sample ID: G0092-22A

Date Analyzed: 06/01/22 03:28 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.99 | Baseline Smoothing | foxr | 06/01/22 11:48 |

Lab Sample ID: CCV 280-576575/72 Client Sample ID:

Date Analyzed: 06/01/22 04:00 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.98 | Baseline Smoothing | foxr | 06/01/22 11:49 |

Lab Sample ID: CCB 280-576575/73 Client Sample ID:

Date Analyzed: 06/01/22 04:16 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.07 | Baseline Smoothing | foxr | 06/01/22 11:49 |

GENERAL CHEMISTRY MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13 Analysis Batch Number: 576575

Lab Sample ID: 280-162386-10 Client Sample ID: G0081-22A

Date Analyzed: 06/01/22 04:32 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.99 | Baseline Smoothing | foxr | 06/01/22 11:50 |

Lab Sample ID: CCV 280-576575/87 Client Sample ID:

Date Analyzed: 06/01/22 10:24 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 9.96 | Baseline Smoothing | foxr | 06/01/22 11:54 |

Lab Sample ID: CCB 280-576575/88 Client Sample ID:

Date Analyzed: 06/01/22 10:40 Lab File ID: Info 2_DENPC584_Anions_20 GC Column: Metrosepp A S ID:

| COMPOUND NAME | RETENTION TIME | MANUAL INTEGRATION | | |
|---|---|---|---|---|
| | | REASON | ANALYST | DATE |
| Sulfate | 10.06 | Baseline Smoothing | foxr | 06/01/22 11:54 |

# REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

| Reagent ID | Exp Date | Prep Date | Dilutant Used | Reagent Final Volume | Parent Reagent | | Analyte | Concentration |
|---|---|---|---|---|---|---|---|---|
| | | | | | Reagent ID | Volume Added | | |
| **350.1 cal low_01654** | 06/02/22 | 06/01/22 | di water, Lot na | 100 mL | 350.1 cal_00537 | 10 mL | Ammonia | 10 mg/L |
| .350.1 cal_00537 | 06/03/22 | 05/27/22 | Di Water, Lot na | 100 mL | NH3 CAL STD_00034 | 10 mL | Ammonia | 100 mg/L |
| ..NH3 CAL STD_00034 | 04/30/23 | Ricca, Lot 4008G09 | | | (Purchased Reagent) | | Ammonia | 1000 mg/L |
| **350.1 cal_00537** | 06/03/22 | 05/27/22 | Di Water, Lot na | 100 mL | NH3 CAL STD_00034 | 10 mL | Ammonia | 100 mg/L |
| .NH3 CAL STD_00034 | 04/30/23 | Ricca, Lot 4008G09 | | | (Purchased Reagent) | | Ammonia | 1000 mg/L |
| **350.1 ICV_00522** | 06/03/22 | 05/27/22 | na, Lot na | 100 mL | NH3 ICV STD_00032 | 10 mL | Ammonia | 100.2 mg/L |
| .NH3 ICV STD_00032 | 08/01/22 | Inorganic Ventures, Lot N2-NH669544 | | | (Purchased Reagent) | | Ammonia | 1002 mg/L |
| **8330 DMT_00010** | 04/30/22 | 12/02/21 | Acetonitrile, Lot 211161 | 5 mL | MNX,TNX,DNX_00057 | 1 mL | DNX | 20.02 ug/mL |
| | | | | | | | MNX | 23.34 ug/mL |
| | | | | | | | TNX | 20.02 ug/mL |
| .MNX,TNX,DNX_00057 | 04/30/22 | Agilent, Lot 0006594482 | | | (Purchased Reagent) | | DNX | 100.1 ug/mL |
| | | | | | | | MNX | 116.7 ug/mL |
| | | | | | | | TNX | 100.1 ug/mL |
| **8330 DMT_00011** | 10/29/22 | 04/29/22 | Acetonitrile, Lot 211161 | 5 mL | MNX,TNX,DNX_00066 | 1 mL | MNX | 23.4 ug/mL |
| .MNX,TNX,DNX_00066 | 02/28/23 | Agilent, Lot 0006659035 | | | (Purchased Reagent) | | MNX | 117 ug/mL |
| **8330 LCS_00111** | 05/12/22 | 11/12/21 | Acetonitrile, Lot Acetonitrile_00059 | 100 mL | 8330LCSMix1_00129 | 1 mL | 1,3,5-Trinitrobenzene | 10 ug/mL |
| | | | | | | | 1,3-Dinitrobenzene | 10 ug/mL |
| | | | | | | | 2,4,6-Trinitrotoluene | 10 ug/mL |
| | | | | | | | 2,4-Dinitrotoluene | 10 ug/mL |
| | | | | | | | HMX | 10 ug/mL |
| | | | | | | | Nitrobenzene | 10 ug/mL |
| | | | | | | | RDX | 10 ug/mL |
| | | | | | 8330LCSmix2_00028 | 1 mL | 2,6-Dinitrotoluene | 10 ug/mL |
| | | | | | | | 2-Amino-4,6-dinitrotoluene | 10 ug/mL |
| | | | | | | | 2-Nitrotoluene | 10 ug/mL |
| | | | | | | | 3-Nitrotoluene | 10 ug/mL |
| | | | | | | | 4-Amino-2,6-dinitrotoluene | 10 ug/mL |
| | | | | | | | 4-Nitrotoluene | 10 ug/mL |
| | | | | | | | Tetryl | 10 ug/mL |
| .8330LCSMix1_00129 | 04/30/26 | Restek, Lot A0163590 | | | (Purchased Reagent) | | 1,3,5-Trinitrobenzene | 1000 ug/mL |
| | | | | | | | 1,3-Dinitrobenzene | 1000 ug/mL |
| | | | | | | | 2,4,6-Trinitrotoluene | 1000 ug/mL |
| | | | | | | | 2,4-Dinitrotoluene | 1000 ug/mL |
| | | | | | | | HMX | 1000 ug/mL |
| | | | | | | | Nitrobenzene | 1000 ug/mL |
| | | | | | | | RDX | 1000 ug/mL |
| .8330LCSmix2_00028 | 04/30/26 | Restek, Lot A0171368 | | | (Purchased Reagent) | | 2,6-Dinitrotoluene | 1000 ug/mL |
| | | | | | | | 2-Amino-4,6-dinitrotoluene | 1000 ug/mL |
| | | | | | | | 2-Nitrotoluene | 1000 ug/mL |
| | | | | | | | 3-Nitrotoluene | 1000 ug/mL |
| | | | | | | | 4-Amino-2,6-dinitrotoluene | 1000 ug/mL |
| | | | | | | | 4-Nitrotoluene | 1000 ug/mL |
| | | | | | | | Tetryl | 1000 ug/mL |

# REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

| Reagent ID | Exp Date | Prep Date | Dilutant Used | Reagent Final Volume | Parent Reagent | | Analyte | Concentration |
|---|---|---|---|---|---|---|---|---|
| | | | | | Reagent ID | Volume Added | | |
| **8330 LCS_00113** | 09/01/22 | 03/01/22 | Acetonitrile, Lot Acetonitrile_00055 | 100 mL | 8330 LCSMix2_00112 | 1 mL | 2,6-Dinitrotoluene | 10 ug/mL |
| | | | | | | | 2-Amino-4,6-dinitrotoluene | 10 ug/mL |
| | | | | | | | 2-Nitrotoluene | 10 ug/mL |
| | | | | | | | 3-Nitrotoluene | 10 ug/mL |
| | | | | | | | 4-Amino-2,6-dinitrotoluene | 10 ug/mL |
| | | | | | | | 4-Nitrotoluene | 10 ug/mL |
| | | | | | | | Tetryl | 10 ug/mL |
| | | | | | 8330_NG_Stk_00096 | 1 mL | Nitroglycerin | 100 ug/mL |
| | | | | | 8330_NG_Stk_00098 | 1 mL | Nitroglycerin | 100 ug/mL |
| | | | | | 8330_PETN_Stk_00111 | 1.1 mL | PETN | 100 ug/mL |
| | | | | | 8330_PETN_Stk_00113 | 0.9 mL | PETN | 100 ug/mL |
| | | | | | 8330LCSMix1_00126 | 1 mL | 1,3,5-Trinitrobenzene | 10 ug/mL |
| | | | | | | | 1,3-Dinitrobenzene | 10 ug/mL |
| | | | | | | | 2,4,6-Trinitrotoluene | 10 ug/mL |
| | | | | | | | 2,4-Dinitrotoluene | 10 ug/mL |
| | | | | | | | HMX | 10 ug/mL |
| | | | | | | | Nitrobenzene | 10 ug/mL |
| | | | | | | | RDX | 10 ug/mL |
| | | | | | PicricARestek_00102 | 1 mL | 2,4,6-Trinitrophenol | 10 ug/mL |
| .8330 LCSMix2_00112 | 03/01/23 | | Restek, Lot A0171386 | | (Purchased Reagent) | | 2,6-Dinitrotoluene | 1000 ug/mL |
| | | | | | | | 2-Amino-4,6-dinitrotoluene | 1000 ug/mL |
| | | | | | | | 2-Nitrotoluene | 1000 ug/mL |
| | | | | | | | 3-Nitrotoluene | 1000 ug/mL |
| | | | | | | | 4-Amino-2,6-dinitrotoluene | 1000 ug/mL |
| | | | | | | | 4-Nitrotoluene | 1000 ug/mL |
| | | | | | | | Tetryl | 1000 ug/mL |
| .8330_NG_Stk_00096 | 03/01/23 | | Restek, Lot A0161480 | | (Purchased Reagent) | | Nitroglycerin | 5000 ug/mL |
| .8330_NG_Stk_00098 | 03/01/23 | | Restek, Lot A0161480 | | (Purchased Reagent) | | Nitroglycerin | 5000 ug/mL |
| .8330_PETN_Stk_00111 | 03/01/23 | | Restek, Lot A0172687 | | (Purchased Reagent) | | PETN | 5000 ug/mL |
| .8330_PETN_Stk_00113 | 03/01/23 | | Restek, Lot A0172687 | | (Purchased Reagent) | | PETN | 5000 ug/mL |
| .8330LCSMix1_00126 | 03/01/23 | | Restek, Lot A0171502 | | (Purchased Reagent) | | 1,3,5-Trinitrobenzene | 1000 ug/mL |
| | | | | | | | 1,3-Dinitrobenzene | 1000 ug/mL |
| | | | | | | | 2,4,6-Trinitrotoluene | 1000 ug/mL |
| | | | | | | | 2,4-Dinitrotoluene | 1000 ug/mL |
| | | | | | | | HMX | 1000 ug/mL |
| | | | | | | | Nitrobenzene | 1000 ug/mL |
| | | | | | | | RDX | 1000 ug/mL |
| .PicricARestek_00102 | 03/01/23 | | Restek, Lot A0175186 | | (Purchased Reagent) | | 2,4,6-Trinitrophenol | 1000 ug/mL |
| **8330_OP_DMT_00012** | 04/30/22 | 09/23/21 | Acetonitrile, Lot Acetonitrile 00056 | 10 mL | MNX,TNX,DNX_00063 | 1 mL | MNX | 11.67 ug/mL |
| .MNX,TNX,DNX_00063 | 04/30/22 | | Agilent, Lot 0006599273 | | (Purchased Reagent) | | MNX | 116.7 ug/mL |
| **8330_OP_DMT_00014** | 02/28/23 | 05/05/22 | Acetonitrile, Lot Acetonitrile_00065 | 10 mL | MNX,TNX,DNX_00067 | 1 mL | DNX | 10.04 ug/mL |
| | | | | | | | MNX | 11.7 ug/mL |
| | | | | | | | TNX | 10 ug/mL |
| .MNX,TNX,DNX_00067 | 02/28/23 | | Agilent, Lot 0006659035 | | (Purchased Reagent) | | DNX | 100.4 ug/mL |
| | | | | | | | MNX | 117 ug/mL |

# REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

| Reagent ID | Exp Date | Prep Date | Dilutant Used | Reagent Final Volume | Parent Reagent | | Analyte | Concentration |
|---|---|---|---|---|---|---|---|---|
| | | | | | Reagent ID | Volume Added | | |
| | | | | | | | TNX | 100 ug/mL |
| **8330IntermStk_00070** | 03/31/22 | 01/04/22 | Acetonitrile, Lot ACN_238 | 10 mL | 8330_NG1000_00006 | 1 mL | Nitroglycerin | 100 ug/mL |
| | | | | | 8330_PETN1000_00006 | 1 mL | PETN | 100 ug/mL |
| | | | | | 8330ICALStock_00032 | 1 mL | 1,3,5-Trinitrobenzene | 10.02 ug/mL |
| | | | | | | | 1,3-Dinitrobenzene | 10.02 ug/mL |
| | | | | | | | 2,4,6-Trinitrotoluene | 10.04 ug/mL |
| | | | | | | | 2,4-Dinitrotoluene | 10.04 ug/mL |
| | | | | | | | 2,6-Dinitrotoluene | 10.04 ug/mL |
| | | | | | | | 2-Amino-4,6-dinitrotoluene | 10.04 ug/mL |
| | | | | | | | 2-Nitrotoluene | 10 ug/mL |
| | | | | | | | 3-Nitrotoluene | 10.01 ug/mL |
| | | | | | | | 4-Amino-2,6-dinitrotoluene | 10.01 ug/mL |
| | | | | | | | 4-Nitrotoluene | 10.02 ug/mL |
| | | | | | | | HMX | 10 ug/mL |
| | | | | | | | Nitrobenzene | 10.04 ug/mL |
| | | | | | | | RDX | 10 ug/mL |
| | | | | | | | Tetryl | 10.02 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene | 10 ug/mL |
| | | | | | 8330PAStkPS_00067 | 1 mL | 2,4,6-Trinitrophenol | 10 ug/mL |
| .8330_NG1000_00006 | 01/04/23 | Restek, Lot A0175997 | | | (Purchased Reagent) | | Nitroglycerin | 1000 ug/mL |
| .8330_PETN1000_00006 | 01/04/23 | Restek, Lot A0175907 | | | (Purchased Reagent) | | PETN | 1000 ug/mL |
| .8330ICALStock_00032 | 03/31/22 | 01/04/22 | Acetonitrile, Lot ACN_238 | 10 mL | 8330 Stock_TS_00019 | 1 mL | 1,3,5-Trinitrobenzene | 100.2 ug/mL |
| | | | | | | | 1,3-Dinitrobenzene | 100.2 ug/mL |
| | | | | | | | 2,4,6-Trinitrotoluene | 100.4 ug/mL |
| | | | | | | | 2,4-Dinitrotoluene | 100.4 ug/mL |
| | | | | | | | 2,6-Dinitrotoluene | 100.4 ug/mL |
| | | | | | | | 2-Amino-4,6-dinitrotoluene | 100.4 ug/mL |
| | | | | | | | 2-Nitrotoluene | 100 ug/mL |
| | | | | | | | 3-Nitrotoluene | 100.1 ug/mL |
| | | | | | | | 4-Amino-2,6-dinitrotoluene | 100.1 ug/mL |
| | | | | | | | 4-Nitrotoluene | 100.2 ug/mL |
| | | | | | | | HMX | 100 ug/mL |
| | | | | | | | Nitrobenzene | 100.4 ug/mL |
| | | | | | | | RDX | 100 ug/mL |
| | | | | | | | Tetryl | 100.2 ug/mL |
| | | | | | 8330SurrStock_00169 | 1 mL | 1,2-Dinitrobenzene | 100 ug/mL |
| ..8330 Stock_TS_00019 | 03/31/22 | Ultra Scientific, Lot CT-0801 | | | (Purchased Reagent) | | 1,3,5-Trinitrobenzene | 1002 ug/mL |
| | | | | | | | 1,3-Dinitrobenzene | 1002 ug/mL |
| | | | | | | | 2,4,6-Trinitrotoluene | 1004 ug/mL |
| | | | | | | | 2,4-Dinitrotoluene | 1004 ug/mL |
| | | | | | | | 2,6-Dinitrotoluene | 1004 ug/mL |
| | | | | | | | 2-Amino-4,6-dinitrotoluene | 1004 ug/mL |
| | | | | | | | 2-Nitrotoluene | 1000 ug/mL |
| | | | | | | | 3-Nitrotoluene | 1001 ug/mL |
| | | | | | | | 4-Amino-2,6-dinitrotoluene | 1001 ug/mL |
| | | | | | | | 4-Nitrotoluene | 1002 ug/mL |

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

| Reagent ID | Exp Date | Prep Date | Dilutant Used | Reagent Final Volume | Parent Reagent | | Analyte | Concentration |
|---|---|---|---|---|---|---|---|---|
| | | | | | Reagent ID | Volume Added | | |
| | | | | | | | HMX | 1000 ug/mL |
| | | | | | | | Nitrobenzene | 1004 ug/mL |
| | | | | | | | RDX | 1000 ug/mL |
| | | | | | | | Tetryl | 1002 ug/mL |
| ..8330SurrStock_00169 | 01/04/23 | AccuStandard, Lot 219051500 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| .8330PAStkPS_00067 | 07/08/22 | AccuStandard, Lot 218031154-02 | | | (Purchased Reagent) | | 2,4,6-Trinitrophenol | 100 ug/mL |
| **8330IntermStk_00072** | 07/08/22 | 04/20/22 | Acetonitrile, Lot ACN_238 | 10 mL | 8330ICALStock_00033 | 1 mL | 1,3,5-Trinitrobenzene | 10 ug/mL |
| | | | | | | | 1,3-Dinitrobenzene | 10 ug/mL |
| | | | | | | | 2,4,6-Trinitrotoluene | 10 ug/mL |
| | | | | | | | 2,4-Dinitrotoluene | 10 ug/mL |
| | | | | | | | 2,6-Dinitrotoluene | 10 ug/mL |
| | | | | | | | 2-Amino-4,6-dinitrotoluene | 10 ug/mL |
| | | | | | | | 2-Nitrotoluene | 10 ug/mL |
| | | | | | | | 3-Nitrotoluene | 10 ug/mL |
| | | | | | | | 4-Amino-2,6-dinitrotoluene | 10 ug/mL |
| | | | | | | | 4-Nitrotoluene | 10 ug/mL |
| | | | | | | | HMX | 10 ug/mL |
| | | | | | | | Nitrobenzene | 10 ug/mL |
| | | | | | | | RDX | 10 ug/mL |
| | | | | | | | Tetryl | 10 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene | 10 ug/mL |
| .8330ICALStock_00033 | 04/01/23 | 04/01/22 | Acetonitrile, Lot ACN_238 | 10 mL | 8330 Stock_TS_00021 | 1 mL | 1,3,5-Trinitrobenzene | 100 ug/mL |
| | | | | | | | 1,3-Dinitrobenzene | 100 ug/mL |
| | | | | | | | 2,4,6-Trinitrotoluene | 100 ug/mL |
| | | | | | | | 2,4-Dinitrotoluene | 100 ug/mL |
| | | | | | | | 2,6-Dinitrotoluene | 100 ug/mL |
| | | | | | | | 2-Amino-4,6-dinitrotoluene | 100 ug/mL |
| | | | | | | | 2-Nitrotoluene | 100 ug/mL |
| | | | | | | | 3-Nitrotoluene | 100 ug/mL |
| | | | | | | | 4-Amino-2,6-dinitrotoluene | 100 ug/mL |
| | | | | | | | 4-Nitrotoluene | 100 ug/mL |
| | | | | | | | HMX | 100 ug/mL |
| | | | | | | | Nitrobenzene | 100 ug/mL |
| | | | | | | | RDX | 100 ug/mL |
| | | | | | | | Tetryl | 100 ug/mL |
| | | | | | 8330SurrStock_00170 | 1 mL | 1,2-Dinitrobenzene | 100 ug/mL |
| ..8330 Stock_TS_00021 | 04/01/23 | Agilent, Lot 0006604365 | | | (Purchased Reagent) | | 1,3,5-Trinitrobenzene | 1000 ug/mL |
| | | | | | | | 1,3-Dinitrobenzene | 1000 ug/mL |
| | | | | | | | 2,4,6-Trinitrotoluene | 1000 ug/mL |
| | | | | | | | 2,4-Dinitrotoluene | 1000 ug/mL |
| | | | | | | | 2,6-Dinitrotoluene | 1000 ug/mL |
| | | | | | | | 2-Amino-4,6-dinitrotoluene | 1000 ug/mL |
| | | | | | | | 2-Nitrotoluene | 1000 ug/mL |
| | | | | | | | 3-Nitrotoluene | 1000 ug/mL |
| | | | | | | | 4-Amino-2,6-dinitrotoluene | 1000 ug/mL |
| | | | | | | | 4-Nitrotoluene | 1000 ug/mL |

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

| Reagent ID | Exp Date | Prep Date | Dilutant Used | Reagent Final Volume | Parent Reagent | | Analyte | Concentration |
|---|---|---|---|---|---|---|---|---|
| | | | | | Reagent ID | Volume Added | | |
| | | | | | | | HMX | 1000 ug/mL |
| | | | | | | | Nitrobenzene | 1000 ug/mL |
| | | | | | | | RDX | 1000 ug/mL |
| | | | | | | | Tetryl | 1000 ug/mL |
| ..8330SurrStock_00170 | 04/01/23 | AccuStandard, Lot 219051500 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| **8330Surrogate_00127** | 05/16/22 | 11/16/21 | Acetonitrile, Lot Acetonitrile_00059 | 500 mL | 8330SurrStkSS_00203 | 1 mL | 1,2-Dinitrobenzene | 10 ug/mL |
| | | | | | 8330SurrStkSS_00204 | 1 mL | 1,2-Dinitrobenzene | 10 ug/mL |
| | | | | | 8330SurrStkSS_00207 | 1 mL | 1,2-Dinitrobenzene | 10 ug/mL |
| | | | | | 8330SurrStkSS_00211 | 1 mL | 1,2-Dinitrobenzene | 10 ug/mL |
| | | | | | 8330SurrStkSS_00212 | 1 mL | 1,2-Dinitrobenzene | 10 ug/mL |
| .8330SurrStkSS_00203 | 05/30/26 | Restek, Lot A0172684 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| .8330SurrStkSS_00204 | 05/30/26 | Restek, Lot A0172684 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| .8330SurrStkSS_00207 | 05/30/26 | Restek, Lot A0172684 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| .8330SurrStkSS_00211 | 05/30/26 | Restek, Lot A0172684 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| .8330SurrStkSS_00212 | 05/30/26 | Restek, Lot A0172684 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| **8330Surrogate_00128** | 07/21/22 | 01/21/22 | Acetonitrile, Lot Acetonitrile_00059 | 500 mL | 8330SurrStkSS_00205 | 1 mL | 1,2-Dinitrobenzene | 10 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene (Surr) | 10 ug/mL |
| | | | | | 8330SurrStkSS_00206 | 1 mL | 1,2-Dinitrobenzene | 10 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene (Surr) | 10 ug/mL |
| | | | | | 8330SurrStkSS_00208 | 1 mL | 1,2-Dinitrobenzene | 10 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene (Surr) | 10 ug/mL |
| | | | | | 8330SurrStkSS_00209 | 1 mL | 1,2-Dinitrobenzene | 10 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene (Surr) | 10 ug/mL |
| | | | | | 8330SurrStkSS_00210 | 1 mL | 1,2-Dinitrobenzene | 10 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene (Surr) | 10 ug/mL |
| .8330SurrStkSS_00205 | 05/30/26 | Restek, Lot A0172684 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene (Surr) | 1000 ug/mL |
| .8330SurrStkSS_00206 | 05/30/26 | Restek, Lot A0172684 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene (Surr) | 1000 ug/mL |
| .8330SurrStkSS_00208 | 05/30/26 | Restek, Lot A0172684 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene (Surr) | 1000 ug/mL |
| .8330SurrStkSS_00209 | 05/30/26 | Restek, Lot A0172684 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene (Surr) | 1000 ug/mL |
| .8330SurrStkSS_00210 | 05/30/26 | Restek, Lot A0172684 | | | (Purchased Reagent) | | 1,2-Dinitrobenzene | 1000 ug/mL |
| | | | | | | | 1,2-Dinitrobenzene (Surr) | 1000 ug/mL |
| **Alk daily lcs_01041** | 05/27/22 | 05/23/22 | Di Water, Lot na | 1000 mL | Alk stk std_00022 | 4 mL | Total Alkalinity as CaCO3 | 200 mg/L |
| .Alk stk std_00022 | 10/30/22 | SPEX, Lot 2-85BT | | | (Purchased Reagent) | | Total Alkalinity as CaCO3 | 50 g/L |
| **IC CAL cl/so4_00419** | 05/18/22 | 05/11/22 | Di Water, Lot na | 100 mL | IC CL cal_00071 | 25 mL | Chloride | 250 mg/L |
| | | | | | IC SO4 Cal_00003 | 25 mL | Sulfate | 250 mg/L |
| .IC CL cal_00071 | 11/30/22 | SPEX CertiPrep, Lot 5-67CL-2x | | | (Purchased Reagent) | | Chloride | 1000 mg/L |
| .IC SO4 Cal_00003 | 12/30/22 | SPEX CertiPrep, Lot 5-118SO49-2X | | | (Purchased Reagent) | | Sulfate | 1000 mg/L |
| **IC CAL cl/so4_00423** | 06/01/22 | 05/25/22 | Di Water, Lot na | 100 mL | IC CL cal_00071 | 25 mL | Chloride | 250 mg/L |
| | | | | | IC SO4 Cal_00003 | 25 mL | Sulfate | 250 mg/L |
| .IC CL cal_00071 | 11/30/22 | SPEX CertiPrep, Lot 5-67CL-2x | | | (Purchased Reagent) | | Chloride | 1000 mg/L |

# REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

| Reagent ID | Exp Date | Prep Date | Dilutant Used | Reagent Final Volume | Parent Reagent | | Analyte | Concentration |
|---|---|---|---|---|---|---|---|---|
| | | | | | Reagent ID | Volume Added | | |
| .IC SO4 Cal_00003 | 12/30/22 | SPEX CertiPrep, Lot 5-118SO49-2X | | | (Purchased Reagent) | | Sulfate | 1000 mg/L |
| **IC CAL cl/so4_00424** | 06/08/22 | 06/01/22 | Di Water, Lot na | 100 mL | IC SO4 ICV_00023 | 25 mL | Sulfate | 250 mg/L |
| .IC SO4 ICV_00023 | 06/11/23 | ERA, Lot 060720m | | | (Purchased Reagent) | | Sulfate | 1000 mg/L |
| **IC Cal low_00637** | 05/18/22 | 05/11/22 | Di Water, Lot NA | 100 mL | IC BR ICV_00022 | 5 mL | Bromide | 50 mg/L |
| | | | | | IC FL cal_00019 | 5 mL | Fluoride | 50 mg/L |
| .IC BR ICV_00022 | 01/31/23 | ricca, Lot 4108277 | | | (Purchased Reagent) | | Bromide | 1000 mg/L |
| .IC FL cal_00019 | 01/31/23 | Ricca, Lot 4108A94 | | | (Purchased Reagent) | | Fluoride | 1000 mg/L |
| **IC Cal low_00641** | 06/01/22 | 05/25/22 | Di Water, Lot NA | 100 mL | IC BR ICV_00022 | 5 mL | Bromide | 50 mg/L |
| | | | | | IC FL cal_00019 | 5 mL | Fluoride | 50 mg/L |
| .IC BR ICV_00022 | 01/31/23 | ricca, Lot 4108277 | | | (Purchased Reagent) | | Bromide | 1000 mg/L |
| .IC FL cal_00019 | 01/31/23 | Ricca, Lot 4108A94 | | | (Purchased Reagent) | | Fluoride | 1000 mg/L |
| **IC LCS_01878** | 06/01/22 | 05/25/22 | Di Water, Lot 27 | 200 mL | IC SO4 Cal_00003 | 20 mL | Sulfate | 100 mg/L as N |
| .IC SO4 Cal_00003 | 12/30/22 | SPEX CertiPrep, Lot 5-118SO49-2X | | | (Purchased Reagent) | | Sulfate | 1000 mg/L |
| **IC LCS_01879** | 06/08/22 | 06/01/22 | Di Water, Lot 27 | 200 mL | IC SO4 ICV_00023 | 20 mL | Sulfate | 100 mg/L as N |
| .IC SO4 ICV_00023 | 06/11/23 | ERA, Lot 060720m | | | (Purchased Reagent) | | Sulfate | 1000 mg/L |
| **IC SO4 ICV_00022** | 07/06/22 | ERA, Lot 060720m | | | (Purchased Reagent) | | Sulfate | 1000 mg/L |
| **ICMS/MSD WEEK_00759** | 06/01/22 | 05/25/22 | Di Water, Lot NA | 10 mL | IC SPK 6 ANIO_00025 | 5 mL | Sulfate | 5000.51 mg/L |
| .IC SPK 6 ANIO_00025 | 10/12/22 | 10/12/21 | Di Water, Lot NA | 1000 mL | IC MS/MSD S04_00006 | 18.1408 g | Sulfate | 10001 mg/L |
| ..IC MS/MSD S04_00006 | 09/29/23 | FISHER, Lot 147276 | | | (Purchased Reagent) | | Sulfate | 0.5513 g/g |
| **ICMS/MSD WEEK_00760** | 06/08/22 | 06/01/22 | Di Water, Lot NA | 10 mL | IC SPK 6 ANIO_00025 | 5 mL | Sulfate | 5000.51 mg/L |
| .IC SPK 6 ANIO_00025 | 10/12/22 | 10/12/21 | Di Water, Lot NA | 1000 mL | IC MS/MSD S04_00006 | 18.1408 g | Sulfate | 10001 mg/L |
| ..IC MS/MSD S04_00006 | 09/29/23 | FISHER, Lot 147276 | | | (Purchased Reagent) | | Sulfate | 0.5513 g/g |
| **NXN CAL INT_00623** | 06/08/22 | 06/01/22 | Di Water, Lot NA | 100 mL | NOXT Cal STD_00025 | 10 mL | Nitrate Nitrite as N | 100 mg/L |
| .NOXT Cal STD_00025 | 10/31/22 | RICCA, Lot 2104e50 | | | (Purchased Reagent) | | Nitrate Nitrite as N | 1000 mg/L |
| **NXN ICV INT_00599** | 06/08/22 | 06/01/22 | Di Water, Lot NA | 100 mL | NOXT ICV STD_00028 | 10 mL | Nitrate Nitrite as N | 100 mg/L |
| .NOXT ICV STD_00028 | 01/20/23 | ERA, Lot 420121m | | | (Purchased Reagent) | | Nitrate Nitrite as N | 1000 mg/L |
| **RSK175methane_00010** | 04/16/22 | Supelco Analytical, Lot 160-401480003-1 | | | (Purchased Reagent) | | Methane | 650500 ug/L |
| **RSK7gasMathes_00031** | 03/09/22 | Matheson, Lot DL0396162 | | | (Purchased Reagent) | | Acetylene | 10667 ug/L |
| | | | | | | | Ethane | 12317 ug/L |
| | | | | | | | Ethylene | 11490 ug/L |
| | | | | | | | Methane | 6570.3 ug/L |
| **RSK7gasMathes_00034** | 03/22/23 | Matheson, Lot 9301615705 | | | (Purchased Reagent) | | Methane | 6570.3 ug/L |
| **SFD ICV INT_02134** | 07/05/22 | 05/16/22 | ELGA Water, Lot N/A | 500 mL | 50% NaOH_00023 | 2 mL | Sodium Hydroxide | 2000 mg/L |
| | | | | | SFD ICV STK_00008 | 3.62548 g | Sulfide | 968.003 mg/L |
| .50% NaOH_00023 | 01/31/24 | RICCA, Lot 1102857 | | | (Purchased Reagent) | | Sodium Hydroxide | 50 % |
| .SFD ICV STK_00008 | 04/03/24 | Acros, Lot A0412804 | | | (Purchased Reagent) | | Sulfide | 0.1335 g/g |
| **SFD ICV INT_02135** | 07/05/22 | 05/17/22 | ELGA Water, Lot N/A | 500 mL | 50% NaOH_00023 | 2 mL | Sodium Hydroxide | 2000 mg/L |
| | | | | | SFD ICV STK_00008 | 3.5806 g | Sulfide | 956.02 mg/L |
| .50% NaOH_00023 | 01/31/24 | RICCA, Lot 1102857 | | | (Purchased Reagent) | | Sodium Hydroxide | 50 % |
| .SFD ICV STK_00008 | 04/03/24 | Acros, Lot A0412804 | | | (Purchased Reagent) | | Sulfide | 0.1335 g/g |

# REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

| Reagent ID | Exp Date | Prep Date | Dilutant Used | Reagent Final Volume | Parent Reagent | | Analyte | Concentration |
|---|---|---|---|---|---|---|---|---|
| | | | | | Reagent ID | Volume Added | | |
| **TKN 25ppm_00831** | 05/29/22 | 04/28/22 | Di Water, Lot 1 | 100 mL | TKN 100PPM_00144 | 25 mL | Nitrogen, Total Kjeldahl | 25 mg/L |
| .TKN 100PPM_00144 | 05/29/22 | 04/28/22 | Di Water, Lot 1 | 500 mL | TKN CAL STD_00019 | 50 mL | Nitrogen, Total Kjeldahl | 100 mg/L |
| ..TKN CAL STD_00019 | 08/31/24 | nsi lab solutions, Lot 200817 | | | (Purchased Reagent) | | Nitrogen, Total Kjeldahl | 1000 mg/L |
| **TKN ICV 25_00117** | 05/29/22 | 04/28/22 | DI water, Lot 1 | 100 mL | TKN ICV 100_00106 | 25 mL | Nitrogen, Total Kjeldahl | 25 mg/L |
| .TKN ICV 100_00106 | 05/29/22 | 04/28/22 | Di Water, Lot 1 | 500 mL | TKN ICV_00013 | 50 mL | Nitrogen, Total Kjeldahl | 100 mg/L |
| ..TKN ICV_00013 | 07/02/22 | ERA, Lot 200220m | | | (Purchased Reagent) | | Nitrogen, Total Kjeldahl | 1000 mg/L |
| **TOC ICV Std_00049** | 01/31/23 | Ricca, Lot 1201B45 | | | (Purchased Reagent) | | Dissolved Organic Carbon - Quad | 1000 ppm |
| | | | | | | | DOC Result 1 | 1000 ppm |
| | | | | | | | DOC Result 2 | 1000 ppm |
| | | | | | | | DOC Result 3 | 1000 ppm |
| | | | | | | | DOC Result 4 | 1000 ppm |
| **TOC LCS Std_00054** | 12/31/23 | Agilent, Lot 0006645841 | | | (Purchased Reagent) | | Dissolved Organic Carbon - Quad | 1001 ppm |
| | | | | | | | DOC Result 1 | 1001 ppm |
| | | | | | | | DOC Result 2 | 1001 ppm |
| | | | | | | | DOC Result 3 | 1001 ppm |
| | | | | | | | DOC Result 4 | 1001 ppm |

# Reagent

# 50% NaOH_00023

RICCA CHEMICAL COMPANY®

448 West Fork Dr
Arlington, TX 76012
http://www.riccachemical.com
1-888-GO-RICCA
customerservice@riccachemical.com

# Certificate of Analysis

## Sodium Hydroxide, 50% (w/w) (760 g/L), Analytical Reagent Grade

**Lot Number:** 1102857 **Product Number:** 7291

**Manufacture Date:** FEB 05, 2021
**Expiration Date:** JAN 2024

The specifications below are equivalent to the ACS Reagent Grade specifications for Sodium Hydroxide pellets, corrected for assay. There is no ACS specification for 50% (w/w) Sodium Hydroxide solution.

| Name | CAS# | Grade |
|---|---|---|
| Water | 7732-18-5 | Reagent |
| Sodium Hydroxide | 1310-73-2 | Reagent |

| Test | Specification | Result | NIST SRM# |
|---|---|---|---|
| Appearance | Colorless liquid | Passed | |
| Assay (vs. Sulfuric Acid/Phenolphthalein) | 50-52 % (w/w) | 50 % (w/w) | 723 |
| Chloride (Cl) | max 0.002 % | < 0.002 % | |
| Heavy Metals (as Ag) | max 0.001 % | < 0.001 % | |
| Iron (Fe) | max 5 ppm | 0.2 ppm | 3126 |
| $NH_4OH$ Precipitate | max 0.01 % | 0.00009 % | |
| Nickel (Ni) | max 5 ppm | < 1 ppm | 3136 |
| Nitrogen Compounds (as N) | max 5 ppm | < 5 ppm | |
| Phosphate ($PO_4$) | max 5 ppm | < 5 ppm | |
| Potassium (K) | max 0.01 % | 0.002 % | 3141 |
| Sodium Carbonate ($Na_2CO_3$) | max 0.1 % | 0.02 % | |
| Sulfate ($SO_4$) | max 0.001 % | < 0.001 % | |

| Specification | Reference |
|---|---|
| Sodium Hydroxide Solution, 50% | ASTM (D 2187 E) |
| Sodium Hydroxide Solution, 50% | ASTM (D 2187 F) |
| Sodium hydroxide stock solution, about 50% | TAPPI (T 235 cm-85) |
| Sodium Hydroxide Solution | ASTM (D 2187 G) |
| Sodium Hydroxide Solution, 50% | ASTM (D 4548) |
| Sodium Hydroxide Solution (50% w/w) | ASTM (D 2036 A) |
| Sodium Hydroxide Solution (50% w/w) | ASTM (D 2036 B) |
| Sodium Hydroxide Solution (50% w/w) | ASTM (D 2036 C) |
| Sodium Hydroxide Solution (50% w/w) | ASTM (D 2036 D) |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|---|---|---|
| 7291-1 | 4 L natural poly | 36 months |
| 7291-16 | 500 mL natural poly | 36 months |

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Israel Alamudun (02/05/2021)
Quality Control Supervisor
This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

# Reagent

# 8330 LCS_00111

Preliminary Report

Eurofins TestAmerica, Denver

LCS, Lab Control Sample Report

Sample Path: \\chromfs\Denver\ChromData\CHHPLC_X\20211112-106450.b\LCS111.D

Lims ID: LCS111 Inj. Date: 12-Nov-2021 17:18:59

Worklist ID: 280-0106450-021 Instrument: CHHPLC_X3

Method: 8330_X3

| Compound | Amount Added | Amount Recovered | %Rec | Limits 1 3535 |
|---|---|---|---|---|
| 4 HMX | 0.5000 | 0.4991 | 99.8 | 65-135 |
| 8 RDX | 0.5000 | 0.4595 | 91.9 | 68-130 |
| 9 2,4,6-Trinitrophenol | 0.5000 | 0.4794 | 95.9 | 73-124 |
| 11 1,3,5-Trinitrobenzene | 0.5000 | 0.4892 | 97.8 | 73-125 |
| 12 1,3-Dinitrobenzene | 0.5000 | 0.4864 | 97.3 | 78-120 |
| 13 Nitrobenzene | 0.5000 | 0.4870 | 97.4 | 65-134 |
| 15 Tetryl | 0.5000 | 0.4805 | 96.1 | 64-128 |
| 16 Nitroglycerin | 5.00 | 4.94 | 98.9 | 74-127 |
| 17 2,4,6-Trinitrotoluene | 0.5000 | 0.4933 | 98.7 | 71-123 |
| 18 4AMD | 0.5000 | 0.4752 | 95.0 | 76-125 |
| 19 2-Amino-4,6-dinitrotolu | 0.5000 | 0.4783 | 95.7 | 79-120 |
| 20 2,6-Dinitrotoluene | 0.5000 | 0.4939 | 98.8 | 77-127 |
| 21 2,4-Dinitrotoluene | 0.5000 | 0.4820 | 96.4 | 78-120 |
| 22 o-Nitrotoluene | 0.5000 | 0.4819 | 96.4 | 70-127 |
| 23 p-Nitrotoluene | 0.5000 | 0.4905 | 98.1 | 71-127 |
| 24 m-Nitrotoluene | 0.5000 | 0.4585 | 91.7 | 73-125 |
| 25 PETN | 5.00 | 4.87 | 97.5 | 73-127 |

Samples for Limit Group: 1, Lims Prep Method: 3535

280-155295-A-3-A 280-155295-B-7-A

# Reagent

# 8330 LCS_00113

Preliminary Report

Eurofins Denver

LCS, Lab Control Sample Report

Sample Path: \\chromfs\Denver\ChromData\CHHPLC_X\20220301-108907.b\071-0601.D

Lims ID: 8330LCS113 Inj. Date: 01-Mar-2022 16:06:37

Worklist ID: 280-0108907-067 Instrument: CHHPLC_X3

Method: 8330_X3

| Compound | Amount Added | Amount Recovered | %Rec | Limits 1 3535 | Limits 2 3535 | Limits 3 3535 |
|---|---|---|---|---|---|---|
| 4 HMX | 0.5000 | 0.4640 | 92.8 | 65-135 | 66-115 | |
| 8 RDX | 0.5000 | 0.4736 | 94.7 | 68-130 | 69-122 | |
| 9 2,4,6-Trinitrophenol | 0.5000 | 0.5129 | 102.6 | 73-124 | 80-120 | 63-135 |
| 11 1,3,5-Trinitrobenzene | 0.5000 | 0.5000 | 100.0 | 73-125 | 62-127 | |
| 12 1,3-Dinitrobenzene | 0.5000 | 0.5038 | 100.8 | 78-120 | 59-131 | |
| 13 Nitrobenzene | 0.5000 | 0.5047 | 100.9 | 65-134 | 46-144 | |
| 15 Tetryl | 0.5000 | 0.4990 | 99.8 | 64-128 | 56-131 | |
| 16 Nitroglycerin | 5.00 | 5.05 | 101.0 | 74-127 | 70-125 | |
| 17 2,4,6-Trinitrotoluene | 0.5000 | 0.4952 | 99.0 | 71-123 | 46-139 | |
| 18 4AMD | 0.5000 | 0.4892 | 97.8 | 76-125 | 43-120 | |
| 19 2-Amino-4,6-dinitrotolu | 0.5000 | 0.4885 | 97.7 | 79-120 | 46-124 | |
| 20 2,6-Dinitrotoluene | 0.5000 | 0.5015 | 100.3 | 77-127 | 51-130 | |
| 21 2,4-Dinitrotoluene | 0.5000 | 0.4744 | 94.9 | 78-120 | 53-127 | |
| 22 o-Nitrotoluene | 0.5000 | 0.4879 | 97.6 | 70-127 | 37-138 | |
| 23 p-Nitrotoluene | 0.5000 | 0.5210 | 104.2 | 71-127 | 41-137 | |
| 24 m-Nitrotoluene | 0.5000 | 0.4604 | 92.1 | 73-125 | 31-140 | |
| 25 PETN | 5.00 | 5.23 | 104.6 | 73-127 | 67-127 | |

Samples for Limit Group: 1, Lims Prep Method: 3535

| | | |
|---|---|---|
| 280-159056-B-1-B | 280-159056-B-2-B | 280-159056-B-3-B |
| 280-159056-B-4-B | 280-159130-B-1-A | 280-159130-A-2-A |
| 280-159130-B-3-A | 280-159130-B-4-A | 280-159130-A-5-A |
| 280-159130-A-6-A | 280-159137-A-1-A | 280-159137-B-2-A |
| 280-159137-A-3-A | 280-159137-A-4-A | 280-159137-A-5-A |

Samples for Limit Group: 2, Lims Prep Method: 3535

| | | |
|---|---|---|
| 280-159005-C-1-B | 280-159005-C-2-B | 280-159005-C-3-B |
| 280-159005-D-4-D | 280-159005-D-5-B | 280-159043-C-1-B |
| 280-159043-D-2-B | 280-159043-D-3-B | 280-159043-D-4-B |
| 280-159043-D-5-B | 280-159088-D-1-C | 280-159088-C-2-C |
| 280-159088-D-3-C | 280-159088-D-4-C | |

Samples for Limit Group: 3, Lims Prep Method: 3535

| | | |
|---|---|---|
| 860-21351-C-1-C | 280-159025-A-1-C | 280-159025-A-2-C |

# Reagent

# 8330 LCSMix2_00112

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31451 **Lot No.:** A0171368

**Description :** 8330 Calibration Mix #2

8330 Calibration Std #2 1000µg/mL, Acetonitrile, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** April 30, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

**CERTIFIED VALUES**

| Elution Order | Compound | | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|---|
| 1 | Tetryl<br>**CAS #** 479-45-8<br>**Purity** 99% | (Lot 091120JLM) | 1,008.0 µg/mL | +/- 5.9872 µg/mL<br>+/- 55.2213 µg/mL<br>+/- 64.3934 µg/mL | Gravimetric<br>Unstressed<br>Stressed |
| 2 | 4-Amino-2,6-dinitrotoluene<br>**CAS #** 19406-51-0<br>**Purity** 99% | (Lot ER070908-01) | 1,002.0 µg/mL | +/- 5.9516 µg/mL<br>+/- 54.8926 µg/mL<br>+/- 64.0101 µg/mL | Gravimetric<br>Unstressed<br>Stressed |
| 3 | 2-Amino-4,6-dinitrotoluene<br>**CAS #** 35572-78-2<br>**Purity** 99% | (Lot 29550-55) | 1,006.0 µg/mL | +/- 5.9753 µg/mL<br>+/- 55.1117 µg/mL<br>+/- 64.2657 µg/mL | Gravimetric<br>Unstressed<br>Stressed |
| 4 | 2,6-Dinitrotoluene<br>**CAS #** 606-20-2<br>**Purity** 99% | (Lot 1437483V) | 1,008.0 µg/mL | +/- 5.9872 µg/mL<br>+/- 55.2213 µg/mL<br>+/- 64.3934 µg/mL | Gravimetric<br>Unstressed<br>Stressed |
| 5 | 2-Nitrotoluene<br>**CAS #** 88-72-2<br>**Purity** 99% | (Lot BCBZ7826) | 1,010.0 µg/mL | +/- 5.9991 µg/mL<br>+/- 55.3308 µg/mL<br>+/- 64.5212 µg/mL | Gravimetric<br>Unstressed<br>Stressed |
| 6 | 4-Nitrotoluene<br>**CAS #** 99-99-0<br>**Purity** 99% | (Lot FAU01) | 1,010.0 µg/mL | +/- 5.9991 µg/mL<br>+/- 55.3308 µg/mL<br>+/- 64.5212 µg/mL | Gravimetric<br>Unstressed<br>Stressed |
| 7 | 3-Nitrotoluene<br>**CAS #** 99-08-1<br>**Purity** 99% | (Lot 07329LG) | 1,000.0 µg/mL | +/- 5.9397 µg/mL<br>+/- 54.7830 µg/mL<br>+/- 63.8824 µg/mL | Gravimetric<br>Unstressed<br>Stressed |

**Solvent:** Acetonitrile
**CAS #** 75-05-8
**Purity** 99%

**Column:**
250mm x 4.6mm
Ultra C18 (cat.# 9174575)


**Flow Rate:**
1.0 ml/min.

**Mobile Phase A:**
water:methanol (44:56 V/V)

**Mobile Phase B:**

**Mobile Phase Composition:**
100%A

**Det. Type:**
Wavelength: 210nm & 254nm




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Cory Meyer - Operations Tech I

Alexis Shelow - Operations Tech I

**Date Mixed:** 15-Apr-2021 **Balance:** 1128342314

**Date Passed:** 20-Apr-2021

**Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397**

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  $k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330 Stock_TS_00019

Agilent

# Certificate of Analysis
# ISO Guide 34

## Stock Standard

**Product Number:** NAIM-833E **Page:** 1 of 2

**Lot Number:** CT-0801 **Lot Issue Date:** 25-Feb-2019 **Expiration Date:** 31-Mar-2022

This ISO Guide 34 Reference Material (RM) was manufactured and verified in accordance with Agilent's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

| Analyte | CAS# | Analyte Lot | True Value |
|---|---|---|---|
| HMX | 002691-41-0 | RM06237 | 1000 ± 5 µg/mL |
| RDX | 000121-82-4 | RM10915 | 1000 ± 5 µg/mL |
| 1,3,5-trinitrobenzene | 000099-35-4 | RM06608 | 1002 ± 5 µg/mL |
| m-dinitrobenzene | 000099-65-0 | RM14290 | 1002 ± 5 µg/mL |
| nitrobenzene | 000098-95-3 | RM11472 | 1004 ± 5 µg/mL |
| 2,4,6-trinitrotoluene (TNT) | 000118-96-7 | RM11972 | 1004 ± 5 µg/mL |
| 2,4-dinitrotoluene | 000121-14-2 | RM10279 | 1004 ± 5 µg/mL |
| tetryl | 000479-45-8 | RM14651 | 1002 ± 5 µg/mL |
| 2,6-dinitrotoluene | 000606-20-2 | NT00450 | 1004 ± 5 µg/mL |
| 2-nitrotoluene | 000088-72-2 | NT01996 | 1000 ± 5 µg/mL |
| 3-nitrotoluene | 000099-08-1 | NT02212 | 1001 ± 5 µg/mL |
| 4-nitrotoluene | 000099-99-0 | NT02096 | 1002 ± 5 µg/mL |
| 2-amino-4,6-dinitrotoluene | 035572-78-2 | RM04229 | 1004 ± 5 µg/mL |
| 4-amino-2,6-dinitrotoluene | 019406-51-0 | RM04226 | 1001 ± 5 µg/mL |

**Matrix:** acetonitrile

**Storage:** Store at Room Temperature (15° to 30°C).

Agilent uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER
ISO Guide 34 Cert No. AR-1936

Produced in accordance with TUV USA Inc 56 100 18560026 registered ISO 9001 Quality Management System

ANAB ACCREDITED TESTING LABORATORY
ISO17025 Cert No. AT-1937

# Certificate of Analysis
# ISO Guide 34

## Stock Standard

**Product Number:** NAIM-833E **Page:** 2 of 2

**Lot Number:** CT-0801 **Lot Issue Date:** 25-Feb-2019 **Expiration Date:** 31-Mar-2022

| Analyte | CAS# | Analyte Lot | True Value |
|---|---|---|---|

Monica Bourgeois
QMS Representative

ISO Guide 34 Cert No.
AR-1936

Produced in accordance with TUV USA Inc 56 100 18560026
registered ISO 9001 Quality Management System

ISO17025 Cert No.
AT-1937

# Reagent

# 8330 Stock_TS_00021

Agilent

# Certificate of Analysis

**Product Name:** Stock Standard

**Product Number:** NAIM-833E-1

**Lot Number:** 0006604365

**Lot Issue Date:** 28-May-2021

**Expiration Date:** 30-Jun-2024

**Description:**
This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

| Analyte | CAS# | Analyte Lot | Concentration ± Uncertainty |
|---|---|---|---|
| HMX | 002691-41-0 | RM06237 | 1001 ± 5 µg/mL |
| RDX | 000121-82-4 | RM10915 | 1001 ± 5 µg/mL |
| 1,3,5-trinitrobenzene | 000099-35-4 | RM17843 | 1001 ± 5 µg/mL |
| m-dinitrobenzene | 000099-65-0 | RM14290 | 1002 ± 5 µg/mL |
| nitrobenzene | 000098-95-3 | RM11472 | 1004 ± 5 µg/mL |
| 2,4,6-trinitrotoluene (TNT) | 000118-96-7 | RM16204 | 1001 ± 5 µg/mL |
| 2,4-dinitrotoluene | 000121-14-2 | RM10279 | 1004 ± 5 µg/mL |
| tetryl | 000479-45-8 | RM14651 | 1003 ± 5 µg/mL |
| 2,6-dinitrotoluene | 000606-20-2 | RM10763 | 1003 ± 5 µg/mL |
| 2-nitrotoluene | 000088-72-2 | NT01996 | 1004 ± 5 µg/mL |
| 3-nitrotoluene | 000099-08-1 | NT02212 | 1002 ± 5 µg/mL |
| 4-nitrotoluene | 000099-99-0 | NT02096 | 1002 ± 5 µg/mL |
| 2-amino-4,6-dinitrotoluene | 035572-78-2 | RM04229 | 1004 ± 5 µg/mL |
| 4-amino-2,6-dinitrotoluene | 019406-51-0 | RM04226 | 1003 ± 5 µg/mL |

**Matrix:** acetonitrile

**Storage Conditions:** Store at Room Temperature (15° to 30°C).

ANAB ACCREDITED ISO 17034 REFERENCE MATERIAL PRODUCER

ISO 17034 Cert
No. AR-1936

RM was produced in accordance with TUV USA Inc registered ISO 9001 Quality Management System. Cert # 56 100 18560026



www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED TESTING LABORATORY

ISO 17025 Cert
No. AT-1937

# Reagent

# 8330_NG_Stk_00096

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Composition

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 568871 **Lot No.:** A0161840

**Description :** Custom Nitroglycerin Standard

Custom Nitroglycerin Standard 5,000µg/mL, Acetonitrile, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** June 30, 2023 **Storage:** 10°C or colder

### CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | | |
|---|---|---|---|---|---|
| 1 | Nitroglycerin | 5,032.0 µg/mL | +/- 46.7949 | µg/mL | Gravimetric |
| | **CAS #** 55-63-0 (Lot 200507JLM) | | +/- 278.0096 | µg/mL | Unstressed |
| | **Purity** 99% | | +/- 323.4663 | µg/mL | Stressed |

**Solvent:** Acetonitrile
**CAS #** 75-05-8
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330_NG_Stk_00098

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Composition

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 568871 **Lot No.:** A0161840

**Description :** Custom Nitroglycerin Standard

Custom Nitroglycerin Standard 5,000µg/mL, Acetonitrile, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** June 30, 2023 **Storage:** 10°C or colder

### CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | | |
|---|---|---|---|---|---|
| 1 | Nitroglycerin | 5,032.0 µg/mL | +/- 46.7949 | µg/mL | Gravimetric |
| | **CAS #** 55-63-0 (Lot 200507JLM) | | +/- 278.0096 | µg/mL | Unstressed |
| | **Purity** 99% | | +/- 323.4663 | µg/mL | Stressed |

**Solvent:** Acetonitrile
**CAS #** 75-05-8
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330_NG1000_00006

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31498 **Lot No.:** A0175997

**Description :** Nitroglycerin Standard

Nitroglycerin Standard 1,000µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** September 30, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

### CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|
| 1 | Nitroglycerin (Lot 200507JLM) | 1,000.0 µg/mL | +/- 5.9397 µg/mL | Gravimetric |
| | **CAS #** 55-63-0 | | +/- 54.7830 µg/mL | Unstressed |
| | **Purity** 99% | | +/- 63.8824 µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330_OP_DMT_00012

Preliminary Report

Eurofins TestAmerica, Denver

LCS, Lab Control Sample Report

Sample Path: \\chromfs\Denver\ChromData\CHHPLC_X\20210923-104924.b\09230005.D

Lims ID: DMT LCS 12 Inj. Date: 23-Sep-2021 17:32:02

Worklist ID: 280-0104924-005 Instrument: CHHPLC_X3

Method: 8330_X3

| Compound | Amount Added | Amount Recovered | %Rec | Limits 1 0B_Sonc_ |
|---|---|---|---|---|
| 2 TNX | 0.5005 | 0.5409 | 108.1 | 50-150 |
| 5 DNX | 0.5005 | 0.5315 | 106.2 | 50-150 |
| 6 MNX | 0.5835 | 0.6076 | 104.1 | 50-150 |

Samples for Limit Group: 1, Lims Prep Method: 8330B_Sonc_10g

410-54924-B-2-B 410-54924-B-4-B 410-54924-B-6-D

410-54924-B-8-D 410-54873-B-2-F 410-54873-B-4-B

410-54873-B-6-B

# Reagent

# 8330_OP_DMT_00014

Preliminary Report

Eurofins Denver

LCS, Lab Control Sample Report

Sample Path: \\chromfs\Denver\ChromData\CHHPLC_X\20220505-110724.b\05050011.D

Lims ID: DMTLCS14 Inj. Date: 05-May-2022 19:41:44

Worklist ID: 280-0110724-011 Instrument: CHHPLC_X3

Method: 8330_X3

| Compound | Amount Added | Amount Recovered | %Rec | Limits 1 3535 | Limits 2 3535 | Limits 3 3535 |
|---|---|---|---|---|---|---|
| 3 TNX | 0.5000 | 0.5258 | 105.2 | 50-150 | | |
| 6 DNX | 0.5020 | 0.5146 | 102.5 | 50-150 | 66-119 | |
| 7 MNX | 0.5850 | 0.5996 | 102.5 | 68-123 | 57-132 | |

Samples for Limit Group: 1, Lims Prep Method: 3535

580-113280-A-8-A 280-161899-A-1-A 280-161899-A-2-A

Samples for Limit Group: 2, Lims Prep Method: 3535

410-82564-D-1-A 410-82564-D-2-A 410-82564-D-3-A
410-82564-D-4-A 410-82564-D-5-A 410-82564-D-6-A
410-82564-D-7-A 410-82564-D-8-A 410-82564-E-9-A
410-82564-E-10-A 410-82564-E-11-A 410-82564-D-12-A
410-82564-D-13-A 280-161779-F-1-A 280-161779-G-2-A
280-161779-G-3-A 280-161779-F-4-A

Samples for Limit Group: 3, Lims Prep Method: 3535

550-183393-N-1-A

# Reagent

# 8330_PETN_Stk_00111

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Composition

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 568872 **Lot No.:** A0172687

**Description :** Custom PETN Standard

Custom PETN Standard 5,000µg/mL, Acetonitrile, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2024 **Storage:** 10°C or colder

**Ship:** Ambient

### CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | | |
|---|---|---|---|---|---|
| 1 | PETN | 5,032.0 µg/mL | +/- 46.7949 | µg/mL | Gravimetric |
| | **CAS #** 78-11-5 (Lot 051108JLM) | | +/- 278.0096 | µg/mL | Unstressed |
| | **Purity** 99% | | +/- 323.4663 | µg/mL | Stressed |

**Solvent:** Acetonitrile
**CAS #** 75-05-8
**Purity** 99%

**Column:**
250mm x 4.6mm
Ultra C18 (cat.# 9174575)


**Flow Rate:**
1.0 ml/min.

**Mobile Phase A:**
water:methanol (44:56 V/V)

**Mobile Phase B:**

**Mobile Phase Composition:**
100%A

**Det. Type:**
Wavelength: 210nm & 254nm




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Katelyn McGinni - Operations Tech I

**Date Mixed:** 24-May-2021 **Balance:** 1128353505

Marlina Cowan - Operations Tech I

**Date Passed:** 27-May-2021

REVIEWED
By Jennifer Polimo at 2:38 pm, May 27, 2021

**Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397**

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330_PETN_Stk_00113

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Composition

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 568872 **Lot No.:** A0172687

**Description :** Custom PETN Standard

Custom PETN Standard 5,000µg/mL, Acetonitrile, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2024 **Storage:** 10°C or colder

**Ship:** Ambient

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | | |
|---|---|---|---|---|---|
| 1 | PETN | 5,032.0 µg/mL | +/- 46.7949 | µg/mL | Gravimetric |
| | **CAS #** 78-11-5 (Lot 051108JLM) | | +/- 278.0096 | µg/mL | Unstressed |
| | **Purity** 99% | | +/- 323.4663 | µg/mL | Stressed |

**Solvent:** Acetonitrile
**CAS #** 75-05-8
**Purity** 99%

**Column:**
250mm x 4.6mm
Ultra C18 (cat.# 9174575)


**Flow Rate:**
1.0 ml/min.

**Mobile Phase A:**
water:methanol (44:56 V/V)

**Mobile Phase B:**

**Mobile Phase Composition:**
100%A

**Det. Type:**
Wavelength: 210nm & 254nm




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Katelyn McGinni - Operations Tech I

**Date Mixed:** 24-May-2021 **Balance:** 1128353505

Marlina Cowan - Operations Tech I

**Date Passed:** 27-May-2021

REVIEWED
By Jennifer Polimo at 2:38 pm, May 27, 2021

**Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397**

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330_PETN1000_00006

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Analysis

ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31600 **Lot No.:** A0175907

**Description :** PETN Standard

PETN Standard 1000µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** August 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

## CERTIFIED VALUES

| Elution Order | Compound | | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | | |
|---|---|---|---|---|---|---|
| 1 | PETN | | 1,006.8 µg/mL | +/- 10.1422 | µg/mL | Gravimetric |
| | **CAS #** 78-11-5 | (Lot 051108JLM) | | +/- 55.7605 | µg/mL | Unstressed |
| | **Purity** 99% | | | +/- 64.8363 | µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330LCSMix1_00126

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31450 **Lot No.:** A0171502

**Description :** 8330 Calibration Mix #1

8330 Calibration Std #1 1000µg/mL, Acetonitrile, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** April 30, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

### CERTIFIED VALUES

| Elution Order | Compound | | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | | |
|---|---|---|---|---|---|---|
| 1 | HMX<br>**CAS #** 2691-41-0<br>**Purity** 99% | (Lot 210324JLM) | 1,002.0 µg/mL | +/- 5.9516 µg/mL<br>+/- 54.8926 µg/mL<br>+/- 64.0101 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 2 | RDX<br>**CAS #** 121-82-4<br>**Purity** 99% | (Lot 080220JLM) | 1,003.0 µg/mL | +/- 5.9575 µg/mL<br>+/- 54.9474 µg/mL<br>+/- 64.0740 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 3 | 1,3,5-Trinitrobenzene<br>**CAS #** 99-35-4<br>**Purity** 99% | (Lot A6TDK) | 1,004.0 µg/mL | +/- 5.9635 µg/mL<br>+/- 55.0021 µg/mL<br>+/- 64.1379 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 4 | 1,3-Dinitrobenzene<br>**CAS #** 99-65-0<br>**Purity** 99% | (Lot 1-DXX-24-1) | 1,000.0 µg/mL | +/- 5.9397 µg/mL<br>+/- 54.7830 µg/mL<br>+/- 63.8824 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 5 | Nitrobenzene<br>**CAS #** 98-95-3<br>**Purity** 99% | (Lot MKCK4267) | 1,010.0 µg/mL | +/- 5.9991 µg/mL<br>+/- 55.3308 µg/mL<br>+/- 64.5212 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 6 | 2,4,6-Trinitrotoluene<br>**CAS #** 118-96-7<br>**Purity** 99% | (Lot D10587700) | 1,000.0 µg/mL | +/- 5.9397 µg/mL<br>+/- 54.7830 µg/mL<br>+/- 63.8824 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 7 | 2,4-Dinitrotoluene<br>**CAS #** 121-14-2<br>**Purity** 99% | (Lot MKAA0690) | 1,004.0 µg/mL | +/- 5.9635 µg/mL<br>+/- 55.0021 µg/mL<br>+/- 64.1379 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |

**Solvent:** Acetonitrile
**CAS #** 75-05-8
**Purity** 99%

**Column:**
250mm x 4.6mm
Ultra C18 (cat.# 9174575)


**Flow Rate:**
1.0 ml/min.

**Mobile Phase A:**
water:methanol (44:56 V/V)

**Mobile Phase B:**

**Mobile Phase Composition:**
100%A

**Det. Type:**
Wavelength: 210nm & 254nm




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Lane Kibe - Mix Technician

**Date Mixed:** 20-Apr-2021 **Balance:** 1127510105

Alexis Shelow - Operations Tech I

**Date Passed:** 23-Apr-2021

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330LCSMix1_00129

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31450 **Lot No.:** A0171502

**Description :** 8330 Calibration Mix #1

8330 Calibration Std #1 1000µg/mL, Acetonitrile, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** April 30, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

## CERTIFIED VALUES

| Elution Order | Compound | | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | | |
|---|---|---|---|---|---|---|
| 1 | HMX<br>**CAS #** 2691-41-0<br>**Purity** 99% | (Lot 210324JLM) | 1,002.0 µg/mL | +/- 5.9516 µg/mL<br>+/- 54.8926 µg/mL<br>+/- 64.0101 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 2 | RDX<br>**CAS #** 121-82-4<br>**Purity** 99% | (Lot 080220JLM) | 1,003.0 µg/mL | +/- 5.9575 µg/mL<br>+/- 54.9474 µg/mL<br>+/- 64.0740 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 3 | 1,3,5-Trinitrobenzene<br>**CAS #** 99-35-4<br>**Purity** 99% | (Lot A6TDK) | 1,004.0 µg/mL | +/- 5.9635 µg/mL<br>+/- 55.0021 µg/mL<br>+/- 64.1379 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 4 | 1,3-Dinitrobenzene<br>**CAS #** 99-65-0<br>**Purity** 99% | (Lot 1-DXX-24-1) | 1,000.0 µg/mL | +/- 5.9397 µg/mL<br>+/- 54.7830 µg/mL<br>+/- 63.8824 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 5 | Nitrobenzene<br>**CAS #** 98-95-3<br>**Purity** 99% | (Lot MKCK4267) | 1,010.0 µg/mL | +/- 5.9991 µg/mL<br>+/- 55.3308 µg/mL<br>+/- 64.5212 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 6 | 2,4,6-Trinitrotoluene<br>**CAS #** 118-96-7<br>**Purity** 99% | (Lot D10587700) | 1,000.0 µg/mL | +/- 5.9397 µg/mL<br>+/- 54.7830 µg/mL<br>+/- 63.8824 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |
| 7 | 2,4-Dinitrotoluene<br>**CAS #** 121-14-2<br>**Purity** 99% | (Lot MKAA0690) | 1,004.0 µg/mL | +/- 5.9635 µg/mL<br>+/- 55.0021 µg/mL<br>+/- 64.1379 µg/mL | | Gravimetric<br>Unstressed<br>Stressed |

**Solvent:** Acetonitrile
**CAS #** 75-05-8
**Purity** 99%

**Column:**
250mm x 4.6mm
Ultra C18 (cat.# 9174575)


**Flow Rate:**
1.0 ml/min.

**Mobile Phase A:**
water:methanol (44:56 V/V)

**Mobile Phase B:**

**Mobile Phase Composition:**
100%A

**Det. Type:**
Wavelength: 210nm & 254nm




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Lane Kibe - Mix Technician

**Date Mixed:** 20-Apr-2021 **Balance:** 1127510105

Alexis Shelow - Operations Tech I

**Date Passed:** 23-Apr-2021

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330LCSmix2_00028

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31451 **Lot No.:** A0171368

**Description :** 8330 Calibration Mix #2

8330 Calibration Std #2 1000µg/mL, Acetonitrile, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** April 30, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

**CERTIFIED VALUES**

| Elution Order | Compound | | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | | |
|---|---|---|---|---|---|---|
| 1 | Tetryl | | 1,008.0 µg/mL | +/- 5.9872 µg/mL | | Gravimetric |
| | **CAS #** 479-45-8 | (Lot 091120JLM) | | +/- 55.2213 µg/mL | | Unstressed |
| | **Purity** 99% | | | +/- 64.3934 µg/mL | | Stressed |
| 2 | 4-Amino-2,6-dinitrotoluene | | 1,002.0 µg/mL | +/- 5.9516 µg/mL | | Gravimetric |
| | **CAS #** 19406-51-0 | (Lot ER070908-01) | | +/- 54.8926 µg/mL | | Unstressed |
| | **Purity** 99% | | | +/- 64.0101 µg/mL | | Stressed |
| 3 | 2-Amino-4,6-dinitrotoluene | | 1,006.0 µg/mL | +/- 5.9753 µg/mL | | Gravimetric |
| | **CAS #** 35572-78-2 | (Lot 29550-55) | | +/- 55.1117 µg/mL | | Unstressed |
| | **Purity** 99% | | | +/- 64.2657 µg/mL | | Stressed |
| 4 | 2,6-Dinitrotoluene | | 1,008.0 µg/mL | +/- 5.9872 µg/mL | | Gravimetric |
| | **CAS #** 606-20-2 | (Lot 1437483V) | | +/- 55.2213 µg/mL | | Unstressed |
| | **Purity** 99% | | | +/- 64.3934 µg/mL | | Stressed |
| 5 | 2-Nitrotoluene | | 1,010.0 µg/mL | +/- 5.9991 µg/mL | | Gravimetric |
| | **CAS #** 88-72-2 | (Lot BCBZ7826) | | +/- 55.3308 µg/mL | | Unstressed |
| | **Purity** 99% | | | +/- 64.5212 µg/mL | | Stressed |
| 6 | 4-Nitrotoluene | | 1,010.0 µg/mL | +/- 5.9991 µg/mL | | Gravimetric |
| | **CAS #** 99-99-0 | (Lot FAU01) | | +/- 55.3308 µg/mL | | Unstressed |
| | **Purity** 99% | | | +/- 64.5212 µg/mL | | Stressed |
| 7 | 3-Nitrotoluene | | 1,000.0 µg/mL | +/- 5.9397 µg/mL | | Gravimetric |
| | **CAS #** 99-08-1 | (Lot 07329LG) | | +/- 54.7830 µg/mL | | Unstressed |
| | **Purity** 99% | | | +/- 63.8824 µg/mL | | Stressed |

**Solvent:** Acetonitrile
**CAS #** 75-05-8
**Purity** 99%

**Column:**
250mm x 4.6mm
Ultra C18 (cat.# 9174575)


**Flow Rate:**
1.0 ml/min.

**Mobile Phase A:**
water:methanol (44:56 V/V)

**Mobile Phase B:**

**Mobile Phase Composition:**
100%A

**Det. Type:**
Wavelength: 210nm & 254nm




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Cory Meyer - Operations Tech I

Alexis Shelow - Operations Tech I

**Date Mixed:** 15-Apr-2021 **Balance:** 1128342314

**Date Passed:** 20-Apr-2021

**Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397**

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330PAStkPS_00067

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

# CERTIFICATE OF ANALYSIS

**Catalog No:** M-8330-ADD-3
**Description:** Picric acid
**Lot:** 218031154-02
**Solvent:** Acetonitrile (50%)
Methanol (50%)
**Hazards:** *Refer to SDS for complete safety information*



**Signal Word: Danger**

**Date Certified:** Jun 8, 2020
**Expiration:** Jul 8, 2022
**Sample Size:** 1 mL
**Components:** 1
**Storage Condition:** Ambient (>5 °C)

**Certified Reference Material**

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER AR-1463
ANAB ACCREDITED TESTING LABORATORY AT-1339
ilac-MRA

| Component | CAS # | Purity % (HPLC) | Prepared Concentration[2] (µg/mL) | Certified Analyte Concentration[1] (µg/mL) |
|---|---|---|---|---|
| Picric acid | 88-89-1 | 99.1 | 100.1 | 99.2 |

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 822-275872-11

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager

*For use in routine laboratory analysis.*



**AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015**

QR-ORG/INO-001
Rev. 7/20

# Reagent

# 8330Surrogate_00127

Preliminary Report

Eurofins TestAmerica, Denver

LCS, Lab Control Sample Report

Sample Path: \\chromfs\Denver\ChromData\CHHPLC_X\20211116-106552.b\071-0801.D

Lims ID: Surr127 Inj. Date: 16-Nov-2021 17:37:51

Worklist ID: 280-0106552-072 Instrument: CHHPLC_X3

Method: 8330_X3

| Compound | Amount Added | Amount Recovered | %Rec | Limits 1 3535 |
|---|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.5000 | 0.5055 | 101.1 | 83-119 |

Samples for Limit Group: 1, Lims Prep Method: 3535

280-155547-B-1-A

# Reagent

# 8330Surrogate_00128

Preliminary Report

Eurofins TestAmerica, Denver

LCS, Lab Control Sample Report

Sample Path: \\chromfs\Denver\ChromData\CHHPLC_X\20220121-108087.b\01210004.D

Lims ID: CaCl2_Sol_00078 Inj. Date: 21-Jan-2022 15:41:36

Worklist ID: 280-0108087-004 Instrument: CHHPLC_X3

Method: 8330_X3

| Compound | Amount Added | Amount Recovered | %Rec | Limits 1 0B_Sonc_ |
|---|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.5000 | 0.5226 | 104.5 | 78-119 |

Samples for Limit Group: 1, Lims Prep Method: 8330B_Sonc_10g

| | | |
|---|---|---|
| 280-157690-A-1-B | 280-157690-A-2-B | 280-157690-A-3-B |
| 280-157690-A-4-B | 280-157690-A-5-B | 280-157690-A-6-B |
| 280-157690-A-7-E | 280-157690-A-8-B | 280-157690-A-9-B |
| 280-157690-A-10-B | 280-157690-A-11-B | 280-157690-A-12-B |
| 280-157690-A-13-B | 280-157690-A-14-B | 280-157690-A-15-B |
| 280-157690-A-16-B | 280-157690-A-17-B | 280-157690-A-18-B |

# Reagent

# 8330SurrStkSS_00203

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31453 **Lot No.:** A0172684

**Description :** 8330 Surrogate Mix

8330 Surrogate Mix 1000 µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

## CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|
| 1 | 1,2-Dinitrobenzene | 1,002.0 µg/mL | +/- 5.9516 µg/mL | Gravimetric |
| | **CAS #** 528-29-0 (Lot MKCH6067) | | +/- 56.1943 µg/mL | Unstressed |
| | **Purity** 99% | | +/- 57.5086 µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  $k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330SurrStkSS_00204

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31453 **Lot No.:** A0172684

**Description :** 8330 Surrogate Mix

8330 Surrogate Mix 1000 µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

## CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|
| 1 | 1,2-Dinitrobenzene | 1,002.0 µg/mL | +/- 5.9516 µg/mL | Gravimetric |
| | **CAS #** 528-29-0 (Lot MKCH6067) | | +/- 56.1943 µg/mL | Unstressed |
| | **Purity** 99% | | +/- 57.5086 µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330SurrStkSS_00205

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31453 **Lot No.:** A0172684

**Description :** 8330 Surrogate Mix

8330 Surrogate Mix 1000 µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

## CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|
| 1 | 1,2-Dinitrobenzene | 1,002.0 µg/mL | +/- 5.9516 µg/mL | Gravimetric |
| | **CAS #** 528-29-0 (Lot MKCH6067) | | +/- 56.1943 µg/mL | Unstressed |
| | **Purity** 99% | | +/- 57.5086 µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  $k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330SurrStkSS_00206

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31453 **Lot No.:** A0172684

**Description :** 8330 Surrogate Mix

8330 Surrogate Mix 1000 µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

## CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|
| 1 | 1,2-Dinitrobenzene | 1,002.0 µg/mL | +/- 5.9516 µg/mL | Gravimetric |
| | **CAS #** 528-29-0 (Lot MKCH6067) | | +/- 56.1943 µg/mL | Unstressed |
| | **Purity** 99% | | +/- 57.5086 µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330SurrStkSS_00207

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31453 **Lot No.:** A0172684

**Description :** 8330 Surrogate Mix

8330 Surrogate Mix 1000 µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

## CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | | |
|---|---|---|---|---|---|
| 1 | 1,2-Dinitrobenzene | 1,002.0 µg/mL | +/- 5.9516 | µg/mL | Gravimetric |
| | **CAS #** 528-29-0 (Lot MKCH6067) | | +/- 56.1943 | µg/mL | Unstressed |
| | **Purity** 99% | | +/- 57.5086 | µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330SurrStkSS_00208

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31453 **Lot No.:** A0172684

**Description :** 8330 Surrogate Mix

8330 Surrogate Mix 1000 µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

### CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|
| 1 | 1,2-Dinitrobenzene | 1,002.0 µg/mL | +/- 5.9516 µg/mL | Gravimetric |
| | **CAS #** 528-29-0 (Lot MKCH6067) | | +/- 56.1943 µg/mL | Unstressed |
| | **Purity** 99% | | +/- 57.5086 µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330SurrStkSS_00209

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31453 **Lot No.:** A0172684

**Description :** 8330 Surrogate Mix

8330 Surrogate Mix 1000 µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

## CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|
| 1 | 1,2-Dinitrobenzene | 1,002.0 µg/mL | +/- 5.9516 µg/mL | Gravimetric |
| | **CAS #** 528-29-0 (Lot MKCH6067) | | +/- 56.1943 µg/mL | Unstressed |
| | **Purity** 99% | | +/- 57.5086 µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  $k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330SurrStkSS_00210

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31453 **Lot No.:** A0172684

**Description :** 8330 Surrogate Mix

8330 Surrogate Mix 1000 µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

## CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|
| 1 | 1,2-Dinitrobenzene | 1,002.0 µg/mL | +/- 5.9516 µg/mL | Gravimetric |
| | **CAS #** 528-29-0 (Lot MKCH6067) | | +/- 56.1943 µg/mL | Unstressed |
| | **Purity** 99% | | +/- 57.5086 µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330SurrStkSS_00211

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31453 **Lot No.:** A0172684

**Description :** 8330 Surrogate Mix

8330 Surrogate Mix 1000 µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

### CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|
| 1 | 1,2-Dinitrobenzene | 1,002.0 µg/mL | +/- 5.9516 µg/mL | Gravimetric |
| | **CAS #** 528-29-0 (Lot MKCH6067) | | +/- 56.1943 µg/mL | Unstressed |
| | **Purity** 99% | | +/- 57.5086 µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

$k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330SurrStkSS_00212

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31453 **Lot No.:** A0172684

**Description :** 8330 Surrogate Mix

8330 Surrogate Mix 1000 µg/mL, Methanol, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

## CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | |
|---|---|---|---|---|
| 1 | 1,2-Dinitrobenzene | 1,002.0 µg/mL | +/- 5.9516 µg/mL | Gravimetric |
| | **CAS #** 528-29-0 (Lot MKCH6067) | | +/- 56.1943 µg/mL | Unstressed |
| | **Purity** 99% | | +/- 57.5086 µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  $k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# 8330SurrStock_00169

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

# CERTIFICATE OF ANALYSIS

**Catalog No:** M-8330-SS
**Description:** 1,2-Dinitrobenzene
**Lot:** 219051500
**Solvent:** Methanol
**Hazards:** *Refer to SDS for complete safety information*



**Signal Word: Danger**

**Date Certified:** May 22, 2019
**Expiration:** May 22, 2029
**Sample Size:** 1 mL
**Components:** 1
**Storage Condition:** Ambient (>5 °C)

**Certified Reference Material**

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER AR-1463
ANAB ACCREDITED TESTING LABORATORY AT-1339
ilac-MRA

| Component | CAS # | Purity % (GC/FID) | Prepared Concentration[2] (µg/mL) | Certified Analyte Concentration[1] (µg/mL) |
|---|---|---|---|---|
| 1,2-Dinitrobenzene | 528-29-0 | 100.0 | 1002 | 1002 |

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Certified By: Larry Decker, Organic QC Manager



*For use in routine laboratory analysis.*

**AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015**

QR-ORG/INO-001
Rev. 5/18

# Reagent

# 8330SurrStock_00170

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

# CERTIFICATE OF ANALYSIS

**Catalog No:** M-8330-SS
**Description:** 1,2-Dinitrobenzene
**Lot:** 219051500
**Solvent:** Methanol
**Hazards:** *Refer to SDS for complete safety information*



**Signal Word: Danger**

**Date Certified:** May 22, 2019
**Expiration:** May 22, 2029
**Sample Size:** 1 mL
**Components:** 1
**Storage Condition:** Ambient (>5 °C)

**Certified Reference Material**

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER AR-1463
ANAB ACCREDITED TESTING LABORATORY AT-1339
ilac-MRA

| Component | CAS # | Purity % (GC/FID) | Prepared Concentration[2] (µg/mL) | Certified Analyte Concentration[1] (µg/mL) |
|---|---|---|---|---|
| 1,2-Dinitrobenzene | 528-29-0 | 100.0 | 1002 | 1002 |

A product with a suffix (-1A, -2B, etc. or -01, -02, etc.) on its lot number has had its expiration date extended and is identical to the same lot number without the suffix.

[2] All weights are traceable through NIST, Test No. 684/289871-17

[1] Certified Analyte Concentration = Purity x Prepared Concentration.

The Uncertainty associated with the certified concentration reported on this certificate is ±2.4%. This value is the combined expanded uncertainty and represents an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Labels and certificates follow U.S. Conventions in reporting numerical values: A comma (,) is used to separate units of one-thousand or greater. A period (.) is used as a decimal place marker.

The information on this certificate may not be reproduced without the express permission of the manufacturer. See reverse side for additional information

Hazard Information: Please refer to the SDS for information regarding the hazards associated with using this material.

This product was prepared according to in-house procedures and is guaranteed to be homogeneous.

Certified By: Larry Decker, Organic QC Manager



*For use in routine laboratory analysis.*

**AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015**

QR-ORG/INO-001
Rev. 7/20

Reagent

# Alk stk std_00022

spex certiprep

ACCREDITED
Reference Materials Producer
Cert# 2495.01

# SPEXertificate®
## Certificate of Reference Material

ilac-MRA ACCREDITED
Chemical Testing
Cert# 2495.02

**Catalog Number:** VTACO-3 **Lot No.:** 2-85BT

**Description:** Custom Standard

**Matrix:** $H_2O$

This Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for conductance meters and conductivity cells used in water purity measurements. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

The CRM is prepared gravimetrically using high purity sodium carbonate ($Na_2CO_3$) Lot# H04155 and ASTM Type I water, using Class A laboratory ware to give precise concentration.

**Certified Value:**

| | |
|---|---|
| Analyte: | $Na_2CO_3$ |
| Alkalinity: | 50,000 µg/mL as $CaCO_3$ |
| Uncertainty: | ±500 µg/mL |
| Traceable to: | Standard made from NIST SRM # 351a |

Balances are calibrated regularly with weight sets traceable to NIST#s 32856, 32867. This CRM is guaranteed stable to ±1% of the certified concentration inclusive of uncertainty of measurements and other components such as homogeneity, long and short-term stability for a period of one year from the date of certification. This guarantee is valid only when the material is kept tightly capped and stored under ambient laboratory conditions.

Date of Certification: OCT - - 2021

Certifying Officer: Katherine Cullinan

Katherine Cullinan, QC Manager



© 2021 | Spex, an Antylia Scientific company.

# Report of Certification

This Certified Reference Material (CRM) has been prepared and certified under an ISO 9001 (certified by DQS), ISO/IEC 17025 (accredited by A2LA) and ISO 17034 (accredited by A2LA) quality system consistent with the following guides:

- ISO 9001: Quality management systems – Requirements
- ISO/IEC 17025: General requirements for the competence of testing and calibration laboratories
- ISO 17034: General requirements for the competence of reference material producers
- ISO Guide 30: Reference Materials – Selected terms and definitions
- ISO Guide 31: Reference Materials – Contents of certificates, labels, and accompanying documentation
- ISO Guide 35: Reference Materials – Guidance for characterization and assessment of homogeneity and stability
- Guide to the Expression of Uncertainty in Measurement, 2008
- EURACHEM/CITAC Guide: Qualifying Uncertainty in Analytical Measurement – Third Edition
- NIST Technical Note 1297

**Material Source:**
All analytes and matrix materials are obtained and verified by Spex CertiPrep from pre-qualified vendors as per ISO 9001, ISO/IEC 17025 and ISO 17034 guidelines. Vendor identifications are proprietary; however, sources of all materials used in the preparation and testing of Spex CertiPrep CRMs are tracked and documented. For further assistance, please contact Sales Support at CRMSales@spex.com.

**Instructions for Use:**
Primary usage of this CRM is in neat form or diluted serially with matrix of a purity at or greater than the purity of the original matrix solution. If dilution is required, the diluent must be compatible with all certified analytes and contain stabilizers appropriate for the period of intended use. The CRM can also be used as a spike or with a spike, again with appropriate compatibility considerations. All solutions should be thoroughly mixed, by shaking, prior to use and never pipetted directly from the bottle. Do not return excess solution to the bottle. All surfaces that come in contact with the solution must be thoroughly cleaned and leached prior to use. Dilutions should be performed only with Class A volumetric glassware. See SDS for health and safety information.

**Method of Preparation:**
Clean laboratory procedures and techniques have been used throughout the preparation. All materials, equipment, analytical instrumentation and personnel have been qualified prior to use. The highest purity acids applicable, 18 megohm, double deionized water, acid-leached triple-rinsed bottles (where appropriate), and Class A/calibrated volumetrics have been used in all preparations.

**Homogeneity:**
The homogeneity of the CRM has been confirmed by procedures consistent with ISO/IEC 17025, ISO 17034, and ASTM D6362-98 Appendix X2. Random, replicate samples of the final, packaged material have been analyzed to prove homogeneity in accordance with our internal procedure 4600-HOMOGEN-1A. Since the product is highly homogeneous, any sample size taken for analysis would be within the uncertainty budget. This is consistent with the intended use of the CRM.

**Statistical Estimator and Confidence Limits:**
The certified value 'X' listed on the reverse of this document is at the 95% level of confidence and can be expressed as:

- $X = x \pm U$ where X = certified value, U = expanded uncertainty, x = property value
- $U = ku_c$ where k = 2 is the coverage factor at the 95% confidence level
- $u_c$ = combined standard uncertainty obtained by combining the individual element standard uncertainty components $u_i$ and $u_c = \sqrt{\Sigma u_i^2}$

**Certification Report:**
All certified values reported were derived from the Certification Report, Spex CertiPrep's traceability documentation, identified by the lot number of this CRM. During the stated period of validity, the purchaser will be notified if this product is recalled due to any significant changes in the stability of the solution. For further assistance, please contact Sales Support at CRMSales@spex.com.

**Legal Notice:**
Spex CertiPrep reference materials are not for any cosmetic, drug or household application and are to be used only by qualified individuals who are trained in appropriate procedures. No claims against Spex CertiPrep, LLC. of any kind whatsoever, whether based on breach of warranty, alleged negligence, or otherwise, with respect to this Reference Material shall be greater than the purchase price. In no event shall Spex CertiPrep, LLC. be liable for any loss of profits or any incidental, special, or consequential damages.

spex® an antylia scientific company

203 Norcross Avenue • Metuchen, NJ 08840
www.spexcertiprep.com • Email: CRMSales@spex.com
Phone: 1.800.LAB.SPEX • 1.732.549.7144 Fax: 732.603.9647

# Reagent

# IC BR ICV_00022

RICCA CHEMICAL COMPANY®

1490 Lammers Pike
Batesville, IN 47006
http://www.riccachemical.com
1-888-GO-RICCA
customerservice@riccachemical.com

# Certificate of Analysis

## Bromide Standard, 1000 ppm Br

**Lot Number:** 4108277 **Product Number:** 1180

**Manufacture Date:** AUG 02, 2021
**Expiration Date:** JAN 2023

The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is based upon the volumetric method of preparation.

| Name | CAS# | Grade |
|---|---|---|
| Water | 7732-18-5 | ACS/ASTM/USP/EP |
| Sodium Bromide | 7647-15-6 | High Purity |

| Test | Specification | Result |
|---|---|---|
| Appearance | Colorless liquid | Passed |
| Bromide (Br) | 995-1005 ppm | 1000 ppm |

| Specification | Reference |
|---|---|
| Bromide Solution, Standard (1 mL = 1 mg Br-) | ASTM (D 3869 D) |
| Standard Bromide Solution, 1000 mg/L | APHA (4110 B) |
| Bromide Stock Solution (1.00 mL = 1.00 mg Br-) | EPA (SW-846) (9056) |
| Sodium Bromide Standard Solution, 1000 mg/L | ASTM (D 1246) |
| Bromide Stock Solution (1.00 mL = 1.00 mg Br?) | ASTM (D 4327) |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|---|---|---|
| 1180-16 | 500 mL natural poly | 18 months |
| 1180-4 | 120 mL natural poly | 18 months |

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)

Karen Bodewes

Karen Bodewes (08/02/2021)
Quality Control
This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Reagent

# IC CL cal_00071

ACCREDITED
Reference Materials Producer
Cert #2495.01

# SPEXertificate®

## Certificate of Reference Material

ilac-MRA ACCREDITED
Chemical Testing
Cert #2495.02

**Catalog Number:** AS-CL9-2X **Lot No.** 5-67CL-2X

**Description:** 1000 µg/mL Chloride

**Matrix:** $H_2O$

This **Ion Chromatography** Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for ion chromatography instrumentation. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

**Certified Value:** 998 µg/mL ±5 µg/mL

**Certified Value is Traceable to:** 3182*

* - indicates NIST SRM † - indicates SPEX CertiPrep CRM (when NIST SRM is not available) ‡ - prepared gravimetrically

The CRM is prepared gravimetrically using high purity Sodium Chloride, Lot# 09141H. The certified value listed is the average of values obtained by classical wet assay and ion chromatography analysis.

Refer to side 2 for details of measurement uncertainties.

**Classical Wet Assay:** 998 µg/mL

**Method:** Precipitation using Silver Nitrate. Filter, dry and weigh as AgCl.

**Instrumental Analysis by Ion Chromatography:** 997 µg/mL

**Uncertified Properties**

**Trace Ionic Impurities in the Actual Solution via IC Analysis:**

| Element | µg/mL | Element | µg/mL |
|---|---|---|---|
| $Br^-$ | <0.01 | $NO_3^-$ | <0.06 |
| $F^-$ | <0.05 | $PO4^{-3}$ | <0.03 |
| $NO_2^-$ | <0.05 | $SO4^{-2}$ | <0.08 |

Balances are calibrated regularly with weight sets traceable to NIST #32856, #32867 and others. This CRM is guaranteed stable and accurate to +/- 0.5% of the certified value. This includes uncertainty components due to preparation, homogeneity by the most precise method, and short-term and long-term stability. This guarantee is valid for a period of one year from the date of certification only when the material is kept tightly capped and stored under ambient laboratory conditions.

Date of Certification: NOV - - 2021 Certifying Officer: Katherine Cullinan

Katherine Cullinan, QC Manager



© 2020 SPEX CertiPrep, LLC

Reagent

# IC FL cal_00019

RICCA CHEMICAL COMPANY®

1490 Lammers Pike
Batesville, IN 47006
http://www.riccachemical.com
1-888-GO-RICCA
customerservice@riccachemical.com

# Certificate of Analysis

## Fluoride Standard, 1000 ppm $F^-$

**Lot Number:** 4108A94 **Product Number:** 3173

**Manufacture Date:** AUG 04, 2021

**Expiration Date:** JAN 2023

The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is based upon the volumetric method of preparation.
The concentration is confirmed by Fluoride ISE and is certified traceable to NIST SRM 2203.

| Name | CAS# | Grade |
|---|---|---|
| Water | 7732-18-5 | ACS/ASTM/USP/EP |
| Sodium Fluoride | 7681-49-4 | High Purity |

| Test | Specification | Result |
|---|---|---|
| Appearance | Colorless liquid | Passed |
| Fluoride (F) | 995-1005 ppm | 1005 ppm |

| Specification | Reference |
|---|---|
| Fluoride Solution, Stock (1.00 mL = 1.00 mg F) | ASTM (D 5542) |
| Fluoride Stock Solution (1.00 mL = 1.00 mg F-) | EPA (SW-846) (9056) |
| Fluoride Calibration Stock Solution (1,000 mg/L F-) | EPA (SW-846) (9214) |
| Stock Solution, 1.0 mL = 1.0 mg F | EPA (340.3) |
| Fluoride Solution, Stock (1.00 mL = 1.00 mg F) | ASTM (D 5996) |
| Fluoride Stock Solution (1.00 mL = 1.00 mg F?) | ASTM (D 4327) |
| Fluoride Stock Standard Solution (1 mg of F in 1 mL) | ACS (N/A) |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|---|---|---|
| 3173-16 | 500 mL natural poly | 18 months |
| 3173-32 | 1 L natural poly | 18 months |

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)

Karen Bodewes (08/04/2021)

Quality Control

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

# Reagent

# IC MS/MSD S04_00006

Fisher Scientific

1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

# Certificate of Analysis

Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2008 standard by SAI Global Certificate Number CERT - 0064970

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Certain products (USP/FCC/NF/EP/BP/JP grades) are sold for use in food, drug, or medical device manufacturing. Fisher does not claim regulatory coverage under 21 CFR nor maintain DMF's with the FDA. The following are the actual analytical results obtained:

| | | | |
|---|---|---|---|
| **Catalog Number** | **P304** | **Quality Test / Release Date 3/2/2015** | |
| **Lot Number** | **147276** | | |
| **Description** | **POTASSIUM SULFATE, CRYSTAL, CERTIFIED, A.C.S.** | | |
| **Country of Origin** | **India** | *** Suggested Retest Date** | **Feb-2020** |
| **Chemical Origin** | **Inorganic-non animal** | | |
| **BSE/TSE Comment** | This product is not manufactured from, or with, any type of animal product, nor any derivative of an animal product. As such, this product should not be considered a vector for BSE or TSE. | | |

| Result name | Units | Specifications | Test Value |
|---|---|---|---|
| APPEARANCE | | REPORT | FINE WHITE CRYSTALS |
| ASSAY | % | >= 99 | 99.4 |
| CALCIUM | % | <= 0.01 | <0.010 |
| CHLORIDE | % | <= 0.001 | <0.0010 |
| HEAVY METALS (as Pb) | ppm | <= 5 | <5.0 |
| IDENTIFICATION | PASS/FAIL | = PASS TEST | PASS TEST |
| INSOLUBLE MATTER | % | <= 0.01 | <0.010 |
| IRON (Fe) | ppm | <= 5 | <5.0 |
| MAGNESIUM | % | <= 0.005 | <0.0050 |
| NITROGEN COMPOUNDS | ppm | <= 5 | <5 |
| PH 5% SOLUTION @ 25 DEG C | | Inclusive Between 5.5 - 8.5 | 5.5 |
| SODIUM (Na) | % | <= 0.02 | <0.020 |




**Lab Manager Fair Lawn**

Note: The data listed is valid for all package sizes of this lot of this product, expressed as a extension of this catalog number listed above. If there are any questions with this certificate, please call Chemical Services at (800) 227-6701.
*Based on suggested storage condition.

Reagent

# IC SO4 Cal_00003

Reference Materials Producer
Cert #2495.01

# SPEXertificate®

## Certificate of Reference Material

Chemical Testing
Cert #2495.02

**Catalog Number:** AS-SO49-2X **Lot No.** 5-118SO49-2X

**Description:** 1000 µg/mL Sulfate

**Matrix:** $H_2O$

This **Ion Chromatography** Certified Reference Material, CRM, is intended primarily for use as a calibration standard or quality control standard for ion chromatography instrumentation. It can be employed in USEPA, ASTM and other methods relevant to the certified properties listed below.

**Certified Value:** 999 µg/mL ±5 µg/mL

**Certified Value is Traceable to:** 3181*

* - indicates NIST SRM † - indicates SPEX CertiPrep CRM (when NIST SRM is not available) ‡ - prepared gravimetrically

The CRM is prepared gravimetrically using high purity Potassium Sulfate, Lot# AN07201A. The certified value listed is the average of values obtained by classical wet assay and ion chromatography analysis.

Refer to side 2 for details of measurement uncertainties.

**Classical Wet Assay:** 998 µg/mL

**Method:** Precipitation using Barium Chloride. Filter, ignite, and weigh as BaSO4.

**Instrumental Analysis by Ion Chromatography:** 999 µg/mL

**Uncertified Properties**

**Trace Ionic Impurities in the Actual Solution via IC Analysis:**

| Element | µg/mL | Element | µg/mL |
|---|---|---|---|
| $Br^-$ | <0.01 | $NO_2^-$ | <0.01 |
| $Cl^-$ | <0.03 | $NO_3^-$ | <0.02 |
| $F^-$ | <0.003 | $PO4^{-3}$ | <0.08 |

Balances are calibrated regularly with weight sets traceable to NIST #32856, #32867 and others. This CRM is guaranteed stable and accurate to +/- 0.5% of the certified value. This includes uncertainty components due to preparation, homogeneity by the most precise method, and short-term and long-term stability. This guarantee is valid for a period of one year from the date of certification only when the material is kept tightly capped and stored under ambient laboratory conditions.

Date of Certification: NOV - - 2021 Certifying Officer: Katherine Cullinan

Katherine Cullinan, QC Manager



© 2020 SPEX CertiPrep, LLC

# Reagent

# IC SO4 ICV_00022

ERA
A Waters Company

Certified Reference Material

# ▪ Certificate of Analysis ▪

| | |
|---|---|
| **Product:** | 1000 mg/L Sulfate |
| **Catalog Number:** | 062-125mL, 995-500mL |
| **Lot No.** | 060720m |
| **Starting Material:** | Potassium Sulfate ($K_2SO_4$) |
| **Matrix:** | 18 megohm deionized water |
| **Density:** | 1.0001 ± 0.0010 mg/L at 21.2 °C and 755 mm Hg |
| **Verification Method:** | Ion Chromatography |
| **Certificate Issue Date:** | July 13, 2020 |
| **Expiration Date:** | July 6, 2022 |
| **Revision Number:** | Original |

## CERTIFICATION

| Parameter | Certified Value[1] | Uncertainty[2] | NIST Traceability | |
|---|---|---|---|---|
| | mg/L | % | SRM Number[3] | Recovery % |
| Sulfate | 1000 | 0.984 | 3181 | 97.7 |



16341 Table Mountain Pkwy ▪ Golden, CO 80403 ▪ 800.372.0122 ▪ 303.431.8454 ▪ fax 303.421.0159 ▪ www.eraqc.com

# Reagent

# IC SO4 ICV_00023

ERA
A Waters Company

Certified Reference Material

# ▪ Certificate of Analysis ▪

| | |
|---|---|
| **Product:** | 1000 mg/L Sulfate |
| **Catalog Number:** | 062-125mL, 995-500mL |
| **Lot No.** | 260621m |
| **Starting Material:** | Potassium Sulfate ($K_2SO_4$) |
| **Matrix:** | 18 megohm deionized water |
| **Density:** | 0.9991 ± 0.0003 g/mL 18.5 °C and 749 mm Hg |
| **Verification Method:** | Ion Chromatography |
| **Certificate Issue Date:** | July 1, 2021 |
| **Expiration Date:** | June 11, 2023 |
| **Revision Number:** | Original |

## CERTIFICATION

| Parameter | Certified Value[1] | Uncertainty[2] | NIST Traceability | |
|---|---|---|---|---|
| | mg/L | % | SRM Number[3] | Recovery % |
| Sulfate | 1000 | 0.983 | 3181 | 99.8 |



16341 Table Mountain Pkwy ▪ Golden, CO 80403 ▪ 800.372.0122 ▪ 303.431.8454 ▪ fax 303.421.0159 ▪ www.eraqc.com

# Reagent

# MNX,TNX,DNX_00057

Agilent

# Certificate of Analysis

**Product Name:** Custom Standard

**Product Number:** CUS-23984 **Lot Issue Date:** 10-Mar-2021

**Lot Number:** 0006594482 **Expiration Date:** 30-Apr-2022

**Description:**
This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

| Analyte | CAS# | Analyte Lot | Concentration ± Uncertainty |
|---|---|---|---|
| 1,3,5-trinitroso-1,3,5-triazacyclohexane (TNX) | N/A | RM12426 | 99.7 ± 0.5 µg/mL |
| 1-nitro-3,5-dinitroso-1,3,5-triazacyclohexane (DNX) | N/A | RM12428 | 100.1 ± 0.5 µg/mL |
| 1-nitroso-3,5-dinitro-1,3,5-triazacyclohexane (MNX) | N/A | RM12428 | 116.7 ± 0.6 µg/mL |

**Matrix:** acetonitrile

**Storage Conditions:** Store at Room Temperature (15° to 30°C).

**Traceability:**
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

**Homogeneity:**
This RM was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

**Intended Use:**
This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

**Instructions for Use:**
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

**Hazards:**
Refer to the Safety Data Sheet on www.agilent.com for information regarding this RM.

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER
ISO 17034 Cert No. AR-1936

RM was produced in accordance with the LRQA registered ISO 9001:2015 Quality Management System. Cert # 10303760



www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED TESTING LABORATORY
ISO 17025 Cert No. AT-1937


250 Smith Street North Kingstown, Rhode Island 02852 www.agilent.com/quality

# Certificate of Analysis

**Product Number:** CUS-23984 **Lot Number:** 0006594482

**Expiration of Certification:**
The certification of this RM is valid until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

**Maintenance of Certification:**
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

**Sample lot approver:**

Monica Bourgeois
QMS Representative

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER
ISO 17034 Cert
No. AR-1936

RM was produced in accordance with the LRQA registered ISO 9001:2015 Quality Management System. Cert # 10303760
Page: 2 of 2
www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED TESTING LABORATORY
ISO 17025 Cert
No. AT-1937

# Reagent

# MNX,TNX,DNX_00063

Agilent

# Certificate of Analysis

**Product Name:** Custom Standard

**Product Number:** CUS-23984

**Lot Number:** 0006599273

**Lot Issue Date:** 02-Apr-2021

**Expiration Date:** 30-Apr-2022

**Description:**
This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

| Analyte | CAS# | Analyte Lot | Concentration ± Uncertainty |
|---|---|---|---|
| 1,3,5-trinitroso-1,3,5-triazacyclohexane (TNX) | N/A | RM12426 | 100.4 ± 0.5 µg/mL |
| 1-nitro-3,5-dinitroso-1,3,5-triazacyclohexane (DNX) | N/A | RM12428 | 100.1 ± 0.5 µg/mL |
| 1-nitroso-3,5-dinitro-1,3,5-triazacyclohexane (MNX) | N/A | RM12428 | 116.7 ± 0.6 µg/mL |

**Matrix:** acetonitrile

**Storage Conditions:** Store at Room Temperature (15° to 30°C).

**Traceability:**
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

**Homogeneity:**
This RM was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

**Intended Use:**
This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

**Instructions for Use:**
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

**Hazards:**
Refer to the Safety Data Sheet on www.agilent.com for information regarding this RM.

ANAB ACCREDITED REFERENCE MATERIAL PRODUCER
ISO 17034 Cert No. AR-1936

RM was produced in accordance with the LRQA registered ISO 9001:2015 Quality Management System. Cert # 10303760



www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED TESTING LABORATORY
ISO 17025 Cert No. AT-1937



250 Smith Street North Kingstown, Rhode Island 02852 www.agilent.com/quality

# Certificate of Analysis

**Product Number:** CUS-23984 **Lot Number:** 0006599273

**Expiration of Certification:**
The certification of this RM is valid until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

**Maintenance of Certification:**
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

**Sample lot approver:**

Monica Bourgeois
QMS Representative

ANAB ACCREDITED ISO 17034 REFERENCE MATERIAL PRODUCER
ISO 17034 Cert
No. AR-1936

RM was produced in accordance with the LRQA registered ISO 9001:2015 Quality Management System. Cert # 10303760
Page: 2 of 2
www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY
ISO 17025 Cert
No. AT-1937

# Reagent

---

# MNX,TNX,DNX_00066

ISO 17034

Agilent
Trusted Answers

# Reference Material Certificate

**Product Name:** Custom Standard
**Product Number:** CUS-23984
**Storage Conditions:** Store at Room Temperature (15° to 30°C).

**Lot Number:** 0006659035
**Lot Issue Date:** 11-Jan-2022
**Expiration Date:** 28-Feb-2023

| Component Name | CERTIFIED VALUES Concentration | Expanded Uncertainty | CAS# | Analyte Lot |
|---|---|---|---|---|
| 1,3,5-trinitroso-1,3,5-triazacyclohexane (TNX) | 100.4 ± | 0.5 µg/mL | N/A | RM12426 |
| 1-nitro-3,5-dinitroso-1,3,5-triazacyclohexane (DNX) | 100.4 ± | 0.5 µg/mL | N/A | RM12428 |
| 1-nitroso-3,5-dinitro-1,3,5-triazacyclohexane (MNX) | 117.0 ± | 0.6 µg/mL | N/A | RM12428 |

**Matrix:** acetonitrile

**Description:**
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

**Traceability:**
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

**Homogeneity:**
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

**Instructions for Use:**
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

**Safety:**
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

**Intended Use:**
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

**Expiration of Certification:**

# Reagent

# MNX,TNX,DNX_00067

ISO 17034

Agilent
Trusted Answers

# Reference Material Certificate

**Product Name:** Custom Standard
**Product Number:** CUS-23984
**Storage Conditions:** Store at Room Temperature (15° to 30°C).

**Lot Number:** 0006659035
**Lot Issue Date:** 11-Jan-2022
**Expiration Date:** 28-Feb-2023

| Component Name | CERTIFIED VALUES Concentration | Expanded Uncertainty | CAS# | Analyte Lot |
|---|---|---|---|---|
| 1,3,5-trinitroso-1,3,5-triazacyclohexane (TNX) | 100.4 ± | 0.5 µg/mL | N/A | RM12426 |
| 1-nitro-3,5-dinitroso-1,3,5-triazacyclohexane (DNX) | 100.4 ± | 0.5 µg/mL | N/A | RM12428 |
| 1-nitroso-3,5-dinitro-1,3,5-triazacyclohexane (MNX) | 117.0 ± | 0.6 µg/mL | N/A | RM12428 |

**Matrix:** acetonitrile

**Description:**
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

**Traceability:**
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

**Homogeneity:**
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

**Instructions for Use:**
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

**Safety:**
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

**Intended Use:**
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

**Expiration of Certification:**

Reagent

# NH3 ICV STD_00032

INORGANIC VENTURES
300 Technology Drive
Christiansburg, VA 24073 · USA
inorganicventures.com

# CERTIFICATE OF ANALYSIS

tel: 800.669.6799 · 540.585.3030
fax: 540.585.3012
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO Guide 34, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

## 2.0 PRODUCT DESCRIPTION

| | |
|---|---|
| Product Code: | Single Analyte Ion Chromatography Solution |
| Catalog Number: | ICNNH41 |
| Lot Number: | N2-NH669544 |
| Matrix: | H2O |
| Value / Analyte(s): | 1 000 µg/mL ea:<br>Ammonium as N |
| Starting Material: | Ammonium chloride |
| Starting Material Lot#: | 1736 |
| Starting Material Purity: | 99.0000% |

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

**Certified Value:** 1002 ± 3 µg/mL

**Density:** 0.999 g/mL (measured at 20 ± 4 ºC)

### Assay Information:

**Assay Method #1** **1005 ± 3 µg/mL**
IC Assay NIST SRM 194a Lot Number: 194a

**Assay Method #2** **997 ± 3 µg/mL**
Fajans NIST SRM 999c Lot Number: 999c

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

### Characterization of CRM/RM by Two Methods

**Certified Value, $X_{CRM/RM}$, where two methods of characterization are used is the weighted mean of the two results:**

$X_{CRM/RM} = [(w_a)(X_a) + (w_b)(X_b)]$

$X_a$ = mean of Assay Method A with standard uncertainty $u_{char\ a}$

$X_b$ = mean of Assay Method B with standard uncertainty $u_{char\ b}$

$w_a$ and $w_b$ = the weighting factors for each method calculated using the inverse square of the variance:

$w_a = (1/u_{char\ a})^2 / ((1/u_{char\ a})^2 + (1/u_{char\ b})^2))$

$w_b = (1/u_{char\ b})^2 / ((1/u_{char\ a})^2 + (1/u_{char\ b})^2))$

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a\&b} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

**k** = coverage factor = 2 in all cases at Inorganic Ventures

$u_{char\ a\&b} = [(w_a)^2 (u_{char\ a})^2 + (w_b)^2 (u_{char\ b})^2]^{½}$ where $u_{char\ a}$ and $u_{char\ b}$ are the square root of the sum of the squares of errors from characterization which include instrument measurement, density, NIST SRM uncertainty, weighing, and volume

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

### Characterization of CRM/RM by One Method

**Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:**

$X_{CRM/RM}$ = mean of Assay Method A with standard uncertainty $u_{char\ a}$

**CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$**

**k** = coverage factor = 2 in all cases at Inorganic Ventures

$u_{char\ a}$ = square root of the sum of the squares of the errors from characterization which include instrumental measurement, density, NIST SRM uncertainty, weighing, and volume

$u_{bb}$ = bottle to bottle homogeneity standard uncertainty

$u_{lts}$ = long term stability standard uncertainty (storage)

$u_{ts}$ = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.


### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 CHROMATOGRAM




**Dionex ICS-2000 Ion Chromatograph**

| | | | |
|---|---|---|---|
| **Analytical Column:** | IonPac CS18 2 x 250 mm | **Eluent:** | 10 mM MSA |
| **Guard Column:** | IonPac CG18 2 x 50 mm | **Eluent Flow Rate:** | 0.25 mL/min |
| **Anion Self Regen Suppressor/ Chemical Suppression:** | N/A | **Column Temp:** | 35 °C |
| | | **Cell Temp:** | 35 °C |
| **Cation Self Regen Suppressor/ Chemical Suppression:** | CERS 500 2mm | **Scale X-Axis:** | minutes |
| | | **Scale Y-Axis:** | 8 µS/cm |
| | | **Concentration:** | 10 µg/g |
| **Suppressor Current/ Chemical Suppressant:** | 8 mA | | |

## 6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### 10.3 ISO Guide 34 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

### 11.1 Certification Issue Date

August 01, 2018

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- **August 01, 2022**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

**Certificate Prepared By:**

James King Jr
Chemist, Technical Manager



**Certificate Approved By:**

Michael Booth
Supervisor, Quality Control



**Certifying Officer:**

Paul Gaines
CEO, Senior Technical Director



Reagent

# NOXT Cal STD_00025

RICCA CHEMICAL COMPANY®

1841 Broad Street
Pocomoke City, MD 21851
http://www.riccachemical.com
1-888-GO-RICCA
customerservice@riccachemical.com

# Certificate of Analysis

## Nitrate Nitrogen Standard, 1000 ppm N (4427 ppm $NO_3$)

**Lot Number:** 2104E50 **Product Number:** 5459

**Manufacture Date:** APR 19, 2021
**Expiration Date:** OCT 2022

The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is based upon the volumetric method of preparation.

| Name | CAS# | Grade |
|---|---|---|
| Water | 7732-18-5 | ACS/ASTM/USP/EP |
| Potassium Nitrate | 7757-79-1 | High Purity |
| Chloroform | 67-66-3 | |

| Test | Specification | Result |
|---|---|---|
| Appearance | Colorless liquid | Passed |
| Nitrogen (N) | 995-1005 ppm | 1000 ppm |

| Specification | Reference |
|---|---|
| Nitrate Solution, Stock (1.0 mL = 1.0 mg NO3-N) | ASTM (D 3867 A) |
| Nitrate Solution, Stock (1.0 mL = 1.0 mg NO3-N) | ASTM (D 3867 B) |
| Stock Nitrate Solution: 1 mL = 1.0 mg NO3-N | EPA (353.2) |
| Stock Nitrate Solution: 1.0 mL = 1.00 mg NO3-N | EPA (353.3) |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|---|---|---|
| 5459-16 | 500 mL natural poly | 18 months |
| 5459-4 | 120 mL natural poly | 18 months |

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)

Kerry Kingsbury (04/19/2021)
Quality Control Supervisor
This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

# Reagent

# PicricARestek_00102

RESTEK®
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

# CERTIFIED REFERENCE MATERIAL

## Certificate of Analysis

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 31499 **Lot No.:** A0175186

**Description :** Picric Acid Standard

Picric Acid Standard 1000µg/mL, Methanol, 1mL/1000µg/mL *PGI BOX REQUIRED* SHIP FED EX GROUND ONLY

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** August 31, 2026 **Storage:** 10°C or colder

**Ship:** Ambient

CERTIFIED VALUES

| Elution Order | Compound | Grav. Conc. (weight/volume) | Expanded Uncertainty (95% C.L.; K=2) | | |
|---|---|---|---|---|---|
| 1 | Picric Acid | 1,006.0 µg/mL | +/- 5.9753 | µg/mL | Gravimetric |
| | **CAS #** 88-89-1 (Lot 06130CU) | | +/- 55.1117 | µg/mL | Unstressed |
| | **Purity** 99% | | +/- 64.2657 | µg/mL | Stressed |

**Solvent:** Methanol
**CAS #** 67-56-1
**Purity** 99%

**Column:**
250mm x 4.6mm
Ultra C18 (cat.# 9174575)


**Flow Rate:**
1.0 ml/min.

**Mobile Phase A:**
water:methanol (44:56 V/V)

**Mobile Phase B:**

**Mobile Phase Composition:**
100%A

**Det. Type:**
Wavelength: 210nm & 254nm




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Lane Kibe - Mix Technician

**Date Mixed:** 06-Aug-2021 **Balance:** B345965662

Alexis Shelow - Operations Tech I

**Date Passed:** 10-Aug-2021

**Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397**

**General Certified Reference Material Notes**

**Expiration Notes:**

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

**Purity Notes:**

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

**Certified Uncertainty Value Notes:**

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified combined stressed uncertainty value ( includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ stressed} = k\sqrt{U^2_{gravimetric} + U^2_{homogeneity} + U^2_{storage\ stability} + U^2_{shipping\ stability}}$$

  $k$ is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- It is important to note that the shipping stability uncertainty was obtained under temperature extremes for specific time intervals; therefore, the certified combined stressed uncertainty value should only be applied to the product if it was stored at non-standard temperature conditions up to and including 7 days. Contact Restek Technical Service at www.restek.com/Contact-Us for use recommendations if your shipment was in-transit for more than 7 days at non-standard temperature conditions.
- Apply the certified combined unstressed uncertainty value if the product was received under standard shipping conditions. Apply the certified combined stressed uncertainty value if the product was received under non-standard conditions as specified below.

| Label Conditions | Standard Conditions | Non-Standard Conditions |
|---|---|---|
| 25°C Nominal (Room Temperature) | < 60°C | ≥ 60°C up to 7 days |
| 10°C or colder (Refrigerate) | < 40°C | ≥ 40°C up to 7 days |
| 0°C or colder (Freezer)<br>-20°C or colder (Deep Freezer) | < 25°C | ≥ 25°C up to 7 days |

- Separate (not combined) uncertainty values for gravimetric uncertainty are also displayed on the certificate, if needed, separate homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty values are available by contacting Restek Technical Service at www.restek.com/Contact-Us.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampules are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

**Manufacturing Notes:**

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

**Handling Notes:**

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampules. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.

# Reagent

# RSK175methane_00010

Airgas
an Air Liquide company

**Airgas Specialty Gases**
Airgas USA, LLC
6141 Easton Road
Bldg 1
Plumsteadville, PA 18949
Airgas.com

# CERTIFICATE OF BATCH ANALYSIS

## Grade of Product: CP

| | | | |
|---|---|---|---|
| Customer: | SIGMA-ALDRICH | | |
| Part Number: | ME CPP14C514 | Reference Number: | 160-401480003-1 |
| Cylinder Analyzed: | ST0000198540 | Cylinder Volume: | 14.0 LG |
| Laboratory: | 124 - Plumsteadville - PA | Cylinder Pressure: | 240 PSIG |
| Analysis Date: | Apr 16, 2019 | Valve Outlet: | 160 |
| Lot Number: | 160-401480003-1 | | |

**Expiration Date: Apr 16, 2022**

## ANALYTICAL RESULTS

| Component | Requested Purity | Certified Concentration |
|---|---|---|
| METHANE | > 99.0 % | > 99.0 % |

**Cylinders in Batch:**

ST0000198540, ST0000198541, ST0000198542, ST0000198543

**Notes:**MANUFACTURE DATE 4-16-2019
PO# P481562
P/N 22562

Impurities verified against analytical standards traceable to NIST by weight and/or analysis.

**Approved for Release**

# Reagent

# RSK7gasMathes_00031

MATHESON
ask. . .The Gas Professionals™

# Analysis Report

To: MATHESON LINWELD
4705 NOME ST
P O BOX 39126
DENVER, CO 80239

MTG Customer No: 504445

**Manufacturing Location**
1700 SCEPTER ROAD
WAVERLY, TN 37185

**Product:** Multi-Component Mixture
**Grade:** CERTIFIED
**MTG Part No:** G2682238

**Cylinder Size:** 4
**Valve:** CGA 350 SS
**Contents:**
**Net:** 7.57 ft³; 0.21 m³

**Pressure:** 1400 psia @ 70°F; 9653 kPa @ 21°C

**CYLINDER NUMBER(S)**
*DI.039162

| | Requested Concentration | Certified Concentration | Units - | Blend Tolerance | Certified Accuracy |
|---|---|---|---|---|---|
| Butane | 1.00 | 1.00 | % | ±10% | ±2% |
| Acetylene | 1.00 | 1.00 | % | ±10% | ±2% |
| Isobutylene | 1.00 | 1.01 | % | ±10% | ±2% |
| Propane | 1.00 | 1.00 | % | ±10% | ±2% |
| Ethane | 1.00 | 1.01 | % | ±10% | ±2% |
| Ethylene | 1.00 | 1.00 | % | ±10% | ±2% |
| Methane | 1.00 | 1.00 | % | ±10% | ±2% |
| Nitrogen | Balance | Balance | | | |

**TRACEABILITY**

**COMMENTS**

* Indicates the actual cylinder(s) analyzed.

Lot No: 9300606746
Fill Date: 02/23/2020
Expiration Date: 03/09/2022
Analysis Date: 03/09/2020


Unless otherwise indicated, Matheson Tri-Gas terms and conditions govern the product data contained herein. This document was issued electronically and data validated by electronic signature. For further information visit www.matheson-trigas.com.

Eric Popa - Analyst — 03/09/2020 Date

Meriah Boyett - QA Approval — 03/09/2020 Date

# Reagent

# RSK7gasMathes_00034


MATHESON
MTG Customer No: 504445
CO 80239
Component
Mixture
Cylinder Size: 4
Valve: CGA 350 SS
Contents:
Net: 7.57 ft³: 0.21 m³
Pressure: 1400 psia @ 70°F: 9653 kPa @ 21°C
Requested Concentration
Certified Concentration
Units
Blend Tolerance
Certified Accuracy
1.00 % ±10% ±2%
1.00 % ±10% ±2%
1.00 % ±10% ±2%
1.00 % ±10% ±2%
1.00 % ±10% ±2%
1.00 % ±10% ±2%
1.01 % ±10% ±2%
Balance Balance
TRACEABILITY
COMMENTS
03/22/2021
03/23/2021
Approval
Date

MTG Part No: [illegible]

Net: [illegible]

Pressure: 1400 psia @ 70°F; 9653 kPa @ 21°C

**CYLINDER NUMBER(S)**

*DM019038

| | Requested Concentration | Certified Concentration | Units | Blend Tolerance | Certified Accuracy |
|---|---|---|---|---|---|
| Butane | 1.00 | 1.00 | % | ±10% | ±2% |
| Acetylene | 1.00 | 1.00 | % | ±10% | ±2% |
| Isobutylene | 1.00 | 1.00 | % | ±10% | ±2% |
| Propane | 1.00 | 1.00 | % | ±10% | ±2% |
| Ethane | 1.00 | 1.00 | % | ±10% | ±2% |
| Ethylene | 1.00 | 1.00 | % | ±10% | ±2% |
| Methane | 1.00 | 1.01 | % | ±10% | ±2% |
| Nitrogen | Balance | Balance | | | |

**TRACEABILITY**

**COMMENTS**

*** indicates the actual cylinder(s) analyzed.**

**Lot No:** 9301615705
**Fill Date:** 03/08/2021
**Expiration Date:** 03/22/2023

**Analysis Date:** 03/22/2021

Unless otherwise indicated, Matheson Tri-Gas terms and conditions govern the product data contained herein. This document was issued electronically and data validated by electronic signature. For further information visit www.matheson-trigas.com.

Eric Popa - Analyst — 03/22/2021 (Date)


Paul Castillo - QA Approval — 03/23/2021 (Date)

Page 1 of 1

[redacted]

Reagent

# SFD ICV STK_00008




| | |
|---|---|
| **Version** | 1 |
| **Molecular weight** | 240.18 |
| **Molecular formula** | Na2 S . 9 H2 O |
| **CAS No** | 1313-84-4 |
| **Linear formula** | Na2S.9H2O |
| **Flash point (°C)** | |

# Certificate of Analysis

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Acros Organics expressly disclaims all warranties,expressed or implied, including the implied


warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to human or animals. It is the responsiblity of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

| | | | |
|---|---|---|---|
| **Catalog Number** | 38706 | **Quality Test / Release Date** | 22 April 2021 |
| **Lot Number** | A0412804 | **Suggested Retest Date** | April 2024 |
| **Description** | Sodium sulfide nonahydrate,98+%,extra pure | | |
| **Country of Origin** | INDIA | | |
| **Declaration of Origin** | synthetic | | |

| | |
|---|---|
| **Origin Comment** | |

| Result Name | Specifications | Test Value |
|---|---|---|
| Appearance (Color) | Colorless to light yellow | Light yellow |
| Appearance (Form) | Adhering crystals and/or chunks | Adhering crystals |
| Titration Iodimetric | 32.0 to 38.0 % (Na2S) | 32.3 % (Na2S) |
| Total nitrogen (as N) | =<0.005 % | =<0.005 % |
| Sulfite (as SO2) | =<2000 ppm | =<1000 ppm |
| Thiosulphate (S2O3) | =<5000 ppm | =<1000 ppm |



C. Wygaerts, QA Manager Issued: 27 April 2021

Acros Organics
ENA23, zone 1, nr 1350, Janssen Pharmaceuticalaan 3a, B-2440 Geel, Belgium
Tel +32 14/57.52.11 - Fax +32 14/59.34.34 Internet: http://www.acros.com
1 Reagent Lane, Fair Lawn, NJ 07410,USA Fax 201-796-1329

Reagent

# TKN CAL STD_00019

nsi lab solutions
protect more. test more.
7212 ACC Blvd. | Raleigh, NC 27617 | 800.234.7837

# Certificate of Analysis

## TKN Calibration Standard - 1000 mg/L

**Catalog Number:** IS-009, IS-009-500
**Lot Number:** 200817
**Manufacture Date:** 08/17/20
**Certified Date:** 08/17/20

**Expiration:** 08/31/2024
**Matrix:** Water
**Hazards:** Irritant
(See MSDS)

| Bulk Number | Analyte | CAS # | Purity | Certified Concentration (mg/L TKN) |
|---|---|---|---|---|
| W-1477-30 | TKN from Glycine | 56-40-6 | 99.8% | 1000 ± 4.60 |

### Packaging, Storage, Instructions For Use

**Store at room temperature (15-30°C). After opening, this solution should be stored tightly capped at 2-8°C.**

This certified reference material (CRM) is packaged in low density polyethylene. Allow to equilibrate to room temperature before use. Small aliquots should be poured out of the bottle rather than directly pipetted out of bottle in order to prevent contamination or premature degradation. A 1 mL sample size is recommended. Smaller sample volumes may negatively affect estimated uncertainty.

### Traceability Information

**Analyte Source Materials:** The highest purity analyte source materials are used in the manufacture of this CRM. The actual purity is referenced above. Analyte source material purity and associated uncertainty has been analytically verified against appropriate NIST SRMs, if available.

**Method:** Certified concentration confirmed by HPLC analysis against an independent reference standard with n=3.

**Balance:** All analytical balances are calibrated on a semiannual basis by an ISO 17025 accredited calibration laboratory and are traceable to NIST. Traceable Calibration Certificate available upon request.

All balances are checked daily by an in-house standard operating procedure. The weights used for this daily verification are calibrated annually by an ISO 17025 accredited calibration laboratory and are certified traceable to NIST. Certificate of Calibration and Traceability available upon request.

**Thermometer:** All thermometers are NIST traceable through thermometers that are calibrated annually by an ISO 17025 accredited calibration laboratory.

**Glassware:** All glassware used in the manufacture of our CRMs is Class A. An in-house standard operating procedure is used to verify all glassware prior to it being placed into service. Volumetric pipetors are calibrated every four months by an ISO 17025 accredited calibration laboratory.

nsi lab solutions
protect more. test more.
7212 ACC Blvd. | Raleigh, NC 27617 | 800.234.7837

**Catalog Number: IS-009, IS-009-500**
**Lot Number: 200817**

## Intended Uses

- Calibration of analytical instruments
- Validation of analytical methods
- Preparation of working level reference materials, i.e. "check standards"
- Detection limit studies

## Uncertainty

The ± uncertainty associated with the certified concentration is the expanded uncertainty at 95% confidence interval (CI) with K=2. This expanded uncertainty incorporates contributions from manufacturing, homogeneity, and stability.

## Homogeneity

This CRM was thoroughly mixed in production. Batch homogeneity was established through analysis of samples chosen at random. A minimum 1 mL sample size is recommended.

## Stability/Expiration

The stability of this CRM is based on short-term and long-term monitoring of the certified concentration. The expiration date is guaranteed to be valid from the manufacture date and is based on results of long-term monitoring.

Ewart Morris

Ewart Morris, Inorganics Technical Manager

Mark Hammersla

Mark Hammersla, President

# Reagent

# TKN ICV_00013

ERA

A Waters Company

# Certificate of Analysis

| | |
|---|---|
| **PRODUCT:** | 1000 mg/L Total Kjeldahl Nitrogen (TKN) |
| **CATALOG NUMBER:** | 043 -125 mL; 996 - 500 mL |
| **LOT NUMBER:** | 200220m |
| **ISSUE DATE:** | March 20, 2020 |
| **REVISION DATE:** | Original |
| **STARTING MATERIAL:** | Glycine ($NH_2CH_2COOH$) |
| **CERTIFIED CONCENTRATION[1]:** | 1000 mg/L |
| **UNCERTAINTY[2]:** | 6.1% |
| **MATRIX:** | 18 megohm deionized water and 1% (v/v) HCl |
| **DENSITY:** | 0.9966 ± 0.0020 g/mL at 19.4°C and 753 mm Hg |
| **TRACEABILITY[3]:** | 98.3% |
| **NIST/SRM:** | 194a Ammonium Dihydrogen Phosphate |
| **VERIFICATION METHOD:** | Ion Selective Electrode (ISE) |
| **STORAGE:** | Store at 20-25°C |

1. The **Certified Concentration** is the actual made-to concentration confirmed by ERA analytical verification.

2. The stated **Uncertainty** is the total propagated uncertainty at the 95% confidence interval. The uncertainty is based on the preparation of the product and includes uncertainty related to the starting material used and the volumetric and gravimetric measurements made. The method of calculating uncertainty is taken from the ISO Guide to the Expression of Uncertainty in Measurement (current version). The uncertainty applies to the product as supplied and does not take into account any required or optional dilutions and/or preparations the laboratory may perform while using this product.

3. Traceability ((% Recovery Certified Standard)/(% Recovery NIST SRM))* 100.

   The traceability data shown were compiled by analyzing the ERA standards or their associated stock solutions against the applicable NIST SRMs. Where a NIST SRM is not available, the product is metrologically traceable through an unbroken chain of calibrations to NIST weights, each having stated uncertainties and utilizing measurement standards that are appropriate for the physical and/or chemical property being measured.

This standard **expires 02/07/2022.** The certified values are monitored and purchasers will be notified of any significant changes resulting in recertification or withdrawal of this certified reference material during the period of validity of this certificate.

This product is intended to be used as either a calibration standard or a quality control check of the entire analytical process for the analytes/matrix included in the standard.

If you have any questions or need technical assistance, please call ERA technical assistance at 1-800-372-0122 or email to info@eraqc.com

Certifying Officer: Brian Miller - Product Line Manager

ISO/IEC GUIDE 34:2009

ACCREDITED

REFERENCE MATERIAL PRODUCER
CERTIFICATE NO. 1539.03

ISO/IEC 17025:2005

ACCREDITED

CHEMICAL TESTING LABORATORY
CERTIFICATE NO. 1539.02

16341 Table Mtn Pkwy, Golden, CO 80403 800-372-0122 fax: 303-421-0159 www.eraqc.com

Reagent

# TOC ICV Std_00049

RICCA CHEMICAL COMPANY®

448 West Fork Dr
Arlington, TX 76012
http://www.riccachemical.com
1-888-GO-RICCA
customerservice@riccachemical.com

# Certificate of Analysis

## Organic Carbon Standard, 1000 ppm C

**Lot Number:** 1201B45 **Product Number:** 1847

**Manufacture Date:** JAN 24, 2022
**Expiration Date:** JAN 2023

The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is based upon the volumetric method of preparation.

| Name | CAS# | Grade |
|---|---|---|
| Water | 7732-18-5 | ACS/ASTM/USP/EP |
| Phosphoric Acid | 7664-38-2 | ACS |
| Potassium Acid Phthalate | 877-24-7 | ACS Acidimetric |


| Test | Specification | Result |
|---|---|---|
| Appearance | Colorless liquid | Passed |
| Carbon (C) | 995-1005 ppm | 1000 ppm |

| Specification | Reference |
|---|---|
| Organic Carbon Stock Solution | APHA (5310 B) |
| Potassium Hydrogen Phthalate, Stock Solution | EPA (SW-846) (9060) |
| Potassium Hydrogen Phthalate, Stock Solution, 1000 mg Carbon/liter | EPA (415.1) |
| Organic Carbon Solution, Standard (1 mL = 1 mg C) | ASTM (D 2579) |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|---|---|---|
| 1847-16 | 500 mL amber glass | 12 months |
| 1847-4 | 120 mL amber glass | 12 months |

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Jason Thomas (01/24/2022)

Operations Manager

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Reagent

# TOC LCS Std_00054

ISO 17034

Agilent
Trusted Answers

# Reference Material Certificate

**Product Name:** Total Organic Carbon (TOC) Standard
**Product Number:** IQC-106
**Storage Conditions:** Store at Room Temperature (15° to 30°C).

**Lot Number:** 0006645841
**Lot Issue Date:** 12-Nov-2021
**Expiration Date:** 31-Dec-2023

| Component Name | CERTIFIED VALUES Concentration | Expanded Uncertainty | CAS# | Analyte Lot |
|---|---|---|---|---|
| potassium hydrogen phthalate (KHP) (as TOC) | 1002 | ± 5 mg/L | 000877-24-7 | RM19275 |

**Matrix:** water (low TOC, < 50 ppb)

**Description:**
This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system. The analyte concentration(s) were prepared and verified by an ISO 17034 / ISO 17025 accredited laboratory and compared to calibration standards independently prepared using NIST SRM(s) when available. The certified value and uncertainty value at the 95% confidence level for each analyte is determined gravimetrically.

**Traceability:**
The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

**Homogeneity:**
This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

**Instructions for Use:**
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

**Safety:**
Refer to the Safety Data Sheet on www.agilent.com for information regarding this analytical reference material.

**Intended Use:**
This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

**Expiration of Certification:**
The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

**Maintenance of Certification:**
If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

**Sample lot approver:**

Monica Bourgeois
QMS Representative

# RSK_175_DOD5

## Dissolved Gases (GC)

FORM III
GC VOA LAB CONTROL SAMPLE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 003F0301.D

Lab ID: LCS 280-576169/3 Client ID:

| COMPOUND | SPIKE ADDED (mg/L) | LCS CONCENTRATION (mg/L) | LCS % REC | QC LIMITS REC | # |
|---|---|---|---|---|---|
| Methane | 0.0657 | 0.0634 | 97 | 73-125 | |

# Column to be used to flag recovery and RPD values

FORM III RSK-175

FORM III
GC VOA LAB CONTROL SAMPLE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 034F3401.D

Lab ID: LCS 280-576170/90 Client ID:

| COMPOUND | SPIKE ADDED (mg/L) | LCS CONCENTRATION (mg/L) | LCS % REC | QC LIMITS REC | # |
|---|---|---|---|---|---|
| Methane | 0.0657 | 0.0651 | 99 | 73-125 | |

# Column to be used to flag recovery and RPD values

FORM III RSK-175

FORM III
GC VOA LAB CONTROL SAMPLE DUPLICATE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 004F0401.D

Lab ID: LCSD 280-576169/4 Client ID:

| COMPOUND | SPIKE ADDED (mg/L) | LCSD CONCENTRATION (mg/L) | LCSD % REC | % RPD | QC LIMITS RPD | QC LIMITS REC | # |
|---|---|---|---|---|---|---|---|
| Methane | 0.0657 | 0.0639 | 97 | 1 | 20 | 73-125 | |

# Column to be used to flag recovery and RPD values

FORM III RSK-175

FORM III
GC VOA LAB CONTROL SAMPLE DUPLICATE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 035F3501.D

Lab ID: LCSD 280-576170/91 Client ID:

| COMPOUND | SPIKE ADDED (mg/L) | LCSD CONCENTRATION (mg/L) | LCSD % REC | % RPD | QC LIMITS RPD | QC LIMITS REC | # |
|---|---|---|---|---|---|---|---|
| Methane | 0.0657 | 0.0601 | 92 | 8 | 20 | 73-125 | |

# Column to be used to flag recovery and RPD values

FORM III RSK-175

FORM III
GC VOA MATRIX SPIKE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 053F5301.D

Lab ID: 280-162386-1 MS Client ID: PZ007-22A MS

| COMPOUND | SPIKE ADDED (mg/L) | SAMPLE CONCENTRATION (mg/L) | MS CONCENTRATION (mg/L) | MS % REC | QC LIMITS REC | # |
|---|---|---|---|---|---|---|
| Methane | 0.0657 | 0.0013 U | 0.0601 | 92 | 73-125 | |

# Column to be used to flag recovery and RPD values

FORM III RSK-175

FORM III
GC VOA MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 054F5401.D

Lab ID: 280-162386-1 MSD Client ID: PZ007-22A MSD

| COMPOUND | SPIKE ADDED (mg/L) | MSD CONCENTRATION (mg/L) | MSD % REC | % RPD | QC LIMITS RPD | QC LIMITS REC | # |
|---|---|---|---|---|---|---|---|
| Methane | 0.0657 | 0.0640 | 97 | 6 | 20 | 73-125 | |

# Column to be used to flag recovery and RPD values

FORM III RSK-175

FORM IV
GC VOA METHOD BLANK SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Lab Sample ID: MB 280-576169/5

Matrix: Water  Date Extracted:

Lab File ID:(1) 005F0501.D  Lab File ID:(2) 005F0501.D

Date Analyzed:(1) 05/25/2022 17:42  Date Analyzed:(2) 05/25/2022 17:42

Instrument ID:(1) VGC_J  Instrument ID:(2) VGC_J

GC Column:(1) HP-Plot Q  ID: 0.53(mm)  GC Column:(2) Rt-Alumina K  ID: 0.53(mm)

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

| CLIENT SAMPLE ID | LAB SAMPLE ID | DATE ANALYZED 1 | DATE ANALYZED 2 |
|---|---|---|---|
| | LCS 280-576169/3 | 05/25/2022 17:16 | 05/25/2022 17:16 |
| | LCSD 280-576169/4 | 05/25/2022 17:29 | 05/25/2022 17:29 |
| G0092-22A | 280-162386-8 | 05/25/2022 18:59 | 05/25/2022 18:59 |

FORM IV
GC VOA METHOD BLANK SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: MB 280-576170/92

Matrix: Water Date Extracted:

Lab File ID:(1) 036F3601.D Lab File ID:(2) 036F3601.D

Date Analyzed:(1) 05/26/2022 00:23 Date Analyzed:(2) 05/26/2022 00:23

Instrument ID:(1) VGC_J Instrument ID:(2) VGC_J

GC Column:(1) HP-Plot Q ID: 0.53(mm) GC Column:(2) Rt-Alumina K ID: 0.53(mm)

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

| CLIENT SAMPLE ID | LAB SAMPLE ID | DATE ANALYZED 1 | DATE ANALYZED 2 |
|---|---|---|---|
| | LCS 280-576170/90 | 05/25/2022 23:57 | 05/25/2022 23:57 |
| | LCSD 280-576170/91 | 05/26/2022 00:10 | 05/26/2022 00:10 |
| PZ007-22A | 280-162386-1 | 05/26/2022 03:38 | 05/26/2022 03:38 |
| PZ007-22A DU | 280-162386-1 DU | 05/26/2022 03:51 | 05/26/2022 03:51 |
| PZ007-22A MS | 280-162386-1 MS | 05/26/2022 04:04 | 05/26/2022 04:04 |
| PZ007-22A MSD | 280-162386-1 MSD | 05/26/2022 04:17 | 05/26/2022 04:17 |
| G0087-22A | 280-162386-2 | 05/26/2022 04:30 | 05/26/2022 04:30 |
| G0117-22A | 280-162386-3 | 05/26/2022 04:43 | 05/26/2022 04:43 |
| G0022-22A | 280-162386-4 | 05/26/2022 04:56 | 05/26/2022 04:56 |
| G0088-22A | 280-162386-5 | 05/26/2022 05:09 | 05/26/2022 05:09 |
| G0116-22A | 280-162386-6 | 05/26/2022 05:22 | 05/26/2022 05:22 |
| PZ014-22A | 280-162386-7 | 05/26/2022 05:35 | 05/26/2022 05:35 |
| G0092-22A | 280-162386-8 | 05/26/2022 05:48 | 05/26/2022 05:48 |
| PZ013-22A | 280-162386-9 | 05/26/2022 06:01 | 05/26/2022 06:01 |
| G0081-22A | 280-162386-10 | 05/26/2022 06:14 | 05/26/2022 06:14 |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A MS  Lab Sample ID: 280-162386-1 MS

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 04:04  Date Analyzed (2): 05/26/2022 04:04

GC Column (1): HP-Plot Q ID: 0.53(mm)  GC Column (2): Rt-Alumina KC ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 0.0601 | | 5.6 |
| | 2 | | 1.27 | 1.23 | 1.31 | 0.0636 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A MSD  Lab Sample ID: 280-162386-1 MSD

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 04:17  Date Analyzed (2): 05/26/2022 04:17

GC Column (1): HP-Plot Q ID: 0.53(mm)  GC Column (2): Rt-Alumina KC ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 0.0640 | | 5.6 |
| | 2 | | 1.27 | 1.23 | 1.31 | 0.0677 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0117-22A  Lab Sample ID: 280-162386-3

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 04:43  Date Analyzed (2): 05/26/2022 04:43

GC Column (1): HP-Plot Q ID: 0.53(mm)  GC Column (2): Rt-Alumina KC ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 17 | | 10.4 |
| | 2 | | 1.27 | 1.23 | 1.31 | 19 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0022-22A  Lab Sample ID: 280-162386-4

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 04:56  Date Analyzed (2): 05/26/2022 04:56

GC Column (1): HP-Plot Q ID: 0.53(mm)  GC Column (2): Rt-Alumina KC ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 4.3 | | 10.2 |
| | 2 | | 1.26 | 1.23 | 1.31 | 4.8 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0088-22A  Lab Sample ID: 280-162386-5

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 05:09  Date Analyzed (2): 05/26/2022 05:09

GC Column (1): HP-Plot Q ID: 0.53(mm)  GC Column (2): Rt-Alumina KC ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 0.013 | | 13.3 |
| | 2 | | 1.26 | 1.23 | 1.31 | 0.015 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0116-22A  Lab Sample ID: 280-162386-6

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 05:22  Date Analyzed (2): 05/26/2022 05:22

GC Column (1): HP-Plot Q ID: 0.53(mm)  GC Column (2): Rt-Alumina KC ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 19 | | 10.2 |
| | 2 | | 1.27 | 1.23 | 1.31 | 21 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ014-22A  Lab Sample ID: 280-162386-7

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 05:35  Date Analyzed (2): 05/26/2022 05:35

GC Column (1): HP-Plot Q  ID: 0.53(mm)  GC Column (2): Rt-Alumina KC  ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 7.8 | | 10.0 |
| | 2 | | 1.27 | 1.23 | 1.31 | 8.6 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0092-22A  Lab Sample ID: 280-162386-8

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/25/2022 18:59  Date Analyzed (2): 05/25/2022 18:59

GC Column (1): HP-Plot Q  ID: 0.53(mm)  GC Column (2): Rt-Alumina KC  ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 0.037 | | 11.2 |
| | 2 | | 1.26 | 1.23 | 1.31 | 0.042 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0092-22A  Lab Sample ID: 280-162386-8

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 05:48  Date Analyzed (2): 05/26/2022 05:48

GC Column (1): HP-Plot Q ID: 0.53(mm)  GC Column (2): Rt-Alumina KC ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 0.039 | | 11.6 |
| | 2 | | 1.26 | 1.23 | 1.31 | 0.044 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ013-22A Lab Sample ID: 280-162386-9

Instrument ID (1): VGC_J Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 06:01 Date Analyzed (2): 05/26/2022 06:01

GC Column (1): HP-Plot Q ID: 0.53(mm) GC Column (2): Rt-Alumina KC ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 9.3 | | 10.5 |
| | 2 | | 1.27 | 1.23 | 1.31 | 10 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0081-22A  Lab Sample ID: 280-162386-10

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 06:14  Date Analyzed (2): 05/26/2022 06:14

GC Column (1): HP-Plot Q ID: 0.53(mm)  GC Column (2): Rt-Alumina KC ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 1.4 | | 4.8 |
| | 2 | | 1.27 | 1.23 | 1.31 | 1.5 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID:  Lab Sample ID: LCS 280-576169/3

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/25/2022 17:16  Date Analyzed (2): 05/25/2022 17:16

GC Column (1): HP-Plot Q  ID: 0.53(mm)  GC Column (2): Rt-Alumina KC  ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.68 | 1.64 | 1.72 | 0.0634 | | 2.1 |
| | 2 | | 1.27 | 1.23 | 1.31 | 0.0648 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID:  Lab Sample ID: LCSD 280-576169/4

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/25/2022 17:29  Date Analyzed (2): 05/25/2022 17:29

GC Column (1): HP-Plot Q  ID: 0.53(mm)  GC Column (2): Rt-Alumina KC  ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 0.0639 | | 2.7 |
| | 2 | | 1.27 | 1.23 | 1.31 | 0.0657 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID:  Lab Sample ID: LCS 280-576170/90

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/25/2022 23:57  Date Analyzed (2): 05/25/2022 23:57

GC Column (1): HP-Plot Q ID: 0.53(mm)  GC Column (2): Rt-Alumina KC ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 0.0651 | | 3.4 |
| | 2 | | 1.26 | 1.23 | 1.31 | 0.0673 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID:  Lab Sample ID: LCSD 280-576170/91

Instrument ID (1): VGC_J  Instrument ID (2): VGC_J

Date Analyzed (1): 05/26/2022 00:10  Date Analyzed (2): 05/26/2022 00:10

GC Column (1): HP-Plot Q  ID: 0.53(mm)  GC Column (2): Rt-Alumina KC  ID: 0.53(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| Methane | 1 | | 1.67 | 1.64 | 1.72 | 0.0601 | | 3.3 |
| | 2 | | 1.26 | 1.23 | 1.31 | 0.0622 | | |

FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A | Lab Sample ID: 280-162386-1

Matrix: Water | Lab File ID: 051F5101.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 09:15

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 03:38

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0013 | U | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\051F5101.D
Lims ID: 280-162386-H-1
Client ID: PZ007-22A
Sample Type: Client
Inject. Date: 26-May-2022 03:38:14 ALS Bottle#: 51 Worklist Smp#: 107
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-H-1
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 09:31:56

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | |
| 1 | | 4.362 | | | ND | |
| 2 | | 5.458 | | | | |
| 2 Methane | | | | | | 7 |
| 1 | | 1.269 | | | ND | |
| 2 | | 1.679 | | | | |
| 3 Ethane | | | | | | |
| 1 | | 1.521 | | | ND | |
| 2 | | 3.037 | | | | |
| 4 Ethylene | | | | | | |
| 1 | | 1.788 | | | ND | |
| 2 | | 2.619 | | | | |
| 5 Propane | | | | | | |
| 1 | | 2.533 | | | ND | |
| 2 | | 4.933 | | | | |
| 6 Acetylene | | | | | | |
| 1 | | 4.043 | | | ND | |
| 2 | | 2.767 | | | | |
| 7 Butane | | | | | | |
| 1 | | 4.394 | | | ND | |
| 2 | | 6.432 | | | | |
| 8 isobutylene | | | | | | |
| 1 | | 5.298 | | | ND | |
| 2 | | 6.274 | | | | |

## QC Flag Legend

Processing Flags

7 - Failed Limit of Detection


Report Date: 31-May-2022 14:05:47 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\051F5101.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 03:38:14 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-H-1 | Lab Sample ID: | 280-162386-1 | Worklist Smp#: | 107 |
| Client ID: | PZ007-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 51 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0087-22A | Lab Sample ID: 280-162386-2

Matrix: Water | Lab File ID: 055F5501.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 13:15

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 04:30

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0013 | U | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\055F5501.D
Lims ID: 280-162386-G-2
Client ID: G0087-22A
Sample Type: Client
Inject. Date: 26-May-2022 04:30:18 ALS Bottle#: 55 Worklist Smp#: 111
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-G-2
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 14:02:34

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | |
| 1 | | 4.362 | | | ND | |
| 2 | | 5.458 | | | | |
| 2 Methane | | | | | | 7 |
| 1 | | 1.269 | | | ND | |
| 2 | | 1.679 | | | | |
| 3 Ethane | | | | | | |
| 1 | | 1.521 | | | ND | |
| 2 | | 3.037 | | | | |
| 4 Ethylene | | | | | | |
| 1 | | 1.788 | | | ND | |
| 2 | | 2.619 | | | | |
| 5 Propane | | | | | | |
| 1 | | 2.533 | | | ND | |
| 2 | | 4.933 | | | | |
| 6 Acetylene | | | | | | |
| 1 | | 4.043 | | | ND | |
| 2 | | 2.767 | | | | |
| 7 Butane | | | | | | |
| 1 | | 4.394 | | | ND | |
| 2 | | 6.432 | | | | |
| 8 isobutylene | | | | | | |
| 1 | | 5.298 | | | ND | |
| 2 | | 6.274 | | | | |

## QC Flag Legend

Processing Flags

7 - Failed Limit of Detection


Report Date: 31-May-2022 14:05:50 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\055F5501.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 04:30:18 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-G-2 | Lab Sample ID: | 280-162386-2 | Worklist Smp#: | 111 |
| Client ID: | G0087-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 55 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0117-22A | Lab Sample ID: 280-162386-3

Matrix: Water | Lab File ID: 056F5601.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 12:55

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 04:43

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 17 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\056F5601.D
Lims ID: 280-162386-H-3
Client ID: G0117-22A
Sample Type: Client
Inject. Date: 26-May-2022 04:43:18 ALS Bottle#: 56 Worklist Smp#: 112
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-H-3
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 14:02:57

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | |
| 1 | | 4.362 | | | ND | |
| 2 | | 5.458 | | | | |
| 2 Methane | | | | | | |
| 1 | 1.268 | 1.269 | -0.001 | 652875865 | 18561 | |
| 2 | 1.666 | 1.679 | -0.013 | 603629108 | 16718 | |
| | | | | | RPD = 10.45 | |
| 3 Ethane | | | | | | |
| 1 | | 1.521 | | | ND | |
| 2 | | 3.037 | | | | |
| 4 Ethylene | | | | | | |
| 1 | | 1.788 | | | ND | |
| 2 | | 2.619 | | | | |
| 5 Propane | | | | | | |
| 1 | | 2.533 | | | ND | |
| 2 | | 4.933 | | | | |
| 6 Acetylene | | | | | | |
| 1 | | 4.043 | | | ND | |
| 2 | | 2.767 | | | | |
| 7 Butane | | | | | | |
| 1 | | 4.394 | | | ND | |
| 2 | | 6.432 | | | | |
| 8 isobutylene | | | | | 7 | |
| 1 | | 5.298 | | | ND | |
| 2 | | 6.274 | | | | |

## QC Flag Legend

Processing Flags

7 - Failed Limit of Detection


Report Date: 31-May-2022 14:05:50 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\056F5601.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 04:43:18 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-H-3 | Lab Sample ID: | 280-162386-3 | Worklist Smp#: | 112 |
| Client ID: | G0117-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 56 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0022-22A | Lab Sample ID: 280-162386-4

Matrix: Water | Lab File ID: 057F5701.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 14:25

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 04:56

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 4.3 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\057F5701.D
Lims ID: 280-162386-G-4
Client ID: G0022-22A
Sample Type: Client
Inject. Date: 26-May-2022 04:56:18 ALS Bottle#: 57 Worklist Smp#: 113
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-G-4
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 14:03:10

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | |
| 1 | | 4.362 | | | ND | |
| 2 | | 5.458 | | | | |
| 2 Methane | | | | | | |
| 1 | 1.264 | 1.269 | -0.005 | 167539201 | 4761.7 | |
| 2 | 1.669 | 1.679 | -0.010 | 155318356 | 4300.4 | |
| | | | | | RPD = 10.18 | |
| 3 Ethane | | | | | | |
| 1 | | 1.521 | | | ND | |
| 2 | | 3.037 | | | | |
| 4 Ethylene | | | | | | |
| 1 | | 1.788 | | | ND | |
| 2 | | 2.619 | | | | |
| 5 Propane | | | | | | |
| 1 | | 2.533 | | | ND | |
| 2 | | 4.933 | | | | |
| 6 Acetylene | | | | | | |
| 1 | | 4.043 | | | ND | |
| 2 | | 2.767 | | | | |
| 7 Butane | | | | | | |
| 1 | | 4.394 | | | ND | |
| 2 | | 6.432 | | | | |
| 8 isobutylene | | | | | | |
| 1 | | 5.298 | | | ND | |
| 2 | | 6.274 | | | | |

# QC Flag Legend

Processing Flags


Report Date: 31-May-2022 14:05:51 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\057F5701.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 04:56:18 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-G-4 | Lab Sample ID: | 280-162386-4 | Worklist Smp#: | 113 |
| Client ID: | G0022-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 57 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0088-22A | Lab Sample ID: 280-162386-5

Matrix: Water | Lab File ID: 058F5801.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 15:35

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 05:09

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.013 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\058F5801.D
Lims ID: 280-162386-H-5
Client ID: G0088-22A
Sample Type: Client
Inject. Date: 26-May-2022 05:09:18 ALS Bottle#: 58 Worklist Smp#: 114
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-H-5
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 14:03:34

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | |
| 1 | | 4.362 | | | ND | |
| 2 | | 5.458 | | | | |
| 2 Methane | | | | | | |
| 1 | 1.263 | 1.269 | -0.006 | 590630 | 14.9 | |
| 2 | 1.671 | 1.679 | -0.008 | 534702 | 13.1 | |
| | | | | | RPD = 13.28 | |
| 3 Ethane | | | | | | |
| 1 | | 1.521 | | | ND | |
| 2 | | 3.037 | | | | |
| 4 Ethylene | | | | | | |
| 1 | | 1.788 | | | ND | |
| 2 | | 2.619 | | | | |
| 5 Propane | | | | | | |
| 1 | | 2.533 | | | ND | |
| 2 | | 4.933 | | | | |
| 6 Acetylene | | | | | | |
| 1 | | 4.043 | | | ND | |
| 2 | | 2.767 | | | | |
| 7 Butane | | | | | | |
| 1 | | 4.394 | | | ND | |
| 2 | | 6.432 | | | | |
| 8 isobutylene | | | | | | |
| 1 | | 5.298 | | | ND | |
| 2 | | 6.274 | | | | |

# QC Flag Legend

Processing Flags


Report Date: 31-May-2022 14:05:52 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\058F5801.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 05:09:18 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-H-5 | Lab Sample ID: | 280-162386-5 | Worklist Smp#: | 114 |
| Client ID: | G0088-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 58 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0116-22A | Lab Sample ID: 280-162386-6

Matrix: Water | Lab File ID: 059F5901.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 14:40

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 05:22

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH: 7.0

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 19 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\059F5901.D
Lims ID: 280-162386-G-6
Client ID: G0116-22A
Sample Type: Client
Inject. Date: 26-May-2022 05:22:20 ALS Bottle#: 59 Worklist Smp#: 115
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-G-6
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 14:03:57

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | |
| 1 | | 4.362 | | | ND | |
| 2 | | 5.458 | | | | |
| 2 Methane | | | | | | E |
| 1 | 1.265 | 1.269 | -0.004 | 750659735 | 21341 | E |
| 2 | 1.665 | 1.679 | -0.014 | 695965410 | 19276 | |
| | | | | | RPD = 10.17 | |
| 3 Ethane | | | | | | |
| 1 | | 1.521 | | | ND | |
| 2 | | 3.037 | | | | |
| 4 Ethylene | | | | | | |
| 1 | | 1.788 | | | ND | |
| 2 | | 2.619 | | | | |
| 5 Propane | | | | | | |
| 1 | | 2.533 | | | ND | |
| 2 | | 4.933 | | | | |
| 6 Acetylene | | | | | | |
| 1 | | 4.043 | | | ND | |
| 2 | | 2.767 | | | | |
| 7 Butane | | | | | | |
| 1 | | 4.394 | | | ND | |
| 2 | | 6.432 | | | | |
| 8 isobutylene | | | | | | 7 |
| 1 | | 5.298 | | | ND | |
| 2 | | 6.274 | | | | |

## QC Flag Legend

Processing Flags

E - Exceeded Maximum Amount

7 - Failed Limit of Detection


Report Date: 31-May-2022 14:05:52 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\059F5901.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 05:22:20 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-G-6 | Lab Sample ID: | 280-162386-6 | Worklist Smp#: | 115 |
| Client ID: | G0116-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 59 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ014-22A | Lab Sample ID: 280-162386-7

Matrix: Water | Lab File ID: 060F6001.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 15:50

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 05:35

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 7.8 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\060F6001.D
Lims ID: 280-162386-G-7
Client ID: PZ014-22A
Sample Type: Client
Inject. Date: 26-May-2022 05:35:23 ALS Bottle#: 60 Worklist Smp#: 116
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-G-7
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 14:04:09

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | |
| 1 | | 4.362 | | | ND | |
| 2 | | 5.458 | | | | |
| 2 Methane | | | | | | |
| 1 | 1.265 | 1.269 | -0.004 | 301563262 | 8572.4 | |
| 2 | 1.668 | 1.679 | -0.011 | 279969394 | 7753.0 | |
| | | | | | RPD = 10.04 | |
| 3 Ethane | | | | | | |
| 1 | | 1.521 | | | ND | |
| 2 | | 3.037 | | | | |
| 4 Ethylene | | | | | | |
| 1 | | 1.788 | | | ND | |
| 2 | | 2.619 | | | | |
| 5 Propane | | | | | | |
| 1 | | 2.533 | | | ND | |
| 2 | | 4.933 | | | | |
| 6 Acetylene | | | | | | |
| 1 | | 4.043 | | | ND | |
| 2 | | 2.767 | | | | |
| 7 Butane | | | | | | |
| 1 | | 4.394 | | | ND | |
| 2 | | 6.432 | | | | |
| 8 isobutylene | | | | | | |
| 1 | | 5.298 | | | ND | |
| 2 | | 6.274 | | | | |

# QC Flag Legend

Processing Flags


Report Date: 31-May-2022 14:05:53 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\060F6001.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 05:35:23 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-G-7 | Lab Sample ID: | 280-162386-7 | Worklist Smp#: | 116 |
| Client ID: | PZ014-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 60 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0092-22A | Lab Sample ID: 280-162386-8

Matrix: Water | Lab File ID: 061F6101.D

Analysis Method: RSK-175 | Date Collected: 05/12/2022 14:20

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 05:48

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.039 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\061F6101.D
Lims ID: 280-162386-I-8
Client ID: G0092-22A
Sample Type: Client
Inject. Date: 26-May-2022 05:48:26 ALS Bottle#: 61 Worklist Smp#: 117
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-I-8
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 14:04:13

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | |
| 1 | | 4.362 | | | ND | |
| 2 | | 5.458 | | | | |
| 2 Methane | | | | | | |
| 1 | 1.263 | 1.269 | -0.006 | 1607888 | 43.9 | |
| 2 | 1.670 | 1.679 | -0.009 | 1472288 | 39.0 | |
| | | | | | RPD = 11.61 | |
| 3 Ethane | | | | | | |
| 1 | | 1.521 | | | ND | |
| 2 | | 3.037 | | | | |
| 4 Ethylene | | | | | | |
| 1 | | 1.788 | | | ND | |
| 2 | | 2.619 | | | | |
| 5 Propane | | | | | | |
| 1 | | 2.533 | | | ND | |
| 2 | | 4.933 | | | | |
| 6 Acetylene | | | | | | |
| 1 | | 4.043 | | | ND | |
| 2 | | 2.767 | | | | |
| 7 Butane | | | | | | |
| 1 | | 4.394 | | | ND | |
| 2 | | 6.432 | | | | |
| 8 isobutylene | | | | | | |
| 1 | | 5.298 | | | ND | |
| 2 | | 6.274 | | | | |

# QC Flag Legend

Processing Flags


Report Date: 31-May-2022 14:05:54 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\061F6101.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 05:48:26 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-I-8 | Lab Sample ID: | 280-162386-8 | Worklist Smp#: | 117 |
| Client ID: | G0092-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 61 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ013-22A | Lab Sample ID: 280-162386-9

Matrix: Water | Lab File ID: 062F6201.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 11:40

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 06:01

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 9.3 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\062F6201.D
Lims ID: 280-162386-G-9
Client ID: PZ013-22A
Sample Type: Client
Inject. Date: 26-May-2022 06:01:30 ALS Bottle#: 62 Worklist Smp#: 118
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-G-9
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 14:04:18

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | |
| 1 | | 4.362 | | | ND | |
| 2 | | 5.458 | | | | |
| 2 Methane | | | | | | |
| 1 | 1.267 | 1.269 | -0.002 | 361782903 | 10285 | |
| 2 | 1.668 | 1.679 | -0.011 | 334477677 | 9262.8 | |
| | | | | | RPD = 10.45 | |
| 3 Ethane | | | | | | |
| 1 | | 1.521 | | | ND | |
| 2 | | 3.037 | | | | |
| 4 Ethylene | | | | | | |
| 1 | | 1.788 | | | ND | |
| 2 | | 2.619 | | | | |
| 5 Propane | | | | | | |
| 1 | | 2.533 | | | ND | |
| 2 | | 4.933 | | | | |
| 6 Acetylene | | | | | | |
| 1 | | 4.043 | | | ND | |
| 2 | | 2.767 | | | | |
| 7 Butane | | | | | | |
| 1 | | 4.394 | | | ND | |
| 2 | | 6.432 | | | | |
| 8 isobutylene | | | | | | |
| 1 | | 5.298 | | | ND | |
| 2 | | 6.274 | | | | |

# QC Flag Legend

Processing Flags


Report Date: 31-May-2022 14:05:54 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\062F6201.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 06:01:30 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-G-9 | Lab Sample ID: | 280-162386-9 | Worklist Smp#: | 118 |
| Client ID: | PZ013-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 62 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0081-22A | Lab Sample ID: 280-162386-10

Matrix: Water | Lab File ID: 063F6301.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 12:05

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 06:14

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 1.4 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\063F6301.D
Lims ID: 280-162386-G-10
Client ID: G0081-22A
Sample Type: Client
Inject. Date: 26-May-2022 06:14:33 ALS Bottle#: 63 Worklist Smp#: 119
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-G-10
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 14:04:55

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | |
| 1 | | 4.362 | | | ND | |
| 2 | | 5.458 | | | | |
| 2 Methane | | | | | | M |
| 1 | 1.265 | 1.269 | -0.004 | 51796136 | 1470.8 | M |
| 2 | 1.669 | 1.679 | -0.010 | 50670445 | 1401.8 | |
| | | | | | RPD = 4.81 | |
| 3 Ethane | | | | | | |
| 1 | | 1.521 | | | ND | |
| 2 | | 3.037 | | | | |
| 4 Ethylene | | | | | | |
| 1 | | 1.788 | | | ND | |
| 2 | | 2.619 | | | | |
| 5 Propane | | | | | | |
| 1 | | 2.533 | | | ND | |
| 2 | | 4.933 | | | | |
| 6 Acetylene | | | | | | |
| 1 | | 4.043 | | | ND | |
| 2 | | 2.767 | | | | |
| 7 Butane | | | | | | |
| 1 | | 4.394 | | | ND | |
| 2 | | 6.432 | | | | |
| 8 isobutylene | | | | | | |
| 1 | | 5.298 | | | ND | |
| 2 | | 6.274 | | | | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated


Report Date: 31-May-2022 14:05:55 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\063F6301.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 06:14:33 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-G-10 | Lab Sample ID: | 280-162386-10 | Worklist Smp#: | 119 |
| Client ID: | G0081-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 63 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM VI
GC VOA BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 550959

SDG No.:

Instrument ID: VGC_J GC Column: Rt-Alumina ID: 0.53(mm) Heated Purge: (Y/N) N

Calibration Start Date: 09/24/2021 13:28 Calibration End Date: 09/24/2021 15:12 Calibration ID: 58237

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-550959/2 | 004F0201.D |
| Level 2 | IC 280-550959/3 | 005F0301.D |
| Level 3 | IC 280-550959/4 | 006F0401.D |
| Level 4 | IC 280-550959/5 | 007F0501.D |
| Level 5 | IC 280-550959/6 | 008F0601.D |
| Level 6 | IC 280-550959/7 | 009F0701.D |
| Level 7 | IC 280-550959/9 | 010F0801.D |
| Level 8 | IC 280-550959/10 | 011F0901.D |
| Level 9 | IC 280-550959/11 | 012F1001.D |

| ANALYTE | LVL 1 | LVL 2 | LVL 3 | LVL 4 | LVL 5 | LVL 6 | LVL 7 | LVL 8 | LVL 9 | | RT WINDOW | AVG RT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 1.292 | 1.293 | 1.293 | 1.295 | 1.295 | 1.294 | 1.293 | 1.292 | 1.288 | | 1.259 - 1.339 | 1.293 |
| Ethane | 1.559 | 1.562 | 1.561 | 1.561 | 1.560 | 1.561 | | | | | 1.506 - 1.606 | 1.561 |
| Ethylene | 1.859 | 1.867 | 1.870 | 1.870 | 1.873 | 1.873 | | | | | 1.794 - 1.894 | 1.869 |
| Acetylene | 4.184 | 4.213 | 4.226 | 4.230 | 4.230 | 4.228 | | | | | 4.150 - 4.310 | 4.219 |

FORM VI
GC VOA BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 550959

SDG No.:

Instrument ID: VGC_J GC Column: Rt-Alumina ID: 0.53(mm) Heated Purge: (Y/N) N

Calibration Start Date: 09/24/2021 13:28 Calibration End Date: 09/24/2021 15:12 Calibration ID: 58237

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-550959/2 | 004F0201.D |
| Level 2 | IC 280-550959/3 | 005F0301.D |
| Level 3 | IC 280-550959/4 | 006F0401.D |
| Level 4 | IC 280-550959/5 | 007F0501.D |
| Level 5 | IC 280-550959/6 | 008F0601.D |
| Level 6 | IC 280-550959/7 | 009F0701.D |
| Level 7 | IC 280-550959/9 | 010F0801.D |
| Level 8 | IC 280-550959/10 | 011F0901.D |
| Level 9 | IC 280-550959/11 | 012F1001.D |

| ANALYTE | CF | | | | CURVE TYPE | COEFFICIENT | | | # | MIN CF | %RSD | # | MAX %RSD | R^2 OR COD | # | MIN R^2 OR COD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LVL 1 LVL 5 LVL 9 | LVL 2 LVL 6 | LVL 3 LVL 7 | LVL 4 LVL 8 | | B | M1 | M2 | | | | | | | | |
| Methane | 113753<br>36593<br>34286 | 77207<br>30893 | 37613<br>37193 | 37343<br>37763 | Lin2 | 65341.4749 | 35170.8362 | | | | | | | 0.9950 | | 0.9900 |
| Ethane | 30155<br>35527 | 35278<br>30441 | 32231 | 35816 | Ave | | 33241.2722 | | | | 7.9 | | 20.0 | | | |
| Ethylene | 33189<br>37346 | 37318<br>31937 | 33977 | 37589 | Ave | | 35225.9675 | | | | 7.1 | | 20.0 | | | |
| Acetylene | 26445<br>29412 | 29909<br>25729 | 27524 | 29815 | Ave | | 28139.0195 | | | | 6.5 | | 20.0 | | | |

Note: The M1 coefficient is the same as Ave CF for an Ave curve type.

FORM VI
GC VOA BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 550959

SDG No.:

Instrument ID: VGC_J GC Column: Rt-Alumina ID: 0.53(mm) Heated Purge: (Y/N) N

Calibration Start Date: 09/24/2021 13:28 Calibration End Date: 09/24/2021 15:12 Calibration ID: 58237

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-550959/2 | 004F0201.D |
| Level 2 | IC 280-550959/3 | 005F0301.D |
| Level 3 | IC 280-550959/4 | 006F0401.D |
| Level 4 | IC 280-550959/5 | 007F0501.D |
| Level 5 | IC 280-550959/6 | 008F0601.D |
| Level 6 | IC 280-550959/7 | 009F0701.D |
| Level 7 | IC 280-550959/9 | 010F0801.D |
| Level 8 | IC 280-550959/10 | 011F0901.D |
| Level 9 | IC 280-550959/11 | 012F1001.D |

| ANALYTE | CURVE TYPE | RESPONSE | | | | | CONCENTRATION (UG/L) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4<br>LVL 9 | LVL 5 | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4<br>LVL 9 | LVL 5 |
| Methane | Lin2 | 93424<br>8118988 | 126818<br>60484705 | 494257<br>245647963 | 2453548<br>669092603 | 4808571 | 0.821<br>263 | 1.64<br>1626 | 13.1<br>6505 | 65.7<br>19515 | 131 |
| Ethane | Ave | 46427<br>14997572 | 108631 | 793971 | 4411499 | 8751636 | 1.54<br>493 | 3.08 | 24.6 | 123 | 246 |
| Ethylene | Ave | 47667<br>14678124 | 107197 | 780792 | 4318968 | 8582166 | 1.44<br>460 | 2.87 | 23.0 | 115 | 230 |
| Acetylene | Ave | 35261<br>10977943 | 79761 | 587204 | 3180347 | 6274725 | 1.33<br>427 | 2.67 | 21.3 | 107 | 213 |

Curve Type Legend

Ave = Average
Lin2 = Linear 1/conc^2

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 1
Inject. Date: 24-Sep-2021 13:28:57 ALS Bottle#: 4 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:12 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 13:57:02

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | a |
| 1 | 1.292 | 1.299 | -0.007 | 93424 | 0.8213 | 0.7985 | a |
| 2 | 1.689 | 1.686 | 0.003 | 91227 | 0.8213 | 0.7920 | a |
| | | | | | | RPD = 0.81 | |
| 3 Ethane | | | | | | | a |
| 1 | 1.559 | 1.556 | 0.003 | 46427 | 1.54 | 1.40 | a |
| 2 | 3.032 | 3.028 | 0.004 | 46984 | 1.54 | 1.41 | a |
| | | | | | | RPD = 0.77 | |
| 4 Ethylene | | | | | | | a |
| 1 | 1.859 | 1.844 | 0.015 | 47667 | 1.44 | 1.35 | a |
| 2 | 2.612 | 2.609 | 0.003 | 41226 | 1.44 | 1.33 | a |
| | | | | | | RPD = 1.67 | |
| 5 Propane | | | | | | | a |
| 1 | 2.682 | 2.721 | -0.039 | 76526 | 2.26 | 2.13 | a |
| 2 | 4.937 | 4.929 | 0.008 | 73050 | 2.26 | 2.09 | a |
| | | | | | | RPD = 1.83 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.184 | 4.230 | -0.046 | 35261 | 1.33 | 1.25 | a |
| 2 | 2.759 | 2.746 | 0.013 | 41503 | 1.33 | 1.21 | a |
| | | | | | | RPD = 3.15 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.555 | 4.528 | 0.027 | 101912 | 2.98 | 2.80 | a |
| 2 | 6.435 | 6.426 | 0.009 | 95155 | 2.98 | 2.71 | M |
| | | | | | | RPD = 3.27 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.437 | 5.403 | 0.034 | 92868 | 2.87 | 2.57 | M |
| 2 | 6.277 | 6.274 | 0.003 | 91569 | 2.87 | 2.76 | a |
| | | | | | | RPD = 7.02 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 2.50 Units: uL


Report Date: 29-Sep-2021 10:55:12 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 13:28:57 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 2 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 4 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D
Injection Date: 24-Sep-2021 13:28:57 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 4 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 2 Methane, CAS: 74-82-8

Signal: 1


Not Detected
Expected RT: 1.30

Processing Integration Results




Manual Integration Results

RT: 1.29
Area: 93424
Amount: 0.798461
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 13:54:22
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D | | | | |
| Injection Date: | 24-Sep-2021 13:28:57 | Instrument ID: | VGC_J | | |
| Lims ID: | ic | | | | |
| Client ID: | | | | | |
| Operator ID: | sciannac | ALS Bottle#: | 4 | Worklist Smp#: | 2 |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | | |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |
| Column: | Rt-Alumina BOND/KCl ( 0.53 mm) | Detector | GC FID1A | | |

## 3 Ethane, CAS: 74-84-0

Signal: 1


Not Detected
Expected RT: 1.56

Processing Integration Results




Manual Integration Results

RT: 1.56
Area: 46427
Amount: 1.396667
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 13:54:28
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D | | | | |
| Injection Date: | 24-Sep-2021 13:28:57 | Instrument ID: | VGC_J | | |
| Lims ID: | ic | | | | |
| Client ID: | | | | | |
| Operator ID: | sciannac | ALS Bottle#: | 4 | Worklist Smp#: | 2 |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | | |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |
| Column: | Rt-Alumina BOND/KCl ( 0.53 mm) | Detector | GC FID1A | | |

## 4 Ethylene, CAS: 74-85-1

Signal: 1


Not Detected
Expected RT: 1.84

Processing Integration Results




Manual Integration Results

RT: 1.86
Area: 47667
Amount: 1.353178
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 13:54:47
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D
Injection Date: 24-Sep-2021 13:28:57 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 4 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.23

Processing Integration Results




Manual Integration Results

RT: 4.18
Area: 35261
Amount: 1.253100
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 13:55:04
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\005F0301.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 2
Inject. Date: 24-Sep-2021 13:41:52 ALS Bottle#: 5 Worklist Smp#: 3
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:13 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 13:58:34

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.293 | 1.299 | -0.006 | 126818 | 1.64 | 1.75 | |
| 2 | 1.686 | 1.686 | 0.000 | 126529 | 1.64 | 1.77 | |
| | | | | | | RPD = 1.24 | |
| 3 Ethane | | | | | | | |
| 1 | 1.562 | 1.556 | 0.006 | 108631 | 3.08 | 3.27 | |
| 2 | 3.031 | 3.028 | 0.003 | 107446 | 3.08 | 3.22 | |
| | | | | | | RPD = 1.52 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.867 | 1.844 | 0.023 | 107197 | 2.87 | 3.04 | |
| 2 | 2.613 | 2.609 | 0.004 | 95159 | 2.87 | 3.07 | |
| | | | | | | RPD = 0.93 | |
| 5 Propane | | | | | | | |
| 1 | 2.700 | 2.721 | -0.021 | 174390 | 4.52 | 4.84 | |
| 2 | 4.935 | 4.929 | 0.006 | 170185 | 4.52 | 4.86 | |
| | | | | | | RPD = 0.37 | |
| 6 Acetylene | | | | | | | |
| 1 | 4.213 | 4.230 | -0.017 | 79761 | 2.67 | 2.83 | |
| 2 | 2.756 | 2.746 | 0.010 | 94797 | 2.67 | 2.77 | |
| | | | | | | RPD = 2.17 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.575 | 4.528 | 0.047 | 232737 | 5.95 | 6.39 | a |
| 2 | 6.435 | 6.426 | 0.009 | 221865 | 5.95 | 6.31 | M |
| | | | | | | RPD = 1.20 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.457 | 5.403 | 0.054 | 232885 | 5.75 | 6.45 | |
| 2 | 6.276 | 6.274 | 0.002 | 200266 | 5.75 | 6.03 | M |
| | | | | | | RPD = 6.65 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 5.00 Units: uL


Report Date: 29-Sep-2021 10:55:13 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\005F0301.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 13:41:52 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 3 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 5 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\006F0401.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 3
Inject. Date: 24-Sep-2021 13:54:46 ALS Bottle#: 6 Worklist Smp#: 4
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:14 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:51:08

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.293 | 1.299 | -0.006 | 494257 | 13.1 | 12.2 | |
| 2 | 1.684 | 1.686 | -0.002 | 509129 | 13.1 | 12.4 | |
| | | | | | | RPD = 1.40 | |
| 3 Ethane | | | | | | | |
| 1 | 1.561 | 1.556 | 0.005 | 793971 | 24.6 | 23.9 | |
| 2 | 3.029 | 3.028 | 0.001 | 803791 | 24.6 | 24.1 | |
| | | | | | | RPD = 0.81 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.870 | 1.844 | 0.026 | 780792 | 23.0 | 22.2 | |
| 2 | 2.609 | 2.609 | 0.000 | 687818 | 23.0 | 22.2 | |
| | | | | | | RPD = 0.16 | |
| 5 Propane | | | | | | | |
| 1 | 2.711 | 2.721 | -0.010 | 1259121 | 36.1 | 35.0 | |
| 2 | 4.934 | 4.929 | 0.005 | 1221976 | 36.1 | 34.9 | |
| | | | | | | RPD = 0.18 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.226 | 4.230 | -0.004 | 587204 | 21.3 | 20.9 | a |
| 2 | 2.753 | 2.746 | 0.007 | 713476 | 21.3 | 20.9 | a |
| | | | | | | RPD = 0.03 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.586 | 4.528 | 0.058 | 1686797 | 47.6 | 46.3 | a |
| 2 | 6.433 | 6.426 | 0.007 | 1612366 | 47.6 | 45.9 | M |
| | | | | | | RPD = 0.93 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.465 | 5.403 | 0.062 | 1589725 | 46.0 | 44.0 | |
| 2 | 6.274 | 6.274 | 0.000 | 1464027 | 46.0 | 44.1 | M |
| | | | | | | RPD = 0.20 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 40.00 Units: uL


Report Date: 29-Sep-2021 10:55:14 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\006F0401.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 13:54:46 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 4 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 6 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\006F0401.D
Injection Date: 24-Sep-2021 13:54:46 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 6 Worklist Smp#: 4
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.23

Processing Integration Results




Manual Integration Results

RT: 4.23
Area: 587204
Amount: 20.867962
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 15:50:37
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\007F0501.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 4
Inject. Date: 24-Sep-2021 14:07:45 ALS Bottle#: 7 Worklist Smp#: 5
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:14 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:50:30

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.295 | 1.295 | 0.000 | 2453548 | 65.7 | 67.9 | |
| 2 | 1.681 | 1.681 | 0.000 | 2553566 | 65.7 | 69.0 | |
| | | | | | | RPD = 1.60 | |
| 3 Ethane | | | | | | | Ma |
| 1 | 1.561 | 1.561 | 0.000 | 4411499 | 123.2 | 132.7 | |
| 2 | 3.026 | 3.026 | 0.000 | 4450065 | 123.2 | 133.3 | M |
| | | | | | | RPD = 0.45 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.870 | 1.870 | 0.000 | 4318968 | 114.9 | 122.6 | |
| 2 | 2.608 | 2.608 | 0.000 | 3812973 | 114.9 | 123.1 | |
| | | | | | | RPD = 0.38 | |
| 5 Propane | | | | | | | |
| 1 | 2.716 | 2.716 | 0.000 | 6962772 | 180.6 | 193.4 | |
| 2 | 4.933 | 4.933 | 0.000 | 6754582 | 180.6 | 192.9 | |
| | | | | | | RPD = 0.22 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.230 | 4.230 | 0.000 | 3180347 | 106.7 | 113.0 | a |
| 2 | 2.751 | 2.751 | 0.000 | 3899802 | 106.7 | 114.1 | a |
| | | | | | | RPD = 0.95 | |
| 7 Butane | | | | | | | |
| 1 | 4.590 | 4.590 | 0.000 | 9255328 | 238.1 | 254.1 | |
| 2 | 6.430 | 6.430 | 0.000 | 8939530 | 238.1 | 254.4 | |
| | | | | | | RPD = 0.11 | |
| 8 isobutylene | | | | | | | |
| 1 | 5.468 | 5.468 | 0.000 | 8777969 | 229.8 | 243.0 | |
| 2 | 6.271 | 6.271 | 0.000 | 8052089 | 229.8 | 242.5 | |
| | | | | | | RPD = 0.20 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 200.00 Units: uL


Report Date: 29-Sep-2021 10:55:14 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\007F0501.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 14:07:45 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 5 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 7 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\007F0501.D
Injection Date: 24-Sep-2021 14:07:45 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 7 Worklist Smp#: 5
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.23

Processing Integration Results




Manual Integration Results

RT: 4.23
Area: 3180347
Amount: 113.0227
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 15:50:17
Audit Action: Assigned Compound ID Audit Reason: Split Peak

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\008F0601.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 5
Inject. Date: 24-Sep-2021 14:20:44 ALS Bottle#: 8 Worklist Smp#: 6
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:15 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:46:14

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | M |
| 1 | 1.295 | 1.295 | 0.000 | 4808571 | 131.4 | 134.9 | |
| 2 | 1.678 | 1.678 | 0.000 | 5065048 | 131.4 | 138.6 | M |
| | | | | | | RPD = 2.70 | |
| 3 Ethane | | | | | | | |
| 1 | 1.560 | 1.560 | 0.000 | 8751636 | 246.3 | 263.3 | |
| 2 | 3.023 | 3.023 | 0.000 | 8976911 | 246.3 | 268.9 | |
| | | | | | | RPD = 2.12 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.873 | 1.873 | 0.000 | 8582166 | 229.8 | 243.6 | |
| 2 | 2.603 | 2.603 | 0.000 | 7548044 | 229.8 | 243.6 | |
| | | | | | | RPD = 0.00 | |
| 5 Propane | | | | | | | M |
| 1 | 2.721 | 2.721 | 0.000 | 13578180 | 361.3 | 377.1 | M |
| 2 | 4.929 | 4.929 | 0.000 | 13344347 | 361.3 | 381.1 | |
| | | | | | | RPD = 1.08 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.230 | 4.230 | 0.000 | 6274725 | 213.3 | 223.0 | a |
| 2 | 2.746 | 2.746 | 0.000 | 7865310 | 213.3 | 230.1 | a |
| | | | | | | RPD = 3.15 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.591 | 4.591 | 0.000 | 18468578 | 476.1 | 507.1 | a |
| 2 | 6.426 | 6.426 | 0.000 | 17766895 | 476.1 | 505.6 | M |
| | | | | | | RPD = 0.29 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.468 | 5.468 | 0.000 | 17314841 | 459.7 | 479.3 | |
| 2 | 6.269 | 6.269 | 0.000 | 15966351 | 459.7 | 480.9 | M |
| | | | | | | RPD = 0.33 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 400.00 Units: uL


Report Date: 29-Sep-2021 10:55:15 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\008F0601.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 14:20:44 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 6 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 8 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\008F0601.D
Injection Date: 24-Sep-2021 14:20:44 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 8 Worklist Smp#: 6
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.23

Processing Integration Results




Manual Integration Results

RT: 4.23
Area: 6274725
Amount: 222.9902
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 15:44:55
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\009F0701.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 6
Inject. Date: 24-Sep-2021 14:33:44 ALS Bottle#: 9 Worklist Smp#: 7
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:16 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:47:03

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.294 | 1.295 | -0.001 | 8118988 | 262.8 | 229.0 | |
| 2 | 1.678 | 1.678 | 0.000 | 8455607 | 262.8 | 232.5 | |
| | | | | | | RPD = 1.51 | |
| 3 Ethane | | | | | | | |
| 1 | 1.561 | 1.560 | 0.001 | 14997572 | 492.7 | 451.2 | |
| 2 | 3.021 | 3.023 | -0.002 | 14625440 | 492.7 | 438.1 | |
| | | | | | | RPD = 2.94 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.873 | 1.873 | 0.000 | 14678124 | 459.6 | 416.7 | |
| 2 | 2.602 | 2.603 | -0.001 | 12909086 | 459.6 | 416.7 | |
| | | | | | | RPD = 0.00 | |
| 5 Propane | | | | | | | |
| 1 | 2.723 | 2.721 | 0.002 | 23539538 | 722.6 | 653.7 | |
| 2 | 4.926 | 4.929 | -0.003 | 23034734 | 722.6 | 657.9 | |
| | | | | | | RPD = 0.65 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.228 | 4.230 | -0.002 | 10977943 | 426.7 | 390.1 | a |
| 2 | 2.746 | 2.746 | 0.000 | 13452620 | 426.7 | 393.6 | a |
| | | | | | | RPD = 0.88 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.588 | 4.591 | -0.003 | 30555104 | 952.3 | 838.9 | a |
| 2 | 6.423 | 6.426 | -0.003 | 31281741 | 952.3 | 890.2 | M |
| | | | | | | RPD = 5.93 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.466 | 5.468 | -0.002 | 30754275 | 919.4 | 851.3 | |
| 2 | 6.266 | 6.269 | -0.003 | 28385241 | 919.4 | 854.9 | M |
| | | | | | | RPD = 0.42 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 800.00 Units: uL


Report Date: 29-Sep-2021 10:55:16 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\009F0701.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 14:33:44 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 7 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 9 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\009F0701.D
Injection Date: 24-Sep-2021 14:33:44 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 9 Worklist Smp#: 7
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.23

Processing Integration Results




Manual Integration Results

RT: 4.23
Area: 10977943
Amount: 390.1324
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 15:46:29
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\010F0801.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 8
Inject. Date: 24-Sep-2021 14:46:48 ALS Bottle#: 10 Worklist Smp#: 9
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:17 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:48:04

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.293 | 1.295 | -0.002 | 60484705 | 1626.3 | 1717.9 | |
| 2 | 1.676 | 1.678 | -0.002 | 59798125 | 1626.3 | 1654.6 | |
| | | | | | | RPD = 3.75 | |

## QC Flag Legend
Processing Flags

## Reagents:
RSK175methane_00010 Amount Added: 50.00 Units: uL


Report Date: 29-Sep-2021 10:55:17 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\010F0801.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 14:46:48 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 9 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 10 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\011F0901.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 9
Inject. Date: 24-Sep-2021 14:59:53 ALS Bottle#: 11 Worklist Smp#: 10
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:17 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:48:14

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.292 | 1.295 | -0.003 | 245647963 | 6505.0 | 6982.6 | |
| 2 | 1.673 | 1.678 | -0.005 | 247051774 | 6505.0 | 6841.2 | |
| | | | | | | RPD = 2.04 | |

## QC Flag Legend

Processing Flags

## Reagents:

RSK175methane_00010 Amount Added: 200.00 Units: uL


Report Date: 29-Sep-2021 10:55:17 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\011F0901.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 14:59:53 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 10 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 11 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D | | | | |
| Lims ID: | ic | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 10 | | |
| Inject. Date: | 24-Sep-2021 15:12:55 | ALS Bottle#: | 12 | Worklist Smp#: | 11 |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | | |
| Sample Info: | ic | | | | |
| Operator ID: | sciannac | Instrument ID: | VGC_J | | |
| Sublist: | chrom-RSK_J*sub5 | | | | |
| Method: | \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m | | | | |
| Limit Group: | GCV - RSK 175 | | | | |
| Method Label: | DV-GC-0025: Dissolved Gases in Water by RSK-175 | | | | |
| Last Update: | 29-Sep-2021 10:55:18 | Calib Date: | 24-Sep-2021 15:12:55 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D | | | | |
| Column 1 : | Rt-Alumina BOND/KCl ( 0.53 mm) | | Det: GC FID1A | | |
| Column 2 : | HP-PLOT/Q ( 0.53 mm) | | Det: GC FID2B | | |
| Process Host: | CTX1655 | | | | |

First Level Reviewer: sciannac Date: 24-Sep-2021 15:48:27

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.288 | 1.295 | -0.007 | 669092603 | 19515 | 19022 | |
| 2 | 1.669 | 1.678 | -0.009 | 675608539 | 19515 | 18712 | |
| | | | | | | RPD = 1.65 | |

## QC Flag Legend

Processing Flags

## Reagents:

RSK175methane_00010 Amount Added: 600.00 Units: uL


Report Date: 29-Sep-2021 10:55:18 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 15:12:55 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 11 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 12 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



## Calibration / Methane

| | |
|---|---|
| **Curve Type:** | Linear |
| **Weighting:** | Conc_Sq |
| **Origin:** | None |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 6.534E+04 |
| **Slope:** | 3.517E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 9210000 |
| **Relative Standard Error:** | 7.3 |
| **Correlation Coefficient:** | 0.999 |
| **Coefficient of Determination (Adjusted):** | 0.995 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-550959/2 | 0.821288 | 93424.0 | | | 113753.101076 | Y |
| 2 | IC 280-550959/3 | 1.642575 | 126818.0 | | | 77206.82465 | Y |
| 3 | IC 280-550959/4 | 13.1406 | 494257.0 | | | 37612.970488 | Y |
| 4 | IC 280-550959/5 | 65.703 | 2453548.0 | | | 37343.013257 | Y |
| 5 | IC 280-550959/6 | 131.406 | 4808571.0 | | | 36593.237752 | Y |
| 6 | IC 280-550959/7 | 262.812 | 8118988.0 | | | 30892.759844 | Y |
| 7 | IC 280-550959/9 | 1626.25 | 60484705.0 | | | 37192.747118 | Y |
| 8 | IC 280-550959/10 | 6505.0 | 245647963.0 | | | 37762.945888 | Y |
| 9 | IC 280-550959/11 | 19515.0 | 669092603.0 | | | 34286.067282 | Y |



## Calibration / Ethane

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 3.324E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 681000 |
| **Relative Standard Error:** | 7.9 |
| **Correlation Coefficient:** | 0.993 |
| **Coefficient of Determination (Adjusted):** | 0.993 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-550959/2 | 1.539625 | 46427.0 | | | 30154.745474 | Y |
| 2 | IC 280-550959/3 | 3.07925 | 108631.0 | | | 35278.395713 | Y |
| 3 | IC 280-550959/4 | 24.634 | 793971.0 | | | 32230.69741 | Y |
| 4 | IC 280-550959/5 | 123.17 | 4411499.0 | | | 35816.343265 | Y |
| 5 | IC 280-550959/6 | 246.34 | 8751636.0 | | | 35526.654218 | Y |
| 6 | IC 280-550959/7 | 492.68 | 14997572.0 | | | 30440.797272 | Y |



## Calibration / Ethylene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 3.523E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 721000 |
| **Relative Standard Error:** | 7.1 |
| **Correlation Coefficient:** | 0.993 |
| **Coefficient of Determination (Adjusted):** | 0.994 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-550959/2 | 1.43625 | 47667.0 | | | 33188.511749 | Y |
| 2 | IC 280-550959/3 | 2.8725 | 107197.0 | | | 37318.363795 | Y |
| 3 | IC 280-550959/4 | 22.98 | 780792.0 | | | 33977.023499 | Y |
| 4 | IC 280-550959/5 | 114.9 | 4318968.0 | | | 37588.929504 | Y |
| 5 | IC 280-550959/6 | 229.8 | 8582166.0 | | | 37346.240209 | Y |
| 6 | IC 280-550959/7 | 459.6 | 14678124.0 | | | 31936.736292 | Y |



## Calibration / Acetylene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.814E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 482000 |
| **Relative Standard Error:** | 6.5 |
| **Correlation Coefficient:** | 0.995 |
| **Coefficient of Determination (Adjusted):** | 0.995 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-550959/2 | 1.333375 | 35261.0 | | | 26444.923596 | Y |
| 2 | IC 280-550959/3 | 2.66675 | 79761.0 | | | 29909.44033 | Y |
| 3 | IC 280-550959/4 | 21.334 | 587204.0 | | | 27524.327365 | Y |
| 4 | IC 280-550959/5 | 106.67 | 3180347.0 | | | 29814.821412 | Y |
| 5 | IC 280-550959/6 | 213.34 | 6274725.0 | | | 29411.854317 | Y |
| 6 | IC 280-550959/7 | 426.68 | 10977943.0 | | | 25728.749883 | Y |



FORM VI
GC VOA BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 550959

SDG No.:

Instrument ID: VGC_J GC Column: HP-Plot Q ID: 0.53(mm) Heated Purge: (Y/N) N

Calibration Start Date: 09/24/2021 13:28 Calibration End Date: 09/24/2021 15:12 Calibration ID: 58238

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-550959/2 | 004F0201.D |
| Level 2 | IC 280-550959/3 | 005F0301.D |
| Level 3 | IC 280-550959/4 | 006F0401.D |
| Level 4 | IC 280-550959/5 | 007F0501.D |
| Level 5 | IC 280-550959/6 | 008F0601.D |
| Level 6 | IC 280-550959/7 | 009F0701.D |
| Level 7 | IC 280-550959/9 | 010F0801.D |
| Level 8 | IC 280-550959/10 | 011F0901.D |
| Level 9 | IC 280-550959/11 | 012F1001.D |

| ANALYTE | LVL 1 | LVL 2 | LVL 3 | LVL 4 | LVL 5 | LVL 6 | LVL 7 | LVL 8 | LVL 9 | | RT WINDOW | AVG RT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Methane | 1.689 | 1.686 | 1.684 | 1.681 | 1.678 | 1.678 | 1.676 | 1.673 | 1.669 | | 1.646 - 1.726 | 1.679 |
| Ethylene | 2.612 | 2.613 | 2.609 | 2.608 | 2.603 | 2.602 | | | | | 2.559 - 2.659 | 2.608 |
| Acetylene | 2.759 | 2.756 | 2.753 | 2.751 | 2.746 | 2.746 | | | | | 2.666 - 2.826 | 2.752 |
| Ethane | 3.032 | 3.031 | 3.029 | 3.026 | 3.023 | 3.021 | | | | | 2.978 - 3.078 | 3.027 |

FORM VI
GC VOA BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 550959

SDG No.:

Instrument ID: VGC_J GC Column: HP-Plot Q ID: 0.53(mm) Heated Purge: (Y/N) N

Calibration Start Date: 09/24/2021 13:28 Calibration End Date: 09/24/2021 15:12 Calibration ID: 58238

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-550959/2 | 004F0201.D |
| Level 2 | IC 280-550959/3 | 005F0301.D |
| Level 3 | IC 280-550959/4 | 006F0401.D |
| Level 4 | IC 280-550959/5 | 007F0501.D |
| Level 5 | IC 280-550959/6 | 008F0601.D |
| Level 6 | IC 280-550959/7 | 009F0701.D |
| Level 7 | IC 280-550959/9 | 010F0801.D |
| Level 8 | IC 280-550959/10 | 011F0901.D |
| Level 9 | IC 280-550959/11 | 012F1001.D |

| ANALYTE | CF | | | | CURVE TYPE | COEFFICIENT | | | # | MIN CF | %RSD | # | MAX %RSD | R^2 OR COD | # | MIN R^2 OR COD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LVL 1 LVL 5 LVL 9 | LVL 2 LVL 6 | LVL 3 LVL 7 | LVL 4 LVL 8 | | B | M1 | M2 | | | | | | | | |
| Methane | 111078<br>38545<br>34620 | 77031<br>32174 | 38745<br>36771 | 38865<br>37979 | Lin2 | 62633.7795 | 36102.9355 | | | | | | | 0.9950 | | 0.9900 |
| Ethylene | 28704<br>32846 | 33128<br>28088 | 29931 | 33185 | Ave | | 30980.2676 | | | | 7.6 | | 20.0 | | | |
| Acetylene | 31126<br>36867 | 35548<br>31529 | 33443 | 36560 | Ave | | 34178.7944 | | | | 7.4 | | 20.0 | | | |
| Ethane | 30517<br>36441 | 34894<br>29685 | 32629 | 36129 | Ave | | 33382.5817 | | | | 8.6 | | 20.0 | | | |

Note: The M1 coefficient is the same as Ave CF for an Ave curve type.

FORM VI
GC VOA BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 550959

SDG No.:

Instrument ID: VGC_J GC Column: HP-Plot Q ID: 0.53(mm) Heated Purge: (Y/N) N

Calibration Start Date: 09/24/2021 13:28 Calibration End Date: 09/24/2021 15:12 Calibration ID: 58238

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-550959/2 | 004F0201.D |
| Level 2 | IC 280-550959/3 | 005F0301.D |
| Level 3 | IC 280-550959/4 | 006F0401.D |
| Level 4 | IC 280-550959/5 | 007F0501.D |
| Level 5 | IC 280-550959/6 | 008F0601.D |
| Level 6 | IC 280-550959/7 | 009F0701.D |
| Level 7 | IC 280-550959/9 | 010F0801.D |
| Level 8 | IC 280-550959/10 | 011F0901.D |
| Level 9 | IC 280-550959/11 | 012F1001.D |

| ANALYTE | CURVE TYPE | RESPONSE | | | | | CONCENTRATION (UG/L) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4<br>LVL 9 | LVL 5 | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4<br>LVL 9 | LVL 5 |
| Methane | Lin2 | 91227<br>8455607 | 126529<br>59798125 | 509129<br>247051774 | 2553566<br>675608539 | 5065048 | 0.821<br>263 | 1.64<br>1626 | 13.1<br>6505 | 65.7<br>19515 | 131 |
| Ethylene | Ave | 41226<br>12909086 | 95159 | 687818 | 3812973 | 7548044 | 1.44<br>460 | 2.87 | 23.0 | 115 | 230 |
| Acetylene | Ave | 41503<br>13452620 | 94797 | 713476 | 3899802 | 7865310 | 1.33<br>427 | 2.67 | 21.3 | 107 | 213 |
| Ethane | Ave | 46984<br>14625440 | 107446 | 803791 | 4450065 | 8976911 | 1.54<br>493 | 3.08 | 24.6 | 123 | 246 |

Curve Type Legend

Ave = Average
Lin2 = Linear 1/conc^2

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 1
Inject. Date: 24-Sep-2021 13:28:57 ALS Bottle#: 4 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:12 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 13:57:02

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | a |
| 1 | 1.292 | 1.299 | -0.007 | 93424 | 0.8213 | 0.7985 | a |
| 2 | 1.689 | 1.686 | 0.003 | 91227 | 0.8213 | 0.7920 | a |
| | | | | | | RPD = 0.81 | |
| 3 Ethane | | | | | | | a |
| 1 | 1.559 | 1.556 | 0.003 | 46427 | 1.54 | 1.40 | a |
| 2 | 3.032 | 3.028 | 0.004 | 46984 | 1.54 | 1.41 | a |
| | | | | | | RPD = 0.77 | |
| 4 Ethylene | | | | | | | a |
| 1 | 1.859 | 1.844 | 0.015 | 47667 | 1.44 | 1.35 | a |
| 2 | 2.612 | 2.609 | 0.003 | 41226 | 1.44 | 1.33 | a |
| | | | | | | RPD = 1.67 | |
| 5 Propane | | | | | | | a |
| 1 | 2.682 | 2.721 | -0.039 | 76526 | 2.26 | 2.13 | a |
| 2 | 4.937 | 4.929 | 0.008 | 73050 | 2.26 | 2.09 | a |
| | | | | | | RPD = 1.83 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.184 | 4.230 | -0.046 | 35261 | 1.33 | 1.25 | a |
| 2 | 2.759 | 2.746 | 0.013 | 41503 | 1.33 | 1.21 | a |
| | | | | | | RPD = 3.15 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.555 | 4.528 | 0.027 | 101912 | 2.98 | 2.80 | a |
| 2 | 6.435 | 6.426 | 0.009 | 95155 | 2.98 | 2.71 | M |
| | | | | | | RPD = 3.27 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.437 | 5.403 | 0.034 | 92868 | 2.87 | 2.57 | M |
| 2 | 6.277 | 6.274 | 0.003 | 91569 | 2.87 | 2.76 | a |
| | | | | | | RPD = 7.02 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 2.50 Units: uL


Report Date: 29-Sep-2021 10:55:12 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 13:28:57 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 2 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 4 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D
Injection Date: 24-Sep-2021 13:28:57 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 4 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 2 Methane, CAS: 74-82-8

Signal: 2


Not Detected
Expected RT: 1.69

Processing Integration Results




Manual Integration Results

RT: 1.69
Area: 91227
Amount: 0.791992
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 13:54:25
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D
Injection Date: 24-Sep-2021 13:28:57 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 4 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 4 Ethylene, CAS: 74-85-1

Signal: 2


Not Detected
Expected RT: 2.61

Processing Integration Results




Manual Integration Results

RT: 2.61
Area: 41226
Amount: 1.330718
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 13:54:49
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D
Injection Date: 24-Sep-2021 13:28:57 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 4 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 6 Acetylene, CAS: 74-86-2

Signal: 2


Not Detected
Expected RT: 2.75

Processing Integration Results




Manual Integration Results

RT: 2.76
Area: 41503
Amount: 1.214291
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 13:55:02
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\004F0201.D
Injection Date: 24-Sep-2021 13:28:57 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 4 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 3 Ethane, CAS: 74-84-0

Signal: 2


Not Detected
Expected RT: 3.03

Processing Integration Results




Manual Integration Results

RT: 3.03
Area: 46984
Amount: 1.407441
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 13:54:34
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\005F0301.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 2
Inject. Date: 24-Sep-2021 13:41:52 ALS Bottle#: 5 Worklist Smp#: 3
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:13 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 13:58:34

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.293 | 1.299 | -0.006 | 126818 | 1.64 | 1.75 | |
| 2 | 1.686 | 1.686 | 0.000 | 126529 | 1.64 | 1.77 | |
| | | | | | | RPD = 1.24 | |
| 3 Ethane | | | | | | | |
| 1 | 1.562 | 1.556 | 0.006 | 108631 | 3.08 | 3.27 | |
| 2 | 3.031 | 3.028 | 0.003 | 107446 | 3.08 | 3.22 | |
| | | | | | | RPD = 1.52 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.867 | 1.844 | 0.023 | 107197 | 2.87 | 3.04 | |
| 2 | 2.613 | 2.609 | 0.004 | 95159 | 2.87 | 3.07 | |
| | | | | | | RPD = 0.93 | |
| 5 Propane | | | | | | | |
| 1 | 2.700 | 2.721 | -0.021 | 174390 | 4.52 | 4.84 | |
| 2 | 4.935 | 4.929 | 0.006 | 170185 | 4.52 | 4.86 | |
| | | | | | | RPD = 0.37 | |
| 6 Acetylene | | | | | | | |
| 1 | 4.213 | 4.230 | -0.017 | 79761 | 2.67 | 2.83 | |
| 2 | 2.756 | 2.746 | 0.010 | 94797 | 2.67 | 2.77 | |
| | | | | | | RPD = 2.17 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.575 | 4.528 | 0.047 | 232737 | 5.95 | 6.39 | a |
| 2 | 6.435 | 6.426 | 0.009 | 221865 | 5.95 | 6.31 | M |
| | | | | | | RPD = 1.20 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.457 | 5.403 | 0.054 | 232885 | 5.75 | 6.45 | |
| 2 | 6.276 | 6.274 | 0.002 | 200266 | 5.75 | 6.03 | M |
| | | | | | | RPD = 6.65 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 5.00 Units: uL


Report Date: 29-Sep-2021 10:55:13 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\005F0301.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 13:41:52 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 3 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 5 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\006F0401.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 3
Inject. Date: 24-Sep-2021 13:54:46 ALS Bottle#: 6 Worklist Smp#: 4
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:14 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:51:08

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.293 | 1.299 | -0.006 | 494257 | 13.1 | 12.2 | |
| 2 | 1.684 | 1.686 | -0.002 | 509129 | 13.1 | 12.4 | |
| | | | | | | RPD = 1.40 | |
| 3 Ethane | | | | | | | |
| 1 | 1.561 | 1.556 | 0.005 | 793971 | 24.6 | 23.9 | |
| 2 | 3.029 | 3.028 | 0.001 | 803791 | 24.6 | 24.1 | |
| | | | | | | RPD = 0.81 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.870 | 1.844 | 0.026 | 780792 | 23.0 | 22.2 | |
| 2 | 2.609 | 2.609 | 0.000 | 687818 | 23.0 | 22.2 | |
| | | | | | | RPD = 0.16 | |
| 5 Propane | | | | | | | |
| 1 | 2.711 | 2.721 | -0.010 | 1259121 | 36.1 | 35.0 | |
| 2 | 4.934 | 4.929 | 0.005 | 1221976 | 36.1 | 34.9 | |
| | | | | | | RPD = 0.18 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.226 | 4.230 | -0.004 | 587204 | 21.3 | 20.9 | a |
| 2 | 2.753 | 2.746 | 0.007 | 713476 | 21.3 | 20.9 | a |
| | | | | | | RPD = 0.03 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.586 | 4.528 | 0.058 | 1686797 | 47.6 | 46.3 | a |
| 2 | 6.433 | 6.426 | 0.007 | 1612366 | 47.6 | 45.9 | M |
| | | | | | | RPD = 0.93 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.465 | 5.403 | 0.062 | 1589725 | 46.0 | 44.0 | |
| 2 | 6.274 | 6.274 | 0.000 | 1464027 | 46.0 | 44.1 | M |
| | | | | | | RPD = 0.20 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 40.00 Units: uL


Report Date: 29-Sep-2021 10:55:14 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\006F0401.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 13:54:46 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 4 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 6 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\006F0401.D
Injection Date: 24-Sep-2021 13:54:46 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 6 Worklist Smp#: 4
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 6 Acetylene, CAS: 74-86-2

Signal: 2


Not Detected
Expected RT: 2.75

Processing Integration Results




Manual Integration Results

RT: 2.75
Area: 713476
Amount: 20.874815
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 15:50:39
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\007F0501.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 4
Inject. Date: 24-Sep-2021 14:07:45 ALS Bottle#: 7 Worklist Smp#: 5
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:14 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:50:30

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.295 | 1.295 | 0.000 | 2453548 | 65.7 | 67.9 | |
| 2 | 1.681 | 1.681 | 0.000 | 2553566 | 65.7 | 69.0 | |
| | | | | | | RPD = 1.60 | |
| 3 Ethane | | | | | | | Ma |
| 1 | 1.561 | 1.561 | 0.000 | 4411499 | 123.2 | 132.7 | |
| 2 | 3.026 | 3.026 | 0.000 | 4450065 | 123.2 | 133.3 | M |
| | | | | | | RPD = 0.45 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.870 | 1.870 | 0.000 | 4318968 | 114.9 | 122.6 | |
| 2 | 2.608 | 2.608 | 0.000 | 3812973 | 114.9 | 123.1 | |
| | | | | | | RPD = 0.38 | |
| 5 Propane | | | | | | | |
| 1 | 2.716 | 2.716 | 0.000 | 6962772 | 180.6 | 193.4 | |
| 2 | 4.933 | 4.933 | 0.000 | 6754582 | 180.6 | 192.9 | |
| | | | | | | RPD = 0.22 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.230 | 4.230 | 0.000 | 3180347 | 106.7 | 113.0 | a |
| 2 | 2.751 | 2.751 | 0.000 | 3899802 | 106.7 | 114.1 | a |
| | | | | | | RPD = 0.95 | |
| 7 Butane | | | | | | | |
| 1 | 4.590 | 4.590 | 0.000 | 9255328 | 238.1 | 254.1 | |
| 2 | 6.430 | 6.430 | 0.000 | 8939530 | 238.1 | 254.4 | |
| | | | | | | RPD = 0.11 | |
| 8 isobutylene | | | | | | | |
| 1 | 5.468 | 5.468 | 0.000 | 8777969 | 229.8 | 243.0 | |
| 2 | 6.271 | 6.271 | 0.000 | 8052089 | 229.8 | 242.5 | |
| | | | | | | RPD = 0.20 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 200.00 Units: uL


Report Date: 29-Sep-2021 10:55:15 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\007F0501.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 14:07:45 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 5 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 7 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\007F0501.D
Injection Date: 24-Sep-2021 14:07:45 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 7 Worklist Smp#: 5
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 6 Acetylene, CAS: 74-86-2

Signal: 2


Not Detected
Expected RT: 2.75

Processing Integration Results




Manual Integration Results

RT: 2.75
Area: 3899802
Amount: 114.1000
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 15:50:19
Audit Action: Assigned Compound ID Audit Reason: Split Peak

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\007F0501.D
Injection Date: 24-Sep-2021 14:07:45 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 7 Worklist Smp#: 5
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 3 Ethane, CAS: 74-84-0

Signal: 2


Processing Integration Results

RT: 3.03
Area: 4534073
Amount: 134.6635
Amount Units: ug/l




Manual Integration Results

RT: 3.03
Area: 4450065
Amount: 133.3050
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 15:50:09
Audit Action: Manually Integrated/Assigned Compound ID Audit Reason: Split Peak

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\008F0601.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 5
Inject. Date: 24-Sep-2021 14:20:44 ALS Bottle#: 8 Worklist Smp#: 6
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:15 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:46:14

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | M |
| 1 | 1.295 | 1.295 | 0.000 | 4808571 | 131.4 | 134.9 | |
| 2 | 1.678 | 1.678 | 0.000 | 5065048 | 131.4 | 138.6 | M |
| | | | | | | RPD = 2.70 | |
| 3 Ethane | | | | | | | |
| 1 | 1.560 | 1.560 | 0.000 | 8751636 | 246.3 | 263.3 | |
| 2 | 3.023 | 3.023 | 0.000 | 8976911 | 246.3 | 268.9 | |
| | | | | | | RPD = 2.12 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.873 | 1.873 | 0.000 | 8582166 | 229.8 | 243.6 | |
| 2 | 2.603 | 2.603 | 0.000 | 7548044 | 229.8 | 243.6 | |
| | | | | | | RPD = 0.00 | |
| 5 Propane | | | | | | | M |
| 1 | 2.721 | 2.721 | 0.000 | 13578180 | 361.3 | 377.1 | M |
| 2 | 4.929 | 4.929 | 0.000 | 13344347 | 361.3 | 381.1 | |
| | | | | | | RPD = 1.08 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.230 | 4.230 | 0.000 | 6274725 | 213.3 | 223.0 | a |
| 2 | 2.746 | 2.746 | 0.000 | 7865310 | 213.3 | 230.1 | a |
| | | | | | | RPD = 3.15 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.591 | 4.591 | 0.000 | 18468578 | 476.1 | 507.1 | a |
| 2 | 6.426 | 6.426 | 0.000 | 17766895 | 476.1 | 505.6 | M |
| | | | | | | RPD = 0.29 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.468 | 5.468 | 0.000 | 17314841 | 459.7 | 479.3 | |
| 2 | 6.269 | 6.269 | 0.000 | 15966351 | 459.7 | 480.9 | M |
| | | | | | | RPD = 0.33 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 400.00 Units: uL


Report Date: 29-Sep-2021 10:55:15 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\008F0601.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 14:20:44 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 6 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 8 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\008F0601.D
Injection Date: 24-Sep-2021 14:20:44 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 8 Worklist Smp#: 6
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 2 Methane, CAS: 74-82-8

Signal: 2


Processing Integration Results

RT: 1.68
Area: 5002633
Amount: 137.0848
Amount Units: ug/l




Manual Integration Results

RT: 1.68
Area: 5065048
Amount: 138.5598
Amount Units: ug/l




Reviewer: sciannac, 29-Sep-2021 09:21:50
Audit Action: Assigned New Baseline Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\008F0601.D
Injection Date: 24-Sep-2021 14:20:44 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 8 Worklist Smp#: 6
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 6 Acetylene, CAS: 74-86-2

Signal: 2


Not Detected
Expected RT: 2.75

Processing Integration Results




Manual Integration Results

RT: 2.75
Area: 7865310
Amount: 230.1225
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 15:44:53
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\009F0701.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 6
Inject. Date: 24-Sep-2021 14:33:44 ALS Bottle#: 9 Worklist Smp#: 7
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:16 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:47:03

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.294 | 1.295 | -0.001 | 8118988 | 262.8 | 229.0 | |
| 2 | 1.678 | 1.678 | 0.000 | 8455607 | 262.8 | 232.5 | |
| | | | | | | RPD = 1.51 | |
| 3 Ethane | | | | | | | |
| 1 | 1.561 | 1.560 | 0.001 | 14997572 | 492.7 | 451.2 | |
| 2 | 3.021 | 3.023 | -0.002 | 14625440 | 492.7 | 438.1 | |
| | | | | | | RPD = 2.94 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.873 | 1.873 | 0.000 | 14678124 | 459.6 | 416.7 | |
| 2 | 2.602 | 2.603 | -0.001 | 12909086 | 459.6 | 416.7 | |
| | | | | | | RPD = 0.00 | |
| 5 Propane | | | | | | | |
| 1 | 2.723 | 2.721 | 0.002 | 23539538 | 722.6 | 653.7 | |
| 2 | 4.926 | 4.929 | -0.003 | 23034734 | 722.6 | 657.9 | |
| | | | | | | RPD = 0.65 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.228 | 4.230 | -0.002 | 10977943 | 426.7 | 390.1 | a |
| 2 | 2.746 | 2.746 | 0.000 | 13452620 | 426.7 | 393.6 | a |
| | | | | | | RPD = 0.88 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.588 | 4.591 | -0.003 | 30555104 | 952.3 | 838.9 | a |
| 2 | 6.423 | 6.426 | -0.003 | 31281741 | 952.3 | 890.2 | M |
| | | | | | | RPD = 5.93 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.466 | 5.468 | -0.002 | 30754275 | 919.4 | 851.3 | |
| 2 | 6.266 | 6.269 | -0.003 | 28385241 | 919.4 | 854.9 | M |
| | | | | | | RPD = 0.42 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00031 Amount Added: 800.00 Units: uL


Report Date: 29-Sep-2021 10:55:16 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\009F0701.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 14:33:44 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 7 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 9 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\009F0701.D
Injection Date: 24-Sep-2021 14:33:44 Instrument ID: VGC_J
Lims ID: ic
Client ID:
Operator ID: sciannac ALS Bottle#: 9 Worklist Smp#: 7
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 6 Acetylene, CAS: 74-86-2

Signal: 2


Not Detected
Expected RT: 2.75

Processing Integration Results




Manual Integration Results

RT: 2.75
Area: 13452620
Amount: 393.5955
Amount Units: ug/l




Reviewer: sciannac, 24-Sep-2021 15:46:30
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\010F0801.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 8
Inject. Date: 24-Sep-2021 14:46:48 ALS Bottle#: 10 Worklist Smp#: 9
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:17 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:48:04

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.293 | 1.295 | -0.002 | 60484705 | 1626.3 | 1717.9 | |
| 2 | 1.676 | 1.678 | -0.002 | 59798125 | 1626.3 | 1654.6 | |
| | | | | | | RPD = 3.75 | |

## QC Flag Legend
Processing Flags

## Reagents:
RSK175methane_00010 Amount Added: 50.00 Units: uL


Report Date: 29-Sep-2021 10:55:17 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\010F0801.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 14:46:48 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 9 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 10 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\011F0901.D | | | | |
| Lims ID: | ic | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 9 | | |
| Inject. Date: | 24-Sep-2021 14:59:53 | ALS Bottle#: | 11 | Worklist Smp#: | 10 |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | | |
| Sample Info: | ic | | | | |
| Operator ID: | sciannac | Instrument ID: | VGC_J | | |
| Sublist: | chrom-RSK_J*sub5 | | | | |
| Method: | \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m | | | | |
| Limit Group: | GCV - RSK 175 | | | | |
| Method Label: | DV-GC-0025: Dissolved Gases in Water by RSK-175 | | | | |
| Last Update: | 29-Sep-2021 10:55:17 | Calib Date: | 24-Sep-2021 15:12:55 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D | | | | |
| Column 1 : | Rt-Alumina BOND/KCl ( 0.53 mm) | | Det: GC FID1A | | |
| Column 2 : | HP-PLOT/Q ( 0.53 mm) | | Det: GC FID2B | | |
| Process Host: | CTX1655 | | | | |

First Level Reviewer: sciannac Date: 24-Sep-2021 15:48:14

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.292 | 1.295 | -0.003 | 245647963 | 6505.0 | 6982.6 | |
| 2 | 1.673 | 1.678 | -0.005 | 247051774 | 6505.0 | 6841.2 | |
| | | | | | | RPD = 2.04 | |

## QC Flag Legend

Processing Flags

## Reagents:

RSK175methane_00010 Amount Added: 200.00 Units: uL


Report Date: 29-Sep-2021 10:55:17 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\011F0901.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 14:59:53 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 10 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 11 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D
Lims ID: ic
Client ID:
Sample Type: IC Calib Level: 10
Inject. Date: 24-Sep-2021 15:12:55 ALS Bottle#: 12 Worklist Smp#: 11
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ic
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:55:18 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:48:27

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.288 | 1.295 | -0.007 | 669092603 | 19515 | 19022 | |
| 2 | 1.669 | 1.678 | -0.009 | 675608539 | 19515 | 18712 | |
| | | | | | | RPD = 1.65 | |

## QC Flag Legend

Processing Flags

## Reagents:

RSK175methane_00010 Amount Added: 600.00 Units: uL


Report Date: 29-Sep-2021 10:55:18 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 15:12:55 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ic | | | Worklist Smp#: | 11 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 12 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



## Calibration / Methane

| | |
|---|---|
| **Curve Type:** | Linear |
| **Weighting:** | Conc_Sq |
| **Origin:** | None |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 6.263E+04 |
| **Slope:** | 3.61E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 11900000 |
| **Relative Standard Error:** | 7.0 |
| **Correlation Coefficient:** | 0.999 |
| **Coefficient of Determination (Adjusted):** | 0.995 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-550959/2 | 0.821288 | 91227.0 | | | 111078.032967 | Y |
| 2 | IC 280-550959/3 | 1.642575 | 126529.0 | | | 77030.88139 | Y |
| 3 | IC 280-550959/4 | 13.1406 | 509129.0 | | | 38744.730073 | Y |
| 4 | IC 280-550959/5 | 65.703 | 2553566.0 | | | 38865.287734 | Y |
| 5 | IC 280-550959/6 | 131.406 | 5065048.0 | | | 38545.028385 | Y |
| 6 | IC 280-550959/7 | 262.812 | 8455607.0 | | | 32173.595574 | Y |
| 7 | IC 280-550959/9 | 1626.25 | 59798125.0 | | | 36770.561107 | Y |
| 8 | IC 280-550959/10 | 6505.0 | 247051774.0 | | | 37978.750807 | Y |
| 9 | IC 280-550959/11 | 19515.0 | 675608539.0 | | | 34619.961004 | Y |



## Calibration / Ethylene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 3.098E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 635000 |
| **Relative Standard Error:** | 7.6 |
| **Correlation Coefficient:** | 0.993 |
| **Coefficient of Determination (Adjusted):** | 0.993 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-550959/2 | 1.43625 | 41226.0 | | | 28703.916449 | Y |
| 2 | IC 280-550959/3 | 2.8725 | 95159.0 | | | 33127.589208 | Y |
| 3 | IC 280-550959/4 | 22.98 | 687818.0 | | | 29931.157528 | Y |
| 4 | IC 280-550959/5 | 114.9 | 3812973.0 | | | 33185.143603 | Y |
| 5 | IC 280-550959/6 | 229.8 | 7548044.0 | | | 32846.144473 | Y |
| 6 | IC 280-550959/7 | 459.6 | 12909086.0 | | | 28087.654482 | Y |



## Calibration / Acetylene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 3.418E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 578000 |
| **Relative Standard Error:** | 7.4 |
| **Correlation Coefficient:** | 0.993 |
| **Coefficient of Determination (Adjusted):** | 0.994 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-550959/2 | 1.333375 | 41503.0 | | | 31126.277304 | Y |
| 2 | IC 280-550959/3 | 2.66675 | 94797.0 | | | 35547.764132 | Y |
| 3 | IC 280-550959/4 | 21.334 | 713476.0 | | | 33443.142402 | Y |
| 4 | IC 280-550959/5 | 106.67 | 3899802.0 | | | 36559.501266 | Y |
| 5 | IC 280-550959/6 | 213.34 | 7865310.0 | | | 36867.488516 | Y |
| 6 | IC 280-550959/7 | 426.68 | 13452620.0 | | | 31528.592856 | Y |



## Calibration / Ethane

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 3.338E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 894000 |
| **Relative Standard Error:** | 8.6 |
| **Correlation Coefficient:** | 0.987 |
| **Coefficient of Determination (Adjusted):** | 0.991 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-550959/2 | 1.539625 | 46984.0 | | | 30516.52188 | Y |
| 2 | IC 280-550959/3 | 3.07925 | 107446.0 | | | 34893.561744 | Y |
| 3 | IC 280-550959/4 | 24.634 | 803791.0 | | | 32629.333442 | Y |
| 4 | IC 280-550959/5 | 123.17 | 4450065.0 | | | 36129.455224 | Y |
| 5 | IC 280-550959/6 | 246.34 | 8976911.0 | | | 36441.142324 | Y |
| 6 | IC 280-550959/7 | 492.68 | 14625440.0 | | | 29685.475359 | Y |



FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-550959/13 Calibration Date: 09/24/2021 15:38

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 014F1201.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 37179 | | 67.6 | 65.7 | 2.9 | 20.0 |
| Ethane | Ave | 33241 | 36496 | | 135 | 123 | 9.8 | 20.0 |
| Ethylene | Ave | 35226 | 37757 | | 123 | 115 | 7.2 | 20.0 |
| Acetylene | Ave | 28139 | 30719 | | 116 | 107 | 9.2 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-550959/13 Calibration Date: 09/24/2021 15:38

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 014F1201.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.29 | 1.26 | 1.34 |
| Ethane | 1.56 | 1.51 | 1.61 |
| Ethylene | 1.87 | 1.79 | 1.89 |
| Acetylene | 4.24 | 4.15 | 4.31 |

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\014F1201.D
Lims ID: ICV
Client ID:
Sample Type: ICV
Inject. Date: 24-Sep-2021 15:38:59 ALS Bottle#: 14 Worklist Smp#: 13
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: icv
Operator ID: sciannac Instrument ID: VGC_J
Sublist:

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:58:12 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:54:40

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.289 | 1.299 | -0.010 | 2442793 | 65.7 | 67.6 | |
| 2 | 1.676 | 1.686 | -0.010 | 2535074 | 65.7 | 68.5 | |
| | | | | | | RPD = 1.30 | |
| 3 Ethane | | | | | | | |
| 1 | 1.559 | 1.556 | 0.003 | 4495267 | 123.2 | 135.2 | |
| 2 | 3.018 | 3.028 | -0.010 | 4535642 | 123.2 | 135.9 | |
| | | | | | | RPD = 0.47 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.874 | 1.844 | 0.030 | 4338329 | 114.9 | 123.2 | |
| 2 | 2.598 | 2.609 | -0.011 | 3828020 | 114.9 | 123.6 | |
| | | | | | | RPD = 0.33 | |
| 5 Propane | | | | | | | |
| 1 | 2.726 | 2.721 | 0.005 | 7114360 | 180.6 | 197.6 | |
| 2 | 4.928 | 4.929 | -0.001 | 6799509 | 180.6 | 194.2 | |
| | | | | | | RPD = 1.71 | |
| 6 Acetylene | | | | | | | |
| 1 | 4.243 | 4.230 | 0.013 | 3276773 | 106.7 | 116.4 | |
| 2 | 2.741 | 2.746 | -0.005 | 4007122 | 106.7 | 117.2 | |
| | | | | | | RPD = 0.68 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.599 | 4.528 | 0.071 | 9349199 | 238.1 | 256.7 | a |
| 2 | 6.426 | 6.426 | 0.000 | 8946550 | 238.1 | 254.6 | M |
| | | | | | | RPD = 0.82 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.479 | 5.403 | 0.076 | 8850386 | 229.8 | 245.0 | |
| 2 | 6.268 | 6.274 | -0.006 | 8132396 | 229.8 | 244.9 | M |
| | | | | | | RPD = 0.03 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 29-Sep-2021 10:58:13 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\014F1201.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 15:38:59 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ICV | | | Worklist Smp#: | 13 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 14 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-550959/13 Calibration Date: 09/24/2021 15:38

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 014F1201.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 38584 | | 68.5 | 65.7 | 4.2 | 20.0 |
| Ethylene | Ave | 30980 | 33316 | | 124 | 115 | 7.5 | 20.0 |
| Acetylene | Ave | 34179 | 37566 | | 117 | 107 | 9.9 | 20.0 |
| Ethane | Ave | 33383 | 36824 | | 136 | 123 | 10.3 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-550959/13 Calibration Date: 09/24/2021 15:38

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 014F1201.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.68 | 1.65 | 1.73 |
| Ethylene | 2.60 | 2.56 | 2.66 |
| Acetylene | 2.74 | 2.67 | 2.83 |
| Ethane | 3.02 | 2.98 | 3.08 |

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\014F1201.D
Lims ID: ICV
Client ID:
Sample Type: ICV
Inject. Date: 24-Sep-2021 15:38:59 ALS Bottle#: 14 Worklist Smp#: 13
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: icv
Operator ID: sciannac Instrument ID: VGC_J
Sublist:

Method: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 29-Sep-2021 10:58:12 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1655

First Level Reviewer: sciannac Date: 24-Sep-2021 15:54:40

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.289 | 1.299 | -0.010 | 2442793 | 65.7 | 67.6 | |
| 2 | 1.676 | 1.686 | -0.010 | 2535074 | 65.7 | 68.5 | |
| | | | | | | RPD = 1.30 | |
| 3 Ethane | | | | | | | |
| 1 | 1.559 | 1.556 | 0.003 | 4495267 | 123.2 | 135.2 | |
| 2 | 3.018 | 3.028 | -0.010 | 4535642 | 123.2 | 135.9 | |
| | | | | | | RPD = 0.47 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.874 | 1.844 | 0.030 | 4338329 | 114.9 | 123.2 | |
| 2 | 2.598 | 2.609 | -0.011 | 3828020 | 114.9 | 123.6 | |
| | | | | | | RPD = 0.33 | |
| 5 Propane | | | | | | | |
| 1 | 2.726 | 2.721 | 0.005 | 7114360 | 180.6 | 197.6 | |
| 2 | 4.928 | 4.929 | -0.001 | 6799509 | 180.6 | 194.2 | |
| | | | | | | RPD = 1.71 | |
| 6 Acetylene | | | | | | | |
| 1 | 4.243 | 4.230 | 0.013 | 3276773 | 106.7 | 116.4 | |
| 2 | 2.741 | 2.746 | -0.005 | 4007122 | 106.7 | 117.2 | |
| | | | | | | RPD = 0.68 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.599 | 4.528 | 0.071 | 9349199 | 238.1 | 256.7 | a |
| 2 | 6.426 | 6.426 | 0.000 | 8946550 | 238.1 | 254.6 | M |
| | | | | | | RPD = 0.82 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.479 | 5.403 | 0.076 | 8850386 | 229.8 | 245.0 | |
| 2 | 6.268 | 6.274 | -0.006 | 8132396 | 229.8 | 244.9 | M |
| | | | | | | RPD = 0.03 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 29-Sep-2021 10:58:13 Chrom Revision: 2.3 22-Sep-2021 15:38:46

Eurofins TestAmerica, Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\014F1201.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 24-Sep-2021 15:38:59 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ICV | | | Worklist Smp#: | 13 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 14 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCVRT 280-576169/2 Calibration Date: 05/25/2022 17:03

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 002F0201.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 34873 | | 63.3 | 65.7 | -3.7 | 20.0 |
| Ethane | Ave | 33241 | 32545 | | 121 | 123 | -2.1 | 20.0 |
| Ethylene | Ave | 35226 | 33926 | | 111 | 115 | -3.7 | 20.0 |
| Acetylene | Ave | 28139 | 27398 | | 104 | 107 | -2.6 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCVRT 280-576170/2 Calibration Date: 05/25/2022 17:03

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 002F0201.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 34873 | | 63.3 | 65.7 | -3.7 | 20.0 |
| Ethane | Ave | 33241 | 32545 | | 121 | 123 | -2.1 | 20.0 |
| Ethylene | Ave | 35226 | 33926 | | 111 | 115 | -3.7 | 20.0 |
| Acetylene | Ave | 28139 | 27398 | | 104 | 107 | -2.6 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCVRT 280-576169/2 Calibration Date: 05/25/2022 17:03

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 002F0201.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.27 | 1.23 | 1.31 |
| Ethane | 1.52 | 1.47 | 1.57 |
| Ethylene | 1.79 | 1.74 | 1.84 |
| Acetylene | 4.04 | 3.96 | 4.12 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCVRT 280-576170/2 Calibration Date: 05/25/2022 17:03

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 002F0201.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.27 | 1.23 | 1.31 |
| Ethane | 1.52 | 1.47 | 1.57 |
| Ethylene | 1.79 | 1.74 | 1.84 |
| Acetylene | 4.04 | 3.96 | 4.12 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D
Lims ID: ccvrt
Client ID:
Sample Type: CCVRT
Inject. Date: 25-May-2022 17:03:17 ALS Bottle#: 2 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccvrt
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 26-May-2022 11:09:59 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1676

First Level Reviewer: sciannac Date: 25-May-2022 18:22:14

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.269 | 1.269 | 0.000 | 2291256 | 65.7 | 63.3 | |
| 2 | 1.679 | 1.679 | 0.000 | 2315117 | 65.7 | 62.4 | |
| | | | | | | RPD = 1.43 | |
| 3 Ethane | | | | | | | |
| 1 | 1.521 | 1.521 | 0.000 | 4008556 | 123.2 | 120.6 | |
| 2 | 3.037 | 3.037 | 0.000 | 4117517 | 123.2 | 123.3 | |
| | | | | | | RPD = 2.26 | |
| 4 Ethylene | | | | | | | a |
| 1 | 1.788 | 1.788 | 0.000 | 3898118 | 114.9 | 110.7 | a |
| 2 | 2.619 | 2.619 | 0.000 | 3443046 | 114.9 | 111.1 | a |
| | | | | | | RPD = 0.43 | |
| 5 Propane | | | | | | | a |
| 1 | 2.533 | 2.533 | 0.000 | 5839108 | 180.6 | 162.1 | a |
| 2 | 0.000 | 4.933 | 0.000 | 0 | 180.6 | 0 | |
| | | | | | | RPD = 200.00 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.043 | 4.043 | 0.000 | 2922509 | 106.7 | 103.9 | a |
| 2 | 2.767 | 2.767 | 0.000 | 3571083 | 106.7 | 104.5 | a |
| | | | | | | RPD = 0.60 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.394 | 4.394 | 0.000 | 6909387 | 238.1 | 189.7 | a |
| 2 | 6.432 | 6.432 | 0.000 | 6546230 | 238.1 | 186.3 | M |
| | | | | | | RPD = 1.81 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.298 | 5.298 | 0.000 | 6509551 | 229.8 | 180.2 | a |
| 2 | 6.274 | 6.274 | 0.000 | 5828793 | 229.8 | 175.6 | M |
| | | | | | | RPD = 2.61 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D
Lims ID: ccvrt
Client ID:
Sample Type: CCVRT
Inject. Date: 25-May-2022 17:03:17 ALS Bottle#: 2 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccvrt
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 26-May-2022 11:09:59 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1676

First Level Reviewer: sciannac Date: 25-May-2022 18:22:14

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.269 | 1.269 | 0.000 | 2291256 | 65.7 | 63.3 | |
| 2 | 1.679 | 1.679 | 0.000 | 2315117 | 65.7 | 62.4 | |
| | | | | | | RPD = 1.43 | |
| 3 Ethane | | | | | | | |
| 1 | 1.521 | 1.521 | 0.000 | 4008556 | 123.2 | 120.6 | |
| 2 | 3.037 | 3.037 | 0.000 | 4117517 | 123.2 | 123.3 | |
| | | | | | | RPD = 2.26 | |
| 4 Ethylene | | | | | | | a |
| 1 | 1.788 | 1.788 | 0.000 | 3898118 | 114.9 | 110.7 | a |
| 2 | 2.619 | 2.619 | 0.000 | 3443046 | 114.9 | 111.1 | a |
| | | | | | | RPD = 0.43 | |
| 5 Propane | | | | | | | a |
| 1 | 2.533 | 2.533 | 0.000 | 5839108 | 180.6 | 162.1 | a |
| 2 | 0.000 | 4.933 | 0.000 | 0 | 180.6 | 0 | |
| | | | | | | RPD = 200.00 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.043 | 4.043 | 0.000 | 2922509 | 106.7 | 103.9 | a |
| 2 | 2.767 | 2.767 | 0.000 | 3571083 | 106.7 | 104.5 | a |
| | | | | | | RPD = 0.60 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.394 | 4.394 | 0.000 | 6909387 | 238.1 | 189.7 | a |
| 2 | 6.432 | 6.432 | 0.000 | 6546230 | 238.1 | 186.3 | M |
| | | | | | | RPD = 1.81 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.298 | 5.298 | 0.000 | 6509551 | 229.8 | 180.2 | a |
| 2 | 6.274 | 6.274 | 0.000 | 5828793 | 229.8 | 175.6 | M |
| | | | | | | RPD = 2.61 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 26-May-2022 11:10:00 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 17:03:17 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccvrt | | | Worklist Smp#: | 2 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 2 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Report Date: 26-May-2022 11:10:00 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 17:03:17 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccvrt | | | Worklist Smp#: | 2 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 2 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D | | | | |
| Injection Date: | 25-May-2022 17:03:17 | Instrument ID: | VGC_J | | |
| Lims ID: | ccvrt | | | | |
| Client ID: | | | | | |
| Operator ID: | sciannac | ALS Bottle#: | 2 | Worklist Smp#: | 2 |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | | |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |
| Column: | Rt-Alumina BOND/KCl ( 0.53 mm) | Detector | GC FID1A | | |

## 4 Ethylene, CAS: 74-85-1

Signal: 1


Not Detected
Expected RT: 1.79

Processing Integration Results




Manual Integration Results

RT: 1.79
Area: 3898118
Amount: 110.6604
Amount Units: ug/l




Reviewer: sciannac, 25-May-2022 18:01:28
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D | | | | |
| Injection Date: | 25-May-2022 17:03:17 | Instrument ID: | VGC_J | | |
| Lims ID: | ccvrt | | | | |
| Client ID: | | | | | |
| Operator ID: | sciannac | ALS Bottle#: | 2 | Worklist Smp#: | 2 |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | | |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |
| Column: | Rt-Alumina BOND/KCl ( 0.53 mm) | Detector | GC FID1A | | |

## 4 Ethylene, CAS: 74-85-1

Signal: 1


Not Detected
Expected RT: 1.79

Processing Integration Results




Manual Integration Results

RT: 1.79
Area: 3898118
Amount: 110.6604
Amount Units: ug/l




Reviewer: sciannac, 25-May-2022 18:01:28
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D
Injection Date: 25-May-2022 17:03:17 Instrument ID: VGC_J
Lims ID: ccvrt
Client ID:
Operator ID: sciannac ALS Bottle#: 2 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.04

Processing Integration Results




Manual Integration Results

RT: 4.04
Area: 2922509
Amount: 103.8597
Amount Units: ug/l




Reviewer: sciannac, 25-May-2022 18:02:02
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D
Injection Date: 25-May-2022 17:03:17 Instrument ID: VGC_J
Lims ID: ccvrt
Client ID:
Operator ID: sciannac ALS Bottle#: 2 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.04

Processing Integration Results




Manual Integration Results

RT: 4.04
Area: 2922509
Amount: 103.8597
Amount Units: ug/l




Reviewer: sciannac, 25-May-2022 18:02:02
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCVRT 280-576169/2 Calibration Date: 05/25/2022 17:03

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 002F0201.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 35236 | | 62.4 | 65.7 | -5.0 | 20.0 |
| Ethylene | Ave | 30980 | 29966 | | 111 | 115 | -3.3 | 20.0 |
| Acetylene | Ave | 34179 | 33478 | | 104 | 107 | -2.1 | 20.0 |
| Ethane | Ave | 33383 | 33430 | | 123 | 123 | 0.1 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCVRT 280-576169/2 Calibration Date: 05/25/2022 17:03

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 002F0201.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.68 | 1.64 | 1.72 |
| Ethylene | 2.62 | 2.57 | 2.67 |
| Acetylene | 2.77 | 2.69 | 2.85 |
| Ethane | 3.04 | 2.99 | 3.09 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D
Lims ID: ccvrt
Client ID:
Sample Type: CCVRT
Inject. Date: 25-May-2022 17:03:17 ALS Bottle#: 2 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccvrt
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 26-May-2022 11:09:59 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1676

First Level Reviewer: sciannac Date: 25-May-2022 18:22:14

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.269 | 1.269 | 0.000 | 2291256 | 65.7 | 63.3 | |
| 2 | 1.679 | 1.679 | 0.000 | 2315117 | 65.7 | 62.4 | |
| | | | | | | RPD = 1.43 | |
| 3 Ethane | | | | | | | |
| 1 | 1.521 | 1.521 | 0.000 | 4008556 | 123.2 | 120.6 | |
| 2 | 3.037 | 3.037 | 0.000 | 4117517 | 123.2 | 123.3 | |
| | | | | | | RPD = 2.26 | |
| 4 Ethylene | | | | | | | a |
| 1 | 1.788 | 1.788 | 0.000 | 3898118 | 114.9 | 110.7 | a |
| 2 | 2.619 | 2.619 | 0.000 | 3443046 | 114.9 | 111.1 | a |
| | | | | | | RPD = 0.43 | |
| 5 Propane | | | | | | | a |
| 1 | 2.533 | 2.533 | 0.000 | 5839108 | 180.6 | 162.1 | a |
| 2 | 0.000 | 4.933 | 0.000 | 0 | 180.6 | 0 | |
| | | | | | | RPD = 200.00 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.043 | 4.043 | 0.000 | 2922509 | 106.7 | 103.9 | a |
| 2 | 2.767 | 2.767 | 0.000 | 3571083 | 106.7 | 104.5 | a |
| | | | | | | RPD = 0.60 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.394 | 4.394 | 0.000 | 6909387 | 238.1 | 189.7 | a |
| 2 | 6.432 | 6.432 | 0.000 | 6546230 | 238.1 | 186.3 | M |
| | | | | | | RPD = 1.81 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.298 | 5.298 | 0.000 | 6509551 | 229.8 | 180.2 | a |
| 2 | 6.274 | 6.274 | 0.000 | 5828793 | 229.8 | 175.6 | M |
| | | | | | | RPD = 2.61 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 26-May-2022 11:10:00 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 17:03:17 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccvrt | | | Worklist Smp#: | 2 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 2 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D | | | | |
| Injection Date: | 25-May-2022 17:03:17 | Instrument ID: | VGC_J | | |
| Lims ID: | ccvrt | | | | |
| Client ID: | | | | | |
| Operator ID: | sciannac | ALS Bottle#: | 2 | Worklist Smp#: | 2 |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | | |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |
| Column: | HP-PLOT/Q ( 0.53 mm) | Detector | GC FID2B | | |

## 4 Ethylene, CAS: 74-85-1

Signal: 2


Not Detected
Expected RT: 2.62

Processing Integration Results




Manual Integration Results

RT: 2.62
Area: 3443046
Amount: 111.1367
Amount Units: ug/l




Reviewer: sciannac, 25-May-2022 18:01:19
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\002F0201.D
Injection Date: 25-May-2022 17:03:17 Instrument ID: VGC_J
Lims ID: ccvrt
Client ID:
Operator ID: sciannac ALS Bottle#: 2 Worklist Smp#: 2
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 6 Acetylene, CAS: 74-86-2

Signal: 2


Not Detected
Expected RT: 2.77

Processing Integration Results




Manual Integration Results

RT: 2.77
Area: 3571083
Amount: 104.4824
Amount Units: ug/l




Reviewer: sciannac, 25-May-2022 18:01:56
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576169/75 Calibration Date: 05/25/2022 20:43

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 019F1901.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 36148 | | 65.7 | 65.7 | -0.0 | 20.0 |
| Ethane | Ave | 33241 | 34860 | | 129 | 123 | 4.9 | 20.0 |
| Ethylene | Ave | 35226 | 35683 | | 116 | 115 | 1.3 | 20.0 |
| Acetylene | Ave | 28139 | 27449 | | 104 | 107 | -2.5 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576169/75 Calibration Date: 05/25/2022 20:43

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 019F1901.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.26 | 1.23 | 1.31 |
| Ethane | 1.53 | 1.47 | 1.57 |
| Ethylene | 1.83 | 1.74 | 1.84 |
| Acetylene | 4.21 | 3.96 | 4.12 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\019F1901.D
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 25-May-2022 20:43:17 ALS Bottle#: 19 Worklist Smp#: 75
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccv
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 26-May-2022 12:12:33 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1676

First Level Reviewer: sciannac Date: 26-May-2022 11:04:50

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.260 | 1.269 | -0.009 | 2375058 | 65.7 | 65.7 | |
| 2 | 1.667 | 1.679 | -0.012 | 2348694 | 65.7 | 63.3 | |
| | | | | | | RPD = 3.64 | |
| 3 Ethane | | | | | | | |
| 1 | 1.529 | 1.521 | 0.008 | 4293707 | 123.2 | 129.2 | |
| 2 | 3.020 | 3.037 | -0.017 | 4375675 | 123.2 | 131.1 | |
| | | | | | | RPD = 1.47 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.834 | 1.788 | 0.046 | 4099995 | 114.9 | 116.4 | |
| 2 | 2.602 | 2.619 | -0.017 | 3564990 | 114.9 | 115.1 | |
| | | | | | | RPD = 1.14 | |
| 5 Propane | | | | | | | a |
| 1 | 2.635 | 2.533 | 0.102 | 6454074 | 180.6 | 179.2 | a |
| 2 | 4.927 | 4.933 | -0.006 | 6084116 | 180.6 | 173.8 | a |
| | | | | | | RPD = 3.09 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.210 | 4.043 | 0.167 | 2928029 | 106.7 | 104.1 | a |
| 2 | 2.750 | 2.767 | -0.017 | 3621101 | 106.7 | 105.9 | a |
| | | | | | | RPD = 1.80 | |
| 7 Butane | | | | | | | |
| 1 | 4.509 | 4.394 | 0.115 | 8304265 | 238.1 | 228.0 | |
| 2 | 6.427 | 6.432 | -0.005 | 7781026 | 238.1 | 221.4 | |
| | | | | | | RPD = 2.92 | |
| 8 isobutylene | | | | | | | |
| 1 | 5.409 | 5.298 | 0.111 | 7564069 | 229.8 | 209.4 | |
| 2 | 6.270 | 6.274 | -0.004 | 6795186 | 229.8 | 204.7 | |
| | | | | | | RPD = 2.28 | |

## QC Flag Legend

Processing Flags

Review Flags

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 26-May-2022 12:12:33 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\019F1901.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 20:43:17 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccv | | | Worklist Smp#: | 75 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 19 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\019F1901.D
Injection Date: 25-May-2022 20:43:17 Instrument ID: VGC_J
Lims ID: ccv
Client ID:
Operator ID: sciannac ALS Bottle#: 19 Worklist Smp#: 75
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.04

Processing Integration Results




Manual Integration Results

RT: 4.21
Area: 2928029
Amount: 104.0558
Amount Units: ug/l




Reviewer: sciannac, 26-May-2022 11:04:33
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576169/75 Calibration Date: 05/25/2022 20:43

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 019F1901.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 35747 | | 63.3 | 65.7 | -3.6 | 20.0 |
| Ethylene | Ave | 30980 | 31027 | | 115 | 115 | 0.2 | 20.0 |
| Acetylene | Ave | 34179 | 33947 | | 106 | 107 | -0.7 | 20.0 |
| Ethane | Ave | 33383 | 35525 | | 131 | 123 | 6.4 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576169/75 Calibration Date: 05/25/2022 20:43

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 019F1901.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.67 | 1.64 | 1.72 |
| Ethylene | 2.60 | 2.57 | 2.67 |
| Acetylene | 2.75 | 2.69 | 2.85 |
| Ethane | 3.02 | 2.99 | 3.09 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\019F1901.D
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 25-May-2022 20:43:17 ALS Bottle#: 19 Worklist Smp#: 75
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccv
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 26-May-2022 12:12:33 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1676

First Level Reviewer: sciannac Date: 26-May-2022 11:04:50

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.260 | 1.269 | -0.009 | 2375058 | 65.7 | 65.7 | |
| 2 | 1.667 | 1.679 | -0.012 | 2348694 | 65.7 | 63.3 | |
| | | | | | | RPD = 3.64 | |
| 3 Ethane | | | | | | | |
| 1 | 1.529 | 1.521 | 0.008 | 4293707 | 123.2 | 129.2 | |
| 2 | 3.020 | 3.037 | -0.017 | 4375675 | 123.2 | 131.1 | |
| | | | | | | RPD = 1.47 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.834 | 1.788 | 0.046 | 4099995 | 114.9 | 116.4 | |
| 2 | 2.602 | 2.619 | -0.017 | 3564990 | 114.9 | 115.1 | |
| | | | | | | RPD = 1.14 | |
| 5 Propane | | | | | | | a |
| 1 | 2.635 | 2.533 | 0.102 | 6454074 | 180.6 | 179.2 | a |
| 2 | 4.927 | 4.933 | -0.006 | 6084116 | 180.6 | 173.8 | a |
| | | | | | | RPD = 3.09 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.210 | 4.043 | 0.167 | 2928029 | 106.7 | 104.1 | a |
| 2 | 2.750 | 2.767 | -0.017 | 3621101 | 106.7 | 105.9 | a |
| | | | | | | RPD = 1.80 | |
| 7 Butane | | | | | | | |
| 1 | 4.509 | 4.394 | 0.115 | 8304265 | 238.1 | 228.0 | |
| 2 | 6.427 | 6.432 | -0.005 | 7781026 | 238.1 | 221.4 | |
| | | | | | | RPD = 2.92 | |
| 8 isobutylene | | | | | | | |
| 1 | 5.409 | 5.298 | 0.111 | 7564069 | 229.8 | 209.4 | |
| 2 | 6.270 | 6.274 | -0.004 | 6795186 | 229.8 | 204.7 | |
| | | | | | | RPD = 2.28 | |

## QC Flag Legend

Processing Flags

Review Flags

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 26-May-2022 12:12:33 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\019F1901.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 20:43:17 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccv | | | Worklist Smp#: | 75 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 19 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\019F1901.D
Injection Date: 25-May-2022 20:43:17 Instrument ID: VGC_J
Lims ID: ccv
Client ID:
Operator ID: sciannac ALS Bottle#: 19 Worklist Smp#: 75
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 6 Acetylene, CAS: 74-86-2

Signal: 2


Not Detected
Expected RT: 2.77

Processing Integration Results




Manual Integration Results

RT: 2.75
Area: 3621101
Amount: 105.9458
Amount Units: ug/l




Reviewer: sciannac, 26-May-2022 11:04:31
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/89 Calibration Date: 05/25/2022 23:44

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 033F3301.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 36433 | | 66.2 | 65.7 | 0.8 | 20.0 |
| Ethane | Ave | 33241 | 35368 | | 131 | 123 | 6.4 | 20.0 |
| Ethylene | Ave | 35226 | 36092 | | 118 | 115 | 2.5 | 20.0 |
| Acetylene | Ave | 28139 | 28133 | | 107 | 107 | -0.0 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/89 Calibration Date: 05/25/2022 23:44

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 033F3301.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.26 | 1.23 | 1.31 |
| Ethane | 1.53 | 1.47 | 1.57 |
| Ethylene | 1.83 | 1.74 | 1.84 |
| Acetylene | 4.21 | 3.96 | 4.12 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\033F3301.D
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 25-May-2022 23:44:41 ALS Bottle#: 33 Worklist Smp#: 89
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccv
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 27-May-2022 16:14:48 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1650

First Level Reviewer: sciannac Date: 27-May-2022 16:01:23

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.260 | 1.269 | -0.009 | 2393789 | 65.7 | 66.2 | |
| 2 | 1.667 | 1.679 | -0.012 | 2373888 | 65.7 | 64.0 | |
| | | | | | | RPD = 3.36 | |
| 3 Ethane | | | | | | | |
| 1 | 1.529 | 1.521 | 0.008 | 4356309 | 123.2 | 131.1 | |
| 2 | 3.020 | 3.037 | -0.017 | 4385618 | 123.2 | 131.4 | |
| | | | | | | RPD = 0.25 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.834 | 1.788 | 0.046 | 4146992 | 114.9 | 117.7 | |
| 2 | 2.602 | 2.619 | -0.017 | 3612864 | 114.9 | 116.6 | |
| | | | | | | RPD = 0.94 | |
| 5 Propane | | | | | | | a |
| 1 | 2.637 | 2.533 | 0.104 | 6493373 | 180.6 | 180.3 | a |
| 2 | 4.927 | 4.933 | -0.006 | 6229947 | 180.6 | 177.9 | a |
| | | | | | | RPD = 1.33 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.209 | 4.043 | 0.166 | 3000927 | 106.7 | 106.6 | a |
| 2 | 2.748 | 2.767 | -0.019 | 3702513 | 106.7 | 108.3 | a |
| | | | | | | RPD = 1.56 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.509 | 4.394 | 0.115 | 8592981 | 238.1 | 235.9 | a |
| 2 | 6.427 | 6.432 | -0.005 | 8158564 | 238.1 | 232.2 | M |
| | | | | | | RPD = 1.60 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.410 | 5.298 | 0.112 | 7884440 | 229.8 | 218.3 | |
| 2 | 6.270 | 6.274 | -0.004 | 7088683 | 229.8 | 213.5 | M |
| | | | | | | RPD = 2.20 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 27-May-2022 16:14:48 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\033F3301.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 23:44:41 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccv | | | Worklist Smp#: | 89 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 33 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\033F3301.D
Injection Date: 25-May-2022 23:44:41 Instrument ID: VGC_J
Lims ID: ccv
Client ID:
Operator ID: sciannac ALS Bottle#: 33 Worklist Smp#: 89
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.04

Processing Integration Results




Manual Integration Results

RT: 4.21
Area: 3000927
Amount: 106.6465
Amount Units: ug/l




Reviewer: sciannac, 27-May-2022 16:01:03
Audit Action: Assigned Compound ID Audit Reason: Split Peak

FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/89 Calibration Date: 05/25/2022 23:44

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 033F3301.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 36131 | | 64.0 | 65.7 | -2.6 | 20.0 |
| Ethylene | Ave | 30980 | 31444 | | 117 | 115 | 1.5 | 20.0 |
| Acetylene | Ave | 34179 | 34710 | | 108 | 107 | 1.6 | 20.0 |
| Ethane | Ave | 33383 | 35606 | | 131 | 123 | 6.7 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/89 Calibration Date: 05/25/2022 23:44

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 033F3301.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.67 | 1.64 | 1.72 |
| Ethylene | 2.60 | 2.57 | 2.67 |
| Acetylene | 2.75 | 2.69 | 2.85 |
| Ethane | 3.02 | 2.99 | 3.09 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\033F3301.D
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 25-May-2022 23:44:41 ALS Bottle#: 33 Worklist Smp#: 89
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccv
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 27-May-2022 16:14:48 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1650

First Level Reviewer: sciannac Date: 27-May-2022 16:01:23

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.260 | 1.269 | -0.009 | 2393789 | 65.7 | 66.2 | |
| 2 | 1.667 | 1.679 | -0.012 | 2373888 | 65.7 | 64.0 | |
| | | | | | | RPD = 3.36 | |
| 3 Ethane | | | | | | | |
| 1 | 1.529 | 1.521 | 0.008 | 4356309 | 123.2 | 131.1 | |
| 2 | 3.020 | 3.037 | -0.017 | 4385618 | 123.2 | 131.4 | |
| | | | | | | RPD = 0.25 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.834 | 1.788 | 0.046 | 4146992 | 114.9 | 117.7 | |
| 2 | 2.602 | 2.619 | -0.017 | 3612864 | 114.9 | 116.6 | |
| | | | | | | RPD = 0.94 | |
| 5 Propane | | | | | | | a |
| 1 | 2.637 | 2.533 | 0.104 | 6493373 | 180.6 | 180.3 | a |
| 2 | 4.927 | 4.933 | -0.006 | 6229947 | 180.6 | 177.9 | a |
| | | | | | | RPD = 1.33 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.209 | 4.043 | 0.166 | 3000927 | 106.7 | 106.6 | a |
| 2 | 2.748 | 2.767 | -0.019 | 3702513 | 106.7 | 108.3 | a |
| | | | | | | RPD = 1.56 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.509 | 4.394 | 0.115 | 8592981 | 238.1 | 235.9 | a |
| 2 | 6.427 | 6.432 | -0.005 | 8158564 | 238.1 | 232.2 | M |
| | | | | | | RPD = 1.60 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.410 | 5.298 | 0.112 | 7884440 | 229.8 | 218.3 | |
| 2 | 6.270 | 6.274 | -0.004 | 7088683 | 229.8 | 213.5 | M |
| | | | | | | RPD = 2.20 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 27-May-2022 16:14:48 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\033F3301.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 23:44:41 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccv | | | Worklist Smp#: | 89 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 33 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\033F3301.D
Injection Date: 25-May-2022 23:44:41 Instrument ID: VGC_J
Lims ID: ccv
Client ID:
Operator ID: sciannac ALS Bottle#: 33 Worklist Smp#: 89
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 6 Acetylene, CAS: 74-86-2

Signal: 2


Not Detected
Expected RT: 2.77

Processing Integration Results




Manual Integration Results

RT: 2.75
Area: 3702513
Amount: 108.3278
Amount Units: ug/l




Reviewer: sciannac, 27-May-2022 16:00:59
Audit Action: Assigned Compound ID Audit Reason: Split Peak

FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/106 Calibration Date: 05/26/2022 03:25

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 050F5001.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 36770 | | 66.8 | 65.7 | 1.7 | 20.0 |
| Ethane | Ave | 33241 | 35937 | | 133 | 123 | 8.1 | 20.0 |
| Ethylene | Ave | 35226 | 36475 | | 119 | 115 | 3.5 | 20.0 |
| Acetylene | Ave | 28139 | 27894 | | 106 | 107 | -0.9 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/106 Calibration Date: 05/26/2022 03:25

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 050F5001.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.26 | 1.23 | 1.31 |
| Ethane | 1.53 | 1.47 | 1.57 |
| Ethylene | 1.84 | 1.74 | 1.84 |
| Acetylene | 4.21 | 3.96 | 4.12 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\050F5001.D
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 26-May-2022 03:25:11 ALS Bottle#: 50 Worklist Smp#: 106
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccv
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 09:32:39 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 09:31:53

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.263 | 1.269 | -0.006 | 2415925 | 65.7 | 66.8 | |
| 2 | 1.673 | 1.679 | -0.006 | 2400507 | 65.7 | 64.8 | |
| | | | | | | RPD = 3.16 | |
| 3 Ethane | | | | | | | |
| 1 | 1.533 | 1.521 | 0.012 | 4426392 | 123.2 | 133.2 | |
| 2 | 3.026 | 3.037 | -0.011 | 4454096 | 123.2 | 133.4 | |
| | | | | | | RPD = 0.20 | |
| 4 Ethylene | | | | | | | a |
| 1 | 1.840 | 1.788 | 0.052 | 4190988 | 114.9 | 119.0 | a |
| 2 | 2.608 | 2.619 | -0.011 | 3658647 | 114.9 | 118.1 | a |
| | | | | | | RPD = 0.74 | |
| 5 Propane | | | | | | | a |
| 1 | 2.643 | 2.533 | 0.110 | 6651228 | 180.6 | 184.7 | a |
| 2 | 4.931 | 4.933 | -0.002 | 6387740 | 180.6 | 182.4 | a |
| | | | | | | RPD = 1.23 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.211 | 4.043 | 0.168 | 2975400 | 106.7 | 105.7 | a |
| 2 | 2.758 | 2.767 | -0.009 | 3695209 | 106.7 | 108.1 | a |
| | | | | | | RPD = 2.22 | |
| 7 Butane | | | | | | | |
| 1 | 4.513 | 4.394 | 0.119 | 8940030 | 238.1 | 245.5 | |
| 2 | 6.429 | 6.432 | -0.003 | 8501999 | 238.1 | 242.0 | |
| | | | | | | RPD = 1.44 | |
| 8 isobutylene | | | | | | | |
| 1 | 5.413 | 5.298 | 0.115 | 8114260 | 229.8 | 224.6 | |
| 2 | 6.273 | 6.274 | -0.001 | 7309432 | 229.8 | 220.1 | |
| | | | | | | RPD = 2.01 | |

## QC Flag Legend

Processing Flags

Review Flags

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 31-May-2022 09:32:40 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\050F5001.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 03:25:11 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccv | | | Worklist Smp#: | 106 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 50 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\050F5001.D | | | | |
| Injection Date: | 26-May-2022 03:25:11 | Instrument ID: | VGC_J | | |
| Lims ID: | ccv | | | | |
| Client ID: | | | | | |
| Operator ID: | sciannac | ALS Bottle#: | 50 | Worklist Smp#: | 106 |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | | |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |
| Column: | Rt-Alumina BOND/KCl ( 0.53 mm) | Detector | GC FID1A | | |

## 4 Ethylene, CAS: 74-85-1

Signal: 1


Not Detected
Expected RT: 1.79

Processing Integration Results




Manual Integration Results

RT: 1.84
Area: 4190988
Amount: 118.9744
Amount Units: ug/l




Reviewer: sciannac, 31-May-2022 09:31:36
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\050F5001.D | | | | |
| Injection Date: | 26-May-2022 03:25:11 | Instrument ID: | VGC_J | | |
| Lims ID: | ccv | | | | |
| Client ID: | | | | | |
| Operator ID: | sciannac | ALS Bottle#: | 50 | Worklist Smp#: | 106 |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | | |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |
| Column: | Rt-Alumina BOND/KCl ( 0.53 mm) | Detector | GC FID1A | | |

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.04

Processing Integration Results




Manual Integration Results

RT: 4.21
Area: 2975400
Amount: 105.7393
Amount Units: ug/l




Reviewer: sciannac, 31-May-2022 09:31:45
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/106 Calibration Date: 05/26/2022 03:25

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 050F5001.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 36536 | | 64.8 | 65.7 | -1.4 | 20.0 |
| Ethylene | Ave | 30980 | 31842 | | 118 | 115 | 2.8 | 20.0 |
| Acetylene | Ave | 34179 | 34642 | | 108 | 107 | 1.4 | 20.0 |
| Ethane | Ave | 33383 | 36162 | | 133 | 123 | 8.3 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/106 Calibration Date: 05/26/2022 03:25

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 050F5001.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.67 | 1.64 | 1.72 |
| Ethylene | 2.61 | 2.57 | 2.67 |
| Acetylene | 2.76 | 2.69 | 2.85 |
| Ethane | 3.03 | 2.99 | 3.09 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\050F5001.D
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 26-May-2022 03:25:11 ALS Bottle#: 50 Worklist Smp#: 106
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccv
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 09:32:39 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 09:31:53

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.263 | 1.269 | -0.006 | 2415925 | 65.7 | 66.8 | |
| 2 | 1.673 | 1.679 | -0.006 | 2400507 | 65.7 | 64.8 | |
| | | | | | | RPD = 3.16 | |
| 3 Ethane | | | | | | | |
| 1 | 1.533 | 1.521 | 0.012 | 4426392 | 123.2 | 133.2 | |
| 2 | 3.026 | 3.037 | -0.011 | 4454096 | 123.2 | 133.4 | |
| | | | | | | RPD = 0.20 | |
| 4 Ethylene | | | | | | | a |
| 1 | 1.840 | 1.788 | 0.052 | 4190988 | 114.9 | 119.0 | a |
| 2 | 2.608 | 2.619 | -0.011 | 3658647 | 114.9 | 118.1 | a |
| | | | | | | RPD = 0.74 | |
| 5 Propane | | | | | | | a |
| 1 | 2.643 | 2.533 | 0.110 | 6651228 | 180.6 | 184.7 | a |
| 2 | 4.931 | 4.933 | -0.002 | 6387740 | 180.6 | 182.4 | a |
| | | | | | | RPD = 1.23 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.211 | 4.043 | 0.168 | 2975400 | 106.7 | 105.7 | a |
| 2 | 2.758 | 2.767 | -0.009 | 3695209 | 106.7 | 108.1 | a |
| | | | | | | RPD = 2.22 | |
| 7 Butane | | | | | | | |
| 1 | 4.513 | 4.394 | 0.119 | 8940030 | 238.1 | 245.5 | |
| 2 | 6.429 | 6.432 | -0.003 | 8501999 | 238.1 | 242.0 | |
| | | | | | | RPD = 1.44 | |
| 8 isobutylene | | | | | | | |
| 1 | 5.413 | 5.298 | 0.115 | 8114260 | 229.8 | 224.6 | |
| 2 | 6.273 | 6.274 | -0.001 | 7309432 | 229.8 | 220.1 | |
| | | | | | | RPD = 2.01 | |

## QC Flag Legend

Processing Flags

Review Flags

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 31-May-2022 09:32:40 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\050F5001.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 03:25:11 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccv | | | Worklist Smp#: | 106 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 50 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\050F5001.D
Injection Date: 26-May-2022 03:25:11 Instrument ID: VGC_J
Lims ID: ccv
Client ID:
Operator ID: sciannac ALS Bottle#: 50 Worklist Smp#: 106
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 4 Ethylene, CAS: 74-85-1

Signal: 2


Not Detected
Expected RT: 2.62

Processing Integration Results




Manual Integration Results

RT: 2.61
Area: 3658647
Amount: 118.0960
Amount Units: ug/l




Reviewer: sciannac, 31-May-2022 09:31:38
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\050F5001.D
Injection Date: 26-May-2022 03:25:11 Instrument ID: VGC_J
Lims ID: ccv
Client ID:
Operator ID: sciannac ALS Bottle#: 50 Worklist Smp#: 106
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 6 Acetylene, CAS: 74-86-2

Signal: 2


Not Detected
Expected RT: 2.77

Processing Integration Results




Manual Integration Results

RT: 2.76
Area: 3695209
Amount: 108.1141
Amount Units: ug/l




Reviewer: sciannac, 31-May-2022 09:31:48
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/120 Calibration Date: 05/26/2022 06:27

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 064F6401.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 33354 | | 60.5 | 65.7 | -8.0 | 20.0 |
| Ethane | Ave | 33241 | 33157 | | 123 | 123 | -0.3 | 20.0 |
| Ethylene | Ave | 35226 | 33575 | | 110 | 115 | -4.7 | 20.0 |
| Acetylene | Ave | 28139 | 26587 | | 101 | 107 | -5.5 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/120 Calibration Date: 05/26/2022 06:27

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: Rt-Alumina KCl ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 064F6401.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.26 | 1.23 | 1.31 |
| Ethane | 1.53 | 1.47 | 1.57 |
| Ethylene | 1.84 | 1.74 | 1.84 |
| Acetylene | 4.21 | 3.96 | 4.12 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\064F6401.D
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 26-May-2022 06:27:35 ALS Bottle#: 64 Worklist Smp#: 120
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccv
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:55 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 26-May-2022 10:47:53

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.260 | 1.269 | -0.009 | 2191435 | 65.7 | 60.5 | |
| 2 | 1.668 | 1.679 | -0.011 | 2175961 | 65.7 | 58.5 | |
| | | | | | | RPD = 3.22 | |
| 3 Ethane | | | | | | | |
| 1 | 1.530 | 1.521 | 0.009 | 4083940 | 123.2 | 122.9 | |
| 2 | 3.022 | 3.037 | -0.015 | 4050429 | 123.2 | 121.3 | |
| | | | | | | RPD = 1.25 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.835 | 1.788 | 0.047 | 3857773 | 114.9 | 109.5 | |
| 2 | 2.603 | 2.619 | -0.016 | 3363160 | 114.9 | 108.6 | |
| | | | | | | RPD = 0.88 | |
| 5 Propane | | | | | | | a |
| 1 | 2.639 | 2.533 | 0.106 | 6293352 | 180.6 | 174.8 | a |
| 2 | 4.928 | 4.933 | -0.005 | 5897360 | 180.6 | 168.4 | a |
| | | | | | | RPD = 3.68 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.207 | 4.043 | 0.164 | 2836027 | 106.7 | 100.8 | a |
| 2 | 2.750 | 2.767 | -0.017 | 3461533 | 106.7 | 101.3 | a |
| | | | | | | RPD = 0.49 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.510 | 4.394 | 0.116 | 8048454 | 238.1 | 221.0 | a |
| 2 | 6.427 | 6.432 | -0.005 | 7603552 | 238.1 | 216.4 | M |
| | | | | | | RPD = 2.10 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.410 | 5.298 | 0.112 | 7282901 | 229.8 | 201.6 | |
| 2 | 6.270 | 6.274 | -0.004 | 6561790 | 229.8 | 197.6 | M |
| | | | | | | RPD = 1.99 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 31-May-2022 14:05:55 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\064F6401.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 06:27:35 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccv | | | Worklist Smp#: | 120 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 64 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\064F6401.D
Injection Date: 26-May-2022 06:27:35 Instrument ID: VGC_J
Lims ID: ccv
Client ID:
Operator ID: sciannac ALS Bottle#: 64 Worklist Smp#: 120
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: Rt-Alumina BOND/KCl ( 0.53 mm) Detector GC FID1A

## 6 Acetylene, CAS: 74-86-2

Signal: 1


Not Detected
Expected RT: 4.04

Processing Integration Results




Manual Integration Results

RT: 4.21
Area: 2836027
Amount: 100.7863
Amount Units: ug/l




Reviewer: sciannac, 26-May-2022 10:47:16
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

FORM VII
GC VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/120 Calibration Date: 05/26/2022 06:27

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 064F6401.D Conc. Units: ug/L Heated Purge: (Y/N) N

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| Methane | Lin2 | | 33118 | | 58.5 | 65.7 | -10.9 | 20.0 |
| Ethylene | Ave | 30980 | 29270 | | 109 | 115 | -5.5 | 20.0 |
| Acetylene | Ave | 34179 | 32451 | | 101 | 107 | -5.1 | 20.0 |
| Ethane | Ave | 33383 | 32885 | | 121 | 123 | -1.5 | 20.0 |

FORM VII
GC VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-576170/120 Calibration Date: 05/26/2022 06:27

Instrument ID: VGC_J Calib Start Date: 09/24/2021 13:28

GC Column: HP-Plot Q ID: 0.53(mm) Calib End Date: 09/24/2021 15:12

Lab File ID: 064F6401.D Heated Purge: (Y/N) N

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| Methane | 1.67 | 1.64 | 1.72 |
| Ethylene | 2.60 | 2.57 | 2.67 |
| Acetylene | 2.75 | 2.69 | 2.85 |
| Ethane | 3.02 | 2.99 | 3.09 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\064F6401.D
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 26-May-2022 06:27:35 ALS Bottle#: 64 Worklist Smp#: 120
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: ccv
Operator ID: sciannac Instrument ID: VGC_J
Sublist: chrom-RSK_J*sub5

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:55 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 26-May-2022 10:47:53

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.260 | 1.269 | -0.009 | 2191435 | 65.7 | 60.5 | |
| 2 | 1.668 | 1.679 | -0.011 | 2175961 | 65.7 | 58.5 | |
| | | | | | | RPD = 3.22 | |
| 3 Ethane | | | | | | | |
| 1 | 1.530 | 1.521 | 0.009 | 4083940 | 123.2 | 122.9 | |
| 2 | 3.022 | 3.037 | -0.015 | 4050429 | 123.2 | 121.3 | |
| | | | | | | RPD = 1.25 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.835 | 1.788 | 0.047 | 3857773 | 114.9 | 109.5 | |
| 2 | 2.603 | 2.619 | -0.016 | 3363160 | 114.9 | 108.6 | |
| | | | | | | RPD = 0.88 | |
| 5 Propane | | | | | | | a |
| 1 | 2.639 | 2.533 | 0.106 | 6293352 | 180.6 | 174.8 | a |
| 2 | 4.928 | 4.933 | -0.005 | 5897360 | 180.6 | 168.4 | a |
| | | | | | | RPD = 3.68 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.207 | 4.043 | 0.164 | 2836027 | 106.7 | 100.8 | a |
| 2 | 2.750 | 2.767 | -0.017 | 3461533 | 106.7 | 101.3 | a |
| | | | | | | RPD = 0.49 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.510 | 4.394 | 0.116 | 8048454 | 238.1 | 221.0 | a |
| 2 | 6.427 | 6.432 | -0.005 | 7603552 | 238.1 | 216.4 | M |
| | | | | | | RPD = 2.10 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.410 | 5.298 | 0.112 | 7282901 | 229.8 | 201.6 | |
| 2 | 6.270 | 6.274 | -0.004 | 6561790 | 229.8 | 197.6 | M |
| | | | | | | RPD = 1.99 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 31-May-2022 14:05:55 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\064F6401.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 06:27:35 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | ccv | | | Worklist Smp#: | 120 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 64 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\064F6401.D
Injection Date: 26-May-2022 06:27:35 Instrument ID: VGC_J
Lims ID: ccv
Client ID:
Operator ID: sciannac ALS Bottle#: 64 Worklist Smp#: 120
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Method: RSK_J Limit Group: GCV - RSK 175
Column: HP-PLOT/Q ( 0.53 mm) Detector GC FID2B

## 6 Acetylene, CAS: 74-86-2

Signal: 2


Not Detected
Expected RT: 2.77

Processing Integration Results




Manual Integration Results

RT: 2.75
Area: 3461533
Amount: 101.2772
Amount Units: ug/l




Reviewer: sciannac, 26-May-2022 10:47:18
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: | Lab Sample ID: MB 280-576169/5

Matrix: Water | Lab File ID: 005F0501.D

Analysis Method: RSK-175 | Date Collected:

Sample wt/vol: 20(mL) | Date Analyzed: 05/25/2022 17:42

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH: 5.0

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576169 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0013 | U | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\005F0501.D
Lims ID: mb
Client ID:
Sample Type: MB
Inject. Date: 25-May-2022 17:42:02 ALS Bottle#: 5 Worklist Smp#: 5
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: mb
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 26-May-2022 11:09:49 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1676

First Level Reviewer: sciannac Date: 26-May-2022 10:54:04

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | | |
| 1 | | 4.362 | | | | ND | |
| 2 | | 5.458 | | | | | |
| 2 Methane | | | | | | | 7 |
| 1 | | 1.269 | | | | ND | |
| 2 | | 1.679 | | | | | |
| 3 Ethane | | | | | | | |
| 1 | | 1.521 | | | | ND | |
| 2 | | 3.037 | | | | | |
| 4 Ethylene | | | | | | | |
| 1 | | 1.788 | | | | ND | |
| 2 | | 2.619 | | | | | |
| 5 Propane | | | | | | | |
| 1 | | 2.533 | | | | ND | |
| 2 | | 4.933 | | | | | |
| 6 Acetylene | | | | | | | |
| 1 | | 4.043 | | | | ND | |
| 2 | | 2.767 | | | | | |
| 7 Butane | | | | | | | |
| 1 | | 4.394 | | | | ND | |
| 2 | | 6.432 | | | | | |
| 8 isobutylene | | | | | | | |
| 1 | | 5.298 | | | | ND | |
| 2 | | 6.274 | | | | | |

## QC Flag Legend

Processing Flags

7 - Failed Limit of Detection


Report Date: 26-May-2022 11:09:58 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\005F0501.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 17:42:02 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | mb | | | Worklist Smp#: | 5 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 5 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: | Lab Sample ID: MB 280-576170/92

Matrix: Water | Lab File ID: 036F3601.D

Analysis Method: RSK-175 | Date Collected:

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 00:23

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH: 5.0

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0013 | U M | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\036F3601.D
Lims ID: mb
Client ID:
Sample Type: MB
Inject. Date: 26-May-2022 00:23:30 ALS Bottle#: 36 Worklist Smp#: 92
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: mb
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 27-May-2022 16:14:48 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1650

First Level Reviewer: sciannac Date: 27-May-2022 16:05:14

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | | |
| 1 | | 4.362 | | | | ND | |
| 2 | | 5.458 | | | | | |
| 2 Methane | | | | | | | 7a |
| 1 | 1.255 | 1.269 | -0.014 | 78413 | | 0.3717 | a |
| 2 | 1.598 | 1.679 | -0.081 | 53678 | | -0.2481 | a |
| | | | | | | RPD = 1002.82 | |
| LOD = 0.6300 | | | | | | | |
| 3 Ethane | | | | | | | |
| 1 | | 1.521 | | | | ND | |
| 2 | | 3.037 | | | | | |
| 4 Ethylene | | | | | | | |
| 1 | | 1.788 | | | | ND | |
| 2 | | 2.619 | | | | | |
| 5 Propane | | | | | | | |
| 1 | | 2.533 | | | | ND | |
| 2 | | 4.933 | | | | | |
| 6 Acetylene | | | | | | | |
| 1 | | 4.043 | | | | ND | |
| 2 | | 2.767 | | | | | |
| 7 Butane | | | | | | | |
| 1 | | 4.394 | | | | ND | |
| 2 | | 6.432 | | | | | |
| 8 isobutylene | | | | | | | |
| 1 | | 5.298 | | | | ND | |
| 2 | | 6.274 | | | | | |

## QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Review Flags

a - User Assigned ID


Report Date: 27-May-2022 16:14:50 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\036F3601.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 00:23:30 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | mb | | | Worklist Smp#: | 92 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 36 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\036F3601.D | | | | |
| Injection Date: | 26-May-2022 00:23:30 | Instrument ID: | VGC_J | | |
| Lims ID: | mb | | | | |
| Client ID: | | | | | |
| Operator ID: | sciannac | ALS Bottle#: | 36 | Worklist Smp#: | 92 |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | | |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |
| Column: | HP-PLOT/Q ( 0.53 mm) | Detector | GC FID2B | | |

## 2 Methane, CAS: 74-82-8

Signal: 2


Not Detected
Expected RT: 1.68

Processing Integration Results




Manual Integration Results

RT: 1.60
Area: 53678
Amount: -0.248062
Amount Units: ug/l




Reviewer: sciannac, 27-May-2022 16:05:06
Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: | Lab Sample ID: LCS 280-576169/3

Matrix: Water | Lab File ID: 003F0301.D

Analysis Method: RSK-175 | Date Collected:

Sample wt/vol: 20(mL) | Date Analyzed: 05/25/2022 17:16

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH: 5.0

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576169 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0634 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\003F0301.D
Lims ID: lcs
Client ID:
Sample Type: LCS
Inject. Date: 25-May-2022 17:16:13 ALS Bottle#: 3 Worklist Smp#: 3
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: lcs
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 26-May-2022 11:09:49 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1676

First Level Reviewer: sciannac Date: 26-May-2022 10:53:45

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.268 | 1.269 | -0.001 | 2343537 | 65.7 | 64.8 | |
| 2 | 1.677 | 1.679 | -0.002 | 2352342 | 65.7 | 63.4 | |
| | | | | | | RPD = 2.11 | |
| 3 Ethane | | | | | | | |
| 1 | 1.526 | 1.521 | 0.005 | 4284544 | 123.2 | 128.9 | |
| 2 | 3.034 | 3.037 | -0.003 | 4401687 | 123.2 | 131.9 | |
| | | | | | | RPD = 2.27 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.808 | 1.788 | 0.020 | 4092737 | 114.9 | 116.2 | |
| 2 | 2.616 | 2.619 | -0.003 | 3592704 | 114.9 | 116.0 | |
| | | | | | | RPD = 0.19 | |
| 5 Propane | | | | | | | |
| 1 | 2.578 | 2.533 | 0.045 | 6480771 | 180.6 | 180.0 | |
| 2 | 4.932 | 4.933 | -0.001 | 6201756 | 180.6 | 177.1 | |
| | | | | | | RPD = 1.59 | |
| 6 Acetylene | | | | | | | |
| 1 | 4.133 | 4.043 | 0.090 | 3020949 | 106.7 | 107.4 | |
| 2 | 2.762 | 2.767 | -0.005 | 3721066 | 106.7 | 108.9 | |
| | | | | | | RPD = 1.40 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.451 | 4.394 | 0.057 | 8735560 | 238.1 | 239.8 | a |
| 2 | 6.431 | 6.432 | -0.001 | 8188940 | 238.1 | 233.0 | M |
| | | | | | | RPD = 2.88 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.353 | 5.298 | 0.055 | 7938996 | 229.8 | 219.8 | |
| 2 | 6.272 | 6.274 | -0.002 | 7145693 | 229.8 | 215.2 | M |
| | | | | | | RPD = 2.09 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 26-May-2022 11:09:59 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\003F0301.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 17:16:13 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | lcs | | | Worklist Smp#: | 3 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 3 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Client Sample ID: Lab Sample ID: LCS 280-576170/90

Matrix: Water Lab File ID: 034F3401.D

Analysis Method: RSK-175 Date Collected:

Sample wt/vol: 20(mL) Date Analyzed: 05/25/2022 23:57

Soil Aliquot Vol: Dilution Factor: 1

Soil Extract Vol.: GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: Heated Purge: (Y/N) N pH: 5.0

% Moisture: % Solids: Level: (low/med) Low

Analysis Batch No.: 576170 Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0651 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\034F3401.D
Lims ID: lcs
Client ID:
Sample Type: LCS
Inject. Date: 25-May-2022 23:57:38 ALS Bottle#: 34 Worklist Smp#: 90
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: lcs
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 27-May-2022 16:14:48 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1650

First Level Reviewer: sciannac Date: 27-May-2022 16:02:37

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.260 | 1.269 | -0.009 | 2434034 | 65.7 | 67.3 | |
| 2 | 1.667 | 1.679 | -0.012 | 2411825 | 65.7 | 65.1 | |
| | | | | | | RPD = 3.44 | |
| 3 Ethane | | | | | | | |
| 1 | 1.529 | 1.521 | 0.008 | 4476393 | 123.2 | 134.7 | |
| 2 | 3.022 | 3.037 | -0.015 | 4520873 | 123.2 | 135.4 | |
| | | | | | | RPD = 0.56 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.835 | 1.788 | 0.047 | 4250196 | 114.9 | 120.7 | |
| 2 | 2.602 | 2.619 | -0.017 | 3699782 | 114.9 | 119.4 | |
| | | | | | | RPD = 1.03 | |
| 5 Propane | | | | | | | a |
| 1 | 2.639 | 2.533 | 0.106 | 6735883 | 180.6 | 187.1 | a |
| 2 | 4.927 | 4.933 | -0.006 | 6452725 | 180.6 | 184.3 | a |
| | | | | | | RPD = 1.48 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.209 | 4.043 | 0.166 | 3028375 | 106.7 | 107.6 | a |
| 2 | 2.750 | 2.767 | -0.017 | 3747946 | 106.7 | 109.7 | a |
| | | | | | | RPD = 1.87 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.509 | 4.394 | 0.115 | 9163304 | 238.1 | 251.6 | a |
| 2 | 6.425 | 6.432 | -0.007 | 8593408 | 238.1 | 244.6 | M |
| | | | | | | RPD = 2.83 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.410 | 5.298 | 0.112 | 8284428 | 229.8 | 229.3 | |
| 2 | 6.268 | 6.274 | -0.006 | 7451152 | 229.8 | 224.4 | M |
| | | | | | | RPD = 2.17 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 27-May-2022 16:14:49 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\034F3401.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 23:57:38 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | lcs | | | Worklist Smp#: | 90 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 34 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Client Sample ID: Lab Sample ID: LCSD 280-576169/4

Matrix: Water Lab File ID: 004F0401.D

Analysis Method: RSK-175 Date Collected:

Sample wt/vol: 20(mL) Date Analyzed: 05/25/2022 17:29

Soil Aliquot Vol: Dilution Factor: 1

Soil Extract Vol.: GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: Heated Purge: (Y/N) N pH: 5.0

% Moisture: % Solids: Level: (low/med) Low

Analysis Batch No.: 576169 Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0639 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\004F0401.D
Lims ID: lcsd
Client ID:
Sample Type: LCSD
Inject. Date: 25-May-2022 17:29:07 ALS Bottle#: 4 Worklist Smp#: 4
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: lcsd
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 26-May-2022 11:09:49 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1676

First Level Reviewer: sciannac Date: 26-May-2022 10:53:54

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.265 | 1.269 | -0.004 | 2375260 | 65.7 | 65.7 | |
| 2 | 1.670 | 1.679 | -0.009 | 2370238 | 65.7 | 63.9 | |
| | | | | | | RPD = 2.72 | |
| 3 Ethane | | | | | | | |
| 1 | 1.528 | 1.521 | 0.007 | 4367281 | 123.2 | 131.4 | |
| 2 | 3.031 | 3.037 | -0.006 | 4457725 | 123.2 | 133.5 | |
| | | | | | | RPD = 1.63 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.822 | 1.788 | 0.034 | 4178456 | 114.9 | 118.6 | |
| 2 | 2.610 | 2.619 | -0.009 | 3651986 | 114.9 | 117.9 | |
| | | | | | | RPD = 0.62 | |
| 5 Propane | | | | | | | |
| 1 | 2.607 | 2.533 | 0.074 | 6587854 | 180.6 | 182.9 | |
| 2 | 4.931 | 4.933 | -0.002 | 6309258 | 180.6 | 180.2 | |
| | | | | | | RPD = 1.51 | |
| 6 Acetylene | | | | | | | |
| 1 | 4.175 | 4.043 | 0.132 | 3068249 | 106.7 | 109.0 | |
| 2 | 2.760 | 2.767 | -0.007 | 3757931 | 106.7 | 109.9 | |
| | | | | | | RPD = 0.83 | |
| 7 Butane | | | | | | | |
| 1 | 4.482 | 4.394 | 0.088 | 8846115 | 238.1 | 242.9 | |
| 2 | 6.430 | 6.432 | -0.002 | 8320541 | 238.1 | 236.8 | |
| | | | | | | RPD = 2.54 | |
| 8 isobutylene | | | | | | | |
| 1 | 5.382 | 5.298 | 0.084 | 8170009 | 229.8 | 226.2 | |
| 2 | 6.273 | 6.274 | -0.001 | 7304801 | 229.8 | 220.0 | |
| | | | | | | RPD = 2.76 | |

## QC Flag Legend

Processing Flags

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 26-May-2022 11:09:58 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\004F0401.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 25-May-2022 17:29:07 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | lcsd | | | Worklist Smp#: | 4 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 4 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: | Lab Sample ID: LCSD 280-576170/91

Matrix: Water | Lab File ID: 035F3501.D

Analysis Method: RSK-175 | Date Collected:

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 00:10

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH: 5.0

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0601 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\035F3501.D
Lims ID: lcsd
Client ID:
Sample Type: LCSD
Inject. Date: 26-May-2022 00:10:34 ALS Bottle#: 35 Worklist Smp#: 91
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: lcsd
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 27-May-2022 16:14:48 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1650

First Level Reviewer: sciannac Date: 27-May-2022 16:05:00

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 2 Methane | | | | | | | |
| 1 | 1.261 | 1.269 | -0.008 | 2252556 | 65.7 | 62.2 | |
| 2 | 1.667 | 1.679 | -0.012 | 2233995 | 65.7 | 60.1 | |
| | | | | | | RPD = 3.34 | |
| 3 Ethane | | | | | | | |
| 1 | 1.529 | 1.521 | 0.008 | 4234338 | 123.2 | 127.4 | |
| 2 | 3.021 | 3.037 | -0.016 | 4278703 | 123.2 | 128.2 | |
| | | | | | | RPD = 0.62 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.836 | 1.788 | 0.048 | 4011067 | 114.9 | 113.9 | |
| 2 | 2.602 | 2.619 | -0.017 | 3491437 | 114.9 | 112.7 | |
| | | | | | | RPD = 1.03 | |
| 5 Propane | | | | | | | a |
| 1 | 2.638 | 2.533 | 0.105 | 6508630 | 180.6 | 180.7 | a |
| 2 | 4.927 | 4.933 | -0.006 | 6159907 | 180.6 | 175.9 | a |
| | | | | | | RPD = 2.69 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.209 | 4.043 | 0.166 | 2912731 | 106.7 | 103.5 | a |
| 2 | 2.751 | 2.767 | -0.016 | 3597343 | 106.7 | 105.3 | a |
| | | | | | | RPD = 1.67 | |
| 7 Butane | | | | | | | Ma |
| 1 | 4.509 | 4.394 | 0.115 | 8769960 | 238.1 | 240.8 | a |
| 2 | 6.427 | 6.432 | -0.005 | 8224119 | 238.1 | 234.1 | M |
| | | | | | | RPD = 2.84 | |
| 8 isobutylene | | | | | | | Ma |
| 1 | 5.409 | 5.298 | 0.111 | 7929739 | 229.8 | 219.5 | |
| 2 | 6.269 | 6.274 | -0.005 | 7139540 | 229.8 | 215.0 | M |
| | | | | | | RPD = 2.06 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 27-May-2022 16:14:49 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\035F3501.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 00:10:34 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | lcsd | | | Worklist Smp#: | 91 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 35 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A MS | Lab Sample ID: 280-162386-1 MS

Matrix: Water | Lab File ID: 053F5301.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 09:15

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 04:04

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0601 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\053F5301.D
Lims ID: 280-162386-G-1 MS
Client ID: PZ007-22A
Sample Type: MS
Inject. Date: 26-May-2022 04:04:18 ALS Bottle#: 53 Worklist Smp#: 109
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-G-1 M
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 09:32:16

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | | |
| 1 | | 4.362 | | | | ND | |
| 2 | | 5.458 | | | | | |
| 2 Methane | | | | | | | |
| 1 | 1.266 | 1.269 | -0.003 | 2302168 | 65.7 | 63.6 | |
| 2 | 1.674 | 1.679 | -0.005 | 2233957 | 65.7 | 60.1 | |
| | | | | | | RPD = 5.59 | |
| 3 Ethane | | | | | | | |
| 1 | 1.532 | 1.521 | 0.011 | 4256501 | 123.2 | 128.0 | |
| 2 | 3.025 | 3.037 | -0.012 | 4185661 | 123.2 | 125.4 | |
| | | | | | | RPD = 2.10 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.831 | 1.788 | 0.043 | 4036069 | 114.9 | 114.6 | |
| 2 | 2.605 | 2.619 | -0.014 | 3412172 | 114.9 | 110.1 | |
| | | | | | | RPD = 3.95 | |
| 5 Propane | | | | | | | a |
| 1 | 2.622 | 2.533 | 0.089 | 6390417 | 180.6 | 177.5 | a |
| 2 | 4.930 | 4.933 | -0.003 | 6030387 | 180.6 | 172.2 | a |
| | | | | | | RPD = 2.98 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.196 | 4.043 | 0.153 | 2951952 | 106.7 | 104.9 | a |
| 2 | 2.754 | 2.767 | -0.013 | 3630526 | 106.7 | 106.2 | a |
| | | | | | | RPD = 1.25 | |
| 7 Butane | | | | | | | |
| 1 | 4.509 | 4.394 | 0.115 | 8599415 | 238.1 | 236.1 | |
| 2 | 6.429 | 6.432 | -0.003 | 8025805 | 238.1 | 228.4 | |
| | | | | | | RPD = 3.32 | |

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 8 isobutylene | | | | | | | |
| 1 | 5.414 | 5.298 | 0.116 | 7846185 | 229.8 | 217.2 | |
| 2 | 6.272 | 6.274 | -0.002 | 6943456 | 229.8 | 209.1 | |
| | | | | | | RPD = 3.79 | |

## QC Flag Legend

Processing Flags

Review Flags

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 31-May-2022 14:05:48 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\053F5301.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 04:04:18 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-G-1 MS | | | Worklist Smp#: | 109 |
| Client ID: | PZ007-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 53 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A MSD | Lab Sample ID: 280-162386-1 MSD

Matrix: Water | Lab File ID: 054F5401.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 09:15

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 04:17

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0640 | | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\054F5401.D
Lims ID: 280-162386-H-1 MSD
Client ID: PZ007-22A
Sample Type: MSD
Inject. Date: 26-May-2022 04:17:18 ALS Bottle#: 54 Worklist Smp#: 110
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-H-1 M
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 09:33:27

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | | |
| 1 | | 4.362 | | | | ND | |
| 2 | | 5.458 | | | | | |
| 2 Methane | | | | | | | |
| 1 | 1.266 | 1.269 | -0.003 | 2446093 | 65.7 | 67.7 | |
| 2 | 1.674 | 1.679 | -0.005 | 2373807 | 65.7 | 64.0 | |
| | | | | | | RPD = 5.58 | |
| 3 Ethane | | | | | | | |
| 1 | 1.531 | 1.521 | 0.010 | 4468742 | 123.2 | 134.4 | |
| 2 | 3.024 | 3.037 | -0.013 | 4443096 | 123.2 | 133.1 | |
| | | | | | | RPD = 1.00 | |
| 4 Ethylene | | | | | | | |
| 1 | 1.830 | 1.788 | 0.042 | 4228236 | 114.9 | 120.0 | |
| 2 | 2.606 | 2.619 | -0.013 | 3587041 | 114.9 | 115.8 | |
| | | | | | | RPD = 3.60 | |
| 5 Propane | | | | | | | a |
| 1 | 2.619 | 2.533 | 0.086 | 6686556 | 180.6 | 185.7 | a |
| 2 | 4.929 | 4.933 | -0.004 | 6306852 | 180.6 | 180.1 | a |
| | | | | | | RPD = 3.03 | |
| 6 Acetylene | | | | | | | a |
| 1 | 4.194 | 4.043 | 0.151 | 3008042 | 106.7 | 106.9 | a |
| 2 | 2.754 | 2.767 | -0.013 | 3705873 | 106.7 | 108.4 | a |
| | | | | | | RPD = 1.42 | |
| 7 Butane | | | | | | | |
| 1 | 4.508 | 4.394 | 0.114 | 9000869 | 238.1 | 247.1 | |
| 2 | 6.429 | 6.432 | -0.003 | 8394831 | 238.1 | 238.9 | |
| | | | | | | RPD = 3.38 | |

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| 8 isobutylene | | | | | | | M |
| 1 | 5.413 | 5.298 | 0.115 | 8152486 | 229.8 | 225.7 | |
| 2 | 6.271 | 6.274 | -0.003 | 7009543 | 229.8 | 211.1 | M |
| | | | | | | RPD = 6.67 | |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

a - User Assigned ID

## Reagents:

RSK7gasMathes_00034 Amount Added: 200.00 Units: uL


Report Date: 31-May-2022 14:05:49 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\054F5401.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 04:17:18 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-H-1 MSD | | | Worklist Smp#: | 110 |
| Client ID: | PZ007-22A | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 54 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM I
GC VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A DU | Lab Sample ID: 280-162386-1 DU

Matrix: Water | Lab File ID: 052F5201.D

Analysis Method: RSK-175 | Date Collected: 05/13/2022 09:15

Sample wt/vol: 20(mL) | Date Analyzed: 05/26/2022 03:51

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: HP-Plot Q ID: 0.53(mm)

Purge Volume: | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 576170 | Units: mg/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 74-82-8 | Methane | 0.0013 | U | 0.0050 | 0.0013 | 0.00063 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\052F5201.D
Lims ID: 280-162386-H-1 DU
Client ID:
Sample Type: DU
Inject. Date: 26-May-2022 03:51:17 ALS Bottle#: 52 Worklist Smp#: 108
Purge Vol: 18.000 mL Dil. Factor: 1.0000
Sample Info: 280-162386-H-1
Operator ID: sciannac Instrument ID: VGC_J

Method: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\RSK_J.m
Limit Group: GCV - RSK 175
Method Label: DV-GC-0025: Dissolved Gases in Water by RSK-175
Last Update: 31-May-2022 14:05:21 Calib Date: 24-Sep-2021 15:12:55
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\VGC_J\20210923-104922.b\012F1001.D

Column 1 : Rt-Alumina BOND/KCl ( 0.53 mm) Det: GC FID1A
Column 2 : HP-PLOT/Q ( 0.53 mm) Det: GC FID2B
Process Host: CTX1636

First Level Reviewer: sciannac Date: 31-May-2022 09:32:00

| Col | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/l | OnCol Amt ug/l | Flags |
|---|---|---|---|---|---|---|---|
| $ 1 1,1,1-Trifluoroethane | | | | | | | |
| 1 | | 4.362 | | | | ND | |
| 2 | | 5.458 | | | | | |
| 2 Methane | | | | | | | 7 |
| 1 | | 1.269 | | | | ND | |
| 2 | | 1.679 | | | | | |
| 3 Ethane | | | | | | | |
| 1 | | 1.521 | | | | ND | |
| 2 | | 3.037 | | | | | |
| 4 Ethylene | | | | | | | |
| 1 | | 1.788 | | | | ND | |
| 2 | | 2.619 | | | | | |
| 5 Propane | | | | | | | |
| 1 | | 2.533 | | | | ND | |
| 2 | | 4.933 | | | | | |
| 6 Acetylene | | | | | | | |
| 1 | | 4.043 | | | | ND | |
| 2 | | 2.767 | | | | | |
| 7 Butane | | | | | | | |
| 1 | | 4.394 | | | | ND | |
| 2 | | 6.432 | | | | | |
| 8 isobutylene | | | | | | | |
| 1 | | 5.298 | | | | ND | |
| 2 | | 6.274 | | | | | |

## QC Flag Legend

Processing Flags

7 - Failed Limit of Detection


Report Date: 31-May-2022 14:05:47 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\VGC_J\20220525-111345.b\052F5201.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 03:51:17 | Instrument ID: | VGC_J | Operator ID: | sciannac |
| Lims ID: | 280-162386-H-1 DU | | | Worklist Smp#: | 108 |
| Client ID: | | | | | |
| Purge Vol: | 18.000 mL | Dil. Factor: | 1.0000 | ALS Bottle#: | 52 |
| Method: | RSK_J | Limit Group: | GCV - RSK 175 | | |

Column: Rt-Alumina BOND/KCl ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Column: HP-PLOT/Q ( 0.53 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



GC VOA ANALYSIS RUN LOG

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Start Date: 09/24/2021 13:16

Analysis Batch Number: 550959 End Date: 09/24/2021 15:38

| LAB SAMPLE ID | CLIENT SAMPLE ID | DATE ANALYZED | DILUTION FACTOR | LAB FILE ID | COLUMN ID |
|---|---|---|---|---|---|
| RTC 280-550959/1 | | 09/24/2021 13:16 | 1 | | Rt-Alumina KCl 0.53(mm) |
| RTC 280-550959/1 | | 09/24/2021 13:16 | 1 | | HP-Plot Q 0.53(mm) |
| IC 280-550959/2 | | 09/24/2021 13:28 | 1 | 004F0201.D | Rt-Alumina KCl 0.53(mm) |
| IC 280-550959/2 | | 09/24/2021 13:28 | 1 | 004F0201.D | HP-Plot Q 0.53(mm) |
| IC 280-550959/3 | | 09/24/2021 13:41 | 1 | 005F0301.D | Rt-Alumina KCl 0.53(mm) |
| IC 280-550959/3 | | 09/24/2021 13:41 | 1 | 005F0301.D | HP-Plot Q 0.53(mm) |
| IC 280-550959/4 | | 09/24/2021 13:54 | 1 | 006F0401.D | Rt-Alumina KCl 0.53(mm) |
| IC 280-550959/4 | | 09/24/2021 13:54 | 1 | 006F0401.D | HP-Plot Q 0.53(mm) |
| IC 280-550959/5 | | 09/24/2021 14:07 | 1 | 007F0501.D | Rt-Alumina KCl 0.53(mm) |
| IC 280-550959/5 | | 09/24/2021 14:07 | 1 | 007F0501.D | HP-Plot Q 0.53(mm) |
| IC 280-550959/6 | | 09/24/2021 14:20 | 1 | 008F0601.D | Rt-Alumina KCl 0.53(mm) |
| IC 280-550959/6 | | 09/24/2021 14:20 | 1 | 008F0601.D | HP-Plot Q 0.53(mm) |
| IC 280-550959/7 | | 09/24/2021 14:33 | 1 | 009F0701.D | Rt-Alumina KCl 0.53(mm) |
| IC 280-550959/7 | | 09/24/2021 14:33 | 1 | 009F0701.D | HP-Plot Q 0.53(mm) |
| IC 280-550959/9 | | 09/24/2021 14:46 | 1 | 010F0801.D | Rt-Alumina KCl 0.53(mm) |
| IC 280-550959/9 | | 09/24/2021 14:46 | 1 | 010F0801.D | HP-Plot Q 0.53(mm) |
| IC 280-550959/10 | | 09/24/2021 14:59 | 1 | 011F0901.D | Rt-Alumina KCl 0.53(mm) |
| IC 280-550959/10 | | 09/24/2021 14:59 | 1 | 011F0901.D | HP-Plot Q 0.53(mm) |
| IC 280-550959/11 | | 09/24/2021 15:12 | 1 | 012F1001.D | Rt-Alumina KCl 0.53(mm) |
| IC 280-550959/11 | | 09/24/2021 15:12 | 1 | 012F1001.D | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 09/24/2021 15:25 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 09/24/2021 15:25 | 1 | | HP-Plot Q 0.53(mm) |
| ICV 280-550959/13 | | 09/24/2021 15:38 | 1 | 014F1201.D | Rt-Alumina KCl 0.53(mm) |
| ICV 280-550959/13 | | 09/24/2021 15:38 | 1 | 014F1201.D | HP-Plot Q 0.53(mm) |

GC VOA ANALYSIS RUN LOG

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Start Date: 05/25/2022 16:50

Analysis Batch Number: 576169 End Date: 05/25/2022 23:44

| LAB SAMPLE ID | CLIENT SAMPLE ID | DATE ANALYZED | DILUTION FACTOR | LAB FILE ID | COLUMN ID |
|---|---|---|---|---|---|
| ZZZZZ | | 05/25/2022 16:50 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 16:50 | 1 | | HP-Plot Q 0.53(mm) |
| CCVRT 280-576169/2 | | 05/25/2022 17:03 | 1 | 002F0201.D | Rt-Alumina KCl 0.53(mm) |
| CCVRT 280-576169/2 | | 05/25/2022 17:03 | 1 | 002F0201.D | HP-Plot Q 0.53(mm) |
| LCS 280-576169/3 | | 05/25/2022 17:16 | 1 | 003F0301.D | Rt-Alumina KCl 0.53(mm) |
| LCS 280-576169/3 | | 05/25/2022 17:16 | 1 | 003F0301.D | HP-Plot Q 0.53(mm) |
| LCSD 280-576169/4 | | 05/25/2022 17:29 | 1 | 004F0401.D | Rt-Alumina KCl 0.53(mm) |
| LCSD 280-576169/4 | | 05/25/2022 17:29 | 1 | 004F0401.D | HP-Plot Q 0.53(mm) |
| MB 280-576169/5 | | 05/25/2022 17:42 | 1 | 005F0501.D | Rt-Alumina KCl 0.53(mm) |
| MB 280-576169/5 | | 05/25/2022 17:42 | 1 | 005F0501.D | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 17:54 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 17:54 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 18:07 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 18:07 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 18:20 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 18:20 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 18:33 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 18:33 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 18:46 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 18:46 | 1 | | HP-Plot Q 0.53(mm) |
| 280-162386-8 | G0092-22A | 05/25/2022 18:59 | 1 | 011F1101.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-8 | G0092-22A | 05/25/2022 18:59 | 1 | 011F1101.D | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 19:12 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 19:12 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 19:25 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 19:25 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 19:38 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 19:38 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 19:51 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 19:51 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 20:04 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 20:04 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 20:17 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 20:17 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 20:30 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 20:30 | 1 | | HP-Plot Q 0.53(mm) |
| CCV 280-576169/75 | | 05/25/2022 20:43 | 1 | 019F1901.D | Rt-Alumina KCl 0.53(mm) |
| CCV 280-576169/75 | | 05/25/2022 20:43 | 1 | 019F1901.D | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 20:56 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 20:56 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 21:09 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 21:09 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 21:22 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 21:22 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 21:35 | 1 | | Rt-Alumina KCl 0.53(mm) |

RSK-175

GC VOA ANALYSIS RUN LOG

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Start Date: 05/25/2022 16:50

Analysis Batch Number: 576169 End Date: 05/25/2022 23:44

| LAB SAMPLE ID | CLIENT SAMPLE ID | DATE ANALYZED | DILUTION FACTOR | LAB FILE ID | COLUMN ID |
|---|---|---|---|---|---|
| ZZZZZ | | 05/25/2022 21:35 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 21:48 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 21:48 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 22:01 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 22:01 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 22:13 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 22:13 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 22:26 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 22:26 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 22:39 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 22:39 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 22:52 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 22:52 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 23:05 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 23:05 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 23:18 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 23:18 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/25/2022 23:31 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/25/2022 23:31 | 1 | | HP-Plot Q 0.53(mm) |
| CCV 280-576169/89 | | 05/25/2022 23:44 | 1 | | Rt-Alumina KCl 0.53(mm) |
| CCV 280-576169/89 | | 05/25/2022 23:44 | 1 | | HP-Plot Q 0.53(mm) |

GC VOA ANALYSIS RUN LOG

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Start Date: 05/25/2022 17:03

Analysis Batch Number: 576170 End Date: 05/26/2022 06:27

| LAB SAMPLE ID | CLIENT SAMPLE ID | DATE ANALYZED | DILUTION FACTOR | LAB FILE ID | COLUMN ID |
|---|---|---|---|---|---|
| CCVRT 280-576170/2 | | 05/25/2022 17:03 | 1 | 002F0201.D | Rt-Alumina KCl 0.53(mm) |
| CCV 280-576170/89 | | 05/25/2022 23:44 | 1 | 033F3301.D | Rt-Alumina KCl 0.53(mm) |
| CCV 280-576170/89 | | 05/25/2022 23:44 | 1 | 033F3301.D | HP-Plot Q 0.53(mm) |
| LCS 280-576170/90 | | 05/25/2022 23:57 | 1 | 034F3401.D | Rt-Alumina KCl 0.53(mm) |
| LCS 280-576170/90 | | 05/25/2022 23:57 | 1 | 034F3401.D | HP-Plot Q 0.53(mm) |
| LCSD 280-576170/91 | | 05/26/2022 00:10 | 1 | 035F3501.D | Rt-Alumina KCl 0.53(mm) |
| LCSD 280-576170/91 | | 05/26/2022 00:10 | 1 | 035F3501.D | HP-Plot Q 0.53(mm) |
| MB 280-576170/92 | | 05/26/2022 00:23 | 1 | 036F3601.D | Rt-Alumina KCl 0.53(mm) |
| MB 280-576170/92 | | 05/26/2022 00:23 | 1 | 036F3601.D | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 00:36 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 00:36 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 00:49 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 00:49 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 01:02 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 01:02 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 01:15 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 01:15 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 01:28 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 01:28 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 01:41 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 01:41 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 01:54 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 01:54 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 02:07 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 02:07 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 02:20 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 02:20 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 02:33 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 02:33 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 02:46 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 02:46 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 02:59 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 02:59 | 1 | | HP-Plot Q 0.53(mm) |
| ZZZZZ | | 05/26/2022 03:12 | 1 | | Rt-Alumina KCl 0.53(mm) |
| ZZZZZ | | 05/26/2022 03:12 | 1 | | HP-Plot Q 0.53(mm) |
| CCV 280-576170/106 | | 05/26/2022 03:25 | 1 | 050F5001.D | Rt-Alumina KCl 0.53(mm) |
| CCV 280-576170/106 | | 05/26/2022 03:25 | 1 | 050F5001.D | HP-Plot Q 0.53(mm) |
| 280-162386-1 | PZ007-22A | 05/26/2022 03:38 | 1 | 051F5101.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-1 | PZ007-22A | 05/26/2022 03:38 | 1 | 051F5101.D | HP-Plot Q 0.53(mm) |
| 280-162386-1 DU | PZ007-22A DU | 05/26/2022 03:51 | 1 | 052F5201.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-1 DU | PZ007-22A DU | 05/26/2022 03:51 | 1 | 052F5201.D | HP-Plot Q 0.53(mm) |
| 280-162386-1 MS | PZ007-22A MS | 05/26/2022 04:04 | 1 | 053F5301.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-1 MS | PZ007-22A MS | 05/26/2022 04:04 | 1 | 053F5301.D | HP-Plot Q 0.53(mm) |
| 280-162386-1 MSD | PZ007-22A MSD | 05/26/2022 04:17 | 1 | 054F5401.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-1 MSD | PZ007-22A MSD | 05/26/2022 04:17 | 1 | 054F5401.D | HP-Plot Q 0.53(mm) |

RSK-175

GC VOA ANALYSIS RUN LOG

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: VGC_J Start Date: 05/25/2022 17:03

Analysis Batch Number: 576170 End Date: 05/26/2022 06:27

| LAB SAMPLE ID | CLIENT SAMPLE ID | DATE ANALYZED | DILUTION FACTOR | LAB FILE ID | COLUMN ID |
|---|---|---|---|---|---|
| 280-162386-2 | G0087-22A | 05/26/2022 04:30 | 1 | 055F5501.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-2 | G0087-22A | 05/26/2022 04:30 | 1 | 055F5501.D | HP-Plot Q 0.53(mm) |
| 280-162386-3 | G0117-22A | 05/26/2022 04:43 | 1 | 056F5601.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-3 | G0117-22A | 05/26/2022 04:43 | 1 | 056F5601.D | HP-Plot Q 0.53(mm) |
| 280-162386-4 | G0022-22A | 05/26/2022 04:56 | 1 | 057F5701.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-4 | G0022-22A | 05/26/2022 04:56 | 1 | 057F5701.D | HP-Plot Q 0.53(mm) |
| 280-162386-5 | G0088-22A | 05/26/2022 05:09 | 1 | 058F5801.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-5 | G0088-22A | 05/26/2022 05:09 | 1 | 058F5801.D | HP-Plot Q 0.53(mm) |
| 280-162386-6 | G0116-22A | 05/26/2022 05:22 | 1 | 059F5901.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-6 | G0116-22A | 05/26/2022 05:22 | 1 | 059F5901.D | HP-Plot Q 0.53(mm) |
| 280-162386-7 | PZ014-22A | 05/26/2022 05:35 | 1 | 060F6001.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-7 | PZ014-22A | 05/26/2022 05:35 | 1 | 060F6001.D | HP-Plot Q 0.53(mm) |
| 280-162386-8 | G0092-22A | 05/26/2022 05:48 | 1 | 061F6101.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-8 | G0092-22A | 05/26/2022 05:48 | 1 | 061F6101.D | HP-Plot Q 0.53(mm) |
| 280-162386-9 | PZ013-22A | 05/26/2022 06:01 | 1 | 062F6201.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-9 | PZ013-22A | 05/26/2022 06:01 | 1 | 062F6201.D | HP-Plot Q 0.53(mm) |
| 280-162386-10 | G0081-22A | 05/26/2022 06:14 | 1 | 063F6301.D | Rt-Alumina KCl 0.53(mm) |
| 280-162386-10 | G0081-22A | 05/26/2022 06:14 | 1 | 063F6301.D | HP-Plot Q 0.53(mm) |
| CCV 280-576170/120 | | 05/26/2022 06:27 | 1 | 064F6401.D | Rt-Alumina KCl 0.53(mm) |
| CCV 280-576170/120 | | 05/26/2022 06:27 | 1 | 064F6401.D | HP-Plot Q 0.53(mm) |

# GC VOA BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 550959  Batch Start Date: 09/24/21 13:16  Batch Analyst: Scianna, Charles A

Batch Method: RSK-175  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | Initial pH | RSK175methane 00010 | RSK7gasMathes 00031 | RSK7gasMathes 00034 |
|---|---|---|---|---|---|---|---|---|---|
| IC 280-550959/2 | | RSK-175 | | 18 mL | 18 mL | 5 SU | | 2.5 uL | |
| IC 280-550959/3 | | RSK-175 | | 18 mL | 18 mL | 5 SU | | 5 uL | |
| IC 280-550959/4 | | RSK-175 | | 18 mL | 18 mL | 5 SU | | 40 uL | |
| IC 280-550959/5 | | RSK-175 | | 18 mL | 18 mL | 5 SU | | 200 uL | |
| IC 280-550959/6 | | RSK-175 | | 18 mL | 18 mL | 5 SU | | 400 uL | |
| IC 280-550959/7 | | RSK-175 | | 18 mL | 18 mL | 5 SU | | 800 uL | |
| IC 280-550959/9 | | RSK-175 | | 18 mL | 18 mL | 5 SU | 50 uL | | |
| IC 280-550959/10 | | RSK-175 | | 18 mL | 18 mL | 5 SU | 200 uL | | |
| IC 280-550959/11 | | RSK-175 | | 18 mL | 18 mL | 5 SU | 600 uL | | |
| ICV 280-550959/13 | | RSK-175 | | 18 mL | 18 mL | 5 SU | | | 200 uL |

| Batch Notes | |
|---|---|
| | |

| Basis | Basis Description |
|---|---|
| | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GC VOA BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576169  Batch Start Date: 05/25/22 16:50  Batch Analyst: Scianna, Charles A

Batch Method: RSK-175  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | Initial pH | RSK7gasMathes 00034 | | |
|---|---|---|---|---|---|---|---|---|---|
| CCVRT 280-576169/2 | | RSK-175 | | 20 mL | 20 mL | 5 SU | 200 uL | | |
| LCS 280-576169/3 | | RSK-175 | | 20 mL | 20 mL | 5 SU | 200 uL | | |
| LCSD 280-576169/4 | | RSK-175 | | 20 mL | 20 mL | 5 SU | 200 uL | | |
| MB 280-576169/5 | | RSK-175 | | 20 mL | 20 mL | 5 SU | | | |
| 280-162386-H-8 | G0092-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| CCV 280-576169/75 | | RSK-175 | | 20 mL | 20 mL | 5 SU | 200 uL | | |

| Batch Notes | |
|---|---|
| | |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GC VOA BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576170  Batch Start Date: 05/25/22 17:03  Batch Analyst: Scianna, Charles A

Batch Method: RSK-175  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | Initial pH | RSK7gasMathes 00034 | | |
|---|---|---|---|---|---|---|---|---|---|
| CCVRT 280-576170/2 | | RSK-175 | | 20 mL | 20 mL | 5 SU | 200 uL | | |
| CCV 280-576170/89 | | RSK-175 | | 20 mL | 20 mL | 5 SU | 200 uL | | |
| LCS 280-576170/90 | | RSK-175 | | 20 mL | 20 mL | 5 SU | 200 uL | | |
| LCSD 280-576170/91 | | RSK-175 | | 20 mL | 20 mL | 5 SU | 200 uL | | |
| MB 280-576170/92 | | RSK-175 | | 20 mL | 20 mL | 5 SU | | | |
| CCV 280-576170/106 | | RSK-175 | | 20 mL | 20 mL | 5 SU | 200 uL | | |
| 280-162386-H-1 | PZ007-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| 280-162386-H-1 DU | PZ007-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| 280-162386-G-1 MS | PZ007-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | 200 uL | | |
| 280-162386-H-1 MSD | PZ007-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | 200 uL | | |
| 280-162386-G-2 | G0087-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| 280-162386-H-3 | G0117-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| 280-162386-G-4 | G0022-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| 280-162386-H-5 | G0088-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| 280-162386-G-6 | G0116-22A | RSK-175 | T | 20 mL | 20 mL | 7 SU | | | |
| 280-162386-G-7 | PZ014-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| 280-162386-I-8 | G0092-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| 280-162386-G-9 | PZ013-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| 280-162386-G-10 | G0081-22A | RSK-175 | T | 20 mL | 20 mL | < 2 SU | | | |
| CCV 280-576170/120 | | RSK-175 | | 20 mL | 20 mL | 5 SU | 200 uL | | |

| Batch Notes | |
|---|---|
| | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GC VOA BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576170  Batch Start Date: 05/25/22 17:03  Batch Analyst: Scianna, Charles A

Batch Method: RSK-175  Batch End Date:

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# 8330A_DOD5

## Nitroaromatics and Nitramines (HPLC)

FORM II
HPLC/IC SURROGATE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low

GC Column (1): UltraCarb5u ID: 4.6 (mm) GC Column (2): Luna-phenyl 4.6 (mm)

| Client Sample ID | Lab Sample ID | 12DNB1 # | 12DNB2 # |
|---|---|---|---|
| PZ007-22A | 280-162386-1 | 108 M | |
| G0087-22A | 280-162386-2 | 103 M | |
| G0087-22A | 280-162386-2 | | 102 |
| G0117-22A | 280-162386-3 | 100 M | |
| G0117-22A | 280-162386-3 | | 106 M |
| G0022-22A | 280-162386-4 | 106 M | |
| G0022-22A | 280-162386-4 | | 108 |
| G0088-22A | 280-162386-5 | 107 | |
| G0088-22A | 280-162386-5 | | 103 |
| G0116-22A | 280-162386-6 | 119 M | |
| G0116-22A | 280-162386-6 | | 81 M Q |
| PZ014-22A | 280-162386-7 | 108 M | |
| G0092-22A | 280-162386-8 | 105 M | |
| PZ013-22A | 280-162386-9 | 105 | |
| PZ013-22A | 280-162386-9 | | 92 M |
| G0081-22A | 280-162386-10 | 108 M | |
| G0081-22A | 280-162386-10 | | 105 M |
| | MB 280-575516/1-A | 106 M | |
| | LCS 280-575516/2-A | 105 | |
| | LCS 280-575516/3-A | 104 M | |
| PZ007-22A MS | 280-162386-1 MS | 109 | |
| PZ007-22A MS | 280-162386-1 MS | 107 M | |
| PZ007-22A MSD | 280-162386-1 MSD | 108 | |
| PZ007-22A MSD | 280-162386-1 MSD | 106 M | |

| | QC LIMITS |
|---|---|
| 12DNB = 1,2-Dinitrobenzene | 83-119 |

# Column to be used to flag recovery values

FORM II 8330A

FORM III
HPLC/IC LAB CONTROL SAMPLE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 05190012.D

Lab ID: LCS 280-575516/2-A Client ID:

| COMPOUND | SPIKE ADDED (ug/L) | LCS CONCENTRATION (ug/L) | LCS % REC | QC LIMITS REC | # |
|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 2.00 | 2.06 | 103 | 73-125 | |
| 1,3-Dinitrobenzene | 2.00 | 2.09 | 105 | 78-120 | |
| 2,4,6-Trinitrotoluene | 2.00 | 2.07 | 104 | 71-123 | |
| 2,4-Dinitrotoluene | 2.00 | 1.96 | 98 | 78-120 | |
| 2,6-Dinitrotoluene | 2.00 | 2.05 | 102 | 77-127 | |
| 2-Amino-4,6-dinitrotoluene | 2.00 | 1.98 | 99 | 79-120 | |
| 2-Nitrotoluene | 2.00 | 1.98 | 99 | 70-127 | |
| 3-Nitrotoluene | 2.00 | 1.62 | 81 | 73-125 | |
| 4-Amino-2,6-dinitrotoluene | 2.00 | 1.96 | 98 | 76-125 | |
| 4-Nitrotoluene | 2.00 | 1.90 | 95 | 71-127 | |
| HMX | 2.00 | 2.00 | 100 | 65-135 | M |
| Nitrobenzene | 2.00 | 1.92 | 96 | 65-134 | |
| RDX | 2.00 | 1.96 | 98 | 68-130 | |
| Tetryl | 2.00 | 2.06 | 103 | 64-128 | |

# Column to be used to flag recovery and RPD values

FORM III 8330A

FORM III
HPLC/IC LAB CONTROL SAMPLE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 05190013.D

Lab ID: LCS 280-575516/3-A Client ID:

| COMPOUND | SPIKE ADDED (ug/L) | LCS CONCENTRATION (ug/L) | LCS % REC | QC LIMITS REC | # |
|---|---|---|---|---|---|
| MNX | 2.34 | 2.41 | 103 | 57-132 | M |

# Column to be used to flag recovery and RPD values

FORM III 8330A

FORM III
HPLC/IC MATRIX SPIKE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 05190015.D

Lab ID: 280-162386-1 MS Client ID: PZ007-22A MS

| COMPOUND | SPIKE ADDED (ug/L) | SAMPLE CONCENTRATION (ug/L) | MS CONCENTRATION (ug/L) | MS % REC | QC LIMITS REC | # |
|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 1.97 | 0.20 U | 2.06 | 104 | 73-125 | M |
| 1,3-Dinitrobenzene | 1.97 | 0.099 U | 2.10 | 107 | 78-120 | |
| 2,4,6-Trinitrotoluene | 1.97 | 0.099 U | 2.05 | 104 | 71-123 | |
| 2,4-Dinitrotoluene | 1.97 | 0.080 U | 1.89 | 96 | 78-120 | |
| 2,6-Dinitrotoluene | 1.97 | 0.080 U | 1.99 | 101 | 77-127 | |
| 2-Amino-4,6-dinitrotoluene | 1.97 | 0.099 U | 1.94 | 98 | 79-120 | |
| 2-Nitrotoluene | 1.97 | 0.20 U | 1.92 | 97 | 70-127 | |
| 3-Nitrotoluene | 1.97 | 0.40 U | 1.51 | 77 | 73-125 | |
| 4-Amino-2,6-dinitrotoluene | 1.97 | 0.12 U | 1.89 | 96 | 76-125 | |
| 4-Nitrotoluene | 1.97 | 0.40 U | 1.85 | 93 | 71-127 | |
| HMX | 1.97 | 0.20 U | 2.01 | 102 | 65-135 | M |
| Nitrobenzene | 1.97 | 0.20 U | 1.98 | 100 | 65-134 | |
| RDX | 1.97 | 0.20 U | 1.82 | 92 | 68-130 | M |
| Tetryl | 1.97 | 0.099 U | 2.03 | 103 | 64-128 | |

# Column to be used to flag recovery and RPD values

FORM III 8330A

FORM III
HPLC/IC MATRIX SPIKE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 05190017.D

Lab ID: 280-162386-1 MS Client ID: PZ007-22A MS

| COMPOUND | SPIKE ADDED (ug/L) | SAMPLE CONCENTRATION (ug/L) | MS CONCENTRATION (ug/L) | MS % REC | QC LIMITS REC | # |
|---|---|---|---|---|---|---|
| MNX | 2.35 | 0.40 U | 2.33 | 99 | 57-132 | M |

# Column to be used to flag recovery and RPD values

FORM III 8330A

FORM III
HPLC/IC MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 05190016.D

Lab ID: 280-162386-1 MSD Client ID: PZ007-22A MSD

| COMPOUND | SPIKE ADDED (ug/L) | MSD CONCENTRATION (ug/L) | MSD % REC | % RPD | QC LIMITS RPD | QC LIMITS REC | # |
|---|---|---|---|---|---|---|---|
| 1,3,5-Trinitrobenzene | 1.94 | 2.02 | 105 | 2 | 30 | 73-125 | M |
| 1,3-Dinitrobenzene | 1.94 | 2.05 | 106 | 3 | 30 | 78-120 | |
| 2,4,6-Trinitrotoluene | 1.94 | 1.99 | 103 | 3 | 30 | 71-123 | |
| 2,4-Dinitrotoluene | 1.94 | 1.86 | 96 | 1 | 30 | 78-120 | |
| 2,6-Dinitrotoluene | 1.94 | 1.96 | 101 | 2 | 30 | 77-127 | |
| 2-Amino-4,6-dinitrotoluene | 1.94 | 1.89 | 98 | 3 | 30 | 79-120 | |
| 2-Nitrotoluene | 1.94 | 1.95 | 100 | 1 | 30 | 70-127 | |
| 3-Nitrotoluene | 1.94 | 1.50 | 78 | 1 | 30 | 73-125 | |
| 4-Amino-2,6-dinitrotoluene | 1.94 | 1.85 | 96 | 2 | 30 | 76-125 | |
| 4-Nitrotoluene | 1.94 | 1.87 | 97 | 2 | 30 | 71-127 | |
| HMX | 1.94 | 1.96 | 101 | 2 | 30 | 65-135 | M |
| Nitrobenzene | 1.94 | 1.96 | 101 | 1 | 30 | 65-134 | |
| RDX | 1.94 | 1.80 | 93 | 1 | 30 | 68-130 | M |
| Tetryl | 1.94 | 1.99 | 103 | 2 | 30 | 64-128 | |

# Column to be used to flag recovery and RPD values

FORM III 8330A

FORM III
HPLC/IC MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water Level: Low Lab File ID: 05190018.D

Lab ID: 280-162386-1 MSD Client ID: PZ007-22A MSD

| COMPOUND | SPIKE ADDED (ug/L) | MSD CONCENTRATION (ug/L) | MSD % REC | % RPD | QC LIMITS RPD | QC LIMITS REC | # |
|---|---|---|---|---|---|---|---|
| MNX | 2.46 | 2.39 | 97 | 3 | 30 | 57-132 | M |

# Column to be used to flag recovery and RPD values

FORM III 8330A

FORM IV
HPLC/IC METHOD BLANK SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Lab Sample ID: MB 280-575516/1-A

Matrix: Water  Date Extracted: 05/19/2022 14:06

Lab File ID:(1) 05190011.D  Lab File ID:(2)

Date Analyzed:(1) 05/19/2022 20:51  Date Analyzed:(2)

Instrument ID:(1) CHHPLC_X3  Instrument ID:(2) CHHPLC_X5

GC Column:(1) UltraCarb5uO ID: 4.6(mm)  GC Column:(2) Luna-phenylh ID: 4.6(mm)

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

| CLIENT SAMPLE ID | LAB SAMPLE ID | DATE ANALYZED 1 | DATE ANALYZED 2 |
|---|---|---|---|
| | LCS 280-575516/2-A | 05/19/2022 21:14 | |
| | LCS 280-575516/3-A | 05/19/2022 21:37 | |
| PZ007-22A | 280-162386-1 | 05/19/2022 22:00 | |
| PZ007-22A MS | 280-162386-1 MS | 05/19/2022 22:23 | |
| PZ007-22A MSD | 280-162386-1 MSD | 05/19/2022 22:46 | |
| PZ007-22A MS | 280-162386-1 MS | 05/19/2022 23:08 | |
| PZ007-22A MSD | 280-162386-1 MSD | 05/19/2022 23:31 | |
| G0087-22A | 280-162386-2 | 05/19/2022 23:54 | 05/20/2022 19:46 |
| G0117-22A | 280-162386-3 | 05/20/2022 00:17 | 05/20/2022 20:21 |
| G0022-22A | 280-162386-4 | 05/20/2022 01:49 | 05/20/2022 20:57 |
| G0088-22A | 280-162386-5 | 05/20/2022 02:12 | 05/20/2022 21:32 |
| G0116-22A | 280-162386-6 | 05/20/2022 02:35 | 05/20/2022 22:07 |
| PZ014-22A | 280-162386-7 | 05/20/2022 02:58 | |
| G0092-22A | 280-162386-8 | 05/20/2022 03:21 | |
| PZ013-22A | 280-162386-9 | 05/20/2022 03:43 | 05/20/2022 22:42 |
| G0081-22A | 280-162386-10 | 05/20/2022 04:06 | 05/20/2022 23:17 |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0087-22A Lab Sample ID: 280-162386-2

Instrument ID (1): CHHPLC_X3 Instrument ID (2): CHHPLC_X5

Date Analyzed (1): 05/19/2022 23:54 Date Analyzed (2): 05/20/2022 19:46

GC Column (1): UltraCarb5uOD ID: 4.6(mm) GC Column (2): Luna-phenylhe ID: 4.6(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| HMX | 1 | | 6.60 | 6.46 | 6.76 | 0.59 | | 3.4 |
| | 2 | | 6.77 | 6.66 | 6.96 | 0.61 | | |
| RDX | 1 | | 7.60 | 7.45 | 7.75 | 0.19 | | 18.0 |
| | 2 | | 8.94 | 8.84 | 9.14 | 0.23 | | |
| 4-Amino-2,6-dinitrotoluene | 1 | | 11.13 | 11.03 | 11.23 | 0.73 | | 12.3 |
| | 2 | | 17.61 | 17.50 | 17.80 | 0.83 | | |
| 2-Amino-4,6-dinitrotoluene | 1 | | 11.38 | 11.29 | 11.49 | 0.42 | | 30.8 |
| | 2 | | 18.58 | 18.52 | 18.82 | 0.57 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0022-22A Lab Sample ID: 280-162386-4

Instrument ID (1): CHHPLC_X3 Instrument ID (2): CHHPLC_X5

Date Analyzed (1): 05/20/2022 01:49 Date Analyzed (2): 05/20/2022 20:57

GC Column (1): UltraCarb5uOD ID: 4.6(mm) GC Column (2): Luna-phenylhe ID: 4.6(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| 4-Amino-2,6-dinitrotoluene | 1 | | 11.13 | 11.03 | 11.23 | 0.49 | | 7.4 |
| | 2 | | 17.57 | 17.50 | 17.80 | 0.52 | | |
| 2-Amino-4,6-dinitrotoluene | 1 | | 11.38 | 11.29 | 11.49 | 0.33 | | 33.4 |
| | 2 | | 18.55 | 18.52 | 18.82 | 0.47 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0088-22A  Lab Sample ID: 280-162386-5

Instrument ID (1): CHHPLC_X3  Instrument ID (2): CHHPLC_X5

Date Analyzed (1): 05/20/2022 02:12  Date Analyzed (2): 05/20/2022 21:32

GC Column (1): UltraCarb5uOD ID: 4.6(mm)  GC Column (2): Luna-phenylhe ID: 4.6(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| 1,3,5-Trinitrobenzene | 1 | | 8.68 | 8.53 | 8.83 | 4.1 | | 8.9 |
| | 2 | | 18.75 | 18.66 | 18.96 | 4.5 | | |
| 4-Amino-2,6-dinitrotoluene | 1 | | 11.12 | 11.03 | 11.23 | 0.38 | | 21.4 |
| | 2 | | 17.56 | 17.50 | 17.80 | 0.47 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ013-22A  Lab Sample ID: 280-162386-9

Instrument ID (1): CHHPLC_X3  Instrument ID (2): CHHPLC_X5

Date Analyzed (1): 05/20/2022 03:43  Date Analyzed (2): 05/20/2022 22:42

GC Column (1): UltraCarb5uOD ID: 4.6(mm)  GC Column (2): Luna-phenylhe ID: 4.6(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| 2,4,6-Trinitrotoluene | 1 | | 10.94 | 10.83 | 11.03 | 0.98 | | 30.4 |
| | 2 | | 25.09 | 25.04 | 25.34 | 0.72 | | |
| 4-Amino-2,6-dinitrotoluene | 1 | | 11.13 | 11.03 | 11.23 | 4.3 | | 7.5 |
| | 2 | | 17.59 | 17.50 | 17.80 | 4.6 | | |
| 2-Amino-4,6-dinitrotoluene | 1 | | 11.38 | 11.29 | 11.49 | 3.3 | | 11.1 |
| | 2 | | 18.57 | 18.52 | 18.82 | 3.7 | | |

FORM X
IDENTIFICATION SUMMARY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0081-22A  Lab Sample ID: 280-162386-10

Instrument ID (1): CHHPLC_X3  Instrument ID (2): CHHPLC_X5

Date Analyzed (1): 05/20/2022 04:06  Date Analyzed (2): 05/20/2022 23:17

GC Column (1): UltraCarb5uOD ID: 4.6(mm)  GC Column (2): Luna-phenylhe ID: 4.6(mm)

| ANALYTE | COL | PEAK | RT | RT WINDOW | | CONCENTRATION | | RPD |
|---|---|---|---|---|---|---|---|---|
| | | | | FROM | TO | PEAK | MEAN | |
| 1,3,5-Trinitrobenzene | 1 | | 8.69 | 8.53 | 8.83 | 0.36 | | 11.0 |
| | 2 | | 18.75 | 18.66 | 18.96 | 0.40 | | |

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A | Lab Sample ID: 280-162386-1

Matrix: Water | Lab File ID: 05190014.D

Analysis Method: 8330A | Date Collected: 05/13/2022 09:15

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 502.8(mL) | Date Analyzed: 05/19/2022 22:00

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.084 |
| 99-65-0 | 1,3-Dinitrobenzene | 0.099 | U | 0.11 | 0.099 | 0.037 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.099 | U | 0.11 | 0.099 | 0.045 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.080 | U | 0.099 | 0.080 | 0.027 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.080 | U | 0.099 | 0.080 | 0.040 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 0.099 | U | 0.11 | 0.099 | 0.050 |
| 88-72-2 | 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.085 |
| 99-08-1 | 3-Nitrotoluene | 0.40 | U | 0.40 | 0.40 | 0.19 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 0.12 | U | 0.15 | 0.12 | 0.057 |
| 99-99-0 | 4-Nitrotoluene | 0.40 | U | 0.41 | 0.40 | 0.099 |
| 2691-41-0 | HMX | 0.20 | U | 0.21 | 0.20 | 0.087 |
| 5755-27-1 | MNX | 0.40 | U | 2.0 | 0.40 | 0.15 |
| 98-95-3 | Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.090 |
| 121-82-4 | RDX | 0.20 | U | 0.21 | 0.20 | 0.051 |
| 479-45-8 | Tetryl | 0.099 | U | 0.11 | 0.099 | 0.032 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 108 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190014.D
Lims ID: 280-162386-A-1-A
Client ID: PZ007-22A
Sample Type: Client
Inject. Date: 19-May-2022 22:00:15 ALS Bottle#: 14 Worklist Smp#: 14
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-1-A
Misc. Info.: 280-0111180-014
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:40:07 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 11:59:39

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| | 1 Triamine Trinitrobenzene | 1 | | 2.454 | | | ND | |
| | 2 2,6-diamino-4-nitrotoluene | 1 | | 6.479 | | | ND | U |
| | 3 TNX | 1 | | 6.486 | | | ND | |
| | 4 HMX | 1 | | 6.606 | | | ND | |
| | 5 2,4-diamino-6-nitrotoluene | 1 | | 6.659 | | | ND | |
| | 6 DNX | 1 | | 6.799 | | | ND | |
| | 7 MNX | 1 | | 7.219 | | | ND | |
| | 8 RDX | 1 | | 7.599 | | | ND | |
| | 9 2,4,6-Trinitrophenol | 1 | | 7.946 | | | ND | U |
| $ | 10 1,2-Dinitrobenzene | 1 | 8.559 | 8.552 | 0.007 | 26944 | 0.2161 | M |
| | 11 1,3,5-Trinitrobenzene | 1 | | 8.679 | | | ND | |
| | 12 1,3-Dinitrobenzene | 1 | | 9.306 | | | ND | |
| | 13 Nitrobenzene | 1 | | 9.699 | | | ND | |
| | 14 3,5-Dinitroaniline | 1 | | 9.905 | | | ND | |
| | 15 Tetryl | 1 | | 10.026 | | | ND | |
| | 16 Nitroglycerin | 2 | | 10.472 | | | ND | |
| | 17 2,4,6-Trinitrotoluene | 1 | | 10.932 | | | ND | |
| | 18 4-Amino-2,6-dinitrotoluene | 1 | | 11.132 | | | ND | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | | 11.386 | | | ND | |
| | 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | ND | |
| | 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | ND | |
| | 22 o-Nitrotoluene | 1 | | 12.572 | | | ND | U |
| | 23 p-Nitrotoluene | 1 | | 12.999 | | | ND | |
| | 24 m-Nitrotoluene | 1 | | 13.572 | | | ND | |
| | 25 PETN | 2 | | 14.639 | | | ND | |
| | 26 Ammonium Picrate | 1 | | 0.000 | | | ND | |

## QC Flag Legend
Processing Flags


Review Flags
M - Manually Integrated
U - Marked Undetected

Report Date: 20-May-2022 13:40:12 Chrom Revision: 2.3 12-Apr-2022 20:29:44


Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190014.d | | | | |
| Injection Date: | 19-May-2022 22:00:15 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-1-A | Lab Sample ID: | 280-162386-1 | Worklist Smp#: | 14 |
| Client ID: | PZ007-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 14 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190014.D | | | | |
| Lims ID: | 280-162386-A-1-A | | | | |
| Client ID: | PZ007-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 19-May-2022 22:00:15 | ALS Bottle#: | 14 | Worklist Smp#: | 14 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-1-A | | | | |
| Misc. Info.: | 280-0111180-014 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 11:59:39

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2161 | 108.04 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190014.d | | | | |
| Injection Date: | 19-May-2022 22:00:15 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-1-A | Lab Sample ID: | 280-162386-1 | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 14 | Worklist Smp#: | 14 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.56
Area: 30295
Amount: 0.242948
Amount Units: ug/mL




Manual Integration Results

RT: 8.56
Area: 26944
Amount: 0.216075
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 11:59:37

Audit Action: Manually Integrated Audit Reason: Baseline


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190014.d | | | | |
| Injection Date: | 19-May-2022 22:00:15 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-1-A | Lab Sample ID: | 280-162386-1 | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 14 | Worklist Smp#: | 14 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.46
Response: 5817
Amount: 0.045583




Reviewer: zhangji, 20-May-2022 11:59:39
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0087-22A | Lab Sample ID: 280-162386-2

Matrix: Water | Lab File ID: 05190019.D

Analysis Method: 8330A | Date Collected: 05/13/2022 13:15

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 501.7(mL) | Date Analyzed: 05/19/2022 23:54

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.084 |
| 99-65-0 | 1,3-Dinitrobenzene | 0.10 | U M | 0.11 | 0.10 | 0.037 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.045 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.027 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.040 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 0.42 | | 0.11 | 0.10 | 0.051 |
| 88-72-2 | 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.085 |
| 99-08-1 | 3-Nitrotoluene | 0.40 | U | 0.40 | 0.40 | 0.19 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 0.73 | | 0.15 | 0.12 | 0.058 |
| 99-99-0 | 4-Nitrotoluene | 0.40 | U | 0.41 | 0.40 | 0.10 |
| 2691-41-0 | HMX | 0.59 | M | 0.21 | 0.20 | 0.087 |
| 5755-27-1 | MNX | 0.40 | U | 2.0 | 0.40 | 0.15 |
| 98-95-3 | Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.091 |
| 121-82-4 | RDX | 0.19 | J M | 0.21 | 0.20 | 0.051 |
| 479-45-8 | Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.032 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 103 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190019.D
Lims ID: 280-162386-A-2-A
Client ID: G0087-22A
Sample Type: Client
Inject. Date: 19-May-2022 23:54:44 ALS Bottle#: 19 Worklist Smp#: 19
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-2-A
Misc. Info.: 280-0111180-019
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:40:07 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:11:35

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.599 | 6.606 | -0.007 | 4981 | 0.0594 | M |
| 7 MNX | 1 | | 7.219 | | | ND | |
| 8 RDX | 1 | 7.599 | 7.599 | 0.000 | 1955 | 0.0189 | M |
| $ 10 1,2-Dinitrobenzene | 1 | 8.553 | 8.552 | 0.001 | 25703 | 0.2061 | M |
| 11 1,3,5-Trinitrobenzene | 1 | | 8.679 | | | ND | |
| 12 1,3-Dinitrobenzene | 1 | 9.306 | 9.306 | 0.000 | 900 | 0.003121 | 7M |
| 13 Nitrobenzene | 1 | | 9.699 | | | ND | |
| 15 Tetryl | 1 | | 10.026 | | | ND | U |
| 17 2,4,6-Trinitrotoluene | 1 | | 10.932 | | | ND | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.132 | 11.132 | 0.000 | 11078 | 0.0734 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.379 | 11.386 | -0.007 | 8434 | 0.0417 | |
| 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | ND | |
| 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | ND | |
| 22 o-Nitrotoluene | 1 | | 12.572 | | | ND | U |
| 23 p-Nitrotoluene | 1 | | 12.999 | | | ND | |
| 24 m-Nitrotoluene | 1 | | 13.572 | | | ND | |

## QC Flag Legend

Processing Flags
7 - Failed Limit of Detection
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 20-May-2022 13:40:08 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190019.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 19-May-2022 23:54:44 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | Worklist Smp#: | 19 |
| Client ID: | G0087-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 19 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190019.D | | | | |
| Lims ID: | 280-162386-A-2-A | | | | |
| Client ID: | G0087-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 19-May-2022 23:54:44 | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-2-A | | | | |
| Misc. Info.: | 280-0111180-019 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:11:35

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2061 | 103.06 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190019.d | | | | |
| Injection Date: | 19-May-2022 23:54:44 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.55
Area: 26966
Amount: 0.216251
Amount Units: ug/mL




Manual Integration Results

RT: 8.55
Area: 25703
Amount: 0.206123
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:11:25

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190019.d | | | | |
| Injection Date: | 19-May-2022 23:54:44 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 12 1,3-Dinitrobenzene, CAS: 99-65-0

Signal: 1


Processing Integration Results

RT: 9.31
Area: 1789
Amount: 0.006203
Amount Units: ug/mL




Manual Integration Results

RT: 9.31
Area: 900
Amount: 0.003121
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:11:29

Audit Action: Manually Integrated Audit Reason: Baseline


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190019.d | | | | |
| Injection Date: | 19-May-2022 23:54:44 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.45
Response: 4220
Amount: 0.033069




Reviewer: zhangji, 20-May-2022 12:11:35
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190019.d | | | | |
| Injection Date: | 19-May-2022 23:54:44 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.60
Area: 368471
Amount: 4.395602
Amount Units: ug/mL




Manual Integration Results

RT: 6.60
Area: 4981
Amount: 0.059420
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:11:17

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190019.d | | | | |
| Injection Date: | 19-May-2022 23:54:44 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 8 RDX, CAS: 121-82-4

Signal: 1


Processing Integration Results

RT: 7.60
Area: 92150
Amount: 0.889400
Amount Units: ug/mL




Manual Integration Results

RT: 7.60
Area: 1955
Amount: 0.018869
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:11:21

Audit Action: Manually Integrated Audit Reason: Baseline


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190019.d | | | | |
| Injection Date: | 19-May-2022 23:54:44 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 15 Tetryl, CAS: 479-45-8, Signal: 1

RT: 9.91
Response: 6416
Amount: 0.037616




Reviewer: zhangji, 20-May-2022 12:11:35
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0087-22A | Lab Sample ID: 280-162386-2

Matrix: Water | Lab File ID: 05200013.D

Analysis Method: 8330A | Date Collected: 05/13/2022 13:15

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 501.7(mL) | Date Analyzed: 05/20/2022 19:46

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: Luna-phenylhex ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575712 | Units: ug/L

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 102 | | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200013.D
Lims ID: 280-162386-A-2-A
Client ID: G0087-22A
Sample Type: Client
Inject. Date: 20-May-2022 19:46:55 ALS Bottle#: 13 Worklist Smp#: 13
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-2-A
Misc. Info.: 280-0111212-013
Operator ID: JZ Instrument ID: CHHPLC_X5

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 21-May-2022 12:33:09 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1646

First Level Reviewer: zhangji Date: 20-May-2022 20:44:52

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| | 5 HMX | 1 | 6.770 | 6.808 | -0.038 | 10215 | 0.0615 | M |
| | 6 MNX | 1 | | 7.509 | | | ND | |
| | 8 RDX | 1 | 8.943 | 8.988 | -0.045 | 4390 | 0.0226 | M |
| | 9 Nitrobenzene | 1 | | 11.961 | | | ND | |
| $ | 10 1,2-Dinitrobenzene | 1 | 13.136 | 13.181 | -0.045 | 50892 | 0.2038 | |
| | 12 1,3-Dinitrobenzene | 1 | | 15.507 | | | ND | |
| | 14 o-Nitrotoluene | 1 | | 16.741 | | | ND | 7 |
| | 16 p-Nitrotoluene | 1 | | 17.047 | | | ND | |
| | 17 4-Amino-2,6-dinitrotoluene | 1 | 17.610 | 17.654 | -0.044 | 22118 | 0.0830 | |
| | 18 m-Nitrotoluene | 1 | | 18.027 | | | ND | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | 18.583 | 18.667 | -0.084 | 20509 | 0.0569 | |
| | 20 1,3,5-Trinitrobenzene | 1 | | 18.807 | | | ND | |
| | 21 2,6-Dinitrotoluene | 1 | | 20.174 | | | ND | |
| | 22 2,4-Dinitrotoluene | 1 | | 20.681 | | | ND | |
| | 23 Tetryl | 1 | | 24.428 | | | ND | U |
| | 24 2,4,6-Trinitrotoluene | 1 | | 25.188 | | | ND | U |

## QC Flag Legend

Processing Flags
7 - Failed Limit of Detection
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 21-May-2022 12:33:11 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200013.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 19:46:55 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | Worklist Smp#: | 13 |
| Client ID: | G0087-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 13 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200013.D | | | | |
| Lims ID: | 280-162386-A-2-A | | | | |
| Client ID: | G0087-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 19:46:55 | ALS Bottle#: | 13 | Worklist Smp#: | 13 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-2-A | | | | |
| Misc. Info.: | 280-0111212-013 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 21-May-2022 12:33:09 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1646 | | | | |
| First Level Reviewer: zhangji | | Date: | 20-May-2022 20:44:52 | | |

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2038 | 101.88 |


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200013.D | | | | |
| Injection Date: | 20-May-2022 19:46:55 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 13 | Worklist Smp#: | 13 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 24 2,4,6-Trinitrotoluene, CAS: 118-96-7, Signal: 1

RT: 25.09
Response: 213865
Amount: 0.579299




Reviewer: zhangji, 20-May-2022 20:44:52
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200013.D | | | | |
| Injection Date: | 20-May-2022 19:46:55 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 13 | Worklist Smp#: | 13 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 5 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.77
Area: 13063
Amount: 0.078629
Amount Units: ug/ml




Manual Integration Results

RT: 6.77
Area: 10215
Amount: 0.061486
Amount Units: ug/ml




Reviewer: zhangji, 20-May-2022 20:44:35

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200013.D | | | | |
| Injection Date: | 20-May-2022 19:46:55 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 13 | Worklist Smp#: | 13 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 8 RDX, CAS: 121-82-4

Signal: 1


Processing Integration Results

RT: 8.94
Area: 5960
Amount: 0.030669
Amount Units: ug/ml




Manual Integration Results

RT: 8.94
Area: 4390
Amount: 0.022590
Amount Units: ug/ml




Reviewer: zhangji, 20-May-2022 20:44:38

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200013.D | | | | |
| Injection Date: | 20-May-2022 19:46:55 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-2-A | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 13 | Worklist Smp#: | 13 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 23 Tetryl, CAS: 479-45-8, Signal: 1

RT: 24.45
Response: 95650
Amount: 0.279539




Reviewer: zhangji, 20-May-2022 20:44:52
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0117-22A | Lab Sample ID: 280-162386-3

Matrix: Water | Lab File ID: 05190020.D

Analysis Method: 8330A | Date Collected: 05/13/2022 12:55

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 497.3(mL) | Date Analyzed: 05/20/2022 00:17

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.085 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.10 | U M | 0.11 | 0.10 | 0.045 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.028 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.040 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.051 |
| 88-72-2 | 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.086 |
| 99-08-1 | 3-Nitrotoluene | 0.40 | U | 0.40 | 0.40 | 0.20 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 0.12 | U | 0.15 | 0.12 | 0.058 |
| 99-99-0 | 4-Nitrotoluene | 0.40 | U | 0.41 | 0.40 | 0.10 |
| 2691-41-0 | HMX | 0.20 | U | 0.21 | 0.20 | 0.088 |
| 5755-27-1 | MNX | 0.40 | U M | 2.0 | 0.40 | 0.15 |
| 98-95-3 | Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.091 |
| 121-82-4 | RDX | 0.20 | U | 0.21 | 0.20 | 0.052 |
| 479-45-8 | Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.032 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 100 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190020.D
Lims ID: 280-162386-B-3-A
Client ID: G0117-22A
Sample Type: Client
Inject. Date: 20-May-2022 00:17:42 ALS Bottle#: 20 Worklist Smp#: 20
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-B-3-A
Misc. Info.: 280-0111180-020
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:40:07 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:14:57

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | | 6.606 | | | ND | |
| 7 MNX | 1 | | 7.219 | | | ND | U |
| 8 RDX | 1 | | 7.599 | | | ND | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.553 | 8.552 | 0.001 | 24918 | 0.1998 | M |
| 11 1,3,5-Trinitrobenzene | 1 | | 8.679 | | | ND | |
| 12 1,3-Dinitrobenzene | 1 | 9.333 | 9.306 | 0.027 | 150921 | 0.5233 | M |
| 13 Nitrobenzene | 1 | | 9.699 | | | ND | |
| 15 Tetryl | 1 | | 10.026 | | | ND | U |
| 17 2,4,6-Trinitrotoluene | 1 | | 10.932 | | | ND | U |
| 18 4-Amino-2,6-dinitrotoluene | 1 | | 11.132 | | | ND | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | | 11.386 | | | ND | |
| 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | ND | |
| 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | ND | |
| 22 o-Nitrotoluene | 1 | | 12.572 | | | ND | U |
| 23 p-Nitrotoluene | 1 | | 12.999 | | | ND | |
| 24 m-Nitrotoluene | 1 | | 13.572 | | | ND | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 20-May-2022 13:40:08 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190020.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 00:17:42 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-B-3-A | Lab Sample ID: | 280-162386-3 | Worklist Smp#: | 20 |
| Client ID: | G0117-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 20 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190020.D | | | | |
| Lims ID: | 280-162386-B-3-A | | | | |
| Client ID: | G0117-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 00:17:42 | ALS Bottle#: | 20 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-B-3-A | | | | |
| Misc. Info.: | 280-0111180-020 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:14:57

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.1998 | 99.91 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190020.d | | | | |
| Injection Date: | 20-May-2022 00:17:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-3-A | Lab Sample ID: | 280-162386-3 | | |
| Client ID: | G0117-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 20 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.55
Area: 34484
Amount: 0.276541
Amount Units: ug/mL




Manual Integration Results

RT: 8.55
Area: 24918
Amount: 0.199827
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:14:51

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190020.d | | | | |
| Injection Date: | 20-May-2022 00:17:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-3-A | Lab Sample ID: | 280-162386-3 | | |
| Client ID: | G0117-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 20 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 12 1,3-Dinitrobenzene, CAS: 99-65-0

Signal: 1


Processing Integration Results

RT: 9.33
Area: 168320
Amount: 0.583631
Amount Units: ug/mL




Manual Integration Results

RT: 9.33
Area: 150921
Amount: 0.523302
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:14:55

Audit Action: Manually Integrated Audit Reason: Baseline

User Disabled Compound Report


Eurofins Denver

Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190020.d
Injection Date: 20-May-2022 00:17:42 Instrument ID: CHHPLC_X3
Lims ID: 280-162386-B-3-A Lab Sample ID: 280-162386-3
Client ID: G0117-22A
Operator ID: JZ ALS Bottle#: 20 Worklist Smp#: 20
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330

Column: UltraCarb5uODS (20) ( 4.60 mm) Detector LC DAD1B, 254 nm

## 17 2,4,6-Trinitrotoluene, CAS: 118-96-7, Signal: 1

RT: 11.00
Response: 31529
Amount: 0.155525




Reviewer: zhangji, 20-May-2022 12:14:57
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190020.d | | | | |
| Injection Date: | 20-May-2022 00:17:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-3-A | Lab Sample ID: | 280-162386-3 | | |
| Client ID: | G0117-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 20 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.46
Response: 5728
Amount: 0.044885




Reviewer: zhangji, 20-May-2022 12:14:57
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190020.d | | | | |
| Injection Date: | 20-May-2022 00:17:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-3-A | Lab Sample ID: | 280-162386-3 | | |
| Client ID: | G0117-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 20 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

7 MNX, CAS: 5755-27-1, Signal: 1

RT: 7.15
Response: 1334219
Amount: 10.589425




Reviewer: zhangji, 20-May-2022 12:14:57
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190020.d | | | | |
| Injection Date: | 20-May-2022 00:17:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-3-A | Lab Sample ID: | 280-162386-3 | | |
| Client ID: | G0117-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 20 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

15 Tetryl, CAS: 479-45-8, Signal: 1

RT: 9.91
Response: 44908
Amount: 0.263287




Reviewer: zhangji, 20-May-2022 12:14:57
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0117-22A | Lab Sample ID: 280-162386-3

Matrix: Water | Lab File ID: 05200014.D

Analysis Method: 8330A | Date Collected: 05/13/2022 12:55

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 497.3(mL) | Date Analyzed: 05/20/2022 20:21

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: Luna-phenylhex ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575712 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-65-0 | 1,3-Dinitrobenzene | 0.10 | U | 0.11 | 0.10 | 0.037 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 106 | *M* | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200014.D
Lims ID: 280-162386-B-3-A
Client ID: G0117-22A
Sample Type: Client
Inject. Date: 20-May-2022 20:21:53 ALS Bottle#: 14 Worklist Smp#: 14
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-B-3-A
Misc. Info.: 280-0111212-014
Operator ID: JZ Instrument ID: CHHPLC_X5

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 21-May-2022 12:33:09 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1646

First Level Reviewer: zhangji Date: 20-May-2022 20:57:37

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| | 5 HMX | 1 | | 6.808 | | | ND | |
| | 6 MNX | 1 | | 7.509 | | | ND | |
| | 8 RDX | 1 | | 8.988 | | | ND | |
| | 9 Nitrobenzene | 1 | | 11.961 | | | ND | |
| $ | 10 1,2-Dinitrobenzene | 1 | 13.122 | 13.181 | -0.059 | 52747 | 0.2112 | M |
| | 12 1,3-Dinitrobenzene | 1 | | 15.507 | | | ND | |
| | 14 o-Nitrotoluene | 1 | 16.655 | 16.741 | -0.086 | 1342 | 0.005719 | 7M |
| | 16 p-Nitrotoluene | 1 | | 17.047 | | | ND | |
| | 17 4-Amino-2,6-dinitrotoluene | 1 | | 17.654 | | | ND | |
| | 18 m-Nitrotoluene | 1 | | 18.027 | | | ND | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | | 18.667 | | | ND | |
| | 20 1,3,5-Trinitrobenzene | 1 | | 18.807 | | | ND | |
| | 21 2,6-Dinitrotoluene | 1 | | 20.174 | | | ND | |
| | 22 2,4-Dinitrotoluene | 1 | | 20.681 | | | ND | 7 |
| | 23 Tetryl | 1 | | 24.428 | | | ND | U |
| | 24 2,4,6-Trinitrotoluene | 1 | | 25.188 | | | ND | |

## QC Flag Legend

Processing Flags
7 - Failed Limit of Detection
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 21-May-2022 12:33:11 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200014.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 20:21:53 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | 280-162386-B-3-A | Lab Sample ID: | 280-162386-3 | Worklist Smp#: | 14 |
| Client ID: | G0117-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 14 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200014.D | | | | |
| Lims ID: | 280-162386-B-3-A | | | | |
| Client ID: | G0117-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 20:21:53 | ALS Bottle#: | 14 | Worklist Smp#: | 14 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-B-3-A | | | | |
| Misc. Info.: | 280-0111212-014 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 21-May-2022 12:33:09 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1646 | | | | |
| First Level Reviewer: zhangji | | Date: | 20-May-2022 20:57:37 | | |

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2112 | 105.60 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200014.D | | | | |
| Injection Date: | 20-May-2022 20:21:53 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-3-A | Lab Sample ID: | 280-162386-3 | | |
| Client ID: | G0117-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 14 | Worklist Smp#: | 14 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 13.12
Area: 56436
Amount: 0.225967
Amount Units: ug/ml




Manual Integration Results

RT: 13.12
Area: 52747
Amount: 0.211197
Amount Units: ug/ml




Reviewer: zhangji, 20-May-2022 20:57:35

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200014.D | | | | |
| Injection Date: | 20-May-2022 20:21:53 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-3-A | Lab Sample ID: | 280-162386-3 | | |
| Client ID: | G0117-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 14 | Worklist Smp#: | 14 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 14 o-Nitrotoluene, CAS: 88-72-2

Signal: 1


Processing Integration Results

RT: 16.66
Area: 4766
Amount: 0.020309
Amount Units: ug/ml




Manual Integration Results

RT: 16.66
Area: 1342
Amount: 0.005719
Amount Units: ug/ml




Reviewer: zhangji, 20-May-2022 20:57:32

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200014.D | | | | |
| Injection Date: | 20-May-2022 20:21:53 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-3-A | Lab Sample ID: | 280-162386-3 | | |
| Client ID: | G0117-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 14 | Worklist Smp#: | 14 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 23 Tetryl, CAS: 479-45-8, Signal: 1

RT: 24.44
Response: 68322
Amount: 0.199672




Reviewer: zhangji, 20-May-2022 20:57:37
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0022-22A | Lab Sample ID: 280-162386-4

Matrix: Water | Lab File ID: 05190024.D

Analysis Method: 8330A | Date Collected: 05/13/2022 14:25

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 482.8(mL) | Date Analyzed: 05/20/2022 01:49

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 0.21 | U | 0.22 | 0.21 | 0.087 |
| 99-65-0 | 1,3-Dinitrobenzene | 0.10 | U | 0.11 | 0.10 | 0.038 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.083 | U | 0.10 | 0.083 | 0.028 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.083 | U | 0.10 | 0.083 | 0.042 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 0.33 | | 0.11 | 0.10 | 0.053 |
| 88-72-2 | 2-Nitrotoluene | 0.21 | U M | 0.22 | 0.21 | 0.089 |
| 99-08-1 | 3-Nitrotoluene | 0.41 | U | 0.41 | 0.41 | 0.20 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 0.49 | | 0.16 | 0.12 | 0.060 |
| 99-99-0 | 4-Nitrotoluene | 0.41 | U | 0.42 | 0.41 | 0.10 |
| 2691-41-0 | HMX | 0.21 | U | 0.22 | 0.21 | 0.091 |
| 5755-27-1 | MNX | 0.41 | U | 2.1 | 0.41 | 0.16 |
| 98-95-3 | Nitrobenzene | 0.21 | U | 0.22 | 0.21 | 0.094 |
| 121-82-4 | RDX | 0.21 | U | 0.22 | 0.21 | 0.053 |
| 479-45-8 | Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.033 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 106 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190024.D
Lims ID: 280-162386-A-4-A
Client ID: G0022-22A
Sample Type: Client
Inject. Date: 20-May-2022 01:49:22 ALS Bottle#: 24 Worklist Smp#: 24
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-4-A
Misc. Info.: 280-0111180-024
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:39:57 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:15:42

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | | 6.606 | | | ND | |
| 7 MNX | 1 | | 7.219 | | | ND | |
| 8 RDX | 1 | | 7.599 | | | ND | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.561 | 8.552 | 0.009 | 26432 | 0.2120 | M |
| 11 1,3,5-Trinitrobenzene | 1 | | 8.679 | | | ND | |
| 12 1,3-Dinitrobenzene | 1 | | 9.306 | | | ND | |
| 13 Nitrobenzene | 1 | | 9.699 | | | ND | |
| 15 Tetryl | 1 | | 10.026 | | | ND | U |
| 17 2,4,6-Trinitrotoluene | 1 | 10.947 | 10.932 | 0.015 | 1540 | 0.007596 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.127 | 11.132 | -0.005 | 7102 | 0.0470 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.381 | 11.386 | -0.005 | 6501 | 0.0322 | |
| 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | ND | |
| 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | ND | |
| 22 o-Nitrotoluene | 1 | | 12.572 | | | ND | U |
| 23 p-Nitrotoluene | 1 | | 12.999 | | | ND | |
| 24 m-Nitrotoluene | 1 | | 13.572 | | | ND | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 20-May-2022 13:40:05 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190024.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 01:49:22 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-4-A | Lab Sample ID: | 280-162386-4 | Worklist Smp#: | 24 |
| Client ID: | G0022-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 24 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190024.D | | | | |
| Lims ID: | 280-162386-A-4-A | | | | |
| Client ID: | G0022-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 01:49:22 | ALS Bottle#: | 24 | Worklist Smp#: | 24 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-4-A | | | | |
| Misc. Info.: | 280-0111180-024 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:39:57 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:15:42

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2120 | 105.98 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190024.d | | | | |
| Injection Date: | 20-May-2022 01:49:22 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-4-A | Lab Sample ID: | 280-162386-4 | | |
| Client ID: | G0022-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 24 | Worklist Smp#: | 24 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.56
Area: 46120
Amount: 0.369855
Amount Units: ug/mL




Manual Integration Results

RT: 8.56
Area: 26432
Amount: 0.211969
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:15:38

Audit Action: Manually Integrated Audit Reason: Baseline


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190024.d | | | | |
| Injection Date: | 20-May-2022 01:49:22 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-4-A | Lab Sample ID: | 280-162386-4 | | |
| Client ID: | G0022-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 24 | Worklist Smp#: | 24 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.46
Response: 3664
Amount: 0.028712




Reviewer: zhangji, 20-May-2022 12:15:42
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190024.d | | | | |
| Injection Date: | 20-May-2022 01:49:22 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-4-A | Lab Sample ID: | 280-162386-4 | | |
| Client ID: | G0022-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 24 | Worklist Smp#: | 24 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 15 Tetryl, CAS: 479-45-8, Signal: 1

RT: 9.91
Response: 33098
Amount: 0.194047




Reviewer: zhangji, 20-May-2022 12:15:42
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0022-22A | Lab Sample ID: 280-162386-4

Matrix: Water | Lab File ID: 05200015.D

Analysis Method: 8330A | Date Collected: 05/13/2022 14:25

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 482.8(mL) | Date Analyzed: 05/20/2022 20:57

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: Luna-phenylhex ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575712 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.10 | U M | 0.11 | 0.10 | 0.047 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 108 | | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200015.D | | | | |
| Lims ID: | 280-162386-A-4-A | | | | |
| Client ID: | G0022-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 20:57:08 | ALS Bottle#: | 15 | Worklist Smp#: | 15 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-4-A | | | | |
| Misc. Info.: | 280-0111212-015 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 21-May-2022 12:33:09 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1646 | | | | |
| First Level Reviewer: zhangji | | Date: | 21-May-2022 12:21:19 | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 5 HMX | 1 | 6.766 | 6.808 | -0.042 | 4312 | 0.0260 | M |
| 6 MNX | 1 | | 7.509 | | | ND | |
| 8 RDX | 1 | | 8.988 | | | ND | |
| 9 Nitrobenzene | 1 | | 11.961 | | | ND | |
| $ 10 1,2-Dinitrobenzene | 1 | 13.119 | 13.181 | -0.062 | 53730 | 0.2151 | |
| 12 1,3-Dinitrobenzene | 1 | | 15.507 | | | ND | |
| 14 o-Nitrotoluene | 1 | 16.659 | 16.741 | -0.082 | 2140 | 0.009119 | |
| 16 p-Nitrotoluene | 1 | | 17.047 | | | ND | |
| 17 4-Amino-2,6-dinitrotoluene | 1 | 17.566 | 17.654 | -0.088 | 13470 | 0.0506 | |
| 18 m-Nitrotoluene | 1 | | 18.027 | | | ND | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 18.546 | 18.667 | -0.121 | 16240 | 0.0450 | |
| 20 1,3,5-Trinitrobenzene | 1 | | 18.807 | | | ND | |
| 21 2,6-Dinitrotoluene | 1 | | 20.174 | | | ND | |
| 22 2,4-Dinitrotoluene | 1 | | 20.681 | | | ND | |
| 23 Tetryl | 1 | | 24.428 | | | ND | U |
| 24 2,4,6-Trinitrotoluene | 1 | | 25.188 | | | ND | U |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

U - Marked Undetected


Report Date: 21-May-2022 12:33:12 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200015.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 20:57:08 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-4-A | Lab Sample ID: | 280-162386-4 | Worklist Smp#: | 15 |
| Client ID: | G0022-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 15 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200015.D | | | | |
| Lims ID: | 280-162386-A-4-A | | | | |
| Client ID: | G0022-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 20:57:08 | ALS Bottle#: | 15 | Worklist Smp#: | 15 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-4-A | | | | |
| Misc. Info.: | 280-0111212-015 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 21-May-2022 12:33:09 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1646 | | | | |
| First Level Reviewer: zhangji | | Date: | 21-May-2022 12:21:19 | | |

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2151 | 107.57 |


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200015.D | | | | |
| Injection Date: | 20-May-2022 20:57:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-4-A | Lab Sample ID: | 280-162386-4 | | |
| Client ID: | G0022-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 15 | Worklist Smp#: | 15 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 24 2,4,6-Trinitrotoluene, CAS: 118-96-7, Signal: 1

RT: 25.09
Response: 134516
Amount: 0.364365




Reviewer: zhangji, 21-May-2022 12:21:19
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200015.D | | | | |
| Injection Date: | 20-May-2022 20:57:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-4-A | Lab Sample ID: | 280-162386-4 | | |
| Client ID: | G0022-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 15 | Worklist Smp#: | 15 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 5 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.77
Area: 8840
Amount: 0.053210
Amount Units: ug/ml




Manual Integration Results

RT: 6.77
Area: 4312
Amount: 0.025955
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:21:09

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200015.D | | | | |
| Injection Date: | 20-May-2022 20:57:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-4-A | Lab Sample ID: | 280-162386-4 | | |
| Client ID: | G0022-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 15 | Worklist Smp#: | 15 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 23 Tetryl, CAS: 479-45-8, Signal: 1

RT: 24.45
Response: 88215
Amount: 0.257810




Reviewer: zhangji, 21-May-2022 12:21:19
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0088-22A | Lab Sample ID: 280-162386-5

Matrix: Water | Lab File ID: 05190025.D

Analysis Method: 8330A | Date Collected: 05/13/2022 15:35

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 494.5(mL) | Date Analyzed: 05/20/2022 02:12

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 4.1 | M | 0.21 | 0.20 | 0.085 |
| 99-65-0 | 1,3-Dinitrobenzene | 0.10 | U | 0.11 | 0.10 | 0.037 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.081 | U | 0.10 | 0.081 | 0.028 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.081 | U | 0.10 | 0.081 | 0.041 |
| 88-72-2 | 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.086 |
| 99-08-1 | 3-Nitrotoluene | 0.40 | U | 0.40 | 0.40 | 0.20 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 0.38 | | 0.15 | 0.12 | 0.058 |
| 2691-41-0 | HMX | 0.20 | U M | 0.21 | 0.20 | 0.089 |
| 5755-27-1 | MNX | 0.40 | U | 2.0 | 0.40 | 0.16 |
| 98-95-3 | Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.092 |
| 121-82-4 | RDX | 0.20 | U | 0.21 | 0.20 | 0.052 |
| 479-45-8 | Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.032 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 107 | | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190025.D
Lims ID: 280-162386-B-5-A
Client ID: G0088-22A
Sample Type: Client
Inject. Date: 20-May-2022 02:12:21 ALS Bottle#: 25 Worklist Smp#: 25
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-B-5-A
Misc. Info.: 280-0111180-025
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:39:57 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:22:27

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| | 4 HMX | 1 | | 6.606 | | | ND | U |
| | 7 MNX | 1 | | 7.219 | | | ND | |
| | 8 RDX | 1 | | 7.599 | | | ND | |
| $ | 10 1,2-Dinitrobenzene | 1 | 8.556 | 8.552 | 0.004 | 26568 | 0.2131 | |
| | 11 1,3,5-Trinitrobenzene | 1 | 8.676 | 8.679 | -0.003 | 89193 | 0.4090 | M |
| | 12 1,3-Dinitrobenzene | 1 | | 9.306 | | | ND | |
| | 13 Nitrobenzene | 1 | | 9.699 | | | ND | |
| | 15 Tetryl | 1 | | 10.026 | | | ND | U |
| | 17 2,4,6-Trinitrotoluene | 1 | 10.922 | 10.932 | -0.010 | 8271 | 0.0408 | |
| | 18 4-Amino-2,6-dinitrotoluene | 1 | 11.122 | 11.132 | -0.010 | 5622 | 0.0372 | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | 11.375 | 11.386 | -0.011 | 7380 | 0.0365 | |
| | 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | ND | |
| | 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | ND | |
| | 22 o-Nitrotoluene | 1 | | 12.572 | | | ND | U |
| | 23 p-Nitrotoluene | 1 | 13.022 | 12.999 | 0.023 | 1892 | 0.0178 | |
| | 24 m-Nitrotoluene | 1 | | 13.572 | | | ND | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 20-May-2022 13:40:04 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190025.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 02:12:21 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-B-5-A | Lab Sample ID: | 280-162386-5 | Worklist Smp#: | 25 |
| Client ID: | G0088-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 25 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190025.D | | | | |
| Lims ID: | 280-162386-B-5-A | | | | |
| Client ID: | G0088-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 02:12:21 | ALS Bottle#: | 25 | Worklist Smp#: | 25 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-B-5-A | | | | |
| Misc. Info.: | 280-0111180-025 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:39:57 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:22:27

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2131 | 106.53 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190025.d | | | | |
| Injection Date: | 20-May-2022 02:12:21 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-5-A | Lab Sample ID: | 280-162386-5 | | |
| Client ID: | G0088-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 25 | Worklist Smp#: | 25 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 11 1,3,5-Trinitrobenzene, CAS: 99-35-4

Signal: 1


Processing Integration Results

RT: 8.68
Area: 91906
Amount: 0.421402
Amount Units: ug/mL




Manual Integration Results

RT: 8.68
Area: 89193
Amount: 0.408963
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:22:23

Audit Action: Split an Integrated Peak Audit Reason: Baseline


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190025.d | | | | |
| Injection Date: | 20-May-2022 02:12:21 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-5-A | Lab Sample ID: | 280-162386-5 | | |
| Client ID: | G0088-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 25 | Worklist Smp#: | 25 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.45
Response: 4714
Amount: 0.036940




Reviewer: zhangji, 20-May-2022 12:22:27
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

User Disabled Compound Report


Eurofins Denver

Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190025.d
Injection Date: 20-May-2022 02:12:21 Instrument ID: CHHPLC_X3
Lims ID: 280-162386-B-5-A Lab Sample ID: 280-162386-5
Client ID: G0088-22A
Operator ID: JZ ALS Bottle#: 25 Worklist Smp#: 25
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330

Column: UltraCarb5uODS (20) ( 4.60 mm) Detector LC DAD1B, 254 nm

## 4 HMX, CAS: 2691-41-0, Signal: 1

RT: 6.47
Response: 693385
Amount: 8.271599




Reviewer: zhangji, 20-May-2022 12:22:27
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

User Disabled Compound Report


Eurofins Denver

Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190025.d
Injection Date: 20-May-2022 02:12:21 Instrument ID: CHHPLC_X3
Lims ID: 280-162386-B-5-A Lab Sample ID: 280-162386-5
Client ID: G0088-22A
Operator ID: JZ ALS Bottle#: 25 Worklist Smp#: 25
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330

Column: UltraCarb5uODS (20) ( 4.60 mm) Detector LC DAD1B, 254 nm

## 15 Tetryl, CAS: 479-45-8, Signal: 1

RT: 9.90
Response: 124384
Amount: 0.729239




Reviewer: zhangji, 20-May-2022 12:22:27
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0088-22A | Lab Sample ID: 280-162386-5

Matrix: Water | Lab File ID: 05200016.D

Analysis Method: 8330A | Date Collected: 05/13/2022 15:35

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 494.5(mL) | Date Analyzed: 05/20/2022 21:32

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: Luna-phenylhex ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575712 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.10 | U M | 0.11 | 0.10 | 0.046 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.051 |
| 99-99-0 | 4-Nitrotoluene | 0.40 | U | 0.41 | 0.40 | 0.10 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 103 | | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200016.D
Lims ID: 280-162386-B-5-A
Client ID: G0088-22A
Sample Type: Client
Inject. Date: 20-May-2022 21:32:06 ALS Bottle#: 16 Worklist Smp#: 16
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-B-5-A
Misc. Info.: 280-0111212-016
Operator ID: JZ Instrument ID: CHHPLC_X5

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 21-May-2022 12:33:09 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1646

First Level Reviewer: zhangji Date: 21-May-2022 12:26:31

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| | 5 HMX | 1 | 6.757 | 6.808 | -0.051 | 1401 | 0.008433 | M |
| | 6 MNX | 1 | | 7.509 | | | ND | |
| | 8 RDX | 1 | | 8.988 | | | ND | |
| | 9 Nitrobenzene | 1 | | 11.961 | | | ND | |
| $ | 10 1,2-Dinitrobenzene | 1 | 13.110 | 13.181 | -0.071 | 51594 | 0.2066 | |
| | 12 1,3-Dinitrobenzene | 1 | | 15.507 | | | ND | |
| | 14 o-Nitrotoluene | 1 | | 16.741 | | | ND | 7 |
| | 16 p-Nitrotoluene | 1 | | 17.047 | | | ND | |
| | 17 4-Amino-2,6-dinitrotoluene | 1 | 17.564 | 17.654 | -0.090 | 12270 | 0.0461 | |
| | 18 m-Nitrotoluene | 1 | | 18.027 | | | ND | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | | 18.667 | | | ND | |
| | 20 1,3,5-Trinitrobenzene | 1 | 18.750 | 18.807 | -0.057 | 185793 | 0.4472 | |
| | 21 2,6-Dinitrotoluene | 1 | | 20.174 | | | ND | |
| | 22 2,4-Dinitrotoluene | 1 | | 20.681 | | | ND | |
| | 23 Tetryl | 1 | | 24.428 | | | ND | U |
| | 24 2,4,6-Trinitrotoluene | 1 | | 25.188 | | | ND | U |

## QC Flag Legend

Processing Flags
7 - Failed Limit of Detection
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 21-May-2022 12:33:12 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200016.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 21:32:06 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | 280-162386-B-5-A | Lab Sample ID: | 280-162386-5 | Worklist Smp#: | 16 |
| Client ID: | G0088-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 16 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200016.D | | | | |
| Lims ID: | 280-162386-B-5-A | | | | |
| Client ID: | G0088-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 21:32:06 | ALS Bottle#: | 16 | Worklist Smp#: | 16 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-B-5-A | | | | |
| Misc. Info.: | 280-0111212-016 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 21-May-2022 12:33:09 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1646 | | | | |
| First Level Reviewer: zhangji | | Date: | 21-May-2022 12:26:31 | | |

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2066 | 103.29 |


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200016.D | | | | |
| Injection Date: | 20-May-2022 21:32:06 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-5-A | Lab Sample ID: | 280-162386-5 | | |
| Client ID: | G0088-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 16 | Worklist Smp#: | 16 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 24 2,4,6-Trinitrotoluene, CAS: 118-96-7, Signal: 1

RT: 25.07
Response: 150226
Amount: 0.406919




Reviewer: zhangji, 21-May-2022 12:26:31
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200016.D | | | | |
| Injection Date: | 20-May-2022 21:32:06 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-5-A | Lab Sample ID: | 280-162386-5 | | |
| Client ID: | G0088-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 16 | Worklist Smp#: | 16 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 5 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.76
Area: 3266
Amount: 0.019659
Amount Units: ug/ml




Manual Integration Results

RT: 6.76
Area: 1401
Amount: 0.008433
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:26:22

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200016.D | | | | |
| Injection Date: | 20-May-2022 21:32:06 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-5-A | Lab Sample ID: | 280-162386-5 | | |
| Client ID: | G0088-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 16 | Worklist Smp#: | 16 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 23 Tetryl, CAS: 479-45-8, Signal: 1

RT: 24.40
Response: 81743
Amount: 0.238896




Reviewer: zhangji, 21-May-2022 12:26:31
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0116-22A | Lab Sample ID: 280-162386-6

Matrix: Water | Lab File ID: 05190026.D

Analysis Method: 8330A | Date Collected: 05/13/2022 14:40

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 476.8(mL) | Date Analyzed: 05/20/2022 02:35

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 0.21 | U | 0.22 | 0.21 | 0.088 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.10 | U M | 0.12 | 0.10 | 0.047 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.084 | U | 0.10 | 0.084 | 0.029 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.084 | U M | 0.10 | 0.084 | 0.042 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 0.10 | U M | 0.12 | 0.10 | 0.053 |
| 88-72-2 | 2-Nitrotoluene | 0.21 | U M | 0.22 | 0.21 | 0.090 |
| 99-08-1 | 3-Nitrotoluene | 0.42 | U | 0.42 | 0.42 | 0.20 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 0.13 | U | 0.16 | 0.13 | 0.061 |
| 99-99-0 | 4-Nitrotoluene | 0.42 | U | 0.43 | 0.42 | 0.10 |
| 2691-41-0 | HMX | 0.21 | U | 0.22 | 0.21 | 0.092 |
| 5755-27-1 | MNX | 0.42 | U M | 2.1 | 0.42 | 0.16 |
| 98-95-3 | Nitrobenzene | 0.21 | U M | 0.22 | 0.21 | 0.095 |
| 121-82-4 | RDX | 0.21 | U | 0.22 | 0.21 | 0.054 |
| 479-45-8 | Tetryl | 0.10 | U M | 0.12 | 0.10 | 0.033 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 119 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190026.D
Lims ID: 280-162386-A-6-A
Client ID: G0116-22A
Sample Type: Client
Inject. Date: 20-May-2022 02:35:13 ALS Bottle#: 26 Worklist Smp#: 26
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-6-A
Misc. Info.: 280-0111180-026
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:39:57 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:22:53

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | | 6.606 | | | ND | |
| 7 MNX | 1 | | 7.219 | | | ND | U |
| 8 RDX | 1 | | 7.599 | | | ND | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.553 | 8.552 | 0.001 | 29586 | 0.2373 | M |
| 11 1,3,5-Trinitrobenzene | 1 | | 8.679 | | | ND | |
| 12 1,3-Dinitrobenzene | 1 | 9.286 | 9.306 | -0.020 | 313477 | 1.09 | M |
| 13 Nitrobenzene | 1 | | 9.699 | | | ND | U |
| 15 Tetryl | 1 | | 10.026 | | | ND | U |
| 17 2,4,6-Trinitrotoluene | 1 | | 10.932 | | | ND | U |
| 18 4-Amino-2,6-dinitrotoluene | 1 | | 11.132 | | | ND | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | | 11.386 | | | ND | U |
| 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | ND | U |
| 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | ND | |
| 22 o-Nitrotoluene | 1 | | 12.572 | | | ND | U |
| 23 p-Nitrotoluene | 1 | | 12.999 | | | ND | |
| 24 m-Nitrotoluene | 1 | | 13.572 | | | ND | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 20-May-2022 13:40:03 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190026.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 02:35:13 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | Worklist Smp#: | 26 |
| Client ID: | G0116-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 26 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190026.D | | | | |
| Lims ID: | 280-162386-A-6-A | | | | |
| Client ID: | G0116-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 02:35:13 | ALS Bottle#: | 26 | Worklist Smp#: | 26 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-6-A | | | | |
| Misc. Info.: | 280-0111180-026 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:39:57 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:22:53

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2373 | 118.63 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190026.d | | | | |
| Injection Date: | 20-May-2022 02:35:13 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 26 | Worklist Smp#: | 26 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.55
Area: 419773
Amount: 3.366326
Amount Units: ug/mL




Manual Integration Results

RT: 8.55
Area: 29586
Amount: 0.237262
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:22:47

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190026.d | | | | |
| Injection Date: | 20-May-2022 02:35:13 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 26 | Worklist Smp#: | 26 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 12 1,3-Dinitrobenzene, CAS: 99-65-0

Signal: 1


Processing Integration Results

RT: 9.29
Area: 729038
Amount: 2.527858
Amount Units: ug/mL




Manual Integration Results

RT: 9.29
Area: 313477
Amount: 1.086947
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:22:51

Audit Action: Manually Integrated Audit Reason: Baseline


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190026.d | | | | |
| Injection Date: | 20-May-2022 02:35:13 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 26 | Worklist Smp#: | 26 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

17 2,4,6-Trinitrotoluene, CAS: 118-96-7, Signal: 1

RT: 11.00
Response: 208279
Amount: 1.027392




Reviewer: zhangji, 20-May-2022 12:22:53
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190026.d | | | | |
| Injection Date: | 20-May-2022 02:35:13 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 26 | Worklist Smp#: | 26 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

20 2,6-Dinitrotoluene, CAS: 606-20-2, Signal: 1

RT: 11.60
Response: 53517
Amount: 0.373943




Reviewer: zhangji, 20-May-2022 12:22:53
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

User Disabled Compound Report


Eurofins Denver

Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190026.d
Injection Date: 20-May-2022 02:35:13 Instrument ID: CHHPLC_X3
Lims ID: 280-162386-A-6-A Lab Sample ID: 280-162386-6
Client ID: G0116-22A
Operator ID: JZ ALS Bottle#: 26 Worklist Smp#: 26
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330

Column: UltraCarb5uODS (20) ( 4.60 mm) Detector LC DAD1B, 254 nm

19 2-Amino-4,6-dinitrotoluene, CAS: 35572-78-2, Signal: 1

RT: 11.43
Response: 53889
Amount: 0.266551




Reviewer: zhangji, 20-May-2022 12:22:53
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190026.d | | | | |
| Injection Date: | 20-May-2022 02:35:13 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 26 | Worklist Smp#: | 26 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.45
Response: 57908
Amount: 0.453776




Reviewer: zhangji, 20-May-2022 12:22:53
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190026.d | | | | |
| Injection Date: | 20-May-2022 02:35:13 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 26 | Worklist Smp#: | 26 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1, Signal: 1

RT: 7.31
Response: 2294069
Amount: 18.207559




Reviewer: zhangji, 20-May-2022 12:22:53
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190026.d | | | | |
| Injection Date: | 20-May-2022 02:35:13 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 26 | Worklist Smp#: | 26 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 13 Nitrobenzene, CAS: 98-95-3, Signal: 1

RT: 9.63
Response: 155089
Amount: 0.807952




Reviewer: zhangji, 20-May-2022 12:22:53
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190026.d | | | | |
| Injection Date: | 20-May-2022 02:35:13 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 26 | Worklist Smp#: | 26 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 15 Tetryl, CAS: 479-45-8, Signal: 1

RT: 9.93
Response: 485742
Amount: 2.847812




Reviewer: zhangji, 20-May-2022 12:22:53
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0116-22A | Lab Sample ID: 280-162386-6

Matrix: Water | Lab File ID: 05200017.D

Analysis Method: 8330A | Date Collected: 05/13/2022 14:40

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 476.8(mL) | Date Analyzed: 05/20/2022 22:07

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: Luna-phenylhex ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575712 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-65-0 | 1,3-Dinitrobenzene | 0.10 | U Q | 0.12 | 0.10 | 0.039 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 81 | *M Q* | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D
Lims ID: 280-162386-A-6-A
Client ID: G0116-22A
Sample Type: Client
Inject. Date: 20-May-2022 22:07:08 ALS Bottle#: 17 Worklist Smp#: 17
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-6-A
Misc. Info.: 280-0111212-017
Operator ID: JZ Instrument ID: CHHPLC_X5

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 21-May-2022 12:33:09 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1646

First Level Reviewer: zhangji Date: 21-May-2022 12:28:52

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| | 5 HMX | 1 | | 6.808 | | | ND | |
| | 6 MNX | 1 | | 7.509 | | | ND | |
| | 8 RDX | 1 | | 8.988 | | | ND | |
| | 9 Nitrobenzene | 1 | 11.925 | 11.961 | -0.036 | 55525 | 0.1508 | M |
| $ | 10 1,2-Dinitrobenzene | 1 | 13.125 | 13.181 | -0.056 | 40616 | 0.1626 | M |
| | 12 1,3-Dinitrobenzene | 1 | | 15.507 | | | ND | |
| | 14 o-Nitrotoluene | 1 | | 16.741 | | | ND | |
| | 16 p-Nitrotoluene | 1 | | 17.047 | | | ND | |
| | 17 4-Amino-2,6-dinitrotoluene | 1 | | 17.654 | | | ND | U |
| | 18 m-Nitrotoluene | 1 | | 18.027 | | | ND | U |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | | 18.667 | | | ND | U |
| | 20 1,3,5-Trinitrobenzene | 1 | | 18.807 | | | ND | |
| | 21 2,6-Dinitrotoluene | 1 | | 20.174 | | | ND | U |
| | 22 2,4-Dinitrotoluene | 1 | 20.572 | 20.681 | -0.109 | 8416 | 0.003723 | |
| | 23 Tetryl | 1 | | 24.428 | | | ND | U |
| | 24 2,4,6-Trinitrotoluene | 1 | | 25.188 | | | ND | U |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 21-May-2022 12:33:13 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 22:07:08 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | Worklist Smp#: | 17 |
| Client ID: | G0116-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 17 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D | | | | |
| Lims ID: | 280-162386-A-6-A | | | | |
| Client ID: | G0116-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 22:07:08 | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-6-A | | | | |
| Misc. Info.: | 280-0111212-017 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 21-May-2022 12:33:09 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1646 | | | | |
| First Level Reviewer: zhangji | | Date: | 21-May-2022 12:28:52 | | |

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.1626 | 81.31 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D | | | | |
| Injection Date: | 20-May-2022 22:07:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 13.13
Area: 110525
Amount: 0.442537
Amount Units: ug/ml




Manual Integration Results

RT: 13.13
Area: 40616
Amount: 0.162625
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:28:49

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D | | | | |
| Injection Date: | 20-May-2022 22:07:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 24 2,4,6-Trinitrotoluene, CAS: 118-96-7, Signal: 1

RT: 25.09
Response: 30398
Amount: 0.082339




Reviewer: zhangji, 21-May-2022 12:28:52
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D | | | | |
| Injection Date: | 20-May-2022 22:07:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 21 2,6-Dinitrotoluene, CAS: 606-20-2, Signal: 1

RT: 20.25
Response: 13928
Amount: 0.052428




Reviewer: zhangji, 21-May-2022 12:28:52
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D | | | | |
| Injection Date: | 20-May-2022 22:07:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

19 2-Amino-4,6-dinitrotoluene, CAS: 35572-78-2, Signal: 1

RT: 18.61
Response: 29601
Amount: 0.082103




Reviewer: zhangji, 21-May-2022 12:28:52

Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D | | | | |
| Injection Date: | 20-May-2022 22:07:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

18 m-Nitrotoluene, CAS: 99-08-1, Signal: 1

RT: 18.17
Response: 8945
Amount: 0.034340




Reviewer: zhangji, 21-May-2022 12:28:52
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D | | | | |
| Injection Date: | 20-May-2022 22:07:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

17 4-Amino-2,6-dinitrotoluene, CAS: 19406-51-0, Signal: 1

RT: 17.73
Response: 10942
Amount: 0.041179




Reviewer: zhangji, 21-May-2022 12:28:52

Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D | | | | |
| Injection Date: | 20-May-2022 22:07:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 9 Nitrobenzene, CAS: 98-95-3

Signal: 1


Processing Integration Results

RT: 11.93
Area: 354445
Amount: 0.962399
Amount Units: ug/ml




Manual Integration Results

RT: 11.93
Area: 55525
Amount: 0.150763
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:28:46

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200017.D | | | | |
| Injection Date: | 20-May-2022 22:07:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-6-A | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 23 Tetryl, CAS: 479-45-8, Signal: 1

RT: 24.43
Response: 29083
Amount: 0.084996




Reviewer: zhangji, 21-May-2022 12:28:52
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ014-22A | Lab Sample ID: 280-162386-7

Matrix: Water | Lab File ID: 05190027.D

Analysis Method: 8330A | Date Collected: 05/13/2022 15:50

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 464.7(mL) | Date Analyzed: 05/20/2022 02:58

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 0.22 | U | 0.23 | 0.22 | 0.090 |
| 99-65-0 | 1,3-Dinitrobenzene | 0.11 | U M | 0.12 | 0.11 | 0.040 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.11 | U | 0.12 | 0.11 | 0.048 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.086 | U | 0.11 | 0.086 | 0.029 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.086 | U | 0.11 | 0.086 | 0.043 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 0.11 | U | 0.12 | 0.11 | 0.055 |
| 88-72-2 | 2-Nitrotoluene | 0.22 | U M | 0.23 | 0.22 | 0.092 |
| 99-08-1 | 3-Nitrotoluene | 0.43 | U | 0.43 | 0.43 | 0.21 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 0.13 | U | 0.16 | 0.13 | 0.062 |
| 99-99-0 | 4-Nitrotoluene | 0.43 | U | 0.44 | 0.43 | 0.11 |
| 2691-41-0 | HMX | 0.22 | U M | 0.23 | 0.22 | 0.094 |
| 5755-27-1 | MNX | 0.43 | U | 2.2 | 0.43 | 0.17 |
| 98-95-3 | Nitrobenzene | 0.22 | U | 0.23 | 0.22 | 0.098 |
| 121-82-4 | RDX | 0.22 | U | 0.23 | 0.22 | 0.055 |
| 479-45-8 | Tetryl | 0.11 | U M | 0.12 | 0.11 | 0.034 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 108 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190027.D
Lims ID: 280-162386-A-7-A
Client ID: PZ014-22A
Sample Type: Client
Inject. Date: 20-May-2022 02:58:07 ALS Bottle#: 27 Worklist Smp#: 27
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-7-A
Misc. Info.: 280-0111180-027
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:39:57 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:23:08

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | | 6.606 | | | ND | U |
| 7 MNX | 1 | | 7.219 | | | ND | |
| 8 RDX | 1 | | 7.599 | | | ND | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.558 | 8.552 | 0.006 | 26818 | 0.2151 | M |
| 11 1,3,5-Trinitrobenzene | 1 | | 8.679 | | | ND | |
| 12 1,3-Dinitrobenzene | 1 | | 9.306 | | | ND | U |
| 13 Nitrobenzene | 1 | | 9.699 | | | ND | |
| 15 Tetryl | 1 | | 10.026 | | | ND | U |
| 17 2,4,6-Trinitrotoluene | 1 | | 10.932 | | | ND | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | | 11.132 | | | ND | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | | 11.386 | | | ND | |
| 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | ND | |
| 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | ND | |
| 22 o-Nitrotoluene | 1 | | 12.572 | | | ND | U |
| 23 p-Nitrotoluene | 1 | | 12.999 | | | ND | |
| 24 m-Nitrotoluene | 1 | | 13.572 | | | ND | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 20-May-2022 13:40:02 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190027.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 02:58:07 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-7-A | Lab Sample ID: | 280-162386-7 | Worklist Smp#: | 27 |
| Client ID: | PZ014-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 27 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190027.D | | | | |
| Lims ID: | 280-162386-A-7-A | | | | |
| Client ID: | PZ014-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 02:58:07 | ALS Bottle#: | 27 | Worklist Smp#: | 27 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-7-A | | | | |
| Misc. Info.: | 280-0111180-027 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:39:57 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:23:08

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2151 | 107.53 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190027.d | | | | |
| Injection Date: | 20-May-2022 02:58:07 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-7-A | Lab Sample ID: | 280-162386-7 | | |
| Client ID: | PZ014-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 27 | Worklist Smp#: | 27 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.56
Area: 33130
Amount: 0.265683
Amount Units: ug/mL




Manual Integration Results

RT: 8.56
Area: 26818
Amount: 0.215064
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:23:07

Audit Action: Manually Integrated Audit Reason: Baseline


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190027.d | | | | |
| Injection Date: | 20-May-2022 02:58:07 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-7-A | Lab Sample ID: | 280-162386-7 | | |
| Client ID: | PZ014-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 27 | Worklist Smp#: | 27 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

12 1,3-Dinitrobenzene, CAS: 99-65-0, Signal: 1

RT: 9.38
Response: 9287
Amount: 0.032202




Reviewer: zhangji, 20-May-2022 12:23:08
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

User Disabled Compound Report


Eurofins Denver

Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190027.d
Injection Date: 20-May-2022 02:58:07 Instrument ID: CHHPLC_X3
Lims ID: 280-162386-A-7-A Lab Sample ID: 280-162386-7
Client ID: PZ014-22A
Operator ID: JZ ALS Bottle#: 27 Worklist Smp#: 27
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330

Column: UltraCarb5uODS (20) ( 4.60 mm) Detector LC DAD1B, 254 nm

## 22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.45
Response: 7170
Amount: 0.056185




Reviewer: zhangji, 20-May-2022 12:23:08
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190027.d | | | | |
| Injection Date: | 20-May-2022 02:58:07 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-7-A | Lab Sample ID: | 280-162386-7 | | |
| Client ID: | PZ014-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 27 | Worklist Smp#: | 27 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0, Signal: 1

RT: 6.46
Response: 3893981
Amount: 46.452475




Reviewer: zhangji, 20-May-2022 12:23:08
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190027.d | | | | |
| Injection Date: | 20-May-2022 02:58:07 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-7-A | Lab Sample ID: | 280-162386-7 | | |
| Client ID: | PZ014-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 27 | Worklist Smp#: | 27 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 15 Tetryl, CAS: 479-45-8, Signal: 1

RT: 9.91
Response: 19685
Amount: 0.115409




Reviewer: zhangji, 20-May-2022 12:23:08
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0092-22A | Lab Sample ID: 280-162386-8

Matrix: Water | Lab File ID: 05190028.D

Analysis Method: 8330A | Date Collected: 05/12/2022 14:20

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 470.3(mL) | Date Analyzed: 05/20/2022 03:21

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 0.21 | U | 0.22 | 0.21 | 0.089 |
| 99-65-0 | 1,3-Dinitrobenzene | 0.11 | U | 0.12 | 0.11 | 0.039 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.11 | U | 0.12 | 0.11 | 0.048 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.085 | U | 0.11 | 0.085 | 0.029 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.085 | U | 0.11 | 0.085 | 0.043 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 0.11 | U | 0.12 | 0.11 | 0.054 |
| 88-72-2 | 2-Nitrotoluene | 0.21 | U M | 0.22 | 0.21 | 0.091 |
| 99-08-1 | 3-Nitrotoluene | 0.43 | U | 0.43 | 0.43 | 0.21 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 0.13 | U | 0.16 | 0.13 | 0.061 |
| 99-99-0 | 4-Nitrotoluene | 0.43 | U | 0.44 | 0.43 | 0.11 |
| 2691-41-0 | HMX | 0.21 | U M | 0.22 | 0.21 | 0.093 |
| 5755-27-1 | MNX | 0.43 | U | 2.1 | 0.43 | 0.16 |
| 98-95-3 | Nitrobenzene | 0.21 | U M | 0.22 | 0.21 | 0.097 |
| 121-82-4 | RDX | 0.21 | U | 0.22 | 0.21 | 0.055 |
| 479-45-8 | Tetryl | 0.11 | U M | 0.12 | 0.11 | 0.034 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 105 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190028.D
Lims ID: 280-162386-A-8-A
Client ID: G0092-22A
Sample Type: Client
Inject. Date: 20-May-2022 03:21:00 ALS Bottle#: 28 Worklist Smp#: 28
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-8-A
Misc. Info.: 280-0111180-028
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:39:57 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:23:24

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | | 6.606 | | | ND | U |
| 7 MNX | 1 | | 7.219 | | | ND | |
| 8 RDX | 1 | | 7.599 | | | ND | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.558 | 8.552 | 0.006 | 26154 | 0.2097 | M |
| 11 1,3,5-Trinitrobenzene | 1 | | 8.679 | | | ND | 7 |
| 12 1,3-Dinitrobenzene | 1 | | 9.306 | | | ND | |
| 13 Nitrobenzene | 1 | | 9.699 | | | ND | U |
| 15 Tetryl | 1 | | 10.026 | | | ND | U |
| 17 2,4,6-Trinitrotoluene | 1 | | 10.932 | | | ND | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | | 11.132 | | | ND | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | | 11.386 | | | ND | |
| 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | ND | |
| 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | ND | |
| 22 o-Nitrotoluene | 1 | | 12.572 | | | ND | U |
| 23 p-Nitrotoluene | 1 | | 12.999 | | | ND | |
| 24 m-Nitrotoluene | 1 | | 13.572 | | | ND | |

## QC Flag Legend

Processing Flags
7 - Failed Limit of Detection
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 20-May-2022 13:40:01 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190028.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 03:21:00 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-8-A | Lab Sample ID: | 280-162386-8 | Worklist Smp#: | 28 |
| Client ID: | G0092-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 28 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190028.D | | | | |
| Lims ID: | 280-162386-A-8-A | | | | |
| Client ID: | G0092-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 03:21:00 | ALS Bottle#: | 28 | Worklist Smp#: | 28 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-8-A | | | | |
| Misc. Info.: | 280-0111180-028 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:39:57 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:23:24

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2097 | 104.87 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190028.d | | | | |
| Injection Date: | 20-May-2022 03:21:00 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-8-A | Lab Sample ID: | 280-162386-8 | | |
| Client ID: | G0092-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 28 | Worklist Smp#: | 28 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.56
Area: 35822
Amount: 0.287271
Amount Units: ug/mL




Manual Integration Results

RT: 8.56
Area: 26154
Amount: 0.209739
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:23:23

Audit Action: Manually Integrated Audit Reason: Baseline


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190028.d | | | | |
| Injection Date: | 20-May-2022 03:21:00 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-8-A | Lab Sample ID: | 280-162386-8 | | |
| Client ID: | G0092-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 28 | Worklist Smp#: | 28 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.45
Response: 4087
Amount: 0.032026




Reviewer: zhangji, 20-May-2022 12:23:24
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190028.d | | | | |
| Injection Date: | 20-May-2022 03:21:00 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-8-A | Lab Sample ID: | 280-162386-8 | | |
| Client ID: | G0092-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 28 | Worklist Smp#: | 28 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0, Signal: 1

RT: 6.47
Response: 1719960
Amount: 20.517922




Reviewer: zhangji, 20-May-2022 12:23:24
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190028.d | | | | |
| Injection Date: | 20-May-2022 03:21:00 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-8-A | Lab Sample ID: | 280-162386-8 | | |
| Client ID: | G0092-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 28 | Worklist Smp#: | 28 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 13 Nitrobenzene, CAS: 98-95-3, Signal: 1

RT: 9.75
Response: 3073
Amount: 0.016009




Reviewer: zhangji, 20-May-2022 12:23:24
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190028.d | | | | |
| Injection Date: | 20-May-2022 03:21:00 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-8-A | Lab Sample ID: | 280-162386-8 | | |
| Client ID: | G0092-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 28 | Worklist Smp#: | 28 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 15 Tetryl, CAS: 479-45-8, Signal: 1

RT: 10.13
Response: 1161
Amount: 0.006807




Reviewer: zhangji, 20-May-2022 12:23:24
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ013-22A | Lab Sample ID: 280-162386-9

Matrix: Water | Lab File ID: 05190029.D

Analysis Method: 8330A | Date Collected: 05/13/2022 11:40

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 492.4(mL) | Date Analyzed: 05/20/2022 03:43

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-65-0 | 1,3-Dinitrobenzene | 0.10 | U M | 0.11 | 0.10 | 0.037 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.98 | | 0.11 | 0.10 | 0.046 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.081 | U | 0.10 | 0.081 | 0.028 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.081 | U | 0.10 | 0.081 | 0.041 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 3.3 | | 0.11 | 0.10 | 0.051 |
| 88-72-2 | 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.087 |
| 99-08-1 | 3-Nitrotoluene | 0.41 | U | 0.41 | 0.41 | 0.20 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 4.3 | | 0.15 | 0.12 | 0.059 |
| 2691-41-0 | HMX | 0.20 | U M | 0.21 | 0.20 | 0.089 |
| 5755-27-1 | MNX | 0.41 | U M | 2.0 | 0.41 | 0.16 |
| 98-95-3 | Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.092 |
| 121-82-4 | RDX | 0.20 | U | 0.21 | 0.20 | 0.052 |
| 479-45-8 | Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.032 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 105 | | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190029.D
Lims ID: 280-162386-B-9-A
Client ID: PZ013-22A
Sample Type: Client
Inject. Date: 20-May-2022 03:43:54 ALS Bottle#: 29 Worklist Smp#: 29
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-B-9-A
Misc. Info.: 280-0111180-029
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:39:57 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:26:49

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | | 6.606 | | | ND | U |
| 7 MNX | 1 | | 7.219 | | | ND | U |
| 8 RDX | 1 | | 7.599 | | | ND | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.553 | 8.552 | 0.001 | 26137 | 0.2096 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.673 | 8.679 | -0.006 | 2427 | 0.0111 | |
| 12 1,3-Dinitrobenzene | 1 | | 9.306 | | | ND | U |
| 13 Nitrobenzene | 1 | | 9.699 | | | ND | |
| 15 Tetryl | 1 | | 10.026 | | | ND | U |
| 17 2,4,6-Trinitrotoluene | 1 | 10.939 | 10.932 | 0.007 | 19489 | 0.0961 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.126 | 11.132 | -0.006 | 63510 | 0.4206 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.379 | 11.386 | -0.007 | 65736 | 0.3252 | |
| 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | ND | |
| 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | ND | |
| 22 o-Nitrotoluene | 1 | | 12.572 | | | ND | U |
| 23 p-Nitrotoluene | 1 | 13.006 | 12.999 | 0.007 | 1179 | 0.0111 | |
| 24 m-Nitrotoluene | 1 | | 13.572 | | | ND | |

## QC Flag Legend

Processing Flags
Review Flags
U - Marked Undetected


Report Date: 20-May-2022 13:40:01 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190029.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 03:43:54 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | Worklist Smp#: | 29 |
| Client ID: | PZ013-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 29 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190029.D | | | | |
| Lims ID: | 280-162386-B-9-A | | | | |
| Client ID: | PZ013-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 03:43:54 | ALS Bottle#: | 29 | Worklist Smp#: | 29 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-B-9-A | | | | |
| Misc. Info.: | 280-0111180-029 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:39:57 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:26:49

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2096 | 104.80 |

User Disabled Compound Report


Eurofins Denver

Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190029.d
Injection Date: 20-May-2022 03:43:54 Instrument ID: CHHPLC_X3
Lims ID: 280-162386-B-9-A Lab Sample ID: 280-162386-9
Client ID: PZ013-22A
Operator ID: JZ ALS Bottle#: 29 Worklist Smp#: 29
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330

Column: UltraCarb5uODS (20) ( 4.60 mm) Detector LC DAD1B, 254 nm

## 12 1,3-Dinitrobenzene, CAS: 99-65-0, Signal: 1

RT: 9.35
Response: 56198
Amount: 0.194860




Reviewer: zhangji, 20-May-2022 12:26:49
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190029.d | | | | |
| Injection Date: | 20-May-2022 03:43:54 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 29 | Worklist Smp#: | 29 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.45
Response: 7792
Amount: 0.061059




Reviewer: zhangji, 20-May-2022 12:26:49
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

User Disabled Compound Report


Eurofins Denver

Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190029.d
Injection Date: 20-May-2022 03:43:54 Instrument ID: CHHPLC_X3
Lims ID: 280-162386-B-9-A Lab Sample ID: 280-162386-9
Client ID: PZ013-22A
Operator ID: JZ ALS Bottle#: 29 Worklist Smp#: 29
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330

Column: UltraCarb5uODS (20) ( 4.60 mm) Detector LC DAD1B, 254 nm

## 4 HMX, CAS: 2691-41-0, Signal: 1

RT: 6.66
Response: 863613
Amount: 10.302300




Reviewer: zhangji, 20-May-2022 12:26:49
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190029.d | | | | |
| Injection Date: | 20-May-2022 03:43:54 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 29 | Worklist Smp#: | 29 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1, Signal: 1

RT: 7.27
Response: 789530
Amount: 6.266339




Reviewer: zhangji, 20-May-2022 12:26:49
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190029.d | | | | |
| Injection Date: | 20-May-2022 03:43:54 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 29 | Worklist Smp#: | 29 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 15 Tetryl, CAS: 479-45-8, Signal: 1

RT: 9.91
Response: 216835
Amount: 1.271262




Reviewer: zhangji, 20-May-2022 12:26:49
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ013-22A | Lab Sample ID: 280-162386-9

Matrix: Water | Lab File ID: 05200018.D

Analysis Method: 8330A | Date Collected: 05/13/2022 11:40

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 492.4(mL) | Date Analyzed: 05/20/2022 22:42

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: Luna-phenylhex ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575712 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.085 |
| 99-99-0 | 4-Nitrotoluene | 0.41 | U M | 0.42 | 0.41 | 0.10 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 92 | *M* | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D
Lims ID: 280-162386-B-9-A
Client ID: PZ013-22A
Sample Type: Client
Inject. Date: 20-May-2022 22:42:08 ALS Bottle#: 18 Worklist Smp#: 18
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-B-9-A
Misc. Info.: 280-0111212-018
Operator ID: JZ Instrument ID: CHHPLC_X5

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 21-May-2022 12:33:09 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1646

First Level Reviewer: zhangji Date: 21-May-2022 12:29:26

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| | 5 HMX | 1 | 6.767 | 6.808 | -0.041 | 9891 | 0.0595 | M |
| | 6 MNX | 1 | | 7.509 | | | ND | |
| | 8 RDX | 1 | | 8.988 | | | ND | |
| | 9 Nitrobenzene | 1 | | 11.961 | | | ND | U |
| $ | 10 1,2-Dinitrobenzene | 1 | 13.134 | 13.181 | -0.047 | 45873 | 0.1837 | M |
| | 12 1,3-Dinitrobenzene | 1 | | 15.507 | | | ND | |
| | 14 o-Nitrotoluene | 1 | | 16.741 | | | ND | |
| | 16 p-Nitrotoluene | 1 | | 17.047 | | | ND | U |
| | 17 4-Amino-2,6-dinitrotoluene | 1 | 17.594 | 17.654 | -0.060 | 121082 | 0.4533 | M |
| | 18 m-Nitrotoluene | 1 | | 18.027 | | | ND | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | 18.574 | 18.667 | -0.093 | 131055 | 0.3635 | M |
| | 20 1,3,5-Trinitrobenzene | 1 | | 18.807 | | | ND | |
| | 21 2,6-Dinitrotoluene | 1 | | 20.174 | | | ND | |
| | 22 2,4-Dinitrotoluene | 1 | | 20.681 | | | ND | 7 |
| | 23 Tetryl | 1 | | 24.428 | | | ND | U |
| | 24 2,4,6-Trinitrotoluene | 1 | 25.094 | 25.188 | -0.094 | 26134 | 0.0708 | M |

## QC Flag Legend

Processing Flags
7 - Failed Limit of Detection
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 21-May-2022 12:33:13 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 22:42:08 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | Worklist Smp#: | 18 |
| Client ID: | PZ013-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 18 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D | | | | |
| Lims ID: | 280-162386-B-9-A | | | | |
| Client ID: | PZ013-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 22:42:08 | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-B-9-A | | | | |
| Misc. Info.: | 280-0111212-018 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 21-May-2022 12:33:09 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1646 | | | | |
| First Level Reviewer: zhangji | | Date: | 21-May-2022 12:29:26 | | |

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.1837 | 91.84 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D | | | | |
| Injection Date: | 20-May-2022 22:42:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 13.13
Area: 52983
Amount: 0.212142
Amount Units: ug/ml




Manual Integration Results

RT: 13.13
Area: 45873
Amount: 0.183674
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:29:19

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D | | | | |
| Injection Date: | 20-May-2022 22:42:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 24 2,4,6-Trinitrotoluene, CAS: 118-96-7

Signal: 1


Processing Integration Results

RT: 25.09
Area: 80531
Amount: 0.218135
Amount Units: ug/ml




Manual Integration Results

RT: 25.09
Area: 26134
Amount: 0.070789
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:29:09

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D | | | | |
| Injection Date: | 20-May-2022 22:42:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 19 2-Amino-4,6-dinitrotoluene, CAS: 35572-78-2

Signal: 1


Processing Integration Results

RT: 18.57
Area: 152621
Amount: 0.423317
Amount Units: ug/ml




Manual Integration Results

RT: 18.57
Area: 131055
Amount: 0.363501
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:29:12

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D | | | | |
| Injection Date: | 20-May-2022 22:42:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 17 4-Amino-2,6-dinitrotoluene, CAS: 19406-51-0

Signal: 1


Processing Integration Results

RT: 17.59
Area: 138712
Amount: 0.519281
Amount Units: ug/ml




Manual Integration Results

RT: 17.59
Area: 121082
Amount: 0.453311
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:29:16

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D | | | | |
| Injection Date: | 20-May-2022 22:42:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

16 p-Nitrotoluene, CAS: 99-99-0, Signal: 1

RT: 17.11
Response: 25145
Amount: 0.119274




Reviewer: zhangji, 21-May-2022 12:29:26
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D | | | | |
| Injection Date: | 20-May-2022 22:42:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 5 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.77
Area: 232130
Amount: 1.397235
Amount Units: ug/ml




Manual Integration Results

RT: 6.77
Area: 9891
Amount: 0.059536
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:29:23
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D | | | | |
| Injection Date: | 20-May-2022 22:42:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 9 Nitrobenzene, CAS: 98-95-3, Signal: 1

RT: 11.83
Response: 37527
Amount: 0.101894




Reviewer: zhangji, 21-May-2022 12:29:26
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200018.D | | | | |
| Injection Date: | 20-May-2022 22:42:08 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-B-9-A | Lab Sample ID: | 280-162386-9 | | |
| Client ID: | PZ013-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 23 Tetryl, CAS: 479-45-8, Signal: 1

RT: 24.44
Response: 48985
Amount: 0.143160




Reviewer: zhangji, 21-May-2022 12:29:26
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0081-22A | Lab Sample ID: 280-162386-10

Matrix: Water | Lab File ID: 05190030.D

Analysis Method: 8330A | Date Collected: 05/13/2022 12:05

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 489.4(mL) | Date Analyzed: 05/20/2022 04:06

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 0.36 | M | 0.21 | 0.20 | 0.086 |
| 99-65-0 | 1,3-Dinitrobenzene | 0.10 | U M | 0.11 | 0.10 | 0.038 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.082 | U | 0.10 | 0.082 | 0.028 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.082 | U | 0.10 | 0.082 | 0.041 |
| 88-72-2 | 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.087 |
| 99-08-1 | 3-Nitrotoluene | 0.41 | U | 0.41 | 0.41 | 0.20 |
| 99-99-0 | 4-Nitrotoluene | 0.41 | U | 0.42 | 0.41 | 0.10 |
| 2691-41-0 | HMX | 0.20 | U | 0.21 | 0.20 | 0.089 |
| 5755-27-1 | MNX | 0.41 | U | 2.0 | 0.41 | 0.16 |
| 98-95-3 | Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.093 |
| 121-82-4 | RDX | 0.20 | U | 0.21 | 0.20 | 0.053 |
| 479-45-8 | Tetryl | 0.10 | U M | 0.11 | 0.10 | 0.032 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 108 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190030.D
Lims ID: 280-162386-A-10-A
Client ID: G0081-22A
Sample Type: Client
Inject. Date: 20-May-2022 04:06:49 ALS Bottle#: 30 Worklist Smp#: 30
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-10-
Misc. Info.: 280-0111180-030
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:39:57 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:28:40

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | | 6.606 | | | ND | |
| 7 MNX | 1 | | 7.219 | | | ND | |
| 8 RDX | 1 | | 7.599 | | | ND | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.560 | 8.552 | 0.008 | 26860 | 0.2154 | M |
| 11 1,3,5-Trinitrobenzene | 1 | 8.686 | 8.679 | 0.007 | 7619 | 0.0349 | M |
| 12 1,3-Dinitrobenzene | 1 | | 9.306 | | | ND | U |
| 13 Nitrobenzene | 1 | | 9.699 | | | ND | |
| 15 Tetryl | 1 | | 10.026 | | | ND | U |
| 17 2,4,6-Trinitrotoluene | 1 | 10.933 | 10.932 | 0.001 | 1793 | 0.008844 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.133 | 11.132 | 0.001 | 1360 | 0.009008 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.386 | 11.386 | 0.000 | 1776 | 0.008785 | |
| 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | ND | |
| 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | ND | |
| 22 o-Nitrotoluene | 1 | | 12.572 | | | ND | U |
| 23 p-Nitrotoluene | 1 | | 12.999 | | | ND | |
| 24 m-Nitrotoluene | 1 | | 13.572 | | | ND | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 20-May-2022 13:40:00 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190030.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 04:06:49 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | Worklist Smp#: | 30 |
| Client ID: | G0081-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 30 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190030.D | | | | |
| Lims ID: | 280-162386-A-10-A | | | | |
| Client ID: | G0081-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 04:06:49 | ALS Bottle#: | 30 | Worklist Smp#: | 30 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-10- | | | | |
| Misc. Info.: | 280-0111180-030 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:39:57 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:28:40

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2154 | 107.70 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190030.d | | | | |
| Injection Date: | 20-May-2022 04:06:49 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 30 | Worklist Smp#: | 30 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.56
Area: 62947
Amount: 0.504797
Amount Units: ug/mL




Manual Integration Results

RT: 8.56
Area: 26860
Amount: 0.215401
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:28:34
Audit Action: Assigned New Baseline Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190030.d | | | | |
| Injection Date: | 20-May-2022 04:06:49 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 30 | Worklist Smp#: | 30 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 11 1,3,5-Trinitrobenzene, CAS: 99-35-4

Signal: 1


Processing Integration Results

RT: 8.69
Area: 59544
Amount: 0.273018
Amount Units: ug/mL




Manual Integration Results

RT: 8.69
Area: 7619
Amount: 0.034934
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:28:37

Audit Action: Split an Integrated Peak Audit Reason: Baseline

User Disabled Compound Report


Eurofins Denver

Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190030.d
Injection Date: 20-May-2022 04:06:49 Instrument ID: CHHPLC_X3
Lims ID: 280-162386-A-10-A Lab Sample ID: 280-162386-10
Client ID: G0081-22A
Operator ID: JZ ALS Bottle#: 30 Worklist Smp#: 30
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330

Column: UltraCarb5uODS (20) ( 4.60 mm) Detector LC DAD1B, 254 nm

12 1,3-Dinitrobenzene, CAS: 99-65-0, Signal: 1

RT: 9.39
Response: 14973
Amount: 0.051917




Reviewer: zhangji, 20-May-2022 12:28:40
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190030.d | | | | |
| Injection Date: | 20-May-2022 04:06:49 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 30 | Worklist Smp#: | 30 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.46
Response: 5292
Amount: 0.041469




Reviewer: zhangji, 20-May-2022 12:28:40
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190030.d | | | | |
| Injection Date: | 20-May-2022 04:06:49 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 30 | Worklist Smp#: | 30 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 15 Tetryl, CAS: 479-45-8, Signal: 1

RT: 10.09
Response: 2042
Amount: 0.011972




Reviewer: zhangji, 20-May-2022 12:28:40
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: G0081-22A | Lab Sample ID: 280-162386-10

Matrix: Water | Lab File ID: 05200019.D

Analysis Method: 8330A | Date Collected: 05/13/2022 12:05

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 489.4(mL) | Date Analyzed: 05/20/2022 23:17

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: Luna-phenylhex ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575712 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.10 | U M | 0.11 | 0.10 | 0.046 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.052 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 0.12 | U | 0.15 | 0.12 | 0.059 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 105 | *M* | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200019.D
Lims ID: 280-162386-A-10-A
Client ID: G0081-22A
Sample Type: Client
Inject. Date: 20-May-2022 23:17:18 ALS Bottle#: 19 Worklist Smp#: 19
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-10-A
Misc. Info.: 280-0111212-019
Operator ID: JZ Instrument ID: CHHPLC_X5

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 21-May-2022 12:33:09 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1646

First Level Reviewer: zhangji Date: 21-May-2022 12:29:55

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| | 5 HMX | 1 | 6.773 | 6.808 | -0.035 | 4398 | 0.0265 | M |
| | 6 MNX | 1 | | 7.509 | | | ND | |
| | 8 RDX | 1 | | 8.988 | | | ND | |
| | 9 Nitrobenzene | 1 | | 11.961 | | | ND | |
| $ | 10 1,2-Dinitrobenzene | 1 | 13.139 | 13.181 | -0.042 | 52415 | 0.2099 | M |
| | 12 1,3-Dinitrobenzene | 1 | | 15.507 | | | ND | |
| | 14 o-Nitrotoluene | 1 | 16.659 | 16.741 | -0.082 | 3465 | 0.0148 | M |
| | 16 p-Nitrotoluene | 1 | | 17.047 | | | ND | |
| | 17 4-Amino-2,6-dinitrotoluene | 1 | | 17.654 | | | ND | |
| | 18 m-Nitrotoluene | 1 | | 18.027 | | | ND | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | | 18.667 | | | ND | |
| | 20 1,3,5-Trinitrobenzene | 1 | 18.752 | 18.807 | -0.055 | 16205 | 0.0390 | M |
| | 21 2,6-Dinitrotoluene | 1 | | 20.174 | | | ND | |
| | 22 2,4-Dinitrotoluene | 1 | | 20.681 | | | ND | |
| | 23 Tetryl | 1 | | 24.428 | | | ND | U |
| | 24 2,4,6-Trinitrotoluene | 1 | | 25.188 | | | ND | U |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected


Report Date: 21-May-2022 12:33:14 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200019.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 23:17:18 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | Worklist Smp#: | 19 |
| Client ID: | G0081-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 19 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200019.D | | | | |
| Lims ID: | 280-162386-A-10-A | | | | |
| Client ID: | G0081-22A | | | | |
| Sample Type: | Client | | | | |
| Inject. Date: | 20-May-2022 23:17:18 | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-10-A | | | | |
| Misc. Info.: | 280-0111212-019 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 21-May-2022 12:33:09 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1646 | | | | |
| First Level Reviewer: zhangji | | Date: | 21-May-2022 12:29:55 | | |

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2099 | 104.93 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200019.D | | | | |
| Injection Date: | 20-May-2022 23:17:18 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 13.14
Area: 57166
Amount: 0.228890
Amount Units: ug/ml




Manual Integration Results

RT: 13.14
Area: 52415
Amount: 0.209867
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:29:37

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200019.D | | | | |
| Injection Date: | 20-May-2022 23:17:18 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 20 1,3,5-Trinitrobenzene, CAS: 99-35-4

Signal: 1


Processing Integration Results

RT: 18.75
Area: 21571
Amount: 0.051920
Amount Units: ug/ml




Manual Integration Results

RT: 18.75
Area: 16205
Amount: 0.039005
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:29:50

Audit Action: Split an Integrated Peak Audit Reason: Baseline Smoothing


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200019.D | | | | |
| Injection Date: | 20-May-2022 23:17:18 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 24 2,4,6-Trinitrotoluene, CAS: 118-96-7, Signal: 1

RT: 25.06
Response: 177343
Amount: 0.480371




Reviewer: zhangji, 21-May-2022 12:29:55
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200019.D | | | | |
| Injection Date: | 20-May-2022 23:17:18 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 14 o-Nitrotoluene, CAS: 88-72-2

Signal: 1


Processing Integration Results

RT: 16.66
Area: 4516
Amount: 0.019244
Amount Units: ug/ml




Manual Integration Results

RT: 16.66
Area: 3465
Amount: 0.014765
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:29:44

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200019.D | | | | |
| Injection Date: | 20-May-2022 23:17:18 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 5 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.77
Area: 45404
Amount: 0.273295
Amount Units: ug/ml




Manual Integration Results

RT: 6.77
Area: 4398
Amount: 0.026472
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:29:34

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing


User Disabled Compound Report

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200019.D | | | | |
| Injection Date: | 20-May-2022 23:17:18 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | 280-162386-A-10-A | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 23 Tetryl, CAS: 479-45-8, Signal: 1

RT: 24.39
Response: 91492
Amount: 0.267387




Reviewer: zhangji, 21-May-2022 12:29:55
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 562503

SDG No.:

Instrument ID: CHHPLC_X3 GC Column: UltraCarb5u ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/04/2022 18:28 Calibration End Date: 01/04/2022 21:31 Calibration ID: 61345

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-562503/19 | 01040019.D |
| Level 2 | IC 280-562503/18 | 01040018.D |
| Level 3 | IC 280-562503/17 | 01040017.D |
| Level 4 | IC 280-562503/16 | 01040016.D |
| Level 5 | IC 280-562503/15 | 01040015.D |
| Level 6 | IC 280-562503/14 | 01040014.D |
| Level 7 | IC 280-562503/13 | 01040013.D |
| Level 8 | IC 280-562503/12 | 01040012.D |
| Level 9 | IC 280-562503/11 | 01040011.D |

| ANALYTE | LVL 1 | LVL 2 | LVL 3 | LVL 4 | LVL 5 | LVL 6 | LVL 7 | LVL 8 | LVL 9 | | RT WINDOW | AVG RT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HMX | 6.601 | 6.595 | 6.600 | 6.598 | 6.601 | 6.601 | 6.599 | 6.598 | 6.593 | | 6.448 - 6.748 | 6.598 |
| RDX | 7.601 | 7.608 | 7.607 | 7.605 | 7.601 | 7.607 | 7.606 | 7.604 | 7.600 | | 7.455 - 7.755 | 7.604 |
| Picric acid | 7.941 | 7.948 | 7.947 | 7.945 | 7.934 | 7.927 | 7.913 | 7.904 | 7.860 | | 7.795 - 8.095 | 7.924 |
| 1,3,5-Trinitrobenzene | 8.688 | 8.695 | 8.693 | 8.692 | 8.687 | 8.694 | 8.693 | 8.691 | 8.687 | | 8.542 - 8.842 | 8.691 |
| 1,3-Dinitrobenzene | 9.321 | 9.328 | 9.327 | 9.331 | 9.327 | 9.327 | 9.326 | 9.324 | 9.320 | | 9.181 - 9.481 | 9.326 |
| Nitrobenzene | 9.714 | 9.722 | 9.727 | 9.725 | 9.720 | 9.727 | 9.726 | 9.717 | 9.713 | | 9.575 - 9.875 | 9.721 |
| Tetryl | 10.041 | 10.055 | 10.060 | 10.058 | 10.054 | 10.061 | 10.053 | 10.051 | 10.046 | | 9.908 - 10.208 | 10.053 |
| Nitroglycerin | 10.501 | 10.515 | 10.513 | 10.518 | 10.514 | 10.514 | 10.513 | 10.504 | 10.500 | | 10.368 - 10.668 | 10.510 |
| 2,4,6-Trinitrotoluene | 10.954 | 10.968 | 10.973 | 10.971 | 10.967 | 10.967 | 10.966 | 10.964 | 10.960 | | 10.871 - 11.071 | 10.966 |
| 4-Amino-2,6-dinitrotoluene | 11.154 | 11.175 | 11.173 | 11.171 | 11.167 | 11.174 | 11.173 | 11.164 | 11.160 | | 11.071 - 11.271 | 11.168 |
| 2-Amino-4,6-dinitrotoluene | 11.408 | 11.428 | 11.427 | 11.425 | 11.420 | 11.421 | 11.419 | 11.417 | 11.413 | | 11.325 - 11.525 | 11.420 |
| 2,6-Dinitrotoluene | 11.581 | 11.595 | 11.593 | 11.598 | 11.594 | 11.594 | 11.593 | 11.591 | 11.586 | | 11.498 - 11.698 | 11.592 |
| 2,4-Dinitrotoluene | 11.748 | 11.762 | 11.767 | 11.765 | 11.760 | 11.767 | 11.766 | 11.757 | 11.753 | | 11.665 - 11.865 | 11.761 |
| 2-Nitrotoluene | 12.614 | 12.642 | 12.640 | 12.638 | 12.634 | 12.634 | 12.633 | 12.631 | 12.620 | | 12.488 - 12.788 | 12.632 |
| 4-Nitrotoluene | 13.054 | 13.075 | 13.067 | 13.071 | 13.060 | 13.067 | 13.066 | 13.057 | 13.053 | | 12.921 - 13.221 | 13.063 |
| 3-Nitrotoluene | 13.634 | 13.655 | 13.653 | 13.651 | 13.647 | 13.647 | 13.646 | 13.644 | 13.633 | | 13.501 - 13.801 | 13.646 |
| PETN | 14.708 | 14.735 | 14.733 | 14.738 | 14.727 | 14.734 | 14.733 | 14.724 | 14.713 | | 14.588 - 14.888 | 14.727 |
| 1,2-Dinitrobenzene | 8.561 | 8.575 | 8.573 | 8.572 | 8.567 | 8.574 | 8.573 | 8.571 | 8.567 | | 8.422 - 8.722 | 8.570 |

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 562503

SDG No.:

Instrument ID: CHHPLC_X3 GC Column: UltraCarb5u ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/04/2022 18:28 Calibration End Date: 01/04/2022 21:31 Calibration ID: 61345

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-562503/19 | 01040019.D |
| Level 2 | IC 280-562503/18 | 01040018.D |
| Level 3 | IC 280-562503/17 | 01040017.D |
| Level 4 | IC 280-562503/16 | 01040016.D |
| Level 5 | IC 280-562503/15 | 01040015.D |
| Level 6 | IC 280-562503/14 | 01040014.D |
| Level 7 | IC 280-562503/13 | 01040013.D |
| Level 8 | IC 280-562503/12 | 01040012.D |
| Level 9 | IC 280-562503/11 | 01040011.D |

| ANALYTE | CF | | | | CURVE TYPE | COEFFICIENT | | | # | MIN CF | %RSD | # | MAX %RSD | R^2 OR COD | # | MIN R^2 OR COD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LVL 1 LVL 5 LVL 9 | LVL 2 LVL 6 | LVL 3 LVL 7 | LVL 4 LVL 8 | | B | M1 | M2 | | | | | | | | |
| HMX | 90100<br>81580<br>81292 | 86750<br>82313 | 84600<br>81626 | 84890<br>81295 | Ave | | 83827.2016 | | | | 3.6 | | 20.0 | | | |
| RDX | 115200<br>98540<br>100273 | 104200<br>97815 | 114300<br>98669 | 104470<br>99016 | Ave | | 103609.197 | | | | 6.5 | | 20.0 | | | |
| Picric acid | 71600<br>74240<br>80484 | 77700<br>76623 | 80580<br>76297 | 78550<br>77279 | Ave | | 77039.1825 | | | | 3.7 | | 20.0 | | | |
| 1,3,5-Trinitrobenzene | 219261<br>209936<br>225698 | 212026<br>217802 | 213792<br>221958 | 218124<br>224262 | Ave | | 218095.534 | | | | 2.5 | | 20.0 | | | |
| 1,3-Dinitrobenzene | 262774<br>281713<br>296660 | 291068<br>291824 | 293074<br>292328 | 291567<br>294606 | Ave | | 288401.481 | | | | 3.6 | | 20.0 | | | |
| Nitrobenzene | 205876<br>184653<br>193838 | 191484<br>188466 | 185837<br>191771 | 192102<br>193551 | Ave | | 191953.206 | | | | 3.2 | | 20.0 | | | |
| Tetryl | 177445<br>163545<br>172217 | 174551<br>166432 | 165968<br>169313 | 172036<br>173594 | Ave | | 170566.759 | | | | 2.7 | | 20.0 | | | |
| Nitroglycerin | 63480<br>60791<br>64852 | 60040<br>64322 | 61302<br>64183 | 63595<br>64770 | Ave | | 63037.2862 | | | | 2.9 | | 20.0 | | | |

Note: The M1 coefficient is the same as Ave CF for an Ave curve type.

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 562503

SDG No.:

Instrument ID: CHHPLC_X3 GC Column: UltraCarb5u ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/04/2022 18:28 Calibration End Date: 01/04/2022 21:31 Calibration ID: 61345

| ANALYTE | CF | | | | CURVE TYPE | COEFFICIENT | | | # | MIN CF | %RSD | # | MAX %RSD | R^2 OR COD | # | MIN R^2 OR COD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LVL 1<br>LVL 5<br>LVL 9 | LVL 2<br>LVL 6 | LVL 3<br>LVL 7 | LVL 4<br>LVL 8 | | B | M1 | M2 | | | | | | | | |
| 2,4,6-Trinitrotoluene | 211753<br>195486<br>202459 | 210508<br>199081 | 203227<br>198317 | 203267<br>200435 | Ave | | 202725.952 | | | | 2.7 | | 20.0 | | | |
| 4-Amino-2,6-dinitrotoluene | 171628<br>142434<br>147171 | 157343<br>146076 | 152967<br>145091 | 149600<br>146556 | Ave | | 150985.194 | | | | 5.9 | | 20.0 | | | |
| 2-Amino-4,6-dinitrotoluene | 227789<br>193171<br>199435 | 213247<br>197134 | 191235<br>196207 | 201992<br>199332 | Ave | | 202171.240 | | | | 5.7 | | 20.0 | | | |
| 2,6-Dinitrotoluene | 154482<br>136163<br>144227 | 149054<br>142460 | 137610<br>141928 | 141773<br>140340 | Ave | | 143115.218 | | | | 4.0 | | 20.0 | | | |
| 2,4-Dinitrotoluene | 303486<br>281295<br>293182 | 293327<br>286355 | 277550<br>285832 | 292380<br>290749 | Ave | | 289350.655 | | | | 2.6 | | 20.0 | | | |
| 2-Nitrotoluene | 138700<br>121120<br>126002 | 137150<br>123750 | 126280<br>123333 | 127770<br>124418 | Ave | | 127613.606 | | | | 4.8 | | 20.0 | | | |
| 4-Nitrotoluene | 108084<br>103090<br>108687 | 107335<br>105826 | 103054<br>106012 | 106936<br>107095 | Ave | | 106235.483 | | | | 1.9 | | 20.0 | | | |
| 3-Nitrotoluene | 176224<br>132507<br>139283 | 149301<br>136601 | 134525<br>135465 | 139890<br>136664 | Ave | | 142273.338 | | | | 9.6 | | 20.0 | | | |
| PETN | 87840<br>71710<br>74726 | 78525<br>73771 | 70168<br>73720 | 74208<br>74427 | Lin2 | 1383.22998 | 72545.1478 | | | | | | | 0.9990 | | 0.9900 |
| 1,2-Dinitrobenzene | 118800<br>123244<br>127495 | 125150<br>124888 | 122540<br>125351 | 127800<br>127011 | Ave | | 124697.681 | | | | 2.3 | | 20.0 | | | |

Note: The M1 coefficient is the same as Ave CF for an Ave curve type.

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 562503

SDG No.:

Instrument ID: CHHPLC_X3 GC Column: UltraCarb5u ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/04/2022 18:28 Calibration End Date: 01/04/2022 21:31 Calibration ID: 61345

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-562503/19 | 01040019.D |
| Level 2 | IC 280-562503/18 | 01040018.D |
| Level 3 | IC 280-562503/17 | 01040017.D |
| Level 4 | IC 280-562503/16 | 01040016.D |
| Level 5 | IC 280-562503/15 | 01040015.D |
| Level 6 | IC 280-562503/14 | 01040014.D |
| Level 7 | IC 280-562503/13 | 01040013.D |
| Level 8 | IC 280-562503/12 | 01040012.D |
| Level 9 | IC 280-562503/11 | 01040011.D |

| ANALYTE | CURVE TYPE | RESPONSE | | | | | CONCENTRATION (UG/ML) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | LVL 1 LVL 6 | LVL 2 LVL 7 | LVL 3 LVL 8 | LVL 4 LVL 9 | LVL 5 | LVL 1 LVL 6 | LVL 2 LVL 7 | LVL 3 LVL 8 | LVL 4 LVL 9 | LVL 5 |
| HMX | Ave | 901 | 1735 | 4230 | 8489 | 20395 | 0.0100 | 0.0200 | 0.0500 | 0.100 | 0.250 |
| | | 32925 | 57138 | 81295 | 203229 | | 0.400 | 0.700 | 1.00 | 2.50 | |
| RDX | Ave | 1152 | 2084 | 5715 | 10447 | 24635 | 0.0100 | 0.0200 | 0.0500 | 0.100 | 0.250 |
| | | 39126 | 69068 | 99016 | 250683 | | 0.400 | 0.700 | 1.00 | 2.50 | |
| Picric acid | Ave | 716 | 1554 | 4029 | 7855 | 18560 | 0.0100 | 0.0200 | 0.0500 | 0.100 | 0.250 |
| | | 30649 | 53408 | 77279 | 201210 | | 0.400 | 0.700 | 1.00 | 2.50 | |
| 1,3,5-Trinitrobenzene | Ave | 2197 | 4249 | 10711 | 21856 | 52589 | 0.0100 | 0.0200 | 0.0501 | 0.100 | 0.251 |
| | | 87295 | 155681 | 224711 | 565374 | | 0.401 | 0.701 | 1.00 | 2.51 | |
| 1,3-Dinitrobenzene | Ave | 2633 | 5833 | 14683 | 29215 | 70569 | 0.0100 | 0.0200 | 0.0501 | 0.100 | 0.251 |
| | | 116963 | 205039 | 295195 | 743133 | | 0.401 | 0.701 | 1.00 | 2.51 | |
| Nitrobenzene | Ave | 2067 | 3845 | 9329 | 19287 | 46348 | 0.0100 | 0.0201 | 0.0502 | 0.100 | 0.251 |
| | | 75688 | 134777 | 194325 | 486534 | | 0.402 | 0.703 | 1.00 | 2.51 | |
| Tetryl | Ave | 1778 | 3498 | 8315 | 17238 | 40968 | 0.0100 | 0.0200 | 0.0501 | 0.100 | 0.251 |
| | | 66706 | 118756 | 173941 | 431404 | | 0.401 | 0.701 | 1.00 | 2.51 | |
| Nitroglycerin | Ave | 6348 | 12008 | 30651 | 63595 | 151977 | 0.100 | 0.200 | 0.500 | 1.00 | 2.50 |
| | | 257287 | 449283 | 647703 | 1621311 | | 4.00 | 7.00 | 10.0 | 25.0 | |
| 2,4,6-Trinitrotoluene | Ave | 2126 | 4227 | 10202 | 20408 | 49067 | 0.0100 | 0.0201 | 0.0502 | 0.100 | 0.251 |
| | | 79951 | 139377 | 201237 | 508173 | | 0.402 | 0.703 | 1.00 | 2.51 | |
| 4-Amino-2,6-dinitrotoluene | Ave | 1718 | 3150 | 7656 | 14975 | 35644 | 0.0100 | 0.0200 | 0.0501 | 0.100 | 0.250 |
| | | 58489 | 101665 | 146703 | 368296 | | 0.400 | 0.701 | 1.00 | 2.50 | |
| 2-Amino-4,6-dinitrotoluene | Ave | 2287 | 4282 | 9600 | 20280 | 48486 | 0.0100 | 0.0201 | 0.0502 | 0.100 | 0.251 |
| | | 79169 | 137894 | 200129 | 500581 | | 0.402 | 0.703 | 1.00 | 2.51 | |
| 2,6-Dinitrotoluene | Ave | 1551 | 2993 | 6908 | 14234 | 34177 | 0.0100 | 0.0201 | 0.0502 | 0.100 | 0.251 |
| | | 57212 | 99747 | 140901 | 362011 | | 0.402 | 0.703 | 1.00 | 2.51 | |
| 2,4-Dinitrotoluene | Ave | 3047 | 5890 | 13933 | 29355 | 70605 | 0.0100 | 0.0201 | 0.0502 | 0.100 | 0.251 |

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 562503

SDG No.:

Instrument ID: CHHPLC_X3 GC Column: UltraCarb5u ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/04/2022 18:28 Calibration End Date: 01/04/2022 21:31 Calibration ID: 61345

| ANALYTE | CURVE TYPE | RESPONSE | | | | | CONCENTRATION (UG/ML) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4<br>LVL 9 | LVL 5 | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4<br>LVL 9 | LVL 5 |
| | | 115000 | 200883 | 291912 | 735887 | | 0.402 | 0.703 | 1.00 | 2.51 | |
| 2-Nitrotoluene | Ave | 1387 | 2743 | 6314 | 12777 | 30280 | 0.0100 | 0.0200 | 0.0500 | 0.100 | 0.250 |
| | | 49500 | 86333 | 124418 | 315004 | | 0.400 | 0.700 | 1.00 | 2.50 | |
| 4-Nitrotoluene | Ave | 1083 | 2151 | 5163 | 10715 | 25824 | 0.0100 | 0.0200 | 0.0501 | 0.100 | 0.251 |
| | | 42415 | 74357 | 107309 | 272262 | | 0.401 | 0.701 | 1.00 | 2.51 | |
| 3-Nitrotoluene | Ave | 1764 | 2989 | 6733 | 14003 | 33160 | 0.0100 | 0.0200 | 0.0501 | 0.100 | 0.250 |
| | | 54695 | 94920 | 136801 | 348555 | | 0.400 | 0.701 | 1.00 | 2.50 | |
| PETN | Lin2 | 8784 | 15705 | 35084 | 74208 | 179275 | 0.100 | 0.200 | 0.500 | 1.00 | 2.50 |
| | | 295082 | 516042 | 744274 | 1868141 | | 4.00 | 7.00 | 10.0 | 25.0 | |
| 1,2-Dinitrobenzene | Ave | 1188 | 2503 | 6127 | 12780 | 30811 | 0.0100 | 0.0200 | 0.0500 | 0.100 | 0.250 |
| | | 49955 | 87746 | 127011 | 318738 | | 0.400 | 0.700 | 1.00 | 2.50 | |

Curve Type Legend
Ave = Average
Lin2 = Linear 1/conc^2

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040011.D
Lims ID: IC INT 9
Client ID:
Sample Type: IC Calib Level: 9
Inject. Date: 04-Jan-2022 18:28:10 ALS Bottle#: 11 Worklist Smp#: 11
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT 9
Misc. Info.: 280-0107731-011
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 06-Jan-2022 20:05:10 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1641

First Level Reviewer: zhangji Date: 04-Jan-2022 19:18:32

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.593 | 6.598 | -0.005 | 203229 | 2.50 | 2.42 | M |
| 8 RDX | 1 | 7.600 | 7.605 | -0.005 | 250683 | 2.50 | 2.42 | |
| 9 2,4,6-Trinitrophenol | 1 | 7.860 | 7.945 | -0.085 | 201210 | 2.50 | 2.61 | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.567 | 8.572 | -0.005 | 318738 | 2.50 | 2.56 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.687 | 8.692 | -0.005 | 565374 | 2.51 | 2.59 | |
| 12 1,3-Dinitrobenzene | 1 | 9.320 | 9.331 | -0.011 | 743133 | 2.51 | 2.58 | |
| 13 Nitrobenzene | 1 | 9.713 | 9.725 | -0.012 | 486534 | 2.51 | 2.53 | |
| 15 Tetryl | 1 | 10.046 | 10.058 | -0.012 | 431404 | 2.51 | 2.53 | |
| 16 Nitroglycerin | 2 | 10.500 | 10.518 | -0.018 | 1621311 | 25.0 | 25.7 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.960 | 10.971 | -0.011 | 508173 | 2.51 | 2.51 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.160 | 11.171 | -0.011 | 368296 | 2.50 | 2.44 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.413 | 11.425 | -0.012 | 500581 | 2.51 | 2.48 | |
| 20 2,6-Dinitrotoluene | 1 | 11.586 | 11.598 | -0.012 | 362011 | 2.51 | 2.53 | |
| 21 2,4-Dinitrotoluene | 1 | 11.753 | 11.765 | -0.012 | 735887 | 2.51 | 2.54 | |
| 22 o-Nitrotoluene | 1 | 12.620 | 12.638 | -0.018 | 315004 | 2.50 | 2.47 | |
| 23 p-Nitrotoluene | 1 | 13.053 | 13.071 | -0.018 | 272262 | 2.51 | 2.56 | |
| 24 m-Nitrotoluene | 1 | 13.633 | 13.651 | -0.018 | 348555 | 2.50 | 2.45 | |
| 25 PETN | 2 | 14.713 | 14.738 | -0.025 | 1868141 | 25.0 | 25.7 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:


8330IntermStk_00070 Amount Added: 250.00 Units: uL

Report Date: 06-Jan-2022 20:05:10 Chrom Revision: 2.3 03-Jan-2022 17:03:12


Eurofins TestAmerica, Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040011.d | | | | |
| Injection Date: | 04-Jan-2022 18:28:10 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC INT 9 | | | Worklist Smp#: | 11 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 11 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040011.d | | | | |
| Injection Date: | 04-Jan-2022 18:28:10 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 9 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 11 | Worklist Smp#: | 11 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.59
Area: 207225
Amount: 2.498192
Amount Units: ug/mL




Manual Integration Results

RT: 6.59
Area: 203229
Amount: 2.424380
Amount Units: ug/mL




Reviewer: zhangji, 04-Jan-2022 19:18:30
Audit Action: Manually Integrated Audit Reason: Baseline

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040012.D
Lims ID: IC INT 8
Client ID:
Sample Type: IC Calib Level: 8
Inject. Date: 04-Jan-2022 18:51:00 ALS Bottle#: 12 Worklist Smp#: 12
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT 8
Misc. Info.: 280-0107731-012
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 06-Jan-2022 20:05:11 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1641

First Level Reviewer: zhangji Date: 04-Jan-2022 19:18:25

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.598 | 6.598 | 0.000 | 81295 | 1.00 | 0.9698 | M |
| 8 RDX | 1 | 7.604 | 7.605 | -0.001 | 99016 | 1.00 | 0.9557 | |
| 9 2,4,6-Trinitrophenol | 1 | 7.904 | 7.945 | -0.041 | 77279 | 1.00 | 1.00 | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.571 | 8.572 | -0.001 | 127011 | 1.00 | 1.02 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.691 | 8.692 | -0.001 | 224711 | 1.00 | 1.03 | |
| 12 1,3-Dinitrobenzene | 1 | 9.324 | 9.331 | -0.007 | 295195 | 1.00 | 1.02 | |
| 13 Nitrobenzene | 1 | 9.717 | 9.725 | -0.008 | 194325 | 1.00 | 1.01 | |
| 15 Tetryl | 1 | 10.051 | 10.058 | -0.007 | 173941 | 1.00 | 1.02 | |
| 16 Nitroglycerin | 2 | 10.504 | 10.518 | -0.014 | 647703 | 10.0 | 10.3 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.964 | 10.971 | -0.007 | 201237 | 1.00 | 0.99 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.164 | 11.171 | -0.007 | 146703 | 1.00 | 0.9716 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.417 | 11.425 | -0.008 | 200129 | 1.00 | 0.9899 | |
| 20 2,6-Dinitrotoluene | 1 | 11.591 | 11.598 | -0.007 | 140901 | 1.00 | 0.9845 | |
| 21 2,4-Dinitrotoluene | 1 | 11.757 | 11.765 | -0.008 | 291912 | 1.00 | 1.01 | |
| 22 o-Nitrotoluene | 1 | 12.631 | 12.638 | -0.007 | 124418 | 1.00 | 0.9750 | |
| 23 p-Nitrotoluene | 1 | 13.057 | 13.071 | -0.014 | 107309 | 1.00 | 1.01 | |
| 24 m-Nitrotoluene | 1 | 13.644 | 13.651 | -0.007 | 136801 | 1.00 | 0.9615 | |
| 25 PETN | 2 | 14.724 | 14.738 | -0.014 | 744274 | 10.0 | 10.2 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330IntermStk_00070 Amount Added: 100.00 Units: uL


Report Date: 06-Jan-2022 20:05:11 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040012.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 04-Jan-2022 18:51:00 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC INT 8 | | | Worklist Smp#: | 12 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 12 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040012.d | | | | |
| Injection Date: | 04-Jan-2022 18:51:00 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 8 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 12 | Worklist Smp#: | 12 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.60
Area: 83010
Amount: 1.010459
Amount Units: ug/mL




Manual Integration Results

RT: 6.60
Area: 81295
Amount: 0.969793
Amount Units: ug/mL




Reviewer: zhangji, 04-Jan-2022 19:18:46
Audit Action: Manually Integrated Audit Reason: Baseline

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040013.D
Lims ID: IC INT 7
Client ID:
Sample Type: IC Calib Level: 7
Inject. Date: 04-Jan-2022 19:13:53 ALS Bottle#: 13 Worklist Smp#: 13
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT 7
Misc. Info.: 280-0107731-013
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 06-Jan-2022 20:05:11 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1641

First Level Reviewer: zhangji Date: 04-Jan-2022 19:38:01

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.599 | 6.598 | 0.001 | 57138 | 0.7000 | 0.6816 | |
| 8 RDX | 1 | 7.606 | 7.605 | 0.001 | 69068 | 0.7000 | 0.6666 | |
| 9 2,4,6-Trinitrophenol | 1 | 7.913 | 7.945 | -0.032 | 53408 | 0.7000 | 0.6933 | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.573 | 8.572 | 0.001 | 87746 | 0.7000 | 0.7037 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.693 | 8.692 | 0.001 | 155681 | 0.7014 | 0.7138 | |
| 12 1,3-Dinitrobenzene | 1 | 9.326 | 9.331 | -0.005 | 205039 | 0.7014 | 0.7109 | |
| 13 Nitrobenzene | 1 | 9.726 | 9.725 | 0.001 | 134777 | 0.7028 | 0.7021 | |
| 15 Tetryl | 1 | 10.053 | 10.058 | -0.005 | 118756 | 0.7014 | 0.6962 | |
| 16 Nitroglycerin | 2 | 10.513 | 10.518 | -0.005 | 449283 | 7.00 | 7.13 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.966 | 10.971 | -0.005 | 139377 | 0.7028 | 0.6875 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.173 | 11.171 | 0.002 | 101665 | 0.7007 | 0.6733 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.419 | 11.425 | -0.006 | 137894 | 0.7028 | 0.6821 | |
| 20 2,6-Dinitrotoluene | 1 | 11.593 | 11.598 | -0.005 | 99747 | 0.7028 | 0.6970 | |
| 21 2,4-Dinitrotoluene | 1 | 11.766 | 11.765 | 0.001 | 200883 | 0.7028 | 0.6943 | |
| 22 o-Nitrotoluene | 1 | 12.633 | 12.638 | -0.005 | 86333 | 0.7000 | 0.6765 | |
| 23 p-Nitrotoluene | 1 | 13.066 | 13.071 | -0.005 | 74357 | 0.7014 | 0.6999 | |
| 24 m-Nitrotoluene | 1 | 13.646 | 13.651 | -0.005 | 94920 | 0.7007 | 0.6672 | |
| 25 PETN | 2 | 14.733 | 14.738 | -0.005 | 516042 | 7.00 | 7.09 | |

## QC Flag Legend
Processing Flags

## Reagents:
8330IntermStk_00070 Amount Added: 70.00 Units: uL


Report Date: 06-Jan-2022 20:05:11 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040013.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 04-Jan-2022 19:13:53 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC INT 7 | | | Worklist Smp#: | 13 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 13 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040014.D
Lims ID: IC INT 6
Client ID:
Sample Type: IC Calib Level: 6
Inject. Date: 04-Jan-2022 19:36:46 ALS Bottle#: 14 Worklist Smp#: 14
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT 6
Misc. Info.: 280-0107731-014
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 06-Jan-2022 20:05:12 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1641

First Level Reviewer: zhangji Date: 04-Jan-2022 20:03:49

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.601 | 6.598 | 0.003 | 32925 | 0.4000 | 0.3928 | |
| 8 RDX | 1 | 7.607 | 7.605 | 0.002 | 39126 | 0.4000 | 0.3776 | |
| 9 2,4,6-Trinitrophenol | 1 | 7.927 | 7.945 | -0.018 | 30649 | 0.4000 | 0.3978 | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.574 | 8.572 | 0.002 | 49955 | 0.4000 | 0.4006 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.694 | 8.692 | 0.002 | 87295 | 0.4008 | 0.4003 | |
| 12 1,3-Dinitrobenzene | 1 | 9.327 | 9.331 | -0.004 | 116963 | 0.4008 | 0.4056 | |
| 13 Nitrobenzene | 1 | 9.727 | 9.725 | 0.002 | 75688 | 0.4016 | 0.3943 | |
| 15 Tetryl | 1 | 10.061 | 10.058 | 0.003 | 66706 | 0.4008 | 0.3911 | |
| 16 Nitroglycerin | 2 | 10.514 | 10.518 | -0.004 | 257287 | 4.00 | 4.08 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.967 | 10.971 | -0.004 | 79951 | 0.4016 | 0.3944 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.174 | 11.171 | 0.003 | 58489 | 0.4004 | 0.3874 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.421 | 11.425 | -0.004 | 79169 | 0.4016 | 0.3916 | |
| 20 2,6-Dinitrotoluene | 1 | 11.594 | 11.598 | -0.004 | 57212 | 0.4016 | 0.3998 | |
| 21 2,4-Dinitrotoluene | 1 | 11.767 | 11.765 | 0.002 | 115000 | 0.4016 | 0.3974 | |
| 22 o-Nitrotoluene | 1 | 12.634 | 12.638 | -0.004 | 49500 | 0.4000 | 0.3879 | |
| 23 p-Nitrotoluene | 1 | 13.067 | 13.071 | -0.004 | 42415 | 0.4008 | 0.3993 | |
| 24 m-Nitrotoluene | 1 | 13.647 | 13.651 | -0.004 | 54695 | 0.4004 | 0.3844 | |
| 25 PETN | 2 | 14.734 | 14.738 | -0.004 | 295082 | 4.00 | 4.05 | |

## QC Flag Legend

Processing Flags

## Reagents:

8330IntermStk_00070 Amount Added: 40.00 Units: uL


Report Date: 06-Jan-2022 20:05:12 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040014.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 04-Jan-2022 19:36:46 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC INT 6 | | | Worklist Smp#: | 14 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 14 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040015.D
Lims ID: IC INT 5
Client ID:
Sample Type: IC Calib Level: 5
Inject. Date: 04-Jan-2022 19:59:42 ALS Bottle#: 15 Worklist Smp#: 15
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT 5
Misc. Info.: 280-0107731-015
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 06-Jan-2022 20:05:12 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1641

First Level Reviewer: zhangji Date: 04-Jan-2022 20:30:59

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.601 | 6.598 | 0.003 | 20395 | 0.2500 | 0.2433 | |
| 8 RDX | 1 | 7.601 | 7.605 | -0.004 | 24635 | 0.2500 | 0.2378 | |
| 9 2,4,6-Trinitrophenol | 1 | 7.934 | 7.945 | -0.011 | 18560 | 0.2500 | 0.2409 | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.567 | 8.572 | -0.005 | 30811 | 0.2500 | 0.2471 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.687 | 8.692 | -0.005 | 52589 | 0.2505 | 0.2411 | |
| 12 1,3-Dinitrobenzene | 1 | 9.327 | 9.331 | -0.004 | 70569 | 0.2505 | 0.2447 | |
| 13 Nitrobenzene | 1 | 9.720 | 9.725 | -0.005 | 46348 | 0.2510 | 0.2415 | |
| 15 Tetryl | 1 | 10.054 | 10.058 | -0.004 | 40968 | 0.2505 | 0.2402 | |
| 16 Nitroglycerin | 2 | 10.514 | 10.518 | -0.004 | 151977 | 2.50 | 2.41 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.967 | 10.971 | -0.004 | 49067 | 0.2510 | 0.2420 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.167 | 11.171 | -0.004 | 35644 | 0.2503 | 0.2361 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.420 | 11.425 | -0.005 | 48486 | 0.2510 | 0.2398 | |
| 20 2,6-Dinitrotoluene | 1 | 11.594 | 11.598 | -0.004 | 34177 | 0.2510 | 0.2388 | |
| 21 2,4-Dinitrotoluene | 1 | 11.760 | 11.765 | -0.005 | 70605 | 0.2510 | 0.2440 | |
| 22 o-Nitrotoluene | 1 | 12.634 | 12.638 | -0.004 | 30280 | 0.2500 | 0.2373 | |
| 23 p-Nitrotoluene | 1 | 13.060 | 13.071 | -0.011 | 25824 | 0.2505 | 0.2431 | |
| 24 m-Nitrotoluene | 1 | 13.647 | 13.651 | -0.004 | 33160 | 0.2503 | 0.2331 | |
| 25 PETN | 2 | 14.727 | 14.738 | -0.011 | 179275 | 2.50 | 2.45 | |

## QC Flag Legend
Processing Flags

## Reagents:
8330IntermStk_00070 Amount Added: 25.00 Units: uL


Report Date: 06-Jan-2022 20:05:12 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040015.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 04-Jan-2022 19:59:42 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC INT 5 | | | Worklist Smp#: | 15 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 15 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040016.D
Lims ID: IC INT 4
Client ID:
Sample Type: IC Calib Level: 4
Inject. Date: 04-Jan-2022 20:22:36 ALS Bottle#: 16 Worklist Smp#: 16
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT 4
Misc. Info.: 280-0107731-016
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 06-Jan-2022 20:05:12 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1641

First Level Reviewer: zhangji Date: 04-Jan-2022 20:49:54

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.598 | 6.598 | 0.000 | 8489 | 0.1000 | 0.1013 | |
| 8 RDX | 1 | 7.605 | 7.605 | 0.000 | 10447 | 0.1000 | 0.1008 | |
| 9 2,4,6-Trinitrophenol | 1 | 7.945 | 7.945 | 0.000 | 7855 | 0.1000 | 0.1020 | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.572 | 8.572 | 0.000 | 12780 | 0.1000 | 0.1025 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.692 | 8.692 | 0.000 | 21856 | 0.1002 | 0.1002 | |
| 12 1,3-Dinitrobenzene | 1 | 9.331 | 9.331 | 0.000 | 29215 | 0.1002 | 0.1013 | |
| 13 Nitrobenzene | 1 | 9.725 | 9.725 | 0.000 | 19287 | 0.1004 | 0.1005 | |
| 15 Tetryl | 1 | 10.058 | 10.058 | 0.000 | 17238 | 0.1002 | 0.1011 | |
| 16 Nitroglycerin | 2 | 10.518 | 10.518 | 0.000 | 63595 | 1.00 | 1.01 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.971 | 10.971 | 0.000 | 20408 | 0.1004 | 0.1007 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.171 | 11.171 | 0.000 | 14975 | 0.1001 | 0.0992 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.425 | 11.425 | 0.000 | 20280 | 0.1004 | 0.1003 | |
| 20 2,6-Dinitrotoluene | 1 | 11.598 | 11.598 | 0.000 | 14234 | 0.1004 | 0.0995 | |
| 21 2,4-Dinitrotoluene | 1 | 11.765 | 11.765 | 0.000 | 29355 | 0.1004 | 0.1015 | |
| 22 o-Nitrotoluene | 1 | 12.638 | 12.638 | 0.000 | 12777 | 0.1000 | 0.1001 | |
| 23 p-Nitrotoluene | 1 | 13.071 | 13.071 | 0.000 | 10715 | 0.1002 | 0.1009 | |
| 24 m-Nitrotoluene | 1 | 13.651 | 13.651 | 0.000 | 14003 | 0.1001 | 0.0984 | |
| 25 PETN | 2 | 14.738 | 14.738 | 0.000 | 74208 | 1.00 | 1.00 | |

## QC Flag Legend

Processing Flags

## Reagents:

8330IntermStk_00070 Amount Added: 10.00 Units: uL


Report Date: 06-Jan-2022 20:05:13 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040016.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 04-Jan-2022 20:22:36 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC INT 4 | | | Worklist Smp#: | 16 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 16 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040017.D
Lims ID: IC INT 3
Client ID:
Sample Type: IC Calib Level: 3
Inject. Date: 04-Jan-2022 20:45:29 ALS Bottle#: 17 Worklist Smp#: 17
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT 3
Misc. Info.: 280-0107731-017
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 06-Jan-2022 20:05:13 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1641

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|---|
| | 4 HMX | 1 | 6.600 | 6.598 | 0.002 | 4230 | 0.0500 | 0.0505 | |
| | 8 RDX | 1 | 7.607 | 7.605 | 0.002 | 5715 | 0.0500 | 0.0552 | |
| | 9 2,4,6-Trinitrophenol | 1 | 7.947 | 7.945 | 0.002 | 4029 | 0.0500 | 0.0523 | |
| $ | 10 1,2-Dinitrobenzene | 1 | 8.573 | 8.572 | 0.001 | 6127 | 0.0500 | 0.0491 | |
| | 11 1,3,5-Trinitrobenzene | 1 | 8.693 | 8.692 | 0.001 | 10711 | 0.0501 | 0.0491 | |
| | 12 1,3-Dinitrobenzene | 1 | 9.327 | 9.331 | -0.004 | 14683 | 0.0501 | 0.0509 | |
| | 13 Nitrobenzene | 1 | 9.727 | 9.725 | 0.002 | 9329 | 0.0502 | 0.0486 | |
| | 15 Tetryl | 1 | 10.060 | 10.058 | 0.002 | 8315 | 0.0501 | 0.0487 | |
| | 16 Nitroglycerin | 2 | 10.513 | 10.518 | -0.005 | 30651 | 0.5000 | 0.4862 | |
| | 17 2,4,6-Trinitrotoluene | 1 | 10.973 | 10.971 | 0.002 | 10202 | 0.0502 | 0.0503 | |
| | 18 4-Amino-2,6-dinitrotoluene | 1 | 11.173 | 11.171 | 0.002 | 7656 | 0.0501 | 0.0507 | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | 11.427 | 11.425 | 0.002 | 9600 | 0.0502 | 0.0475 | |
| | 20 2,6-Dinitrotoluene | 1 | 11.593 | 11.598 | -0.005 | 6908 | 0.0502 | 0.0483 | |
| | 21 2,4-Dinitrotoluene | 1 | 11.767 | 11.765 | 0.002 | 13933 | 0.0502 | 0.0482 | |
| | 22 o-Nitrotoluene | 1 | 12.640 | 12.638 | 0.002 | 6314 | 0.0500 | 0.0495 | |
| | 23 p-Nitrotoluene | 1 | 13.067 | 13.071 | -0.004 | 5163 | 0.0501 | 0.0486 | |
| | 24 m-Nitrotoluene | 1 | 13.653 | 13.651 | 0.002 | 6733 | 0.0501 | 0.0473 | |
| | 25 PETN | 2 | 14.733 | 14.738 | -0.005 | 35084 | 0.5000 | 0.4645 | |

## Reagents:

8330IntermStk_00070 Amount Added: 5.00 Units: uL


Report Date: 06-Jan-2022 20:05:13 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040017.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 04-Jan-2022 20:45:29 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC INT 3 | | | Worklist Smp#: | 17 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 17 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040018.D
Lims ID: IC INT 2
Client ID:
Sample Type: IC Calib Level: 2
Inject. Date: 04-Jan-2022 21:08:26 ALS Bottle#: 18 Worklist Smp#: 18
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT 2
Misc. Info.: 280-0107731-018
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 06-Jan-2022 20:05:13 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1641

First Level Reviewer: zhangji Date: 05-Jan-2022 12:01:28

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.595 | 6.598 | -0.003 | 1735 | 0.0200 | 0.0207 | |
| 8 RDX | 1 | 7.608 | 7.605 | 0.003 | 2084 | 0.0200 | 0.0201 | M |
| 9 2,4,6-Trinitrophenol | 1 | 7.948 | 7.945 | 0.003 | 1554 | 0.0200 | 0.0202 | M |
| $ 10 1,2-Dinitrobenzene | 1 | 8.575 | 8.572 | 0.003 | 2503 | 0.0200 | 0.0201 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.695 | 8.692 | 0.003 | 4249 | 0.0200 | 0.0195 | |
| 12 1,3-Dinitrobenzene | 1 | 9.328 | 9.331 | -0.003 | 5833 | 0.0200 | 0.0202 | |
| 13 Nitrobenzene | 1 | 9.722 | 9.725 | -0.003 | 3845 | 0.0201 | 0.0200 | |
| 15 Tetryl | 1 | 10.055 | 10.058 | -0.003 | 3498 | 0.0200 | 0.0205 | |
| 16 Nitroglycerin | 2 | 10.515 | 10.518 | -0.003 | 12008 | 0.2000 | 0.1905 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.968 | 10.971 | -0.003 | 4227 | 0.0201 | 0.0209 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.175 | 11.171 | 0.004 | 3150 | 0.0200 | 0.0209 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.428 | 11.425 | 0.003 | 4282 | 0.0201 | 0.0212 | |
| 20 2,6-Dinitrotoluene | 1 | 11.595 | 11.598 | -0.003 | 2993 | 0.0201 | 0.0209 | |
| 21 2,4-Dinitrotoluene | 1 | 11.762 | 11.765 | -0.003 | 5890 | 0.0201 | 0.0204 | |
| 22 o-Nitrotoluene | 1 | 12.642 | 12.638 | 0.004 | 2743 | 0.0200 | 0.0215 | |
| 23 p-Nitrotoluene | 1 | 13.075 | 13.071 | 0.004 | 2151 | 0.0200 | 0.0202 | |
| 24 m-Nitrotoluene | 1 | 13.655 | 13.651 | 0.004 | 2989 | 0.0200 | 0.0210 | |
| 25 PETN | 2 | 14.735 | 14.738 | -0.003 | 15705 | 0.2000 | 0.1974 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330IntermStk_00070 Amount Added: 2.00 Units: uL


Report Date: 06-Jan-2022 20:05:13 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040018.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 04-Jan-2022 21:08:26 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC INT 2 | | | Worklist Smp#: | 18 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 18 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040018.d | | | | |
| Injection Date: | 04-Jan-2022 21:08:26 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 2 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 8 RDX, CAS: 121-82-4

Signal: 1


Processing Integration Results

RT: 7.61
Area: 2668
Amount: 0.024969
Amount Units: ug/mL




Manual Integration Results

RT: 7.61
Area: 2084
Amount: 0.020114
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:01:55

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040018.d | | | | |
| Injection Date: | 04-Jan-2022 21:08:26 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 2 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 9 2,4,6-Trinitrophenol, CAS: 88-89-1

Signal: 1


Processing Integration Results

RT: 7.95
Area: 1744
Amount: 0.022332
Amount Units: ug/mL




Manual Integration Results

RT: 7.95
Area: 1554
Amount: 0.020172
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:02:02
Audit Action: Split an Integrated Peak Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040018.d
Injection Date: 04-Jan-2022 21:08:26 Instrument ID: CHHPLC_X3
Lims ID: IC INT 2
Client ID:
Operator ID: JZ ALS Bottle#: 18 Worklist Smp#: 18
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330
Column: Detector LC DAD1C, 215 nm

## 25 PETN, CAS: 78-11-5

Signal: 1


Processing Integration Results

RT: 14.73
Area: 11890
Amount: 0.166241
Amount Units: ug/mL




Manual Integration Results

RT: 14.73
Area: 15705
Amount: 0.197419
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:01:38
Audit Action: Split an Integrated Peak Audit Reason: Baseline

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040019.D
Lims ID: IC INT 1
Client ID:
Sample Type: IC Calib Level: 1
Inject. Date: 04-Jan-2022 21:31:24 ALS Bottle#: 19 Worklist Smp#: 19
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT 1
Misc. Info.: 280-0107731-019
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 06-Jan-2022 20:05:14 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1641

First Level Reviewer: zhangji Date: 06-Jan-2022 20:05:03

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.601 | 6.598 | 0.003 | 901 | 0.0100 | 0.0107 | M |
| 8 RDX | 1 | 7.601 | 7.605 | -0.004 | 1152 | 0.0100 | 0.0111 | M |
| 9 2,4,6-Trinitrophenol | 1 | 7.941 | 7.945 | -0.004 | 716 | 0.0100 | 0.009294 | M |
| $ 10 1,2-Dinitrobenzene | 1 | 8.561 | 8.572 | -0.011 | 1188 | 0.0100 | 0.009527 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.688 | 8.692 | -0.004 | 2197 | 0.0100 | 0.0101 | |
| 12 1,3-Dinitrobenzene | 1 | 9.321 | 9.331 | -0.010 | 2633 | 0.0100 | 0.009130 | |
| 13 Nitrobenzene | 1 | 9.714 | 9.725 | -0.011 | 2067 | 0.0100 | 0.0108 | |
| 15 Tetryl | 1 | 10.041 | 10.058 | -0.017 | 1778 | 0.0100 | 0.0104 | |
| 16 Nitroglycerin | 2 | 10.501 | 10.518 | -0.017 | 6348 | 0.1000 | 0.1007 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.954 | 10.971 | -0.017 | 2126 | 0.0100 | 0.0105 | M |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.154 | 11.171 | -0.017 | 1718 | 0.0100 | 0.0114 | M |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.408 | 11.425 | -0.017 | 2287 | 0.0100 | 0.0113 | M |
| 20 2,6-Dinitrotoluene | 1 | 11.581 | 11.598 | -0.017 | 1551 | 0.0100 | 0.0108 | M |
| 21 2,4-Dinitrotoluene | 1 | 11.748 | 11.765 | -0.017 | 3047 | 0.0100 | 0.0105 | M |
| 22 o-Nitrotoluene | 1 | 12.614 | 12.638 | -0.024 | 1387 | 0.0100 | 0.0109 | |
| 23 p-Nitrotoluene | 1 | 13.054 | 13.071 | -0.017 | 1083 | 0.0100 | 0.0102 | |
| 24 m-Nitrotoluene | 1 | 13.634 | 13.651 | -0.017 | 1764 | 0.0100 | 0.0124 | |
| 25 PETN | 2 | 14.708 | 14.738 | -0.030 | 8784 | 0.1000 | 0.1020 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330IntermStk_00070 Amount Added: 1.00 Units: uL


Report Date: 06-Jan-2022 20:05:14 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040019.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 04-Jan-2022 21:31:24 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC INT 1 | | | Worklist Smp#: | 19 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 19 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040019.d | | | | |
| Injection Date: | 04-Jan-2022 21:31:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.60
Area: 995
Amount: 0.011724
Amount Units: ug/mL




Manual Integration Results

RT: 6.60
Area: 901
Amount: 0.010748
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 11:59:58
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040019.d | | | | |
| Injection Date: | 04-Jan-2022 21:31:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 8 RDX, CAS: 121-82-4

Signal: 1


Processing Integration Results

RT: 7.60
Area: 1299
Amount: 0.011974
Amount Units: ug/mL




Manual Integration Results

RT: 7.60
Area: 1152
Amount: 0.011119
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:00:04
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040019.d | | | | |
| Injection Date: | 04-Jan-2022 21:31:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 9 2,4,6-Trinitrophenol, CAS: 88-89-1

Signal: 1


Processing Integration Results

RT: 7.94
Area: 903
Amount: 0.011263
Amount Units: ug/mL




Manual Integration Results

RT: 7.94
Area: 716
Amount: 0.009294
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:00:13
Audit Action: Split an Integrated Peak Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040019.d | | | | |
| Injection Date: | 04-Jan-2022 21:31:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 17 2,4,6-Trinitrotoluene, CAS: 118-96-7

Signal: 1


Processing Integration Results

RT: 10.95
Area: 2806
Amount: 0.013346
Amount Units: ug/mL




Manual Integration Results

RT: 10.95
Area: 2126
Amount: 0.010487
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:00:35
Audit Action: Assigned New Baseline Audit Reason: Baseline

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040019.d | | | | |
| Injection Date: | 04-Jan-2022 21:31:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 18 4-Amino-2,6-dinitrotoluene, CAS: 19406-51-0

Signal: 1


Processing Integration Results

RT: 11.15
Area: 2160
Amount: 0.013856
Amount Units: ug/mL




Manual Integration Results

RT: 11.15
Area: 1718
Amount: 0.011379
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:00:35
Audit Action: Assigned New Baseline Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040019.d | | | | |
| Injection Date: | 04-Jan-2022 21:31:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 19 2-Amino-4,6-dinitrotoluene, CAS: 35572-78-2

Signal: 1


Processing Integration Results

RT: 11.41
Area: 2647
Amount: 0.012840
Amount Units: ug/mL




Manual Integration Results

RT: 11.41
Area: 2287
Amount: 0.011312
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:00:35
Audit Action: Assigned New Baseline Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040019.d | | | | |
| Injection Date: | 04-Jan-2022 21:31:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 20 2,6-Dinitrotoluene, CAS: 606-20-2

Signal: 1


Processing Integration Results

RT: 11.58
Area: 1735
Amount: 0.011953
Amount Units: ug/mL




Manual Integration Results

RT: 11.58
Area: 1551
Amount: 0.010837
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:00:35
Audit Action: Assigned New Baseline Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040019.d | | | | |
| Injection Date: | 04-Jan-2022 21:31:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC INT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 19 | Worklist Smp#: | 19 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 21 2,4-Dinitrotoluene, CAS: 121-14-2

Signal: 1


Processing Integration Results

RT: 11.75
Area: 3191
Amount: 0.010968
Amount Units: ug/mL




Manual Integration Results

RT: 11.75
Area: 3047
Amount: 0.010530
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:00:35

Audit Action: Assigned New Baseline Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040019.d
Injection Date: 04-Jan-2022 21:31:24 Instrument ID: CHHPLC_X3
Lims ID: IC INT 1
Client ID:
Operator ID: JZ ALS Bottle#: 19 Worklist Smp#: 19
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330
Column: Detector LC DAD1C, 215 nm

## 25 PETN, CAS: 78-11-5

Signal: 1


Processing Integration Results

RT: 14.71
Area: 11771
Amount: 0.142232
Amount Units: ug/mL




Manual Integration Results

RT: 14.71
Area: 8784
Amount: 0.102016
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:00:58
Audit Action: Split an Integrated Peak Audit Reason: Baseline

## Calibration / HMX

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 8.383E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 2490 |
| **Relative Standard Error:** | 3.6 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.998 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01 | 901.0 | | | 90100.0 | Y |
| 2 | IC 280-562503/18 | 0.02 | 1735.0 | | | 86750.0 | Y |
| 3 | IC 280-562503/17 | 0.05 | 4230.0 | | | 84600.0 | Y |
| 4 | IC 280-562503/16 | 0.1 | 8489.0 | | | 84890.0 | Y |
| 5 | IC 280-562503/15 | 0.25 | 20395.0 | | | 81580.0 | Y |
| 6 | IC 280-562503/14 | 0.4 | 32925.0 | | | 82312.5 | Y |
| 7 | IC 280-562503/13 | 0.7 | 57138.0 | | | 81625.714286 | Y |
| 8 | IC 280-562503/12 | 1.0 | 81295.0 | | | 81295.0 | Y |
| 9 | IC 280-562503/11 | 2.5 | 203229.0 | | | 81291.6 | Y |



## Calibration / RDX

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.036E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 3710 |
| **Relative Standard Error:** | 6.5 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.994 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01 | 1152.0 | | | 115200.0 | Y |
| 2 | IC 280-562503/18 | 0.02 | 2084.0 | | | 104200.0 | Y |
| 3 | IC 280-562503/17 | 0.05 | 5715.0 | | | 114300.0 | Y |
| 4 | IC 280-562503/16 | 0.1 | 10447.0 | | | 104470.0 | Y |
| 5 | IC 280-562503/15 | 0.25 | 24635.0 | | | 98540.0 | Y |
| 6 | IC 280-562503/14 | 0.4 | 39126.0 | | | 97815.0 | Y |
| 7 | IC 280-562503/13 | 0.7 | 69068.0 | | | 98668.571429 | Y |
| 8 | IC 280-562503/12 | 1.0 | 99016.0 | | | 99016.0 | Y |
| 9 | IC 280-562503/11 | 2.5 | 250683.0 | | | 100273.2 | Y |



## Calibration / 2,4,6-Trinitrophenol

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 7.704E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 3060 |
| **Relative Standard Error:** | 3.7 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.998 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01 | 716.0 | | | 71600.0 | Y |
| 2 | IC 280-562503/18 | 0.02 | 1554.0 | | | 77700.0 | Y |
| 3 | IC 280-562503/17 | 0.05 | 4029.0 | | | 80580.0 | Y |
| 4 | IC 280-562503/16 | 0.1 | 7855.0 | | | 78550.0 | Y |
| 5 | IC 280-562503/15 | 0.25 | 18560.0 | | | 74240.0 | Y |
| 6 | IC 280-562503/14 | 0.4 | 30649.0 | | | 76622.5 | Y |
| 7 | IC 280-562503/13 | 0.7 | 53408.0 | | | 76297.142857 | Y |
| 8 | IC 280-562503/12 | 1.0 | 77279.0 | | | 77279.0 | Y |
| 9 | IC 280-562503/11 | 2.5 | 201210.0 | | | 80484.0 | Y |



## Calibration / 1,2-Dinitrobenzene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.247E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 2620 |
| **Relative Standard Error:** | 2.3 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01 | 1188.0 | | | 118800.0 | Y |
| 2 | IC 280-562503/18 | 0.02 | 2503.0 | | | 125150.0 | Y |
| 3 | IC 280-562503/17 | 0.05 | 6127.0 | | | 122540.0 | Y |
| 4 | IC 280-562503/16 | 0.1 | 12780.0 | | | 127800.0 | Y |
| 5 | IC 280-562503/15 | 0.25 | 30811.0 | | | 123244.0 | Y |
| 6 | IC 280-562503/14 | 0.4 | 49955.0 | | | 124887.5 | Y |
| 7 | IC 280-562503/13 | 0.7 | 87746.0 | | | 125351.428571 | Y |
| 8 | IC 280-562503/12 | 1.0 | 127011.0 | | | 127011.0 | Y |
| 9 | IC 280-562503/11 | 2.5 | 318738.0 | | | 127495.2 | Y |



## Calibration / 1,3,5-Trinitrobenzene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.181E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 7180 |
| **Relative Standard Error:** | 2.5 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01002 | 2197.0 | | | 219261.477046 | Y |
| 2 | IC 280-562503/18 | 0.02004 | 4249.0 | | | 212025.948104 | Y |
| 3 | IC 280-562503/17 | 0.0501 | 10711.0 | | | 213792.41517 | Y |
| 4 | IC 280-562503/16 | 0.1002 | 21856.0 | | | 218123.752495 | Y |
| 5 | IC 280-562503/15 | 0.2505 | 52589.0 | | | 209936.127745 | Y |
| 6 | IC 280-562503/14 | 0.4008 | 87295.0 | | | 217801.896208 | Y |
| 7 | IC 280-562503/13 | 0.7014 | 155681.0 | | | 221957.513544 | Y |
| 8 | IC 280-562503/12 | 1.002 | 224711.0 | | | 224262.47505 | Y |
| 9 | IC 280-562503/11 | 2.505 | 565374.0 | | | 225698.203593 | Y |



## Calibration / 1,3-Dinitrobenzene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.884E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 7740 |
| **Relative Standard Error:** | 3.6 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.998 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01002 | 2633.0 | | | 262774.451098 | Y |
| 2 | IC 280-562503/18 | 0.02004 | 5833.0 | | | 291067.864271 | Y |
| 3 | IC 280-562503/17 | 0.0501 | 14683.0 | | | 293073.852295 | Y |
| 4 | IC 280-562503/16 | 0.1002 | 29215.0 | | | 291566.866267 | Y |
| 5 | IC 280-562503/15 | 0.2505 | 70569.0 | | | 281712.57485 | Y |
| 6 | IC 280-562503/14 | 0.4008 | 116963.0 | | | 291823.852295 | Y |
| 7 | IC 280-562503/13 | 0.7014 | 205039.0 | | | 292328.200741 | Y |
| 8 | IC 280-562503/12 | 1.002 | 295195.0 | | | 294605.788423 | Y |
| 9 | IC 280-562503/11 | 2.505 | 743133.0 | | | 296659.88024 | Y |



## Calibration / Nitrobenzene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.92E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 1950 |
| **Relative Standard Error:** | 3.2 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01004 | 2067.0 | | | 205876.494024 | Y |
| 2 | IC 280-562503/18 | 0.02008 | 3845.0 | | | 191484.063745 | Y |
| 3 | IC 280-562503/17 | 0.0502 | 9329.0 | | | 185836.653386 | Y |
| 4 | IC 280-562503/16 | 0.1004 | 19287.0 | | | 192101.593625 | Y |
| 5 | IC 280-562503/15 | 0.251 | 46348.0 | | | 184653.386454 | Y |
| 6 | IC 280-562503/14 | 0.4016 | 75688.0 | | | 188466.135458 | Y |
| 7 | IC 280-562503/13 | 0.7028 | 134777.0 | | | 191771.485487 | Y |
| 8 | IC 280-562503/12 | 1.004 | 194325.0 | | | 193550.796813 | Y |
| 9 | IC 280-562503/11 | 2.51 | 486534.0 | | | 193838.247012 | Y |



## Calibration / Tetryl

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.706E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 2030 |
| **Relative Standard Error:** | 2.7 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01002 | 1778.0 | | | 177445.10978 | Y |
| 2 | IC 280-562503/18 | 0.02004 | 3498.0 | | | 174550.898204 | Y |
| 3 | IC 280-562503/17 | 0.0501 | 8315.0 | | | 165968.063872 | Y |
| 4 | IC 280-562503/16 | 0.1002 | 17238.0 | | | 172035.928144 | Y |
| 5 | IC 280-562503/15 | 0.2505 | 40968.0 | | | 163544.91018 | Y |
| 6 | IC 280-562503/14 | 0.4008 | 66706.0 | | | 166432.135729 | Y |
| 7 | IC 280-562503/13 | 0.7014 | 118756.0 | | | 169312.802965 | Y |
| 8 | IC 280-562503/12 | 1.002 | 173941.0 | | | 173593.812375 | Y |
| 9 | IC 280-562503/11 | 2.505 | 431404.0 | | | 172217.165669 | Y |



| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 6.304E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 17600 |
| **Relative Standard Error:** | 2.9 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.1 | 6348.0 | | | 63480.0 | Y |
| 2 | IC 280-562503/18 | 0.2 | 12008.0 | | | 60040.0 | Y |
| 3 | IC 280-562503/17 | 0.5 | 30651.0 | | | 61302.0 | Y |
| 4 | IC 280-562503/16 | 1.0 | 63595.0 | | | 63595.0 | Y |
| 5 | IC 280-562503/15 | 2.5 | 151977.0 | | | 60790.8 | Y |
| 6 | IC 280-562503/14 | 4.0 | 257287.0 | | | 64321.75 | Y |
| 7 | IC 280-562503/13 | 7.0 | 449283.0 | | | 64183.285714 | Y |
| 8 | IC 280-562503/12 | 10.0 | 647703.0 | | | 64770.3 | Y |
| 9 | IC 280-562503/11 | 25.0 | 1621311.0 | | | 64852.44 | Y |



## Calibration / 2,4,6-Trinitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.027E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 1610 |
| **Relative Standard Error:** | 2.7 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01004 | 2126.0 | | | 211752.988048 | Y |
| 2 | IC 280-562503/18 | 0.02008 | 4227.0 | | | 210507.968127 | Y |
| 3 | IC 280-562503/17 | 0.0502 | 10202.0 | | | 203227.091633 | Y |
| 4 | IC 280-562503/16 | 0.1004 | 20408.0 | | | 203266.932271 | Y |
| 5 | IC 280-562503/15 | 0.251 | 49067.0 | | | 195486.055777 | Y |
| 6 | IC 280-562503/14 | 0.4016 | 79951.0 | | | 199081.175299 | Y |
| 7 | IC 280-562503/13 | 0.7028 | 139377.0 | | | 198316.733068 | Y |
| 8 | IC 280-562503/12 | 1.004 | 201237.0 | | | 200435.258964 | Y |
| 9 | IC 280-562503/11 | 2.51 | 508173.0 | | | 202459.36255 | Y |



## Calibration / 4-Amino-2,6-dinitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.51E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 4130 |
| **Relative Standard Error:** | 5.9 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.995 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01001 | 1718.0 | | | 171628.371628 | Y |
| 2 | IC 280-562503/18 | 0.02002 | 3150.0 | | | 157342.657343 | Y |
| 3 | IC 280-562503/17 | 0.05005 | 7656.0 | | | 152967.032967 | Y |
| 4 | IC 280-562503/16 | 0.1001 | 14975.0 | | | 149600.3996 | Y |
| 5 | IC 280-562503/15 | 0.25025 | 35644.0 | | | 142433.566434 | Y |
| 6 | IC 280-562503/14 | 0.4004 | 58489.0 | | | 146076.423576 | Y |
| 7 | IC 280-562503/13 | 0.7007 | 101665.0 | | | 145090.623662 | Y |
| 8 | IC 280-562503/12 | 1.001 | 146703.0 | | | 146556.443556 | Y |
| 9 | IC 280-562503/11 | 2.5025 | 368296.0 | | | 147171.228771 | Y |



## Calibration / 2-Amino-4,6-dinitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.022E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 3210 |
| **Relative Standard Error:** | 5.7 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.996 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01004 | 2287.0 | | | 227788.844622 | Y |
| 2 | IC 280-562503/18 | 0.02008 | 4282.0 | | | 213247.011952 | Y |
| 3 | IC 280-562503/17 | 0.0502 | 9600.0 | | | 191235.059761 | Y |
| 4 | IC 280-562503/16 | 0.1004 | 20280.0 | | | 201992.031873 | Y |
| 5 | IC 280-562503/15 | 0.251 | 48486.0 | | | 193171.314741 | Y |
| 6 | IC 280-562503/14 | 0.4016 | 79169.0 | | | 197133.964143 | Y |
| 7 | IC 280-562503/13 | 0.7028 | 137894.0 | | | 196206.602163 | Y |
| 8 | IC 280-562503/12 | 1.004 | 200129.0 | | | 199331.673307 | Y |
| 9 | IC 280-562503/11 | 2.51 | 500581.0 | | | 199434.661355 | Y |



## Calibration / 2,6-Dinitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.431E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 1560 |
| **Relative Standard Error:** | 4.0 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.998 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01004 | 1551.0 | | | 154482.071713 | Y |
| 2 | IC 280-562503/18 | 0.02008 | 2993.0 | | | 149053.784861 | Y |
| 3 | IC 280-562503/17 | 0.0502 | 6908.0 | | | 137609.561753 | Y |
| 4 | IC 280-562503/16 | 0.1004 | 14234.0 | | | 141772.908367 | Y |
| 5 | IC 280-562503/15 | 0.251 | 34177.0 | | | 136163.346614 | Y |
| 6 | IC 280-562503/14 | 0.4016 | 57212.0 | | | 142460.159363 | Y |
| 7 | IC 280-562503/13 | 0.7028 | 99747.0 | | | 141928.002277 | Y |
| 8 | IC 280-562503/12 | 1.004 | 140901.0 | | | 140339.641434 | Y |
| 9 | IC 280-562503/11 | 2.51 | 362011.0 | | | 144227.49004 | Y |



## Calibration / 2,4-Dinitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.894E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 3650 |
| **Relative Standard Error:** | 2.6 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01004 | 3047.0 | | | 303486.055777 | Y |
| 2 | IC 280-562503/18 | 0.02008 | 5890.0 | | | 293326.693227 | Y |
| 3 | IC 280-562503/17 | 0.0502 | 13933.0 | | | 277549.800797 | Y |
| 4 | IC 280-562503/16 | 0.1004 | 29355.0 | | | 292380.478088 | Y |
| 5 | IC 280-562503/15 | 0.251 | 70605.0 | | | 281294.820717 | Y |
| 6 | IC 280-562503/14 | 0.4016 | 115000.0 | | | 286354.581673 | Y |
| 7 | IC 280-562503/13 | 0.7028 | 200883.0 | | | 285832.384747 | Y |
| 8 | IC 280-562503/12 | 1.004 | 291912.0 | | | 290749.003984 | Y |
| 9 | IC 280-562503/11 | 2.51 | 735887.0 | | | 293182.071713 | Y |



## Calibration / o-Nitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.276E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 2250 |
| **Relative Standard Error:** | 4.8 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.997 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01 | 1387.0 | | | 138700.0 | Y |
| 2 | IC 280-562503/18 | 0.02 | 2743.0 | | | 137150.0 | Y |
| 3 | IC 280-562503/17 | 0.05 | 6314.0 | | | 126280.0 | Y |
| 4 | IC 280-562503/16 | 0.1 | 12777.0 | | | 127770.0 | Y |
| 5 | IC 280-562503/15 | 0.25 | 30280.0 | | | 121120.0 | Y |
| 6 | IC 280-562503/14 | 0.4 | 49500.0 | | | 123750.0 | Y |
| 7 | IC 280-562503/13 | 0.7 | 86333.0 | | | 123332.857143 | Y |
| 8 | IC 280-562503/12 | 1.0 | 124418.0 | | | 124418.0 | Y |
| 9 | IC 280-562503/11 | 2.5 | 315004.0 | | | 126001.6 | Y |



## Calibration / p-Nitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.062E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 2210 |
| **Relative Standard Error:** | 1.9 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 1.000 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01002 | 1083.0 | | | 108083.832335 | Y |
| 2 | IC 280-562503/18 | 0.02004 | 2151.0 | | | 107335.329341 | Y |
| 3 | IC 280-562503/17 | 0.0501 | 5163.0 | | | 103053.892216 | Y |
| 4 | IC 280-562503/16 | 0.1002 | 10715.0 | | | 106936.127745 | Y |
| 5 | IC 280-562503/15 | 0.2505 | 25824.0 | | | 103089.820359 | Y |
| 6 | IC 280-562503/14 | 0.4008 | 42415.0 | | | 105825.848303 | Y |
| 7 | IC 280-562503/13 | 0.7014 | 74357.0 | | | 106012.261192 | Y |
| 8 | IC 280-562503/12 | 1.002 | 107309.0 | | | 107094.810379 | Y |
| 9 | IC 280-562503/11 | 2.505 | 272262.0 | | | 108687.42515 | Y |



## Calibration / m-Nitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.423E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 3900 |
| **Relative Standard Error:** | 9.6 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.987 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.01001 | 1764.0 | | | 176223.776224 | Y |
| 2 | IC 280-562503/18 | 0.02002 | 2989.0 | | | 149300.699301 | Y |
| 3 | IC 280-562503/17 | 0.05005 | 6733.0 | | | 134525.474525 | Y |
| 4 | IC 280-562503/16 | 0.1001 | 14003.0 | | | 139890.10989 | Y |
| 5 | IC 280-562503/15 | 0.25025 | 33160.0 | | | 132507.492507 | Y |
| 6 | IC 280-562503/14 | 0.4004 | 54695.0 | | | 136600.899101 | Y |
| 7 | IC 280-562503/13 | 0.7007 | 94920.0 | | | 135464.535465 | Y |
| 8 | IC 280-562503/12 | 1.001 | 136801.0 | | | 136664.335664 | Y |
| 9 | IC 280-562503/11 | 2.5025 | 348555.0 | | | 139282.717283 | Y |



## Calibration / PETN

| | |
|---|---|
| **Curve Type:** | Linear |
| **Weighting:** | Conc_Sq |
| **Origin:** | None |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 1383 |
| **Slope:** | 7.255E+04 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 21400 |
| **Relative Standard Error:** | 3.3 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/19 | 0.1 | 8784.0 | | | 87840.0 | Y |
| 2 | IC 280-562503/18 | 0.2 | 15705.0 | | | 78525.0 | Y |
| 3 | IC 280-562503/17 | 0.5 | 35084.0 | | | 70168.0 | Y |
| 4 | IC 280-562503/16 | 1.0 | 74208.0 | | | 74208.0 | Y |
| 5 | IC 280-562503/15 | 2.5 | 179275.0 | | | 71710.0 | Y |
| 6 | IC 280-562503/14 | 4.0 | 295082.0 | | | 73770.5 | Y |
| 7 | IC 280-562503/13 | 7.0 | 516042.0 | | | 73720.285714 | Y |
| 8 | IC 280-562503/12 | 10.0 | 744274.0 | | | 74427.4 | Y |
| 9 | IC 280-562503/11 | 25.0 | 1868141.0 | | | 74725.64 | Y |



FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 562503

SDG No.:

Instrument ID: CHHPLC_X3 GC Column: UltraCarb5u ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/05/2022 01:43 Calibration End Date: 01/05/2022 04:24 Calibration ID: 61347

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-562503/37 | 01040037.D |
| Level 2 | IC 280-562503/36 | 01040036.D |
| Level 3 | IC 280-562503/35 | 01040035.D |
| Level 4 | IC 280-562503/34 | 01040034.D |
| Level 5 | IC 280-562503/33 | 01040033.D |
| Level 6 | IC 280-562503/32 | 01040032.D |
| Level 7 | IC 280-562503/31 | 01040031.D |
| Level 8 | IC 280-562503/30 | 01040030.D |

| ANALYTE | LVL 1 | LVL 2 | LVL 3 | LVL 4 | LVL 5 | LVL 6 | LVL 7 | LVL 8 | | | RT WINDOW | AVG RT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNX | 6.479 | 6.478 | 6.483 | 6.484 | 6.483 | 6.477 | 6.478 | 6.472 | | | 6.384 - 6.584 | 6.479 |
| DNX | 6.799 | 6.798 | 6.796 | 6.797 | 6.803 | 6.797 | 6.798 | 6.792 | | | 6.697 - 6.897 | 6.798 |
| MNX | 7.219 | 7.224 | 7.223 | 7.224 | 7.223 | 7.217 | 7.218 | 7.218 | | | 7.074 - 7.374 | 7.221 |

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 562503

SDG No.:

Instrument ID: CHHPLC_X3 GC Column: UltraCarb5u ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/05/2022 01:43 Calibration End Date: 01/05/2022 04:24 Calibration ID: 61347

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-562503/37 | 01040037.D |
| Level 2 | IC 280-562503/36 | 01040036.D |
| Level 3 | IC 280-562503/35 | 01040035.D |
| Level 4 | IC 280-562503/34 | 01040034.D |
| Level 5 | IC 280-562503/33 | 01040033.D |
| Level 6 | IC 280-562503/32 | 01040032.D |
| Level 7 | IC 280-562503/31 | 01040031.D |
| Level 8 | IC 280-562503/30 | 01040030.D |

| ANALYTE | CF | | | | CURVE TYPE | COEFFICIENT | | | # | MIN CF | %RSD | # | MAX %RSD | R^2 OR COD | # | MIN R^2 OR COD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LVL 1<br>LVL 5 | LVL 2<br>LVL 6 | LVL 3<br>LVL 7 | LVL 4<br>LVL 8 | | B | M1 | M2 | | | | | | | | |
| TNX | 179820<br>181618 | 180440<br>185306 | 179710<br>183906 | 170821<br>188038 | Ave | | 181207.471 | | | | 2.8 | | 20.0 | | | |
| DNX | 140709<br>139048 | 139620<br>138881 | 139141<br>137206 | 129534<br>140763 | Ave | | 138112.950 | | | | 2.6 | | 20.0 | | | |
| MNX | 130334<br>127284 | 125073<br>127309 | 123719<br>126586 | 118458<br>129201 | Ave | | 125995.416 | | | | 2.9 | | 20.0 | | | |

Note: The M1 coefficient is the same as Ave CF for an Ave curve type.

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 562503

SDG No.:

Instrument ID: CHHPLC_X3 GC Column: UltraCarb5u ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 01/05/2022 01:43 Calibration End Date: 01/05/2022 04:24 Calibration ID: 61347

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-562503/37 | 01040037.D |
| Level 2 | IC 280-562503/36 | 01040036.D |
| Level 3 | IC 280-562503/35 | 01040035.D |
| Level 4 | IC 280-562503/34 | 01040034.D |
| Level 5 | IC 280-562503/33 | 01040033.D |
| Level 6 | IC 280-562503/32 | 01040032.D |
| Level 7 | IC 280-562503/31 | 01040031.D |
| Level 8 | IC 280-562503/30 | 01040030.D |

| ANALYTE | CURVE TYPE | RESPONSE | | | | | CONCENTRATION (UG/ML) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4 | LVL 5 | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4 | LVL 5 |
| TNX | Ave | 3600<br>129844 | 9031<br>184090 | 17989<br>470565 | 42748 | 72720 | 0.0200<br>0.701 | 0.0501<br>1.00 | 0.100<br>2.50 | 0.250 | 0.400 |
| DNX | Ave | 2817<br>97314 | 6988<br>137343 | 13928<br>352260 | 32416 | 55675 | 0.0200<br>0.701 | 0.0501<br>1.00 | 0.100<br>2.50 | 0.250 | 0.400 |
| MNX | Ave | 3042<br>103999 | 7298<br>147726 | 14438<br>376943 | 34560 | 59416 | 0.0233<br>0.817 | 0.0584<br>1.17 | 0.117<br>2.92 | 0.292 | 0.467 |

Curve Type Legend
Ave = Average

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040030.D | | | | |
| Lims ID: | IC DMT 8 | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 8 | | |
| Inject. Date: | 05-Jan-2022 01:43:42 | ALS Bottle#: | 30 | Worklist Smp#: | 30 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | IC DMT 8 | | | | |
| Misc. Info.: | 280-0107731-030 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Sublist: | chrom-8330_X3*sub17 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 05-Jan-2022 12:10:05 | Calib Date: | 05-Jan-2022 04:24:15 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1613 | | | | |
| First Level Reviewer: zhangji | | Date: | 05-Jan-2022 12:07:13 | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.472 | 6.484 | -0.012 | 470565 | 2.50 | 2.60 | M |
| 6 DNX | 1 | 6.792 | 6.797 | -0.005 | 352260 | 2.50 | 2.55 | M |
| 7 MNX | 1 | 7.218 | 7.224 | -0.006 | 376943 | 2.92 | 2.99 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330 DMT_00010 Amount Added: 125.00 Units: uL


Report Date: 05-Jan-2022 12:10:05 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040030.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 05-Jan-2022 01:43:42 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC DMT 8 | | | Worklist Smp#: | 30 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 30 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040030.d | | | | |
| Injection Date: | 05-Jan-2022 01:43:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 8 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 30 | Worklist Smp#: | 30 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.47
Area: 518954
Amount: 2.391054
Amount Units: ug/mL




Manual Integration Results

RT: 6.47
Area: 470565
Amount: 2.596830
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:05:51
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040030.d | | | | |
| Injection Date: | 05-Jan-2022 01:43:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 8 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 30 | Worklist Smp#: | 30 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.79
Area: 385621
Amount: 2.575003
Amount Units: ug/mL




Manual Integration Results

RT: 6.79
Area: 352260
Amount: 2.550521
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:07:08
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040030.d | | | | |
| Injection Date: | 05-Jan-2022 01:43:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 8 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 30 | Worklist Smp#: | 30 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 403714
Amount: 3.070267
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 376943
Amount: 2.991720
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:07:12
Audit Action: Manually Integrated Audit Reason: Baseline

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040031.D | | | | |
| Lims ID: | IC DMT 7 | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 7 | | |
| Inject. Date: | 05-Jan-2022 02:06:41 | ALS Bottle#: | 31 | Worklist Smp#: | 31 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | IC DMT 7 | | | | |
| Misc. Info.: | 280-0107731-031 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Sublist: | chrom-8330_X3*sub17 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 05-Jan-2022 12:10:06 | Calib Date: | 05-Jan-2022 04:24:15 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1613 | | | | |
| First Level Reviewer: zhangji | | Date: | 05-Jan-2022 12:07:30 | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.478 | 6.484 | -0.006 | 184090 | 1.00 | 1.02 | M |
| 6 DNX | 1 | 6.798 | 6.797 | 0.001 | 137343 | 1.00 | 0.99 | M |
| 7 MNX | 1 | 7.218 | 7.224 | -0.006 | 147726 | 1.17 | 1.17 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:


8330 DMT_00010 Amount Added: 50.00 Units: uL

Report Date: 05-Jan-2022 12:10:06 Chrom Revision: 2.3 03-Jan-2022 17:03:12


Eurofins TestAmerica, Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040031.d | | | | |
| Injection Date: | 05-Jan-2022 02:06:41 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC DMT 7 | | | Worklist Smp#: | 31 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 31 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040031.d | | | | |
| Injection Date: | 05-Jan-2022 02:06:41 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 7 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 31 | Worklist Smp#: | 31 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.48
Area: 210952
Amount: 0.982896
Amount Units: ug/mL




Manual Integration Results

RT: 6.48
Area: 184090
Amount: 1.015907
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:07:22

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040031.d | | | | |
| Injection Date: | 05-Jan-2022 02:06:41 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 7 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 31 | Worklist Smp#: | 31 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 149885
Amount: 1.012127
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 137343
Amount: 0.994425
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:07:25

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040031.d | | | | |
| Injection Date: | 05-Jan-2022 02:06:41 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 7 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 31 | Worklist Smp#: | 31 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 153452
Amount: 1.177280
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 147726
Amount: 1.172471
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:07:29

Audit Action: Manually Integrated Audit Reason: Baseline

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040032.D
Lims ID: IC DMT 6
Client ID:
Sample Type: IC Calib Level: 6
Inject. Date: 05-Jan-2022 02:29:42 ALS Bottle#: 32 Worklist Smp#: 32
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC DMT 6
Misc. Info.: 280-0107731-032
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub17

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 05-Jan-2022 12:10:06 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1613

First Level Reviewer: zhangji Date: 05-Jan-2022 12:07:46

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.477 | 6.484 | -0.007 | 129844 | 0.7007 | 0.7165 | M |
| 6 DNX | 1 | 6.797 | 6.797 | 0.000 | 97314 | 0.7007 | 0.7046 | M |
| 7 MNX | 1 | 7.217 | 7.224 | -0.007 | 103999 | 0.8169 | 0.8254 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330 DMT_00010 Amount Added: 35.00 Units: uL


Report Date: 05-Jan-2022 12:10:06 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040032.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 05-Jan-2022 02:29:42 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC DMT 6 | | | Worklist Smp#: | 32 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 32 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040032.d | | | | |
| Injection Date: | 05-Jan-2022 02:29:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 6 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 32 | Worklist Smp#: | 32 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.48
Area: 152631
Amount: 0.722450
Amount Units: ug/mL




Manual Integration Results

RT: 6.48
Area: 129844
Amount: 0.716549
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:07:40

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040032.d | | | | |
| Injection Date: | 05-Jan-2022 02:29:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 6 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 32 | Worklist Smp#: | 32 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 105159
Amount: 0.717696
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 97314
Amount: 0.704597
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:07:43
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040032.d | | | | |
| Injection Date: | 05-Jan-2022 02:29:42 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 6 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 32 | Worklist Smp#: | 32 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 105581
Amount: 0.816470
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 103999
Amount: 0.825419
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:08:26

Audit Action: Manually Integrated Audit Reason: Baseline

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040033.D
Lims ID: IC DMT 5
Client ID:
Sample Type: IC Calib Level: 5
Inject. Date: 05-Jan-2022 02:52:35 ALS Bottle#: 33 Worklist Smp#: 33
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC DMT 5
Misc. Info.: 280-0107731-033
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub17

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 05-Jan-2022 12:10:07 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1613

First Level Reviewer: zhangji Date: 05-Jan-2022 12:08:18

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.483 | 6.484 | -0.001 | 72720 | 0.4004 | 0.4013 | M |
| 6 DNX | 1 | 6.803 | 6.797 | 0.006 | 55675 | 0.4004 | 0.4031 | M |
| 7 MNX | 1 | 7.223 | 7.224 | -0.001 | 59416 | 0.4668 | 0.4716 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330 DMT_00010 Amount Added: 20.00 Units: uL


Report Date: 05-Jan-2022 12:10:07 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040033.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 05-Jan-2022 02:52:35 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC DMT 5 | | | Worklist Smp#: | 33 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 33 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040033.d | | | | |
| Injection Date: | 05-Jan-2022 02:52:35 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 5 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 33 | Worklist Smp#: | 33 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.48
Area: 83275
Amount: 0.401900
Amount Units: ug/mL




Manual Integration Results

RT: 6.48
Area: 72720
Amount: 0.401308
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:07:54
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040033.d | | | | |
| Injection Date: | 05-Jan-2022 02:52:35 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 5 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 33 | Worklist Smp#: | 33 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 57132
Amount: 0.393678
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 55675
Amount: 0.403112
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:07:58
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040033.d | | | | |
| Injection Date: | 05-Jan-2022 02:52:35 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 5 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 33 | Worklist Smp#: | 33 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 60974
Amount: 0.470003
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 59416
Amount: 0.471573
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:08:17

Audit Action: Manually Integrated Audit Reason: Baseline

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040034.D
Lims ID: IC DMT 4
Client ID:
Sample Type: IC Calib Level: 4
Inject. Date: 05-Jan-2022 03:15:30 ALS Bottle#: 34 Worklist Smp#: 34
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC DMT 4
Misc. Info.: 280-0107731-034
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub17

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 05-Jan-2022 12:10:07 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1613

First Level Reviewer: zhangji Date: 05-Jan-2022 12:08:44

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.484 | 6.484 | 0.000 | 42748 | 0.2503 | 0.2359 | M |
| 6 DNX | 1 | 6.797 | 6.797 | 0.000 | 32416 | 0.2503 | 0.2347 | M |
| 7 MNX | 1 | 7.224 | 7.224 | 0.000 | 34560 | 0.2918 | 0.2743 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330 DMT_00010 Amount Added: 12.50 Units: uL


Report Date: 05-Jan-2022 12:10:07 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040034.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 05-Jan-2022 03:15:30 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC DMT 4 | | | Worklist Smp#: | 34 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 34 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040034.d | | | | |
| Injection Date: | 05-Jan-2022 03:15:30 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 4 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 34 | Worklist Smp#: | 34 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.48
Area: 50220
Amount: 0.246287
Amount Units: ug/mL




Manual Integration Results

RT: 6.48
Area: 42748
Amount: 0.235906
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:08:35

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040034.d | | | | |
| Injection Date: | 05-Jan-2022 03:15:30 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 4 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 34 | Worklist Smp#: | 34 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 33123
Amount: 0.228958
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 32416
Amount: 0.234706
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:08:39

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040034.d | | | | |
| Injection Date: | 05-Jan-2022 03:15:30 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 4 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 34 | Worklist Smp#: | 34 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 35288
Amount: 0.273398
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 34560
Amount: 0.274296
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:08:43

Audit Action: Manually Integrated Audit Reason: Baseline

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040035.D
Lims ID: IC DMT 3
Client ID:
Sample Type: IC Calib Level: 3
Inject. Date: 05-Jan-2022 03:38:24 ALS Bottle#: 35 Worklist Smp#: 35
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC DMT 3
Misc. Info.: 280-0107731-035
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub17

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 05-Jan-2022 12:10:07 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1613

First Level Reviewer: zhangji Date: 05-Jan-2022 12:08:58

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.483 | 6.484 | -0.001 | 17989 | 0.1001 | 0.0993 | M |
| 6 DNX | 1 | 6.796 | 6.797 | -0.001 | 13928 | 0.1001 | 0.1008 | M |
| 7 MNX | 1 | 7.223 | 7.224 | -0.001 | 14438 | 0.1167 | 0.1146 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330 DMT_00010 Amount Added: 5.00 Units: uL


Report Date: 05-Jan-2022 12:10:08 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040035.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 05-Jan-2022 03:38:24 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC DMT 3 | | | Worklist Smp#: | 35 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 35 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040035.d | | | | |
| Injection Date: | 05-Jan-2022 03:38:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 3 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 35 | Worklist Smp#: | 35 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.48
Area: 24762
Amount: 0.123701
Amount Units: ug/mL




Manual Integration Results

RT: 6.48
Area: 17989
Amount: 0.099273
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:08:50
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040035.d | | | | |
| Injection Date: | 05-Jan-2022 03:38:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 3 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 35 | Worklist Smp#: | 35 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 14564
Amount: 0.100918
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 13928
Amount: 0.100845
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:08:53
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040035.d | | | | |
| Injection Date: | 05-Jan-2022 03:38:24 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 3 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 35 | Worklist Smp#: | 35 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 15316
Amount: 0.118950
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 14438
Amount: 0.114591
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:08:56

Audit Action: Manually Integrated Audit Reason: Baseline

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040036.D
Lims ID: IC DMT 2
Client ID:
Sample Type: IC Calib Level: 2
Inject. Date: 05-Jan-2022 04:01:20 ALS Bottle#: 36 Worklist Smp#: 36
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC DMT 2
Misc. Info.: 280-0107731-036
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub17

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 05-Jan-2022 12:10:08 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1613

First Level Reviewer: zhangji Date: 05-Jan-2022 12:09:13

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.478 | 6.484 | -0.006 | 9031 | 0.0501 | 0.0498 | M |
| 6 DNX | 1 | 6.798 | 6.797 | 0.001 | 6988 | 0.0501 | 0.0506 | M |
| 7 MNX | 1 | 7.224 | 7.224 | 0.000 | 7298 | 0.0584 | 0.0579 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330 DMT_00010 Amount Added: 2.50 Units: uL


Report Date: 05-Jan-2022 12:10:08 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040036.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 05-Jan-2022 04:01:20 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC DMT 2 | | | Worklist Smp#: | 36 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 36 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040036.d | | | | |
| Injection Date: | 05-Jan-2022 04:01:20 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 2 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 36 | Worklist Smp#: | 36 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.48
Area: 10352
Amount: 0.053996
Amount Units: ug/mL




Manual Integration Results

RT: 6.48
Area: 9031
Amount: 0.049838
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:09:04

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040036.d | | | | |
| Injection Date: | 05-Jan-2022 04:01:20 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 2 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 36 | Worklist Smp#: | 36 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 7841
Amount: 0.054633
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 6988
Amount: 0.050596
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:09:07
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040036.d | | | | |
| Injection Date: | 05-Jan-2022 04:01:20 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 2 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 36 | Worklist Smp#: | 36 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 7737
Amount: 0.060531
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 7298
Amount: 0.057923
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:09:11

Audit Action: Manually Integrated Audit Reason: Baseline

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D | | | | |
| Lims ID: | IC DMT 1 | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 1 | | |
| Inject. Date: | 05-Jan-2022 04:24:15 | ALS Bottle#: | 37 | Worklist Smp#: | 37 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | IC DMT 1 | | | | |
| Misc. Info.: | 280-0107731-037 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Sublist: | chrom-8330_X3*sub17 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 05-Jan-2022 12:10:08 | Calib Date: | 05-Jan-2022 04:24:15 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1613 | | | | |
| First Level Reviewer: zhangji | | Date: | 05-Jan-2022 12:09:28 | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.479 | 6.484 | -0.005 | 3600 | 0.0200 | 0.0199 | M |
| 6 DNX | 1 | 6.799 | 6.797 | 0.002 | 2817 | 0.0200 | 0.0204 | M |
| 7 MNX | 1 | 7.219 | 7.224 | -0.005 | 3042 | 0.0233 | 0.0241 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330 DMT_00010 Amount Added: 1.00 Units: uL


Report Date: 05-Jan-2022 12:10:09 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040037.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 05-Jan-2022 04:24:15 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | IC DMT 1 | | | Worklist Smp#: | 37 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 37 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040037.d | | | | |
| Injection Date: | 05-Jan-2022 04:24:15 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 37 | Worklist Smp#: | 37 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.48
Area: 4755
Amount: 0.025236
Amount Units: ug/mL




Manual Integration Results

RT: 6.48
Area: 3600
Amount: 0.019867
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:09:20

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040037.d | | | | |
| Injection Date: | 05-Jan-2022 04:24:15 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 37 | Worklist Smp#: | 37 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 3342
Amount: 0.023637
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 2817
Amount: 0.020396
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:09:23

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040037.d | | | | |
| Injection Date: | 05-Jan-2022 04:24:15 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | IC DMT 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 37 | Worklist Smp#: | 37 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 3207
Amount: 0.025276
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 3042
Amount: 0.024144
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:09:26

Audit Action: Manually Integrated Audit Reason: Baseline

## Calibration / TNX

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.812E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 6700 |
| **Relative Standard Error:** | 2.8 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/37 | 0.02002 | 3600.0 | | | 179820.17982 | Y |
| 2 | IC 280-562503/36 | 0.05005 | 9031.0 | | | 180439.56044 | Y |
| 3 | IC 280-562503/35 | 0.1001 | 17989.0 | | | 179710.28971 | Y |
| 4 | IC 280-562503/34 | 0.25025 | 42748.0 | | | 170821.178821 | Y |
| 5 | IC 280-562503/33 | 0.4004 | 72720.0 | | | 181618.381618 | Y |
| 6 | IC 280-562503/32 | 0.7007 | 129844.0 | | | 185306.122449 | Y |
| 7 | IC 280-562503/31 | 1.001 | 184090.0 | | | 183906.093906 | Y |
| 8 | IC 280-562503/30 | 2.5025 | 470565.0 | | | 188037.962038 | Y |



| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.381E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 2670 |
| **Relative Standard Error:** | 2.6 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/37 | 0.02002 | 2817.0 | | | 140709.290709 | Y |
| 2 | IC 280-562503/36 | 0.05005 | 6988.0 | | | 139620.37962 | Y |
| 3 | IC 280-562503/35 | 0.1001 | 13928.0 | | | 139140.859141 | Y |
| 4 | IC 280-562503/34 | 0.25025 | 32416.0 | | | 129534.465534 | Y |
| 5 | IC 280-562503/33 | 0.4004 | 55675.0 | | | 139048.451548 | Y |
| 6 | IC 280-562503/32 | 0.7007 | 97314.0 | | | 138881.118881 | Y |
| 7 | IC 280-562503/31 | 1.001 | 137343.0 | | | 137205.794206 | Y |
| 8 | IC 280-562503/30 | 2.5025 | 352260.0 | | | 140763.236763 | Y |



| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.26E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 3670 |
| **Relative Standard Error:** | 2.9 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-562503/37 | 0.02334 | 3042.0 | | | 130334.190231 | Y |
| 2 | IC 280-562503/36 | 0.05835 | 7298.0 | | | 125072.836332 | Y |
| 3 | IC 280-562503/35 | 0.1167 | 14438.0 | | | 123718.937446 | Y |
| 4 | IC 280-562503/34 | 0.29175 | 34560.0 | | | 118457.583548 | Y |
| 5 | IC 280-562503/33 | 0.4668 | 59416.0 | | | 127283.633248 | Y |
| 6 | IC 280-562503/32 | 0.8169 | 103999.0 | | | 127309.340189 | Y |
| 7 | IC 280-562503/31 | 1.167 | 147726.0 | | | 126586.118252 | Y |
| 8 | IC 280-562503/30 | 2.9175 | 376943.0 | | | 129200.685518 | Y |



FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 567560

SDG No.:

Instrument ID: CHHPLC_X5 GC Column: Luna-phenyl ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/02/2022 21:22 Calibration End Date: 03/03/2022 02:03 Calibration ID: 62762

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-567560/18 | 03020018.D |
| Level 2 | IC 280-567560/17 | 03020017.D |
| Level 3 | IC 280-567560/16 | 03020016.D |
| Level 4 | IC 280-567560/15 | 03020015.D |
| Level 5 | IC 280-567560/14 | 03020014.D |
| Level 6 | IC 280-567560/13 | 03020013.D |
| Level 7 | IC 280-567560/12 | 03020012.D |
| Level 8 | IC 280-567560/11 | 03020011.D |
| Level 9 | IC 280-567560/10 | 03020010.D |

| ANALYTE | LVL 1 | LVL 2 | LVL 3 | LVL 4 | LVL 5 | LVL 6 | LVL 7 | LVL 8 | LVL 9 | | RT WINDOW | AVG RT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| HMX | 6.887 | 6.896 | 6.894 | 6.896 | 6.889 | 6.880 | 6.863 | 6.860 | 6.791 | | 6.739 - 7.039 | 6.873 |
| Picric acid | | 7.863 | 7.767 | 7.696 | 7.602 | 7.527 | 7.430 | 7.346 | 7.231 | | 7.452 - 7.752 | 7.558 |
| RDX | 9.114 | 9.129 | 9.120 | 9.129 | 9.115 | 9.100 | 9.083 | 9.066 | 8.985 | | 8.965 - 9.265 | 9.093 |
| Nitrobenzene | 12.047 | 12.069 | 12.073 | 12.069 | 12.062 | 12.060 | 12.036 | 12.020 | 11.925 | | 11.912 - 12.212 | 12.040 |
| 1,3-Dinitrobenzene | 15.627 | 15.642 | 15.647 | 15.642 | 15.635 | 15.627 | 15.616 | 15.600 | 15.525 | | 15.485 - 15.785 | 15.618 |
| Nitroglycerin | 16.054 | 16.062 | 16.073 | 16.062 | 16.055 | 16.054 | 16.050 | 16.033 | 15.971 | | 15.905 - 16.205 | 16.046 |
| 2-Nitrotoluene | 16.807 | 16.829 | 16.833 | 16.829 | 16.822 | 16.820 | 16.810 | 16.793 | 16.725 | | 16.672 - 16.972 | 16.808 |
| 4-Nitrotoluene | 17.147 | 17.129 | 17.147 | 17.136 | 17.129 | 17.127 | 17.123 | 17.100 | 17.018 | | 16.979 - 17.279 | 17.117 |
| 4-Amino-2,6-dinitrotoluene | 17.734 | 17.756 | 17.773 | 17.756 | 17.755 | 17.747 | 17.736 | 17.720 | 17.651 | | 17.605 - 17.905 | 17.736 |
| 3-Nitrotoluene | 18.094 | 18.116 | 18.120 | 18.109 | 18.102 | 18.100 | 18.090 | 18.073 | 18.005 | | 17.952 - 18.252 | 18.090 |
| 2-Amino-4,6-dinitrotoluene | 18.754 | 18.762 | 18.773 | 18.749 | 18.742 | 18.740 | 18.730 | 18.706 | 18.725 | | 18.592 - 18.892 | 18.742 |
| 1,3,5-Trinitrobenzene | 18.947 | 18.956 | 18.973 | 18.956 | 18.949 | 18.947 | 18.936 | 18.920 | 18.851 | | 18.799 - 19.099 | 18.937 |
| 2,6-Dinitrotoluene | 20.260 | 20.262 | 20.267 | 20.256 | 20.255 | 20.254 | 20.243 | 20.233 | 20.171 | | 20.105 - 20.405 | 20.245 |
| 2,4-Dinitrotoluene | 20.674 | 20.716 | 20.767 | 20.756 | 20.762 | 20.760 | 20.750 | 20.733 | 20.671 | | 20.612 - 20.912 | 20.732 |
| Tetryl | 24.514 | 24.496 | 24.500 | 24.483 | 24.489 | 24.494 | 24.483 | 24.466 | 24.425 | | 24.339 - 24.639 | 24.483 |
| 2,4,6-Trinitrotoluene | 25.274 | 25.269 | 25.274 | 25.256 | 25.262 | 25.267 | 25.257 | 25.246 | 25.198 | | 25.112 - 25.412 | 25.256 |
| PETN | 26.220 | 26.223 | 26.220 | 26.209 | 26.215 | 26.220 | 26.217 | 26.206 | 26.185 | | 26.065 - 26.365 | 26.213 |
| 1,2-Dinitrobenzene | 13.260 | 13.282 | 13.287 | 13.282 | 13.282 | 13.274 | 13.256 | 13.240 | 13.158 | | 13.132 - 13.432 | 13.258 |

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 567560

SDG No.:

Instrument ID: CHHPLC_X5 GC Column: Luna-phenyl ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/02/2022 21:22 Calibration End Date: 03/03/2022 02:03 Calibration ID: 62762

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-567560/18 | 03020018.D |
| Level 2 | IC 280-567560/17 | 03020017.D |
| Level 3 | IC 280-567560/16 | 03020016.D |
| Level 4 | IC 280-567560/15 | 03020015.D |
| Level 5 | IC 280-567560/14 | 03020014.D |
| Level 6 | IC 280-567560/13 | 03020013.D |
| Level 7 | IC 280-567560/12 | 03020012.D |
| Level 8 | IC 280-567560/11 | 03020011.D |
| Level 9 | IC 280-567560/10 | 03020010.D |

| ANALYTE | CF | | | | CURVE TYPE | COEFFICIENT | | | # | MIN CF | %RSD | # | MAX %RSD | R^2 OR COD | # | MIN R^2 OR COD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LVL 1 LVL 5 LVL 9 | LVL 2 LVL 6 | LVL 3 LVL 7 | LVL 4 LVL 8 | | B | M1 | M2 | | | | | | | | |
| HMX | 204000<br>153272<br>187359 | 156350<br>157048 | 161060<br>156446 | 161090<br>158593 | Ave | | 166135.268 | | | | 10.5 | | 20.0 | | | |
| Picric acid | 137152<br>100000 | 115050<br>145895 | 127120<br>147056 | 140090<br>150719 | Ave | | 132885.214 | | | | 13.3 | | 20.0 | | | |
| RDX | 209700<br>185668<br>192949 | 185950<br>191778 | 200560<br>191473 | 197500<br>193402 | Ave | | 194331.017 | | | | 3.8 | | 20.0 | | | |
| Nitrobenzene | 387450<br>359546<br>376404 | 332968<br>370117 | 381454<br>369358 | 371225<br>366118 | Ave | | 368293.361 | | | | 4.2 | | 20.0 | | | |
| 1,3-Dinitrobenzene | 594910<br>544854<br>583320 | 531088<br>563411 | 602415<br>562742 | 594182<br>568076 | Ave | | 571666.383 | | | | 4.2 | | 20.0 | | | |
| Nitroglycerin | 106640<br>123863<br>126320 | 108750<br>129921 | 119788<br>126936 | 133241<br>127202 | Ave | | 122517.801 | | | | 7.5 | | 20.0 | | | |
| 2-Nitrotoluene | 249100<br>224884<br>232108 | 230350<br>232660 | 241140<br>230763 | 238570<br>232476 | Ave | | 234672.317 | | | | 3.1 | | 20.0 | | | |
| 4-Nitrotoluene | 219860<br>201816<br>215781 | 203493<br>209224 | 211477<br>208958 | 215818<br>210922 | Ave | | 210816.657 | | | | 2.8 | | 20.0 | | | |

Note: The M1 coefficient is the same as Ave CF for an Ave curve type.

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 567560

SDG No.:

Instrument ID: CHHPLC_X5 GC Column: Luna-phenyl ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/02/2022 21:22 Calibration End Date: 03/03/2022 02:03 Calibration ID: 62762

| ANALYTE | CF | | | | CURVE TYPE | COEFFICIENT | | | # | MIN CF | %RSD | # | MAX %RSD | R^2 OR COD | # | MIN R^2 OR COD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LVL 1<br>LVL 5<br>LVL 9 | LVL 2<br>LVL 6 | LVL 3<br>LVL 7 | LVL 4<br>LVL 8 | | B | M1 | M2 | | | | | | | | |
| 4-Amino-2,6-dinitrotoluene | 260739<br>258018<br>268817 | 263287<br>267340 | 268232<br>265560 | 271888<br>269422 | Lin2 | -62.900141 | 267244.423 | | | | | | | 1.0000 | | 0.9900 |
| 3-Nitrotoluene | 254046<br>256344<br>271648 | 240010<br>266386 | 267473<br>265219 | 269510<br>267544 | Lin2 | -189.49318 | 266002.360 | | | | | | | 0.9990 | | 0.9900 |
| 2-Amino-4,6-dinitrotoluene | 369024<br>350637<br>335952 | 343576<br>365448 | 369761<br>366702 | 370299<br>373422 | Ave | | 360535.698 | | | | 3.8 | | 20.0 | | | |
| 1,3,5-Trinitrobenzene | 393912<br>409485<br>468023 | 347804<br>424182 | 425928<br>421012 | 424291<br>424539 | Ave | | 415464.126 | | | | 7.7 | | 20.0 | | | |
| 2,6-Dinitrotoluene | 269323<br>256928<br>267124 | 260608<br>264846 | 274044<br>264869 | 265807<br>267408 | Ave | | 265661.838 | | | | 1.8 | | 20.0 | | | |
| 2,4-Dinitrotoluene | 1185259<br>555279<br>545162 | 839791<br>549871 | 675657<br>543624 | 639313<br>546924 | Lin2 | 6399.59049 | 541564.591 | | | | | | | 0.9990 | | 0.9900 |
| Tetryl | 471257<br>308379<br>316049 | 345958<br>315734 | 361477<br>313195 | 331218<br>316267 | Ave | | 342170.507 | | | | 15.0 | | 20.0 | | | |
| 2,4,6-Trinitrotoluene | 370518<br>363896<br>385306 | 324054<br>376581 | 369641<br>378025 | 370568<br>384024 | Ave | | 369179.221 | | | | 5.0 | | 20.0 | | | |
| PETN | 108420<br>131804<br>136767 | 109615<br>136247 | 134164<br>135887 | 134076<br>136984 | Ave | | 129329.182 | | | | 9.0 | | 20.0 | | | |
| 1,2-Dinitrobenzene | 246100<br>244792<br>252426 | 240450<br>249510 | 257280<br>250511 | 254990<br>251717 | Ave | | 249752.937 | | | | 2.1 | | 20.0 | | | |

Note: The M1 coefficient is the same as Ave CF for an Ave curve type.

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 567560

SDG No.:

Instrument ID: CHHPLC_X5 GC Column: Luna-phenyl ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/02/2022 21:22 Calibration End Date: 03/03/2022 02:03 Calibration ID: 62762

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-567560/18 | 03020018.D |
| Level 2 | IC 280-567560/17 | 03020017.D |
| Level 3 | IC 280-567560/16 | 03020016.D |
| Level 4 | IC 280-567560/15 | 03020015.D |
| Level 5 | IC 280-567560/14 | 03020014.D |
| Level 6 | IC 280-567560/13 | 03020013.D |
| Level 7 | IC 280-567560/12 | 03020012.D |
| Level 8 | IC 280-567560/11 | 03020011.D |
| Level 9 | IC 280-567560/10 | 03020010.D |

| ANALYTE | CURVE TYPE | RESPONSE | | | | | CONCENTRATION (UG/ML) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4<br>LVL 9 | LVL 5 | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4<br>LVL 9 | LVL 5 |
| HMX | Ave | 2040<br>62819 | 3127<br>109512 | 8053<br>158593 | 16109<br>468398 | 38318 | 0.0100<br>0.400 | 0.0200<br>0.700 | 0.0500<br>1.00 | 0.100<br>2.50 | 0.250 |
| Picric acid | Ave | <br>58358 | 2301<br>102939 | 6356<br>150719 | 14009<br>250000 | 34288 | <br>0.400 | 0.0200<br>0.700 | 0.0500<br>1.00 | 0.100<br>2.50 | 0.250 |
| RDX | Ave | 2097<br>76711 | 3719<br>134031 | 10028<br>193402 | 19750<br>482372 | 46417 | 0.0100<br>0.400 | 0.0200<br>0.700 | 0.0500<br>1.00 | 0.100<br>2.50 | 0.250 |
| Nitrobenzene | Ave | 3890<br>148639 | 6686<br>259585 | 19149<br>367582 | 37271<br>944774 | 90246 | 0.0100<br>0.402 | 0.0201<br>0.703 | 0.0502<br>1.00 | 0.100<br>2.51 | 0.251 |
| 1,3-Dinitrobenzene | Ave | 5961<br>225815 | 10643<br>394707 | 30181<br>569212 | 59537<br>1461217 | 136486 | 0.0100<br>0.401 | 0.0200<br>0.701 | 0.0501<br>1.00 | 0.100<br>2.51 | 0.251 |
| Nitroglycerin | Ave | 10664<br>519683 | 21750<br>888552 | 59894<br>1272015 | 133241<br>3158004 | 309657 | 0.100<br>4.00 | 0.200<br>7.00 | 0.500<br>10.0 | 1.00<br>25.0 | 2.50 |
| 2-Nitrotoluene | Ave | 2491<br>93064 | 4607<br>161534 | 12057<br>232476 | 23857<br>580270 | 56221 | 0.0100<br>0.400 | 0.0200<br>0.700 | 0.0500<br>1.00 | 0.100<br>2.50 | 0.250 |
| 4-Nitrotoluene | Ave | 2203<br>83857 | 4078<br>146563 | 10595<br>211344 | 21625<br>540531 | 50555 | 0.0100<br>0.401 | 0.0200<br>0.701 | 0.0501<br>1.00 | 0.100<br>2.51 | 0.251 |
| 4-Amino-2,6-dinitrotoluene | Lin2 | 2610<br>107043 | 5271<br>186078 | 13425<br>269691 | 27216<br>672715 | 64569 | 0.0100<br>0.400 | 0.0200<br>0.701 | 0.0501<br>1.00 | 0.100<br>2.50 | 0.250 |
| 3-Nitrotoluene | Lin2 | 2543<br>106661 | 4805<br>185839 | 13387<br>267812 | 26978<br>679800 | 64150 | 0.0100<br>0.400 | 0.0200<br>0.701 | 0.0501<br>1.00 | 0.100<br>2.50 | 0.250 |
| 2-Amino-4,6-dinitrotoluene | Ave | 3705<br>146764 | 6899<br>257718 | 18562<br>374916 | 37178<br>843240 | 88010 | 0.0100<br>0.402 | 0.0201<br>0.703 | 0.0502<br>1.00 | 0.100<br>2.51 | 0.251 |
| 1,3,5-Trinitrobenzene | Ave | 3947<br>170012 | 6970<br>295298 | 21339<br>425388 | 42514<br>1172398 | 102576 | 0.0100<br>0.401 | 0.0200<br>0.701 | 0.0501<br>1.00 | 0.100<br>2.51 | 0.251 |
| 2,6-Dinitrotoluene | Ave | 2704 | 5233 | 13757 | 26687 | 64489 | 0.0100 | 0.0201 | 0.0502 | 0.100 | 0.251 |

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 567560

SDG No.:

Instrument ID: CHHPLC_X5 GC Column: Luna-phenyl ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/02/2022 21:22 Calibration End Date: 03/03/2022 02:03 Calibration ID: 62762

| ANALYTE | CURVE TYPE | RESPONSE | | | | | CONCENTRATION (UG/ML) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4<br>LVL 9 | LVL 5 | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4<br>LVL 9 | LVL 5 |
| | | 106362 | 186150 | 268478 | 670482 | | 0.402 | 0.703 | 1.00 | 2.51 | |
| 2,4-Dinitrotoluene | Lin2 | 11900<br>220828 | 16863<br>382059 | 33918<br>549112 | 64187<br>1368356 | 139375 | 0.0100<br>0.402 | 0.0201<br>0.703 | 0.0502<br>1.00 | 0.100<br>2.51 | 0.251 |
| Tetryl | Ave | 4722<br>126546 | 6933<br>219675 | 18110<br>316900 | 33188<br>791703 | 77249 | 0.0100<br>0.401 | 0.0200<br>0.701 | 0.0501<br>1.00 | 0.100<br>2.51 | 0.251 |
| 2,4,6-Trinitrotoluene | Ave | 3720<br>151235 | 6507<br>265676 | 18556<br>385560 | 37205<br>967117 | 91338 | 0.0100<br>0.402 | 0.0201<br>0.703 | 0.0502<br>1.00 | 0.100<br>2.51 | 0.251 |
| PETN | Ave | 10842<br>544987 | 21923<br>951206 | 67082<br>1369840 | 134076<br>3419168 | 329509 | 0.100<br>4.00 | 0.200<br>7.00 | 0.500<br>10.0 | 1.00<br>25.0 | 2.50 |
| 1,2-Dinitrobenzene | Ave | 2461<br>99804 | 4809<br>175358 | 12864<br>251717 | 25499<br>631065 | 61198 | 0.0100<br>0.400 | 0.0200<br>0.700 | 0.0500<br>1.00 | 0.100<br>2.50 | 0.250 |

Curve Type Legend
Ave = Average
Lin2 = Linear 1/conc^2

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020010.D
Lims ID: IC INT/ADD 9
Client ID:
Sample Type: IC Calib Level: 9
Inject. Date: 02-Mar-2022 21:22:03 ALS Bottle#: 10 Worklist Smp#: 10
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT/ADD 9
Misc. Info.: 280-0108949-010
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:12 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

First Level Reviewer: zhangji Date: 03-Mar-2022 12:05:51

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 1 2,6-diamino-4-nitrotoluene | 1 | 4.071 | 4.142 | -0.071 | 1053484 | 2.50 | 2.59 | M |
| 2 2,4-diamino-6-nitrotoluene | 1 | 4.698 | 4.669 | 0.029 | 475027 | 2.50 | 2.09 | M |
| 5 HMX | 1 | 6.791 | 6.889 | -0.098 | 468398 | 2.50 | 2.82 | |
| 7 2,4,6-Trinitrophenol | 1 | 7.231 | 7.602 | -0.371 | 250000 | 2.50 | 1.88 | |
| 8 RDX | 1 | 8.985 | 9.115 | -0.130 | 482372 | 2.50 | 2.48 | |
| 9 Nitrobenzene | 1 | 11.925 | 12.062 | -0.137 | 944774 | 2.51 | 2.57 | |
| $ 10 1,2-Dinitrobenzene | 1 | 13.158 | 13.282 | -0.124 | 631065 | 2.50 | 2.53 | |
| 11 3,5-Dinitroaniline | 1 | 15.151 | 15.269 | -0.118 | 1039131 | 2.50 | 2.53 | |
| 12 1,3-Dinitrobenzene | 1 | 15.525 | 15.635 | -0.110 | 1461217 | 2.51 | 2.56 | |
| 13 Nitroglycerin | 2 | 15.971 | 16.055 | -0.084 | 3158004 | 25.0 | 25.8 | |
| 14 o-Nitrotoluene | 1 | 16.725 | 16.822 | -0.097 | 580270 | 2.50 | 2.47 | |
| 16 p-Nitrotoluene | 1 | 17.018 | 17.129 | -0.111 | 540531 | 2.51 | 2.56 | |
| 17 4-Amino-2,6-dinitrotoluene | 1 | 17.651 | 17.755 | -0.104 | 672715 | 2.50 | 2.52 | |
| 18 m-Nitrotoluene | 1 | 18.005 | 18.102 | -0.097 | 679800 | 2.50 | 2.56 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 18.725 | 18.742 | -0.017 | 843240 | 2.51 | 2.34 | M |
| 20 1,3,5-Trinitrobenzene | 1 | 18.851 | 18.949 | -0.098 | 1172398 | 2.51 | 2.82 | M |
| 21 2,6-Dinitrotoluene | 1 | 20.171 | 20.255 | -0.084 | 670482 | 2.51 | 2.52 | |
| 22 2,4-Dinitrotoluene | 1 | 20.671 | 20.762 | -0.091 | 1368356 | 2.51 | 2.51 | |
| 23 Tetryl | 1 | 24.425 | 24.489 | -0.064 | 791703 | 2.51 | 2.31 | |
| 24 2,4,6-Trinitrotoluene | 1 | 25.198 | 25.262 | -0.064 | 967117 | 2.51 | 2.62 | |
| 25 PETN | 2 | 26.185 | 26.215 | -0.030 | 3419168 | 25.0 | 26.4 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

| | | |
|---|---|---|
| 8330IntermStk_00070 | Amount Added: 250.00 | Units: uL |
| 8330_ADDs_00031 | Amount Added: 125.00 | Units: uL |


Report Date: 03-Mar-2022 12:49:12 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020010.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 02-Mar-2022 21:22:03 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC INT/ADD 9 | | | Worklist Smp#: | 10 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 10 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020010.D
Injection Date: 02-Mar-2022 21:22:03 Instrument ID: CHHPLC_X5
Lims ID: IC INT/ADD 9
Client ID:
Operator ID: JZ ALS Bottle#: 10 Worklist Smp#: 10
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X5_Luna Limit Group: GCSV - 8330
Column: Luna-Phenyl hexyl ( 4.60 mm) Detector LC mwd1A, 254 nm

## 20 1,3,5-Trinitrobenzene, CAS: 99-35-4

Signal: 1


Processing Integration Results

RT: 18.85
Area: 2015640
Amount: 4.231891
Amount Units: ug/ml




Manual Integration Results

RT: 18.85
Area: 1172398
Amount: 2.821899
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:08:36
Audit Action: Split an Integrated Peak Audit Reason: Split Peak

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020011.D
Lims ID: IC INT/ADD 8
Client ID:
Sample Type: IC Calib Level: 8
Inject. Date: 02-Mar-2022 21:57:13 ALS Bottle#: 11 Worklist Smp#: 11
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT/ADD 8
Misc. Info.: 280-0108949-011
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:13 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

First Level Reviewer: zhangji Date: 03-Mar-2022 12:09:27

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 1 2,6-diamino-4-nitrotoluene | 1 | 4.093 | 4.142 | -0.049 | 386260 | 1.00 | 0.9503 | M |
| 2 2,4-diamino-6-nitrotoluene | 1 | 4.713 | 4.669 | 0.044 | 247885 | 1.00 | 1.09 | M |
| 5 HMX | 1 | 6.860 | 6.889 | -0.029 | 158593 | 1.00 | 0.9546 | |
| 7 2,4,6-Trinitrophenol | 1 | 7.346 | 7.602 | -0.256 | 150719 | 1.00 | 1.13 | |
| 8 RDX | 1 | 9.066 | 9.115 | -0.049 | 193402 | 1.00 | 1.00 | |
| 9 Nitrobenzene | 1 | 12.020 | 12.062 | -0.042 | 367582 | 1.00 | 1.00 | |
| $ 10 1,2-Dinitrobenzene | 1 | 13.240 | 13.282 | -0.042 | 251717 | 1.00 | 1.01 | |
| 11 3,5-Dinitroaniline | 1 | 15.226 | 15.269 | -0.043 | 419224 | 1.00 | 1.02 | |
| 12 1,3-Dinitrobenzene | 1 | 15.600 | 15.635 | -0.035 | 569212 | 1.00 | 1.00 | |
| 13 Nitroglycerin | 2 | 16.033 | 16.055 | -0.022 | 1272015 | 10.0 | 10.4 | |
| 14 o-Nitrotoluene | 1 | 16.793 | 16.822 | -0.029 | 232476 | 1.00 | 0.99 | |
| 16 p-Nitrotoluene | 1 | 17.100 | 17.129 | -0.029 | 211344 | 1.00 | 1.00 | |
| 17 4-Amino-2,6-dinitrotoluene | 1 | 17.720 | 17.755 | -0.035 | 269691 | 1.00 | 1.01 | |
| 18 m-Nitrotoluene | 1 | 18.073 | 18.102 | -0.029 | 267812 | 1.00 | 1.01 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 18.706 | 18.742 | -0.036 | 374916 | 1.00 | 1.04 | |
| 20 1,3,5-Trinitrobenzene | 1 | 18.920 | 18.949 | -0.029 | 425388 | 1.00 | 1.02 | |
| 21 2,6-Dinitrotoluene | 1 | 20.233 | 20.255 | -0.022 | 268478 | 1.00 | 1.01 | |
| 22 2,4-Dinitrotoluene | 1 | 20.733 | 20.762 | -0.029 | 549112 | 1.00 | 1.00 | |
| 23 Tetryl | 1 | 24.466 | 24.489 | -0.023 | 316900 | 1.00 | 0.9261 | |
| 24 2,4,6-Trinitrotoluene | 1 | 25.246 | 25.262 | -0.016 | 385560 | 1.00 | 1.04 | |
| 25 PETN | 2 | 26.206 | 26.215 | -0.009 | 1369840 | 10.0 | 10.6 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

| | | |
|---|---|---|
| 8330IntermStk_00070 | Amount Added: 100.00 | Units: uL |
| 8330_ADDs_00031 | Amount Added: 50.00 | Units: uL |


Report Date: 03-Mar-2022 12:49:13 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020011.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 02-Mar-2022 21:57:13 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC INT/ADD 8 | | | Worklist Smp#: | 11 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 11 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020012.D
Lims ID: IC INT/ADD 7
Client ID:
Sample Type: IC Calib Level: 7
Inject. Date: 02-Mar-2022 22:32:16 ALS Bottle#: 12 Worklist Smp#: 12
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT/ADD 7
Misc. Info.: 280-0108949-012
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:14 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

First Level Reviewer: zhangji Date: 03-Mar-2022 12:09:45

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|---|
| | 1 2,6-diamino-4-nitrotoluene | 1 | 4.110 | 4.142 | -0.032 | 273235 | 0.7000 | 0.6722 | M |
| | 2 2,4-diamino-6-nitrotoluene | 1 | 4.710 | 4.669 | 0.041 | 172644 | 0.7000 | 0.7557 | M |
| | 5 HMX | 1 | 6.863 | 6.889 | -0.026 | 109512 | 0.7000 | 0.6592 | |
| | 7 2,4,6-Trinitrophenol | 1 | 7.430 | 7.602 | -0.172 | 102939 | 0.7000 | 0.7746 | |
| | 8 RDX | 1 | 9.083 | 9.115 | -0.032 | 134031 | 0.7000 | 0.6897 | |
| | 9 Nitrobenzene | 1 | 12.036 | 12.062 | -0.026 | 259585 | 0.7028 | 0.7048 | |
| $ | 10 1,2-Dinitrobenzene | 1 | 13.256 | 13.282 | -0.026 | 175358 | 0.7000 | 0.7021 | |
| | 11 3,5-Dinitroaniline | 1 | 15.243 | 15.269 | -0.026 | 294648 | 0.7000 | 0.7162 | |
| | 12 1,3-Dinitrobenzene | 1 | 15.616 | 15.635 | -0.019 | 394707 | 0.7014 | 0.6904 | |
| | 13 Nitroglycerin | 2 | 16.050 | 16.055 | -0.005 | 888552 | 7.00 | 7.25 | |
| | 14 o-Nitrotoluene | 1 | 16.810 | 16.822 | -0.012 | 161534 | 0.7000 | 0.6883 | |
| | 16 p-Nitrotoluene | 1 | 17.123 | 17.129 | -0.006 | 146563 | 0.7014 | 0.6952 | |
| | 17 4-Amino-2,6-dinitrotoluene | 1 | 17.736 | 17.755 | -0.019 | 186078 | 0.7007 | 0.6965 | |
| | 18 m-Nitrotoluene | 1 | 18.090 | 18.102 | -0.012 | 185839 | 0.7007 | 0.6993 | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | 18.730 | 18.742 | -0.012 | 257718 | 0.7028 | 0.7148 | |
| | 20 1,3,5-Trinitrobenzene | 1 | 18.936 | 18.949 | -0.013 | 295298 | 0.7014 | 0.7108 | |
| | 21 2,6-Dinitrotoluene | 1 | 20.243 | 20.255 | -0.012 | 186150 | 0.7028 | 0.7007 | |
| | 22 2,4-Dinitrotoluene | 1 | 20.750 | 20.762 | -0.012 | 382059 | 0.7028 | 0.6937 | |
| | 23 Tetryl | 1 | 24.483 | 24.489 | -0.006 | 219675 | 0.7014 | 0.6420 | |
| | 24 2,4,6-Trinitrotoluene | 1 | 25.257 | 25.262 | -0.005 | 265676 | 0.7028 | 0.7196 | |
| | 25 PETN | 2 | 26.217 | 26.215 | 0.002 | 951206 | 7.00 | 7.35 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

| | | | |
|---|---|---|---|
| 8330IntermStk_00070 | Amount Added: | 70.00 | Units: uL |
| 8330_ADDs_00031 | Amount Added: | 35.00 | Units: uL |


Report Date: 03-Mar-2022 12:49:14 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020012.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 02-Mar-2022 22:32:16 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC INT/ADD 7 | | | Worklist Smp#: | 12 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 12 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020013.D
Lims ID: IC INT/ADD 6
Client ID:
Sample Type: IC Calib Level: 6
Inject. Date: 02-Mar-2022 23:07:23 ALS Bottle#: 13 Worklist Smp#: 13
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT/ADD 6
Misc. Info.: 280-0108949-013
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:14 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 1 2,6-diamino-4-nitrotoluene | 1 | 4.127 | 4.142 | -0.015 | 147662 | 0.4000 | 0.3633 | |
| 2 2,4-diamino-6-nitrotoluene | 1 | 4.700 | 4.669 | 0.031 | 93419 | 0.4000 | 0.4055 | |
| 5 HMX | 1 | 6.880 | 6.889 | -0.009 | 62819 | 0.4000 | 0.3781 | |
| 7 2,4,6-Trinitrophenol | 1 | 7.527 | 7.602 | -0.075 | 58358 | 0.4000 | 0.4392 | |
| 8 RDX | 1 | 9.100 | 9.115 | -0.015 | 76711 | 0.4000 | 0.3947 | |
| 9 Nitrobenzene | 1 | 12.060 | 12.062 | -0.002 | 148639 | 0.4016 | 0.4036 | |
| $ 10 1,2-Dinitrobenzene | 1 | 13.274 | 13.282 | -0.008 | 99804 | 0.4000 | 0.3996 | |
| 11 3,5-Dinitroaniline | 1 | 15.260 | 15.269 | -0.009 | 157805 | 0.4000 | 0.3835 | |
| 12 1,3-Dinitrobenzene | 1 | 15.627 | 15.635 | -0.008 | 225815 | 0.4008 | 0.3950 | |
| 13 Nitroglycerin | 2 | 16.054 | 16.055 | -0.001 | 519683 | 4.00 | 4.24 | |
| 14 o-Nitrotoluene | 1 | 16.820 | 16.822 | -0.002 | 93064 | 0.4000 | 0.3966 | |
| 16 p-Nitrotoluene | 1 | 17.127 | 17.129 | -0.002 | 83857 | 0.4008 | 0.3978 | |
| 17 4-Amino-2,6-dinitrotoluene | 1 | 17.747 | 17.755 | -0.008 | 107043 | 0.4004 | 0.4008 | |
| 18 m-Nitrotoluene | 1 | 18.100 | 18.102 | -0.002 | 106661 | 0.4004 | 0.4017 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 18.740 | 18.742 | -0.002 | 146764 | 0.4016 | 0.4071 | |
| 20 1,3,5-Trinitrobenzene | 1 | 18.947 | 18.949 | -0.002 | 170012 | 0.4008 | 0.4092 | |
| 21 2,6-Dinitrotoluene | 1 | 20.254 | 20.255 | -0.001 | 106362 | 0.4016 | 0.4004 | |
| 22 2,4-Dinitrotoluene | 1 | 20.760 | 20.762 | -0.002 | 220828 | 0.4016 | 0.3959 | |
| 23 Tetryl | 1 | 24.494 | 24.489 | 0.005 | 126546 | 0.4008 | 0.3698 | |
| 24 2,4,6-Trinitrotoluene | 1 | 25.267 | 25.262 | 0.005 | 151235 | 0.4016 | 0.4097 | |
| 25 PETN | 2 | 26.220 | 26.215 | 0.005 | 544987 | 4.00 | 4.21 | |

## Reagents:

8330IntermStk_00070 Amount Added: 40.00 Units: uL
8330_ADDs_00031 Amount Added: 20.00 Units: uL


Report Date: 03-Mar-2022 12:49:14 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020013.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 02-Mar-2022 23:07:23 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC INT/ADD 6 | | | Worklist Smp#: | 13 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 13 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020014.D
Lims ID: IC INT/ADD 5
Client ID:
Sample Type: IC Calib Level: 5
Inject. Date: 02-Mar-2022 23:42:39 ALS Bottle#: 14 Worklist Smp#: 14
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT/ADD 5
Misc. Info.: 280-0108949-014
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:15 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

First Level Reviewer: zhangji Date: 03-Mar-2022 12:06:29

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 1 2,6-diamino-4-nitrotoluene | 1 | 4.142 | 4.142 | 0.000 | 96596 | 0.2500 | 0.2377 | |
| 2 2,4-diamino-6-nitrotoluene | 1 | 4.669 | 4.669 | 0.000 | 59944 | 0.2500 | 0.2576 | |
| 5 HMX | 1 | 6.889 | 6.889 | 0.000 | 38318 | 0.2500 | 0.2306 | |
| 7 2,4,6-Trinitrophenol | 1 | 7.602 | 7.602 | 0.000 | 34288 | 0.2500 | 0.2580 | |
| 8 RDX | 1 | 9.115 | 9.115 | 0.000 | 46417 | 0.2500 | 0.2389 | |
| 9 Nitrobenzene | 1 | 12.062 | 12.062 | 0.000 | 90246 | 0.2510 | 0.2450 | |
| $ 10 1,2-Dinitrobenzene | 1 | 13.282 | 13.282 | 0.000 | 61198 | 0.2500 | 0.2450 | |
| 11 3,5-Dinitroaniline | 1 | 15.269 | 15.269 | 0.000 | 102787 | 0.2500 | 0.2497 | |
| 12 1,3-Dinitrobenzene | 1 | 15.635 | 15.635 | 0.000 | 136486 | 0.2505 | 0.2388 | |
| 13 Nitroglycerin | 2 | 16.055 | 16.055 | 0.000 | 309657 | 2.50 | 2.53 | |
| 14 o-Nitrotoluene | 1 | 16.822 | 16.822 | 0.000 | 56221 | 0.2500 | 0.2396 | |
| 16 p-Nitrotoluene | 1 | 17.129 | 17.129 | 0.000 | 50555 | 0.2505 | 0.2398 | |
| 17 4-Amino-2,6-dinitrotoluene | 1 | 17.755 | 17.755 | 0.000 | 64569 | 0.2503 | 0.2418 | |
| 18 m-Nitrotoluene | 1 | 18.102 | 18.102 | 0.000 | 64150 | 0.2503 | 0.2419 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 18.742 | 18.742 | 0.000 | 88010 | 0.2510 | 0.2441 | |
| 20 1,3,5-Trinitrobenzene | 1 | 18.949 | 18.949 | 0.000 | 102576 | 0.2505 | 0.2469 | |
| 21 2,6-Dinitrotoluene | 1 | 20.255 | 20.255 | 0.000 | 64489 | 0.2510 | 0.2427 | |
| 22 2,4-Dinitrotoluene | 1 | 20.762 | 20.762 | 0.000 | 139375 | 0.2510 | 0.2455 | |
| 23 Tetryl | 1 | 24.489 | 24.489 | 0.000 | 77249 | 0.2505 | 0.2258 | |
| 24 2,4,6-Trinitrotoluene | 1 | 25.262 | 25.262 | 0.000 | 91338 | 0.2510 | 0.2474 | |
| 25 PETN | 2 | 26.215 | 26.215 | 0.000 | 329509 | 2.50 | 2.55 | |

## QC Flag Legend
Processing Flags

## Reagents:

| | | | |
|---|---|---|---|
| 8330IntermStk_00070 | Amount Added: | 25.00 | Units: uL |
| 8330_ADDs_00031 | Amount Added: | 12.50 | Units: uL |


Report Date: 03-Mar-2022 12:49:15 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020014.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 02-Mar-2022 23:42:39 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC INT/ADD 5 | | | Worklist Smp#: | 14 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 14 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020015.D
Lims ID: IC INT/ADD 4
Client ID:
Sample Type: IC Calib Level: 4
Inject. Date: 03-Mar-2022 00:17:55 ALS Bottle#: 15 Worklist Smp#: 15
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT/ADD 4
Misc. Info.: 280-0108949-015
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:16 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

First Level Reviewer: zhangji Date: 03-Mar-2022 12:12:37

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|---|
| | 1 2,6-diamino-4-nitrotoluene | 1 | 4.149 | 4.142 | 0.007 | 41030 | 0.1000 | 0.1009 | |
| | 2 2,4-diamino-6-nitrotoluene | 1 | 4.669 | 4.669 | 0.000 | 24932 | 0.1000 | 0.1028 | |
| | 5 HMX | 1 | 6.896 | 6.889 | 0.007 | 16109 | 0.1000 | 0.0970 | |
| | 7 2,4,6-Trinitrophenol | 1 | 7.696 | 7.602 | 0.094 | 14009 | 0.1000 | 0.1054 | |
| | 8 RDX | 1 | 9.129 | 9.115 | 0.014 | 19750 | 0.1000 | 0.1016 | |
| | 9 Nitrobenzene | 1 | 12.069 | 12.062 | 0.007 | 37271 | 0.1004 | 0.1012 | |
| $ | 10 1,2-Dinitrobenzene | 1 | 13.282 | 13.282 | 0.000 | 25499 | 0.1000 | 0.1021 | |
| | 11 3,5-Dinitroaniline | 1 | 15.276 | 15.269 | 0.007 | 42107 | 0.1000 | 0.1022 | |
| | 12 1,3-Dinitrobenzene | 1 | 15.642 | 15.635 | 0.007 | 59537 | 0.1002 | 0.1041 | |
| | 13 Nitroglycerin | 2 | 16.062 | 16.055 | 0.007 | 133241 | 1.00 | 1.09 | |
| | 14 o-Nitrotoluene | 1 | 16.829 | 16.822 | 0.007 | 23857 | 0.1000 | 0.1017 | |
| | 16 p-Nitrotoluene | 1 | 17.136 | 17.129 | 0.007 | 21625 | 0.1002 | 0.1026 | |
| | 17 4-Amino-2,6-dinitrotoluene | 1 | 17.756 | 17.755 | 0.001 | 27216 | 0.1001 | 0.1021 | |
| | 18 m-Nitrotoluene | 1 | 18.109 | 18.102 | 0.007 | 26978 | 0.1001 | 0.1021 | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | 18.749 | 18.742 | 0.007 | 37178 | 0.1004 | 0.1031 | |
| | 20 1,3,5-Trinitrobenzene | 1 | 18.956 | 18.949 | 0.007 | 42514 | 0.1002 | 0.1023 | |
| | 21 2,6-Dinitrotoluene | 1 | 20.256 | 20.255 | 0.001 | 26687 | 0.1004 | 0.1005 | |
| | 22 2,4-Dinitrotoluene | 1 | 20.756 | 20.762 | -0.006 | 64187 | 0.1004 | 0.1067 | |
| | 23 Tetryl | 1 | 24.483 | 24.489 | -0.006 | 33188 | 0.1002 | 0.0970 | |
| | 24 2,4,6-Trinitrotoluene | 1 | 25.256 | 25.262 | -0.006 | 37205 | 0.1004 | 0.1008 | |
| | 25 PETN | 2 | 26.209 | 26.215 | -0.006 | 134076 | 1.00 | 1.04 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

| | | | |
|---|---|---|---|
| 8330IntermStk_00070 | Amount Added: | 10.00 | Units: uL |
| 8330_ADDs_00031 | Amount Added: | 5.00 | Units: uL |


Report Date: 03-Mar-2022 12:49:16 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020015.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 00:17:55 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC INT/ADD 4 | | | Worklist Smp#: | 15 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 15 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020015.D
Injection Date: 03-Mar-2022 00:17:55 Instrument ID: CHHPLC_X5
Lims ID: IC INT/ADD 4
Client ID:
Operator ID: JZ ALS Bottle#: 15 Worklist Smp#: 15
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X5_Luna Limit Group: GCSV - 8330
Column: Detector LC mwd1B, 215 nm

## 25 PETN, CAS: 78-11-5

Signal: 1


Processing Integration Results

RT: 26.21
Area: 159234
Amount: 1.166681
Amount Units: ug/ml




Manual Integration Results

RT: 26.21
Area: 134076
Amount: 1.036703
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:12:35
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020016.D
Lims ID: IC INT/ADD 3
Client ID:
Sample Type: IC Calib Level: 3
Inject. Date: 03-Mar-2022 00:53:03 ALS Bottle#: 16 Worklist Smp#: 16
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT/ADD 3
Misc. Info.: 280-0108949-016
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:16 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

First Level Reviewer: zhangji Date: 03-Mar-2022 12:09:56

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 1 2,6-diamino-4-nitrotoluene | 1 | 4.154 | 4.142 | 0.012 | 21526 | 0.0500 | 0.0530 | |
| 2 2,4-diamino-6-nitrotoluene | 1 | 4.674 | 4.669 | 0.005 | 12869 | 0.0500 | 0.0495 | |
| 5 HMX | 1 | 6.894 | 6.889 | 0.005 | 8053 | 0.0500 | 0.0485 | |
| 7 2,4,6-Trinitrophenol | 1 | 7.767 | 7.602 | 0.165 | 6356 | 0.0500 | 0.0478 | |
| 8 RDX | 1 | 9.120 | 9.115 | 0.005 | 10028 | 0.0500 | 0.0516 | |
| 9 Nitrobenzene | 1 | 12.073 | 12.062 | 0.011 | 19149 | 0.0502 | 0.0520 | |
| $ 10 1,2-Dinitrobenzene | 1 | 13.287 | 13.282 | 0.005 | 12864 | 0.0500 | 0.0515 | |
| 11 3,5-Dinitroaniline | 1 | 15.287 | 15.269 | 0.018 | 20966 | 0.0500 | 0.0508 | |
| 12 1,3-Dinitrobenzene | 1 | 15.647 | 15.635 | 0.012 | 30181 | 0.0501 | 0.0528 | |
| 13 Nitroglycerin | 2 | 16.073 | 16.055 | 0.018 | 59894 | 0.5000 | 0.4889 | M |
| 14 o-Nitrotoluene | 1 | 16.833 | 16.822 | 0.011 | 12057 | 0.0500 | 0.0514 | |
| 16 p-Nitrotoluene | 1 | 17.147 | 17.129 | 0.018 | 10595 | 0.0501 | 0.0503 | |
| 17 4-Amino-2,6-dinitrotoluene | 1 | 17.773 | 17.755 | 0.018 | 13425 | 0.0501 | 0.0505 | |
| 18 m-Nitrotoluene | 1 | 18.120 | 18.102 | 0.018 | 13387 | 0.0501 | 0.0510 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 18.773 | 18.742 | 0.031 | 18562 | 0.0502 | 0.0515 | |
| 20 1,3,5-Trinitrobenzene | 1 | 18.973 | 18.949 | 0.024 | 21339 | 0.0501 | 0.0514 | |
| 21 2,6-Dinitrotoluene | 1 | 20.267 | 20.255 | 0.012 | 13757 | 0.0502 | 0.0518 | |
| 22 2,4-Dinitrotoluene | 1 | 20.767 | 20.762 | 0.005 | 33918 | 0.0502 | 0.0508 | |
| 23 Tetryl | 1 | 24.500 | 24.489 | 0.011 | 18110 | 0.0501 | 0.0529 | |
| 24 2,4,6-Trinitrotoluene | 1 | 25.274 | 25.262 | 0.012 | 18556 | 0.0502 | 0.0503 | |
| 25 PETN | 2 | 26.220 | 26.215 | 0.005 | 67082 | 0.5000 | 0.5187 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

| | | | |
|---|---|---|---|
| 8330IntermStk_00070 | Amount Added: | 5.00 | Units: uL |
| 8330_ADDs_00031 | Amount Added: | 2.50 | Units: uL |

Report Date: 03-Mar-2022 12:49:17 Chrom Revision: 2.3 16-Feb-2022 17:52:00


Eurofins Denver

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020016.D


| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 00:53:03 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC INT/ADD 3 | | | Worklist Smp#: | 16 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 16 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020016.D
Injection Date: 03-Mar-2022 00:53:03 Instrument ID: CHHPLC_X5
Lims ID: IC INT/ADD 3
Client ID:
Operator ID: JZ ALS Bottle#: 16 Worklist Smp#: 16
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X5_Luna Limit Group: GCSV - 8330
Column: Detector LC mwd1B, 215 nm

## 13 Nitroglycerin, CAS: 55-63-0

Signal: 1


Processing Integration Results

RT: 16.07
Area: 70358
Amount: 0.563571
Amount Units: ug/ml




Manual Integration Results

RT: 16.07
Area: 59894
Amount: 0.488860
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:12:24
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020016.D
Injection Date: 03-Mar-2022 00:53:03 Instrument ID: CHHPLC_X5
Lims ID: IC INT/ADD 3
Client ID:
Operator ID: JZ ALS Bottle#: 16 Worklist Smp#: 16
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X5_Luna Limit Group: GCSV - 8330
Column: Detector LC mwd1B, 215 nm

## 25 PETN, CAS: 78-11-5

Signal: 1


Processing Integration Results

RT: 26.22
Area: 91339
Amount: 0.654475
Amount Units: ug/ml




Manual Integration Results

RT: 26.22
Area: 67082
Amount: 0.518692
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:12:20
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020017.D
Lims ID: IC INT/ADD 2
Client ID:
Sample Type: IC Calib Level: 2
Inject. Date: 03-Mar-2022 01:28:22 ALS Bottle#: 17 Worklist Smp#: 17
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT/ADD 2
Misc. Info.: 280-0108949-017
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:17 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

First Level Reviewer: zhangji Date: 03-Mar-2022 12:10:52

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 1 2,6-diamino-4-nitrotoluene | 1 | 4.169 | 4.142 | 0.027 | 9145 | 0.0200 | 0.0225 | |
| 2 2,4-diamino-6-nitrotoluene | 1 | 4.716 | 4.669 | 0.047 | 5618 | 0.0200 | 0.0175 | |
| 5 HMX | 1 | 6.896 | 6.889 | 0.007 | 3127 | 0.0200 | 0.0188 | |
| 7 2,4,6-Trinitrophenol | 1 | 7.863 | 7.602 | 0.261 | 2301 | 0.0200 | 0.0173 | |
| 8 RDX | 1 | 9.129 | 9.115 | 0.014 | 3719 | 0.0200 | 0.0191 | |
| 9 Nitrobenzene | 1 | 12.069 | 12.062 | 0.007 | 6686 | 0.0201 | 0.0182 | |
| $ 10 1,2-Dinitrobenzene | 1 | 13.282 | 13.282 | 0.000 | 4809 | 0.0200 | 0.0193 | |
| 11 3,5-Dinitroaniline | 1 | 15.282 | 15.269 | 0.013 | 7621 | 0.0200 | 0.0183 | |
| 12 1,3-Dinitrobenzene | 1 | 15.642 | 15.635 | 0.007 | 10643 | 0.0200 | 0.0186 | |
| 13 Nitroglycerin | 2 | 16.062 | 16.055 | 0.007 | 21750 | 0.2000 | 0.1775 | M |
| 14 o-Nitrotoluene | 1 | 16.829 | 16.822 | 0.007 | 4607 | 0.0200 | 0.0196 | |
| 16 p-Nitrotoluene | 1 | 17.129 | 17.129 | 0.000 | 4078 | 0.0200 | 0.0193 | |
| 17 4-Amino-2,6-dinitrotoluene | 1 | 17.756 | 17.755 | 0.001 | 5271 | 0.0200 | 0.0200 | |
| 18 m-Nitrotoluene | 1 | 18.116 | 18.102 | 0.014 | 4805 | 0.0200 | 0.0188 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 18.762 | 18.742 | 0.020 | 6899 | 0.0201 | 0.0191 | M |
| 20 1,3,5-Trinitrobenzene | 1 | 18.956 | 18.949 | 0.007 | 6970 | 0.0200 | 0.0168 | M |
| 21 2,6-Dinitrotoluene | 1 | 20.262 | 20.255 | 0.007 | 5233 | 0.0201 | 0.0197 | |
| 22 2,4-Dinitrotoluene | 1 | 20.716 | 20.762 | -0.046 | 16863 | 0.0201 | 0.0193 | |
| 23 Tetryl | 1 | 24.496 | 24.489 | 0.007 | 6933 | 0.0200 | 0.0203 | |
| 24 2,4,6-Trinitrotoluene | 1 | 25.269 | 25.262 | 0.007 | 6507 | 0.0201 | 0.0176 | |
| 25 PETN | 2 | 26.223 | 26.215 | 0.008 | 21923 | 0.2000 | 0.1695 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

| | | | |
|---|---|---|---|
| 8330IntermStk_00070 | Amount Added: | 2.00 | Units: uL |
| 8330_ADDs_00031 | Amount Added: | 1.00 | Units: uL |

Report Date: 03-Mar-2022 12:49:17 Chrom Revision: 2.3 16-Feb-2022 17:52:00


Eurofins Denver

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020017.D


| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 01:28:22 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC INT/ADD 2 | | | Worklist Smp#: | 17 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 17 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm)

Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020017.D
Injection Date: 03-Mar-2022 01:28:22 Instrument ID: CHHPLC_X5
Lims ID: IC INT/ADD 2
Client ID:
Operator ID: JZ ALS Bottle#: 17 Worklist Smp#: 17
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X5_Luna Limit Group: GCSV - 8330
Column: Detector LC mwd1B, 215 nm

## 13 Nitroglycerin, CAS: 55-63-0

Signal: 1


Processing Integration Results

RT: 16.06
Area: 28042
Amount: 0.218500
Amount Units: ug/ml




Manual Integration Results

RT: 16.06
Area: 21750
Amount: 0.177525
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:12:09
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020017.D | | | | |
| Injection Date: | 03-Mar-2022 01:28:22 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | IC INT/ADD 2 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 19 2-Amino-4,6-dinitrotoluene, CAS: 35572-78-2

Signal: 1


Processing Integration Results

RT: 18.76
Area: 12210
Amount: 0.025658
Amount Units: ug/ml




Manual Integration Results

RT: 18.76
Area: 6899
Amount: 0.019135
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:10:14
Audit Action: Assigned New Baseline Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020017.D
Injection Date: 03-Mar-2022 01:28:22 Instrument ID: CHHPLC_X5
Lims ID: IC INT/ADD 2
Client ID:
Operator ID: JZ ALS Bottle#: 17 Worklist Smp#: 17
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X5_Luna Limit Group: GCSV - 8330
Column: Luna-Phenyl hexyl ( 4.60 mm) Detector LC mwd1A, 254 nm

## 20 1,3,5-Trinitrobenzene, CAS: 99-35-4

Signal: 1


Processing Integration Results

RT: 18.96
Area: 5936
Amount: 0.014418
Amount Units: ug/ml




Manual Integration Results

RT: 18.96
Area: 6970
Amount: 0.016776
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:10:14
Audit Action: Assigned New Baseline Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020017.D
Injection Date: 03-Mar-2022 01:28:22 Instrument ID: CHHPLC_X5
Lims ID: IC INT/ADD 2
Client ID:
Operator ID: JZ ALS Bottle#: 17 Worklist Smp#: 17
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X5_Luna Limit Group: GCSV - 8330
Column: Detector LC mwd1B, 215 nm

## 25 PETN, CAS: 78-11-5

Signal: 1


Processing Integration Results

RT: 26.22
Area: 51157
Amount: 0.330478
Amount Units: ug/ml




Manual Integration Results

RT: 26.22
Area: 21923
Amount: 0.169513
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:12:13
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020018.D
Lims ID: IC INT/ADD 1
Client ID:
Sample Type: IC Calib Level: 1
Inject. Date: 03-Mar-2022 02:03:29 ALS Bottle#: 18 Worklist Smp#: 18
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC INT/ADD 1
Misc. Info.: 280-0108949-018
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:18 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

First Level Reviewer: zhangji Date: 03-Mar-2022 12:07:10

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 1 2,6-diamino-4-nitrotoluene | 1 | 4.174 | 4.142 | 0.032 | 6283 | 0.0100 | 0.0155 | |
| 2 2,4-diamino-6-nitrotoluene | 1 | 4.714 | 4.669 | 0.045 | 4064 | 0.0100 | 0.0106 | |
| 5 HMX | 1 | 6.887 | 6.889 | -0.002 | 2040 | 0.0100 | 0.0123 | |
| 7 2,4,6-Trinitrophenol | 1 | | 7.602 | | | ND | ND | |
| 8 RDX | 1 | 9.114 | 9.115 | -0.001 | 2097 | 0.0100 | 0.0108 | |
| 9 Nitrobenzene | 1 | 12.047 | 12.062 | -0.015 | 3890 | 0.0100 | 0.0106 | |
| $ 10 1,2-Dinitrobenzene | 1 | 13.260 | 13.282 | -0.022 | 2461 | 0.0100 | 0.009854 | |
| 11 3,5-Dinitroaniline | 1 | 15.287 | 15.269 | 0.018 | 4362 | 0.0100 | 0.0104 | |
| 12 1,3-Dinitrobenzene | 1 | 15.627 | 15.635 | -0.008 | 5961 | 0.0100 | 0.0104 | |
| 13 Nitroglycerin | 2 | 16.054 | 16.055 | -0.001 | 10664 | 0.1000 | 0.0870 | M |
| 14 o-Nitrotoluene | 1 | 16.807 | 16.822 | -0.015 | 2491 | 0.0100 | 0.0106 | |
| 16 p-Nitrotoluene | 1 | 17.147 | 17.129 | 0.018 | 2203 | 0.0100 | 0.0104 | |
| 17 4-Amino-2,6-dinitrotoluene | 1 | 17.734 | 17.755 | -0.021 | 2610 | 0.0100 | 0.0100 | |
| 18 m-Nitrotoluene | 1 | 18.094 | 18.102 | -0.008 | 2543 | 0.0100 | 0.0103 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 18.754 | 18.742 | 0.012 | 3705 | 0.0100 | 0.0103 | M |
| 20 1,3,5-Trinitrobenzene | 1 | 18.947 | 18.949 | -0.002 | 3947 | 0.0100 | 0.009500 | Ma |
| 21 2,6-Dinitrotoluene | 1 | 20.260 | 20.255 | 0.005 | 2704 | 0.0100 | 0.0102 | |
| 22 2,4-Dinitrotoluene | 1 | 20.674 | 20.762 | -0.088 | 11900 | 0.0100 | 0.0102 | |
| 23 Tetryl | 1 | 24.514 | 24.489 | 0.025 | 4722 | 0.0100 | 0.0138 | |
| 24 2,4,6-Trinitrotoluene | 1 | 25.274 | 25.262 | 0.012 | 3720 | 0.0100 | 0.0101 | |
| 25 PETN | 2 | 26.220 | 26.215 | 0.005 | 10842 | 0.1000 | 0.0838 | M |

## QC Flag Legend

Processing Flags
ND - Not Detected or Marked ND

Review Flags
M - Manually Integrated
a - User Assigned ID

## Reagents:

| | | | |
|---|---|---|---|
| 8330IntermStk_00070 | Amount Added: | 1.00 | Units: uL |
| 8330_ADDs_00031 | Amount Added: | 0.50 | Units: uL |


Report Date: 03-Mar-2022 12:49:18 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020018.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 02:03:29 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC INT/ADD 1 | | | Worklist Smp#: | 18 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 18 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020018.D
Injection Date: 03-Mar-2022 02:03:29 Instrument ID: CHHPLC_X5
Lims ID: IC INT/ADD 1
Client ID:
Operator ID: JZ ALS Bottle#: 18 Worklist Smp#: 18
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X5_Luna Limit Group: GCSV - 8330
Column: Detector LC mwd1B, 215 nm

## 13 Nitroglycerin, CAS: 55-63-0

Signal: 1


Processing Integration Results

RT: 16.05
Area: 17086
Amount: 0.126120
Amount Units: ug/ml




Manual Integration Results

RT: 16.05
Area: 10664
Amount: 0.087040
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:12:01
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020018.D
Injection Date: 03-Mar-2022 02:03:29 Instrument ID: CHHPLC_X5
Lims ID: IC INT/ADD 1
Client ID:
Operator ID: JZ ALS Bottle#: 18 Worklist Smp#: 18
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X5_Luna Limit Group: GCSV - 8330
Column: Luna-Phenyl hexyl ( 4.60 mm) Detector LC mwd1A, 254 nm

## 19 2-Amino-4,6-dinitrotoluene, CAS: 35572-78-2

Signal: 1


Processing Integration Results

RT: 18.75
Area: 6109
Amount: 0.012300
Amount Units: ug/ml




Manual Integration Results

RT: 18.75
Area: 3705
Amount: 0.010276
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:11:46
Audit Action: Assigned New Baseline Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020018.D | | | | |
| Injection Date: | 03-Mar-2022 02:03:29 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | IC INT/ADD 1 | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 20 1,3,5-Trinitrobenzene, CAS: 99-35-4

Signal: 1


Not Detected
Expected RT: 18.95

Processing Integration Results




Manual Integration Results

RT: 18.95
Area: 3947
Amount: 0.009500
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:11:46
Audit Action: Assigned New Baseline Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020018.D
Injection Date: 03-Mar-2022 02:03:29 Instrument ID: CHHPLC_X5
Lims ID: IC INT/ADD 1
Client ID:
Operator ID: JZ ALS Bottle#: 18 Worklist Smp#: 18
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X5_Luna Limit Group: GCSV - 8330
Column: Detector LC mwd1B, 215 nm

## 25 PETN, CAS: 78-11-5

Signal: 1


Processing Integration Results

RT: 26.22
Area: 35507
Amount: 0.096197
Amount Units: ug/ml




Manual Integration Results

RT: 26.22
Area: 10842
Amount: 0.083833
Amount Units: ug/ml




Reviewer: zhangji, 03-Mar-2022 12:11:57
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

## Calibration / HMX

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.661E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 19200 |
| **Relative Standard Error:** | 10.5 |
| **Correlation Coefficient:** | 0.995 |
| **Coefficient of Determination (Adjusted):** | 0.985 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01 | 2040.0 | | | 204000.0 | Y |
| 2 | IC 280-567560/17 | 0.02 | 3127.0 | | | 156350.0 | Y |
| 3 | IC 280-567560/16 | 0.05 | 8053.0 | | | 161060.0 | Y |
| 4 | IC 280-567560/15 | 0.1 | 16109.0 | | | 161090.0 | Y |
| 5 | IC 280-567560/14 | 0.25 | 38318.0 | | | 153272.0 | Y |
| 6 | IC 280-567560/13 | 0.4 | 62819.0 | | | 157047.5 | Y |
| 7 | IC 280-567560/12 | 0.7 | 109512.0 | | | 156445.714286 | Y |
| 8 | IC 280-567560/11 | 1.0 | 158593.0 | | | 158593.0 | Y |
| 9 | IC 280-567560/10 | 2.5 | 468398.0 | | | 187359.2 | Y |



| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.329E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 32100 |
| **Relative Standard Error:** | 13.3 |
| **Correlation Coefficient:** | 0.955 |
| **Coefficient of Determination (Adjusted):** | 0.979 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01 | 0.0 | | | 0.0 | N |
| 2 | IC 280-567560/17 | 0.02 | 2301.0 | | | 115050.0 | Y |
| 3 | IC 280-567560/16 | 0.05 | 6356.0 | | | 127120.0 | Y |
| 4 | IC 280-567560/15 | 0.1 | 14009.0 | | | 140090.0 | Y |
| 5 | IC 280-567560/14 | 0.25 | 34288.0 | | | 137152.0 | Y |
| 6 | IC 280-567560/13 | 0.4 | 58358.0 | | | 145895.0 | Y |
| 7 | IC 280-567560/12 | 0.7 | 102939.0 | | | 147055.714286 | Y |
| 8 | IC 280-567560/11 | 1.0 | 150719.0 | | | 150719.0 | Y |
| 9 | IC 280-567560/10 | 2.5 | 250000.0 | | | 100000.0 | Y |



## Calibration / RDX

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.943E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 1690 |
| **Relative Standard Error:** | 3.8 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.998 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01 | 2097.0 | | | 209700.0 | Y |
| 2 | IC 280-567560/17 | 0.02 | 3719.0 | | | 185950.0 | Y |
| 3 | IC 280-567560/16 | 0.05 | 10028.0 | | | 200560.0 | Y |
| 4 | IC 280-567560/15 | 0.1 | 19750.0 | | | 197500.0 | Y |
| 5 | IC 280-567560/14 | 0.25 | 46417.0 | | | 185668.0 | Y |
| 6 | IC 280-567560/13 | 0.4 | 76711.0 | | | 191777.5 | Y |
| 7 | IC 280-567560/12 | 0.7 | 134031.0 | | | 191472.857143 | Y |
| 8 | IC 280-567560/11 | 1.0 | 193402.0 | | | 193402.0 | Y |
| 9 | IC 280-567560/10 | 2.5 | 482372.0 | | | 192948.8 | Y |



## Calibration / Nitrobenzene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 3.683E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 7300 |
| **Relative Standard Error:** | 4.2 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.998 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01004 | 3890.0 | | | 387450.199203 | Y |
| 2 | IC 280-567560/17 | 0.02008 | 6686.0 | | | 332968.12749 | Y |
| 3 | IC 280-567560/16 | 0.0502 | 19149.0 | | | 381454.183267 | Y |
| 4 | IC 280-567560/15 | 0.1004 | 37271.0 | | | 371225.099602 | Y |
| 5 | IC 280-567560/14 | 0.251 | 90246.0 | | | 359545.816733 | Y |
| 6 | IC 280-567560/13 | 0.4016 | 148639.0 | | | 370117.031873 | Y |
| 7 | IC 280-567560/12 | 0.7028 | 259585.0 | | | 369358.281161 | Y |
| 8 | IC 280-567560/11 | 1.004 | 367582.0 | | | 366117.52988 | Y |
| 9 | IC 280-567560/10 | 2.51 | 944774.0 | | | 376403.984064 | Y |



## Calibration / 1,2-Dinitrobenzene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.498E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 2520 |
| **Relative Standard Error:** | 2.1 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01 | 2461.0 | | | 246100.0 | Y |
| 2 | IC 280-567560/17 | 0.02 | 4809.0 | | | 240450.0 | Y |
| 3 | IC 280-567560/16 | 0.05 | 12864.0 | | | 257280.0 | Y |
| 4 | IC 280-567560/15 | 0.1 | 25499.0 | | | 254990.0 | Y |
| 5 | IC 280-567560/14 | 0.25 | 61198.0 | | | 244792.0 | Y |
| 6 | IC 280-567560/13 | 0.4 | 99804.0 | | | 249510.0 | Y |
| 7 | IC 280-567560/12 | 0.7 | 175358.0 | | | 250511.428571 | Y |
| 8 | IC 280-567560/11 | 1.0 | 251717.0 | | | 251717.0 | Y |
| 9 | IC 280-567560/10 | 2.5 | 631065.0 | | | 252426.0 | Y |



| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 5.717E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 11000 |
| **Relative Standard Error:** | 4.2 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.998 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01002 | 5961.0 | | | 594910.179641 | Y |
| 2 | IC 280-567560/17 | 0.02004 | 10643.0 | | | 531087.824351 | Y |
| 3 | IC 280-567560/16 | 0.0501 | 30181.0 | | | 602415.169661 | Y |
| 4 | IC 280-567560/15 | 0.1002 | 59537.0 | | | 594181.636727 | Y |
| 5 | IC 280-567560/14 | 0.2505 | 136486.0 | | | 544854.291417 | Y |
| 6 | IC 280-567560/13 | 0.4008 | 225815.0 | | | 563410.678643 | Y |
| 7 | IC 280-567560/12 | 0.7014 | 394707.0 | | | 562741.659538 | Y |
| 8 | IC 280-567560/11 | 1.002 | 569212.0 | | | 568075.848303 | Y |
| 9 | IC 280-567560/10 | 2.505 | 1461217.0 | | | 583320.159681 | Y |



| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.225E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 40600 |
| **Relative Standard Error:** | 7.5 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.993 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.1 | 10664.0 | | | 106640.0 | Y |
| 2 | IC 280-567560/17 | 0.2 | 21750.0 | | | 108750.0 | Y |
| 3 | IC 280-567560/16 | 0.5 | 59894.0 | | | 119788.0 | Y |
| 4 | IC 280-567560/15 | 1.0 | 133241.0 | | | 133241.0 | Y |
| 5 | IC 280-567560/14 | 2.5 | 309657.0 | | | 123862.8 | Y |
| 6 | IC 280-567560/13 | 4.0 | 519683.0 | | | 129920.75 | Y |
| 7 | IC 280-567560/12 | 7.0 | 888552.0 | | | 126936.0 | Y |
| 8 | IC 280-567560/11 | 10.0 | 1272015.0 | | | 127201.5 | Y |
| 9 | IC 280-567560/10 | 25.0 | 3158004.0 | | | 126320.16 | Y |



## Calibration / o-Nitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.347E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 2750 |
| **Relative Standard Error:** | 3.1 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01 | 2491.0 | | | 249100.0 | Y |
| 2 | IC 280-567560/17 | 0.02 | 4607.0 | | | 230350.0 | Y |
| 3 | IC 280-567560/16 | 0.05 | 12057.0 | | | 241140.0 | Y |
| 4 | IC 280-567560/15 | 0.1 | 23857.0 | | | 238570.0 | Y |
| 5 | IC 280-567560/14 | 0.25 | 56221.0 | | | 224884.0 | Y |
| 6 | IC 280-567560/13 | 0.4 | 93064.0 | | | 232660.0 | Y |
| 7 | IC 280-567560/12 | 0.7 | 161534.0 | | | 230762.857143 | Y |
| 8 | IC 280-567560/11 | 1.0 | 232476.0 | | | 232476.0 | Y |
| 9 | IC 280-567560/10 | 2.5 | 580270.0 | | | 232108.0 | Y |



## Calibration / p-Nitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.108E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 4500 |
| **Relative Standard Error:** | 2.8 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01002 | 2203.0 | | | 219860.279441 | Y |
| 2 | IC 280-567560/17 | 0.02004 | 4078.0 | | | 203493.013972 | Y |
| 3 | IC 280-567560/16 | 0.0501 | 10595.0 | | | 211477.045908 | Y |
| 4 | IC 280-567560/15 | 0.1002 | 21625.0 | | | 215818.363273 | Y |
| 5 | IC 280-567560/14 | 0.2505 | 50555.0 | | | 201816.367265 | Y |
| 6 | IC 280-567560/13 | 0.4008 | 83857.0 | | | 209224.051896 | Y |
| 7 | IC 280-567560/12 | 0.7014 | 146563.0 | | | 208957.798688 | Y |
| 8 | IC 280-567560/11 | 1.002 | 211344.0 | | | 210922.155689 | Y |
| 9 | IC 280-567560/10 | 2.505 | 540531.0 | | | 215780.838323 | Y |



## Calibration / 4-Amino-2,6-dinitrotoluene

| | |
|---|---|
| **Curve Type:** | Linear |
| **Weighting:** | Conc_Sq |
| **Origin:** | None |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | -62.9 |
| **Slope:** | 2.672E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 1990 |
| **Relative Standard Error:** | 1.6 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 1.000 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01001 | 2610.0 | | | 260739.260739 | Y |
| 2 | IC 280-567560/17 | 0.02002 | 5271.0 | | | 263286.713287 | Y |
| 3 | IC 280-567560/16 | 0.05005 | 13425.0 | | | 268231.768232 | Y |
| 4 | IC 280-567560/15 | 0.1001 | 27216.0 | | | 271888.111888 | Y |
| 5 | IC 280-567560/14 | 0.25025 | 64569.0 | | | 258017.982018 | Y |
| 6 | IC 280-567560/13 | 0.4004 | 107043.0 | | | 267340.15984 | Y |
| 7 | IC 280-567560/12 | 0.7007 | 186078.0 | | | 265560.154132 | Y |
| 8 | IC 280-567560/11 | 1.001 | 269691.0 | | | 269421.578422 | Y |
| 9 | IC 280-567560/10 | 2.5025 | 672715.0 | | | 268817.182817 | Y |



## Calibration / m-Nitrotoluene

| | |
|---|---|
| **Curve Type:** | Linear |
| **Weighting:** | Conc_Sq |
| **Origin:** | None |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | -189.5 |
| **Slope:** | 2.66E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 5530 |
| **Relative Standard Error:** | 3.2 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01001 | 2543.0 | | | 254045.954046 | Y |
| 2 | IC 280-567560/17 | 0.02002 | 4805.0 | | | 240009.99001 | Y |
| 3 | IC 280-567560/16 | 0.05005 | 13387.0 | | | 267472.527473 | Y |
| 4 | IC 280-567560/15 | 0.1001 | 26978.0 | | | 269510.48951 | Y |
| 5 | IC 280-567560/14 | 0.25025 | 64150.0 | | | 256343.656344 | Y |
| 6 | IC 280-567560/13 | 0.4004 | 106661.0 | | | 266386.113886 | Y |
| 7 | IC 280-567560/12 | 0.7007 | 185839.0 | | | 265219.066648 | Y |
| 8 | IC 280-567560/11 | 1.001 | 267812.0 | | | 267544.455544 | Y |
| 9 | IC 280-567560/10 | 2.5025 | 679800.0 | | | 271648.351648 | Y |



## Calibration / 2-Amino-4,6-dinitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 3.605E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 22400 |
| **Relative Standard Error:** | 3.8 |
| **Correlation Coefficient:** | 0.998 |
| **Coefficient of Determination (Adjusted):** | 0.998 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01004 | 3705.0 | | | 369023.904382 | Y |
| 2 | IC 280-567560/17 | 0.02008 | 6899.0 | | | 343575.697211 | Y |
| 3 | IC 280-567560/16 | 0.0502 | 18562.0 | | | 369760.956175 | Y |
| 4 | IC 280-567560/15 | 0.1004 | 37178.0 | | | 370298.804781 | Y |
| 5 | IC 280-567560/14 | 0.251 | 88010.0 | | | 350637.450199 | Y |
| 6 | IC 280-567560/13 | 0.4016 | 146764.0 | | | 365448.207171 | Y |
| 7 | IC 280-567560/12 | 0.7028 | 257718.0 | | | 366701.764371 | Y |
| 8 | IC 280-567560/11 | 1.004 | 374916.0 | | | 373422.310757 | Y |
| 9 | IC 280-567560/10 | 2.51 | 843240.0 | | | 335952.191235 | Y |



## Calibration / 1,3,5-Trinitrobenzene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 4.155E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 46700 |
| **Relative Standard Error:** | 7.7 |
| **Correlation Coefficient:** | 0.998 |
| **Coefficient of Determination (Adjusted):** | 0.993 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01002 | 3947.0 | | | 393912.175649 | Y |
| 2 | IC 280-567560/17 | 0.02004 | 6970.0 | | | 347804.391218 | Y |
| 3 | IC 280-567560/16 | 0.0501 | 21339.0 | | | 425928.143713 | Y |
| 4 | IC 280-567560/15 | 0.1002 | 42514.0 | | | 424291.417166 | Y |
| 5 | IC 280-567560/14 | 0.2505 | 102576.0 | | | 409485.02994 | Y |
| 6 | IC 280-567560/13 | 0.4008 | 170012.0 | | | 424181.636727 | Y |
| 7 | IC 280-567560/12 | 0.7014 | 295298.0 | | | 421012.261192 | Y |
| 8 | IC 280-567560/11 | 1.002 | 425388.0 | | | 424538.922156 | Y |
| 9 | IC 280-567560/10 | 2.505 | 1172398.0 | | | 468023.153693 | Y |



## Calibration / 2,6-Dinitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.657E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 1660 |
| **Relative Standard Error:** | 1.8 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 1.000 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01004 | 2704.0 | | | 269322.709163 | Y |
| 2 | IC 280-567560/17 | 0.02008 | 5233.0 | | | 260607.569721 | Y |
| 3 | IC 280-567560/16 | 0.0502 | 13757.0 | | | 274043.824701 | Y |
| 4 | IC 280-567560/15 | 0.1004 | 26687.0 | | | 265806.772908 | Y |
| 5 | IC 280-567560/14 | 0.251 | 64489.0 | | | 256928.286853 | Y |
| 6 | IC 280-567560/13 | 0.4016 | 106362.0 | | | 264845.61753 | Y |
| 7 | IC 280-567560/12 | 0.7028 | 186150.0 | | | 264869.095048 | Y |
| 8 | IC 280-567560/11 | 1.004 | 268478.0 | | | 267408.366534 | Y |
| 9 | IC 280-567560/10 | 2.51 | 670482.0 | | | 267124.302789 | Y |



## Calibration / 2,4-Dinitrotoluene

| | |
|---|---|
| **Curve Type:** | Linear |
| **Weighting:** | Conc_Sq |
| **Origin:** | None |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 6400 |
| **Slope:** | 5.416E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 2990 |
| **Relative Standard Error:** | 3.0 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.999 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01004 | 11900.0 | | | 1185258.964143 | Y |
| 2 | IC 280-567560/17 | 0.02008 | 16863.0 | | | 839790.836653 | Y |
| 3 | IC 280-567560/16 | 0.0502 | 33918.0 | | | 675657.370518 | Y |
| 4 | IC 280-567560/15 | 0.1004 | 64187.0 | | | 639312.749004 | Y |
| 5 | IC 280-567560/14 | 0.251 | 139375.0 | | | 555278.884462 | Y |
| 6 | IC 280-567560/13 | 0.4016 | 220828.0 | | | 549870.517928 | Y |
| 7 | IC 280-567560/12 | 0.7028 | 382059.0 | | | 543624.075128 | Y |
| 8 | IC 280-567560/11 | 1.004 | 549112.0 | | | 546924.302789 | Y |
| 9 | IC 280-567560/10 | 2.51 | 1368356.0 | | | 545161.752988 | Y |



## Calibration / Tetryl

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 3.422E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 26400 |
| **Relative Standard Error:** | 15.0 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.965 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01002 | 4722.0 | | | 471257.48503 | Y |
| 2 | IC 280-567560/17 | 0.02004 | 6933.0 | | | 345958.083832 | Y |
| 3 | IC 280-567560/16 | 0.0501 | 18110.0 | | | 361477.045908 | Y |
| 4 | IC 280-567560/15 | 0.1002 | 33188.0 | | | 331217.56487 | Y |
| 5 | IC 280-567560/14 | 0.2505 | 77249.0 | | | 308379.241517 | Y |
| 6 | IC 280-567560/13 | 0.4008 | 126546.0 | | | 315733.532934 | Y |
| 7 | IC 280-567560/12 | 0.7014 | 219675.0 | | | 313195.038494 | Y |
| 8 | IC 280-567560/11 | 1.002 | 316900.0 | | | 316267.46507 | Y |
| 9 | IC 280-567560/10 | 2.505 | 791703.0 | | | 316049.101796 | Y |



## Calibration / 2,4,6-Trinitrotoluene

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 3.692E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 15500 |
| **Relative Standard Error:** | 5.0 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.997 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.01004 | 3720.0 | | | 370517.928287 | Y |
| 2 | IC 280-567560/17 | 0.02008 | 6507.0 | | | 324053.784861 | Y |
| 3 | IC 280-567560/16 | 0.0502 | 18556.0 | | | 369641.434263 | Y |
| 4 | IC 280-567560/15 | 0.1004 | 37205.0 | | | 370567.729084 | Y |
| 5 | IC 280-567560/14 | 0.251 | 91338.0 | | | 363896.414343 | Y |
| 6 | IC 280-567560/13 | 0.4016 | 151235.0 | | | 376581.175299 | Y |
| 7 | IC 280-567560/12 | 0.7028 | 265676.0 | | | 378025.042686 | Y |
| 8 | IC 280-567560/11 | 1.004 | 385560.0 | | | 384023.904382 | Y |
| 9 | IC 280-567560/10 | 2.51 | 967117.0 | | | 385305.577689 | Y |



## Calibration / PETN

| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 1.293E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 73600 |
| **Relative Standard Error:** | 9.0 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.991 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/18 | 0.1 | 10842.0 | | | 108420.0 | Y |
| 2 | IC 280-567560/17 | 0.2 | 21923.0 | | | 109615.0 | Y |
| 3 | IC 280-567560/16 | 0.5 | 67082.0 | | | 134164.0 | Y |
| 4 | IC 280-567560/15 | 1.0 | 134076.0 | | | 134076.0 | Y |
| 5 | IC 280-567560/14 | 2.5 | 329509.0 | | | 131803.6 | Y |
| 6 | IC 280-567560/13 | 4.0 | 544987.0 | | | 136246.75 | Y |
| 7 | IC 280-567560/12 | 7.0 | 951206.0 | | | 135886.571429 | Y |
| 8 | IC 280-567560/11 | 10.0 | 1369840.0 | | | 136984.0 | Y |
| 9 | IC 280-567560/10 | 25.0 | 3419168.0 | | | 136766.72 | Y |



FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 567560

SDG No.:

Instrument ID: CHHPLC_X5 GC Column: Luna-phenyl ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/03/2022 03:13 Calibration End Date: 03/03/2022 07:19 Calibration ID: 62763

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-567560/27 | 03020027.D |
| Level 2 | IC 280-567560/26 | 03020026.D |
| Level 3 | IC 280-567560/25 | 03020025.D |
| Level 4 | IC 280-567560/24 | 03020024.D |
| Level 5 | IC 280-567560/23 | 03020023.D |
| Level 6 | IC 280-567560/22 | 03020022.D |
| Level 7 | IC 280-567560/21 | 03020021.D |
| Level 8 | IC 280-567560/20 | 03020020.D |

| ANALYTE | LVL 1 | LVL 2 | LVL 3 | LVL 4 | LVL 5 | LVL 6 | LVL 7 | LVL 8 | | | RT WINDOW | AVG RT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNX | 5.170 | 5.168 | 5.172 | 5.164 | 5.171 | 5.157 | 5.156 | 5.140 | | | 5.021 - 5.321 | 5.162 |
| DNX | 6.030 | 6.028 | 6.032 | 6.024 | 6.031 | 6.017 | 6.016 | 6.000 | | | 5.881 - 6.181 | 6.022 |
| MNX | 7.624 | 7.621 | 7.625 | 7.617 | 7.625 | 7.610 | 7.602 | 7.593 | | | 7.475 - 7.775 | 7.615 |

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
CURVE EVALUATION

Lab Name: Eurofins Denver | Job No.: 280-162386-1 | Analy Batch No.: 567560

SDG No.:

Instrument ID: CHHPLC_X5 | GC Column: Luna-phenyl ID: 4.6(mm) | Heated Purge: (Y/N) N

Calibration Start Date: 03/03/2022 03:13 | Calibration End Date: 03/03/2022 07:19 | Calibration ID: 62763

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-567560/27 | 03020027.D |
| Level 2 | IC 280-567560/26 | 03020026.D |
| Level 3 | IC 280-567560/25 | 03020025.D |
| Level 4 | IC 280-567560/24 | 03020024.D |
| Level 5 | IC 280-567560/23 | 03020023.D |
| Level 6 | IC 280-567560/22 | 03020022.D |
| Level 7 | IC 280-567560/21 | 03020021.D |
| Level 8 | IC 280-567560/20 | 03020020.D |

| ANALYTE | CF | | | | CURVE TYPE | COEFFICIENT | | | # | MIN CF | %RSD | # | MAX %RSD | R^2 OR COD | # | MIN R^2 OR COD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LVL 1<br>LVL 5 | LVL 2<br>LVL 6 | LVL 3<br>LVL 7 | LVL 4<br>LVL 8 | | B | M1 | M2 | | | | | | | | |
| TNX | 349201<br>351611 | 355385<br>355367 | 353267<br>354987 | 350933<br>361808 | Ave | | 354069.850 | | | | 1.1 | | 20.0 | | | |
| DNX | 317133<br>267552 | 289031<br>269316 | 277622<br>267891 | 269419<br>271146 | Ave | | 278638.900 | | | | 6.2 | | 20.0 | | | |
| MNX | 257326<br>246598 | 252785<br>247481 | 254053<br>246929 | 246461<br>249015 | Ave | | 250081.020 | | | | 1.6 | | 20.0 | | | |

Note: The M1 coefficient is the same as Ave CF for an Ave curve type.

FORM VI
HPLC/IC BY EXTERNAL STANDARD - INITIAL CALIBRATION DATA
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Denver Job No.: 280-162386-1 Analy Batch No.: 567560

SDG No.:

Instrument ID: CHHPLC_X5 GC Column: Luna-phenyl ID: 4.6(mm) Heated Purge: (Y/N) N

Calibration Start Date: 03/03/2022 03:13 Calibration End Date: 03/03/2022 07:19 Calibration ID: 62763

Calibration Files

| LEVEL: | LAB SAMPLE ID: | LAB FILE ID: |
|---|---|---|
| Level 1 | IC 280-567560/27 | 03020027.D |
| Level 2 | IC 280-567560/26 | 03020026.D |
| Level 3 | IC 280-567560/25 | 03020025.D |
| Level 4 | IC 280-567560/24 | 03020024.D |
| Level 5 | IC 280-567560/23 | 03020023.D |
| Level 6 | IC 280-567560/22 | 03020022.D |
| Level 7 | IC 280-567560/21 | 03020021.D |
| Level 8 | IC 280-567560/20 | 03020020.D |

| ANALYTE | CURVE TYPE | RESPONSE | | | | | CONCENTRATION (UG/ML) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4 | LVL 5 | LVL 1<br>LVL 6 | LVL 2<br>LVL 7 | LVL 3<br>LVL 8 | LVL 4 | LVL 5 |
| TNX | Ave | 6991<br>249006 | 17787<br>355342 | 35362<br>905425 | 87821 | 140785 | 0.0200<br>0.701 | 0.0501<br>1.00 | 0.100<br>2.50 | 0.250 | 0.400 |
| DNX | Ave | 6349<br>188710 | 14466<br>268159 | 27790<br>678544 | 67422 | 107128 | 0.0200<br>0.701 | 0.0501<br>1.00 | 0.100<br>2.50 | 0.250 | 0.400 |
| MNX | Ave | 6006<br>202167 | 14750<br>288166 | 29648<br>726501 | 71905 | 115112 | 0.0233<br>0.817 | 0.0584<br>1.17 | 0.117<br>2.92 | 0.292 | 0.467 |

Curve Type Legend
Ave = Average

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020020.D | | | | |
| Lims ID: | IC DMT 8 | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 8 | | |
| Inject. Date: | 03-Mar-2022 03:13:58 | ALS Bottle#: | 20 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | IC DMT 8 | | | | |
| Misc. Info.: | 280-0108949-020 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Sublist: | chrom-8330_X5_Luna*sub2 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 03-Mar-2022 12:49:18 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1618 | | | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.140 | 5.171 | -0.031 | 905425 | 2.50 | 2.56 | |
| 4 DNX | 1 | 6.000 | 6.031 | -0.031 | 678544 | 2.50 | 2.44 | |
| 6 MNX | 1 | 7.593 | 7.625 | -0.032 | 726501 | 2.92 | 2.91 | |

## Reagents:

8330 DMT_00010 Amount Added: 125.00 Units: uL


Report Date: 03-Mar-2022 12:49:19 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020020.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 03:13:58 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC DMT 8 | | | Worklist Smp#: | 20 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 20 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020021.D | | | | |
| Lims ID: | IC DMT 7 | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 7 | | |
| Inject. Date: | 03-Mar-2022 03:49:08 | ALS Bottle#: | 21 | Worklist Smp#: | 21 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | IC DMT 7 | | | | |
| Misc. Info.: | 280-0108949-021 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Sublist: | chrom-8330_X5_Luna*sub2 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 03-Mar-2022 12:49:19 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1618 | | | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.156 | 5.171 | -0.015 | 355342 | 1.00 | 1.00 | |
| 4 DNX | 1 | 6.016 | 6.031 | -0.015 | 268159 | 1.00 | 0.9624 | |
| 6 MNX | 1 | 7.602 | 7.625 | -0.023 | 288166 | 1.17 | 1.15 | |

## Reagents:

8330 DMT_00010 Amount Added: 50.00 Units: uL


Report Date: 03-Mar-2022 12:49:19 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020021.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 03:49:08 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC DMT 7 | | | Worklist Smp#: | 21 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 21 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020022.D
Lims ID: IC DMT 6
Client ID:
Sample Type: IC Calib Level: 6
Inject. Date: 03-Mar-2022 04:24:13 ALS Bottle#: 22 Worklist Smp#: 22
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC DMT 6
Misc. Info.: 280-0108949-022
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub2

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:19 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.157 | 5.171 | -0.014 | 249006 | 0.7007 | 0.7033 | |
| 4 DNX | 1 | 6.017 | 6.031 | -0.014 | 188710 | 0.7007 | 0.6773 | |
| 6 MNX | 1 | 7.610 | 7.625 | -0.015 | 202167 | 0.8169 | 0.8084 | |

## Reagents:

8330 DMT_00010 Amount Added: 35.00 Units: uL


Report Date: 03-Mar-2022 12:49:19 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020022.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 04:24:13 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC DMT 6 | | | Worklist Smp#: | 22 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 22 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020023.D | | | | |
| Lims ID: | IC DMT 5 | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 5 | | |
| Inject. Date: | 03-Mar-2022 04:59:22 | ALS Bottle#: | 23 | Worklist Smp#: | 23 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | IC DMT 5 | | | | |
| Misc. Info.: | 280-0108949-023 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Sublist: | chrom-8330_X5_Luna*sub2 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 03-Mar-2022 12:49:20 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1618 | | | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.171 | 5.171 | 0.000 | 140785 | 0.4004 | 0.3976 | |
| 4 DNX | 1 | 6.031 | 6.031 | 0.000 | 107128 | 0.4004 | 0.3845 | |
| 6 MNX | 1 | 7.625 | 7.625 | 0.000 | 115112 | 0.4668 | 0.4603 | |

## Reagents:

8330 DMT_00010 Amount Added: 20.00 Units: uL


Report Date: 03-Mar-2022 12:49:20 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020023.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 04:59:22 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC DMT 5 | | | Worklist Smp#: | 23 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 23 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020024.D
Lims ID: IC DMT 4
Client ID:
Sample Type: IC Calib Level: 4
Inject. Date: 03-Mar-2022 05:34:27 ALS Bottle#: 24 Worklist Smp#: 24
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: IC DMT 4
Misc. Info.: 280-0108949-024
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub2

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:49:20 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.164 | 5.171 | -0.007 | 87821 | 0.2503 | 0.2480 | |
| 4 DNX | 1 | 6.024 | 6.031 | -0.007 | 67422 | 0.2503 | 0.2420 | |
| 6 MNX | 1 | 7.617 | 7.625 | -0.008 | 71905 | 0.2918 | 0.2875 | |

## Reagents:

8330 DMT_00010 Amount Added: 12.50 Units: uL


Report Date: 03-Mar-2022 12:49:20 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020024.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 05:34:27 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC DMT 4 | | | Worklist Smp#: | 24 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 24 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020025.D | | | | |
| Lims ID: | IC DMT 3 | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 3 | | |
| Inject. Date: | 03-Mar-2022 06:09:35 | ALS Bottle#: | 25 | Worklist Smp#: | 25 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | IC DMT 3 | | | | |
| Misc. Info.: | 280-0108949-025 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Sublist: | chrom-8330_X5_Luna*sub2 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 03-Mar-2022 12:49:21 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1618 | | | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.172 | 5.171 | 0.001 | 35362 | 0.1001 | 0.0999 | |
| 4 DNX | 1 | 6.032 | 6.031 | 0.001 | 27790 | 0.1001 | 0.0997 | |
| 6 MNX | 1 | 7.625 | 7.625 | 0.000 | 29648 | 0.1167 | 0.1186 | |

## Reagents:

8330 DMT_00010 Amount Added: 5.00 Units: uL


Report Date: 03-Mar-2022 12:49:21 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020025.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 06:09:35 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC DMT 3 | | | Worklist Smp#: | 25 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 25 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020026.D | | | | |
| Lims ID: | IC DMT 2 | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 2 | | |
| Inject. Date: | 03-Mar-2022 06:44:40 | ALS Bottle#: | 26 | Worklist Smp#: | 26 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | IC DMT 2 | | | | |
| Misc. Info.: | 280-0108949-026 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Sublist: | chrom-8330_X5_Luna*sub2 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 03-Mar-2022 12:49:21 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1618 | | | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.168 | 5.171 | -0.003 | 17787 | 0.0501 | 0.0502 | |
| 4 DNX | 1 | 6.028 | 6.031 | -0.003 | 14466 | 0.0501 | 0.0519 | |
| 6 MNX | 1 | 7.621 | 7.625 | -0.004 | 14750 | 0.0584 | 0.0590 | |

## Reagents:

8330 DMT_00010 Amount Added: 2.50 Units: uL


Report Date: 03-Mar-2022 12:49:21 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020026.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 06:44:40 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC DMT 2 | | | Worklist Smp#: | 26 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 26 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Lims ID: | IC DMT 1 | | | | |
| Client ID: | | | | | |
| Sample Type: | IC | Calib Level: | 1 | | |
| Inject. Date: | 03-Mar-2022 07:19:48 | ALS Bottle#: | 27 | Worklist Smp#: | 27 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | IC DMT 1 | | | | |
| Misc. Info.: | 280-0108949-027 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Sublist: | chrom-8330_X5_Luna*sub2 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 03-Mar-2022 12:49:22 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1618 | | | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.170 | 5.171 | -0.001 | 6991 | 0.0200 | 0.0197 | |
| 4 DNX | 1 | 6.030 | 6.031 | -0.001 | 6349 | 0.0200 | 0.0228 | |
| 6 MNX | 1 | 7.624 | 7.625 | -0.001 | 6006 | 0.0233 | 0.0240 | |

## Reagents:

8330 DMT_00010 Amount Added: 1.00 Units: uL


Report Date: 03-Mar-2022 12:49:22 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 07:19:48 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | IC DMT 1 | | | Worklist Smp#: | 27 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 27 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 3.541E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 7350 |
| **Relative Standard Error:** | 1.1 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 1.000 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/27 | 0.02002 | 6991.0 | | | 349200.799201 | Y |
| 2 | IC 280-567560/26 | 0.05005 | 17787.0 | | | 355384.615385 | Y |
| 3 | IC 280-567560/25 | 0.1001 | 35362.0 | | | 353266.733267 | Y |
| 4 | IC 280-567560/24 | 0.25025 | 87821.0 | | | 350933.066933 | Y |
| 5 | IC 280-567560/23 | 0.4004 | 140785.0 | | | 351610.889111 | Y |
| 6 | IC 280-567560/22 | 0.7007 | 249006.0 | | | 355367.489653 | Y |
| 7 | IC 280-567560/21 | 1.001 | 355342.0 | | | 354987.012987 | Y |
| 8 | IC 280-567560/20 | 2.5025 | 905425.0 | | | 361808.191808 | Y |



| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.786E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 8750 |
| **Relative Standard Error:** | 6.2 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 0.995 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/27 | 0.02002 | 6349.0 | | | 317132.867133 | Y |
| 2 | IC 280-567560/26 | 0.05005 | 14466.0 | | | 289030.969031 | Y |
| 3 | IC 280-567560/25 | 0.1001 | 27790.0 | | | 277622.377622 | Y |
| 4 | IC 280-567560/24 | 0.25025 | 67422.0 | | | 269418.581419 | Y |
| 5 | IC 280-567560/23 | 0.4004 | 107128.0 | | | 267552.447552 | Y |
| 6 | IC 280-567560/22 | 0.7007 | 188710.0 | | | 269316.397888 | Y |
| 7 | IC 280-567560/21 | 1.001 | 268159.0 | | | 267891.108891 | Y |
| 8 | IC 280-567560/20 | 2.5025 | 678544.0 | | | 271146.453546 | Y |



| | |
|---|---|
| **Curve Type:** | Average |
| **Weighting:** | Conc_Sq |
| **Origin:** | Force |
| **Dependency:** | Response |
| **Calib Mode:** | ESTD |
| **Response Base:** | AREA |
| **RF Rounding:** | 0 |


**Curve Coefficients**

| | |
|---|---|
| **Intercept:** | 0 |
| **Slope:** | 2.501E+05 |

**Error Coefficients**

| | |
|---|---|
| **Standard Error:** | 2130 |
| **Relative Standard Error:** | 1.6 |
| **Correlation Coefficient:** | 1.000 |
| **Coefficient of Determination (Adjusted):** | 1.000 |

| ID | Level | Concentration | Response | IS Amount | IS Response | RF | Used |
|---|---|---|---|---|---|---|---|
| 1 | IC 280-567560/27 | 0.02334 | 6006.0 | | | 257326.478149 | Y |
| 2 | IC 280-567560/26 | 0.05835 | 14750.0 | | | 252784.918595 | Y |
| 3 | IC 280-567560/25 | 0.1167 | 29648.0 | | | 254053.127678 | Y |
| 4 | IC 280-567560/24 | 0.29175 | 71905.0 | | | 246461.01114 | Y |
| 5 | IC 280-567560/23 | 0.4668 | 115112.0 | | | 246598.114824 | Y |
| 6 | IC 280-567560/22 | 0.8169 | 202167.0 | | | 247480.719794 | Y |
| 7 | IC 280-567560/21 | 1.167 | 288166.0 | | | 246928.877464 | Y |
| 8 | IC 280-567560/20 | 2.9175 | 726501.0 | | | 249014.910026 | Y |



FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-562503/20 Calibration Date: 01/04/2022 21:54

Instrument ID: CHHPLC_X3 Calib Start Date: 01/04/2022 18:28

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/04/2022 21:31

Lab File ID: 01040020.D Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| HMX | Ave | 83827 | 81972 | | 489 | 500 | -2.2 | 15.0 |
| RDX | Ave | 103609 | 97016 | | 468 | 500 | -6.4 | 15.0 |
| Picric acid | Ave | 77039 | 79050 | | 513 | 500 | 2.6 | 15.0 |
| 1,3,5-Trinitrobenzene | Ave | 218096 | 225924 | | 518 | 500 | 3.6 | 15.0 |
| 1,3-Dinitrobenzene | Ave | 288401 | 300348 | | 521 | 500 | 4.1 | 15.0 |
| Nitrobenzene | Ave | 191953 | 197872 | | 515 | 500 | 3.1 | 15.0 |
| Tetryl | Ave | 170567 | 173346 | | 508 | 500 | 1.6 | 15.0 |
| Nitroglycerin | Ave | 63037 | 66420 | | 5270 | 5000 | 5.4 | 15.0 |
| 2,4,6-Trinitrotoluene | Ave | 202726 | 207174 | | 511 | 500 | 2.2 | 15.0 |
| 4-Amino-2,6-dinitrotoluene | Ave | 150985 | 149862 | | 496 | 500 | -0.7 | 15.0 |
| 2-Amino-4,6-dinitrotoluene | Ave | 202171 | 202042 | | 500 | 500 | -0.0 | 15.0 |
| 2,6-Dinitrotoluene | Ave | 143115 | 146810 | | 513 | 500 | 2.6 | 15.0 |
| 2,4-Dinitrotoluene | Ave | 289351 | 286440 | | 495 | 500 | -1.0 | 15.0 |
| 2-Nitrotoluene | Ave | 127614 | 127510 | | 500 | 500 | -0.0 | 15.0 |
| 4-Nitrotoluene | Ave | 106235 | 113254 | | 533 | 500 | 6.6 | 15.0 |
| 3-Nitrotoluene | Ave | 142273 | 134496 | | 473 | 500 | -5.5 | 15.0 |
| PETN | Lin2 | | 76139 | | 5230 | 5000 | 4.6 | 15.0 |
| 1,2-Dinitrobenzene | Ave | 124698 | 132072 | | 530 | 500 | 5.9 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-562503/20 Calibration Date: 01/04/2022 21:54

Instrument ID: CHHPLC_X3 Calib Start Date: 01/04/2022 18:28

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/04/2022 21:31

Lab File ID: 01040020.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| HMX | 6.60 | 6.45 | 6.75 |
| RDX | 7.60 | 7.46 | 7.76 |
| Picric acid | 7.92 | 7.80 | 8.10 |
| 1,3,5-Trinitrobenzene | 8.68 | 8.54 | 8.84 |
| 1,3-Dinitrobenzene | 9.32 | 9.18 | 9.48 |
| Nitrobenzene | 9.71 | 9.58 | 9.88 |
| Tetryl | 10.04 | 9.91 | 10.21 |
| Nitroglycerin | 10.50 | 10.37 | 10.67 |
| 2,4,6-Trinitrotoluene | 10.96 | 10.87 | 11.07 |
| 4-Amino-2,6-dinitrotoluene | 11.16 | 11.07 | 11.27 |
| 2-Amino-4,6-dinitrotoluene | 11.41 | 11.33 | 11.53 |
| 2,6-Dinitrotoluene | 11.58 | 11.50 | 11.70 |
| 2,4-Dinitrotoluene | 11.75 | 11.67 | 11.87 |
| 2-Nitrotoluene | 12.62 | 12.49 | 12.79 |
| 4-Nitrotoluene | 13.05 | 12.92 | 13.22 |
| 3-Nitrotoluene | 13.63 | 13.50 | 13.80 |
| PETN | 14.72 | 14.59 | 14.89 |
| 1,2-Dinitrobenzene | 8.56 | 8.42 | 8.72 |

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040020.D
Lims ID: ICV INT
Client ID:
Sample Type: ICV
Inject. Date: 04-Jan-2022 21:54:19 ALS Bottle#: 20 Worklist Smp#: 20
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: ICV INT
Misc. Info.: 280-0107731-020
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist:

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 06-Jan-2022 20:07:47 Calib Date: 04-Jan-2022 21:31:24
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040019.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1641

First Level Reviewer: zhangji Date: 06-Jan-2022 20:07:47

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.602 | 6.598 | 0.004 | 40986 | 0.5000 | 0.4889 | |
| 8 RDX | 1 | 7.602 | 7.605 | -0.003 | 48508 | 0.5000 | 0.4682 | M |
| 9 2,4,6-Trinitrophenol | 1 | 7.915 | 7.945 | -0.030 | 39525 | 0.5000 | 0.5131 | M |
| $ 10 1,2-Dinitrobenzene | 1 | 8.562 | 8.572 | -0.010 | 66036 | 0.5000 | 0.5296 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.682 | 8.692 | -0.010 | 112962 | 0.5000 | 0.5179 | |
| 12 1,3-Dinitrobenzene | 1 | 9.315 | 9.331 | -0.016 | 150174 | 0.5000 | 0.5207 | |
| 13 Nitrobenzene | 1 | 9.708 | 9.725 | -0.017 | 98936 | 0.5000 | 0.5154 | |
| 15 Tetryl | 1 | 10.042 | 10.058 | -0.016 | 86673 | 0.5000 | 0.5081 | |
| 16 Nitroglycerin | 2 | 10.502 | 10.518 | -0.016 | 332100 | 5.00 | 5.27 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.955 | 10.971 | -0.016 | 103587 | 0.5000 | 0.5110 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.155 | 11.171 | -0.016 | 74931 | 0.5000 | 0.4963 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.408 | 11.425 | -0.017 | 101021 | 0.5000 | 0.4997 | |
| 20 2,6-Dinitrotoluene | 1 | 11.582 | 11.598 | -0.016 | 73405 | 0.5000 | 0.5129 | |
| 21 2,4-Dinitrotoluene | 1 | 11.748 | 11.765 | -0.017 | 143220 | 0.5000 | 0.4950 | |
| 22 o-Nitrotoluene | 1 | 12.615 | 12.638 | -0.023 | 63755 | 0.5000 | 0.4996 | |
| 23 p-Nitrotoluene | 1 | 13.048 | 13.071 | -0.023 | 56627 | 0.5000 | 0.5330 | |
| 24 m-Nitrotoluene | 1 | 13.628 | 13.651 | -0.023 | 67248 | 0.5000 | 0.4727 | |
| 25 PETN | 2 | 14.715 | 14.738 | -0.023 | 380697 | 5.00 | 5.23 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330Surrogate_00127 Amount Added: 50.00 Units: uL
8330 LCS_00111 Amount Added: 50.00 Units: uL


Report Date: 06-Jan-2022 20:08:00 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040020.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 04-Jan-2022 21:54:19 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | ICV INT | | | Worklist Smp#: | 20 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 20 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040020.d | | | | |
| Injection Date: | 04-Jan-2022 21:54:19 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | ICV INT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 20 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 8 RDX, CAS: 121-82-4

Signal: 1


Processing Integration Results

RT: 7.60
Area: 71144
Amount: 0.655784
Amount Units: ug/mL




Manual Integration Results

RT: 7.60
Area: 48508
Amount: 0.468182
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 11:59:11
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040020.d | | | | |
| Injection Date: | 04-Jan-2022 21:54:19 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | ICV INT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 20 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 9 2,4,6-Trinitrophenol, CAS: 88-89-1

Signal: 1


Processing Integration Results

RT: 7.92
Area: 48188
Amount: 0.601054
Amount Units: ug/mL




Manual Integration Results

RT: 7.92
Area: 39525
Amount: 0.513051
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 11:59:15

Audit Action: Manually Integrated Audit Reason: Baseline

FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-562503/38 Calibration Date: 01/05/2022 04:47

Instrument ID: CHHPLC_X3 Calib Start Date: 01/05/2022 01:43

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/05/2022 04:24

Lab File ID: 01040038.D Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| TNX | Ave | 181207 | 178414 | | 493 | 501 | -1.5 | 15.0 |
| DNX | Ave | 138113 | 139363 | | 505 | 501 | 0.9 | 15.0 |
| MNX | Ave | 125995 | 128593 | | 596 | 584 | 2.1 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-562503/38 Calibration Date: 01/05/2022 04:47

Instrument ID: CHHPLC_X3 Calib Start Date: 01/05/2022 01:43

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/05/2022 04:24

Lab File ID: 01040038.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| TNX | 6.48 | 6.38 | 6.58 |
| DNX | 6.80 | 6.70 | 6.90 |
| MNX | 7.22 | 7.07 | 7.37 |

Eurofins TestAmerica, Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040038.D
Lims ID: ICV DMT
Client ID:
Sample Type: ICV
Inject. Date: 05-Jan-2022 04:47:17 ALS Bottle#: 38 Worklist Smp#: 38
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: ICV DMT
Misc. Info.: 280-0107731-038
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist:

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 05-Jan-2022 12:18:54 Calib Date: 05-Jan-2022 04:24:15
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220104-107731.b\01040037.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1613

First Level Reviewer: zhangji Date: 05-Jan-2022 12:09:42

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.482 | 6.484 | -0.002 | 89296 | 0.5005 | 0.4928 | M |
| 6 DNX | 1 | 6.796 | 6.797 | -0.001 | 69751 | 0.5005 | 0.5050 | M |
| 7 MNX | 1 | 7.222 | 7.224 | -0.002 | 75034 | 0.5835 | 0.5955 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330_OP_DMT_00012 Amount Added: 50.00 Units: uL


Report Date: 05-Jan-2022 12:19:19 Chrom Revision: 2.3 03-Jan-2022 17:03:12

Eurofins TestAmerica, Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040038.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 05-Jan-2022 04:47:17 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | ICV DMT | | | Worklist Smp#: | 38 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 38 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040038.d | | | | |
| Injection Date: | 05-Jan-2022 04:47:17 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | ICV DMT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 38 | Worklist Smp#: | 38 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.48
Area: 102738
Amount: 0.566963
Amount Units: ug/mL




Manual Integration Results

RT: 6.48
Area: 89296
Amount: 0.492783
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:09:35

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040038.d | | | | |
| Injection Date: | 05-Jan-2022 04:47:17 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | ICV DMT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 38 | Worklist Smp#: | 38 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 72644
Amount: 0.525975
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 69751
Amount: 0.505029
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:09:38

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins TestAmerica, Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220104-107731.b\01040038.d | | | | |
| Injection Date: | 05-Jan-2022 04:47:17 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | ICV DMT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 38 | Worklist Smp#: | 38 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 76990
Amount: 0.611054
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 75034
Amount: 0.595530
Amount Units: ug/mL




Reviewer: zhangji, 05-Jan-2022 12:09:41

Audit Action: Manually Integrated Audit Reason: Baseline

FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/7 Calibration Date: 05/19/2022 19:42

Instrument ID: CHHPLC_X3 Calib Start Date: 01/04/2022 18:28

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/04/2022 21:31

Lab File ID: 05190007.D Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| HMX | Ave | 83827 | 90836 | | 271 | 250 | 8.4 | 15.0 |
| RDX | Ave | 103609 | 105448 | | 254 | 250 | 1.8 | 15.0 |
| Picric acid | Ave | 77039 | 146060 | | 474 | 250 | 89.6* | 15.0 |
| 1,3,5-Trinitrobenzene | Ave | 218096 | 215708 | | 247 | 250 | -1.1 | 15.0 |
| 1,3-Dinitrobenzene | Ave | 288401 | 297192 | | 258 | 250 | 3.0 | 15.0 |
| Nitrobenzene | Ave | 191953 | 196316 | | 256 | 250 | 2.3 | 15.0 |
| Tetryl | Ave | 170567 | 169580 | | 249 | 250 | -0.6 | 15.0 |
| Nitroglycerin | Ave | 63037 | 64634 | | 2560 | 2500 | 2.5 | 15.0 |
| 2,4,6-Trinitrotoluene | Ave | 202726 | 212072 | | 262 | 250 | 4.6 | 15.0 |
| 4-Amino-2,6-dinitrotoluene | Ave | 150985 | 145252 | | 241 | 250 | -3.8 | 15.0 |
| 2-Amino-4,6-dinitrotoluene | Ave | 202171 | 198008 | | 245 | 250 | -2.1 | 15.0 |
| 2,6-Dinitrotoluene | Ave | 143115 | 142776 | | 249 | 250 | -0.2 | 15.0 |
| 2,4-Dinitrotoluene | Ave | 289351 | 288084 | | 249 | 250 | -0.4 | 15.0 |
| 2-Nitrotoluene | Ave | 127614 | 140460 | | 275 | 250 | 10.1 | 15.0 |
| 4-Nitrotoluene | Ave | 106235 | 108192 | | 255 | 250 | 1.8 | 15.0 |
| 3-Nitrotoluene | Ave | 142273 | 136004 | | 239 | 250 | -4.4 | 15.0 |
| PETN | Lin2 | | 72600 | | 2480 | 2500 | -0.7 | 15.0 |
| 1,2-Dinitrobenzene | Ave | 124698 | 129496 | | 260 | 250 | 3.8 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/7 Calibration Date: 05/19/2022 19:42

Instrument ID: CHHPLC_X3 Calib Start Date: 01/04/2022 18:28

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/04/2022 21:31

Lab File ID: 05190007.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| HMX | 6.61 | 6.46 | 6.76 |
| RDX | 7.60 | 7.45 | 7.75 |
| Picric acid | 7.95 | 7.80 | 8.10 |
| 1,3,5-Trinitrobenzene | 8.68 | 8.53 | 8.83 |
| 1,3-Dinitrobenzene | 9.31 | 9.16 | 9.46 |
| Nitrobenzene | 9.70 | 9.55 | 9.85 |
| Tetryl | 10.03 | 9.88 | 10.18 |
| Nitroglycerin | 10.47 | 10.32 | 10.62 |
| 2,4,6-Trinitrotoluene | 10.93 | 10.83 | 11.03 |
| 4-Amino-2,6-dinitrotoluene | 11.13 | 11.03 | 11.23 |
| 2-Amino-4,6-dinitrotoluene | 11.39 | 11.29 | 11.49 |
| 2,6-Dinitrotoluene | 11.55 | 11.45 | 11.65 |
| 2,4-Dinitrotoluene | 11.72 | 11.62 | 11.82 |
| 2-Nitrotoluene | 12.57 | 12.42 | 12.72 |
| 4-Nitrotoluene | 13.00 | 12.85 | 13.15 |
| 3-Nitrotoluene | 13.57 | 13.42 | 13.72 |
| PETN | 14.64 | 14.49 | 14.79 |
| 1,2-Dinitrobenzene | 8.55 | 8.40 | 8.70 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190007.D
Lims ID: CCV INT
Client ID:
Sample Type: CCV
Inject. Date: 19-May-2022 19:42:49 ALS Bottle#: 7 Worklist Smp#: 7
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: CCV INT
Misc. Info.: 280-0111180-007
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:40:16 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 19-May-2022 20:04:52

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.606 | 6.606 | 0.000 | 22709 | 0.2500 | 0.2709 | |
| 8 RDX | 1 | 7.599 | 7.599 | 0.000 | 26362 | 0.2500 | 0.2544 | |
| 9 2,4,6-Trinitrophenol | 1 | 7.946 | 7.946 | 0.000 | 36515 | 0.2500 | 0.4740 | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.552 | 8.552 | 0.000 | 32374 | 0.2500 | 0.2596 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.679 | 8.679 | 0.000 | 53927 | 0.2500 | 0.2473 | |
| 12 1,3-Dinitrobenzene | 1 | 9.306 | 9.306 | 0.000 | 74298 | 0.2500 | 0.2576 | |
| 13 Nitrobenzene | 1 | 9.699 | 9.699 | 0.000 | 49079 | 0.2500 | 0.2557 | |
| 15 Tetryl | 1 | 10.026 | 10.026 | 0.000 | 42395 | 0.2500 | 0.2486 | |
| 16 Nitroglycerin | 2 | 10.472 | 10.472 | 0.000 | 161586 | 2.50 | 2.56 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.932 | 10.932 | 0.000 | 53018 | 0.2500 | 0.2615 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.132 | 11.132 | 0.000 | 36313 | 0.2500 | 0.2405 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.386 | 11.386 | 0.000 | 49502 | 0.2500 | 0.2449 | |
| 20 2,6-Dinitrotoluene | 1 | 11.546 | 11.546 | 0.000 | 35694 | 0.2500 | 0.2494 | |
| 21 2,4-Dinitrotoluene | 1 | 11.719 | 11.719 | 0.000 | 72021 | 0.2500 | 0.2489 | |
| 22 o-Nitrotoluene | 1 | 12.572 | 12.572 | 0.000 | 35115 | 0.2500 | 0.2752 | |
| 23 p-Nitrotoluene | 1 | 12.999 | 12.999 | 0.000 | 27048 | 0.2500 | 0.2546 | |
| 24 m-Nitrotoluene | 1 | 13.572 | 13.572 | 0.000 | 34001 | 0.2500 | 0.2390 | |
| 25 PETN | 2 | 14.639 | 14.639 | 0.000 | 181499 | 2.50 | 2.48 | |

## QC Flag Legend
Processing Flags

## Reagents:
8330IntermStk_00072 Amount Added: 25.00 Units: uL


Report Date: 20-May-2022 13:40:17 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190007.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 19-May-2022 19:42:49 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | CCV INT | | | Worklist Smp#: | 7 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 7 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/9 | Calibration Date: 05/19/2022 20:28

Instrument ID: CHHPLC_X3 | Calib Start Date: 01/05/2022 01:43

GC Column: UltraCarb5uODS ID: 4.60(mm) | Calib End Date: 01/05/2022 04:24

Lab File ID: 05190009.D | Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| TNX | Ave | 181207 | 190484 | | 263 | 250 | 5.1 | 15.0 |
| DNX | Ave | 138113 | 142211 | | 258 | 251 | 3.0 | 15.0 |
| MNX | Ave | 125995 | 132568 | | 308 | 293 | 5.2 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/9 Calibration Date: 05/19/2022 20:28

Instrument ID: CHHPLC_X3 Calib Start Date: 01/05/2022 01:43

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/05/2022 04:24

Lab File ID: 05190009.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| TNX | 6.49 | 6.39 | 6.59 |
| DNX | 6.80 | 6.70 | 6.90 |
| MNX | 7.22 | 7.07 | 7.37 |

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190009.D | | | | |
| Lims ID: | CCV DMT | | | | |
| Client ID: | | | | | |
| Sample Type: | CCV | | | | |
| Inject. Date: | 19-May-2022 20:28:37 | ALS Bottle#: | 9 | Worklist Smp#: | 9 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | CCV DMT | | | | |
| Misc. Info.: | 280-0111180-009 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Sublist: | chrom-8330_X3*sub17 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:15 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |
| First Level Reviewer: zhangji | | Date: | 20-May-2022 13:39:07 | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.486 | 6.486 | 0.000 | 47621 | 0.2500 | 0.2628 | M |
| 6 DNX | 1 | 6.799 | 6.799 | 0.000 | 35695 | 0.2510 | 0.2584 | M |
| 7 MNX | 1 | 7.219 | 7.219 | 0.000 | 38776 | 0.2925 | 0.3078 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330 DMT_00011 Amount Added: 12.50 Units: uL


Report Date: 20-May-2022 13:40:15 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190009.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 19-May-2022 20:28:37 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | CCV DMT | | | Worklist Smp#: | 9 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 9 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190009.d | | | | |
| Injection Date: | 19-May-2022 20:28:37 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | CCV DMT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 9 | Worklist Smp#: | 9 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.49
Area: 66219
Amount: 0.365432
Amount Units: ug/mL




Manual Integration Results

RT: 6.49
Area: 47621
Amount: 0.262798
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 13:38:58

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190009.d | | | | |
| Injection Date: | 19-May-2022 20:28:37 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | CCV DMT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 9 | Worklist Smp#: | 9 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 38834
Amount: 0.281176
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 35695
Amount: 0.258448
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 13:39:02
Audit Action: Manually Integrated Audit Reason: Baseline

FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/21 Calibration Date: 05/20/2022 00:40

Instrument ID: CHHPLC_X3 Calib Start Date: 01/04/2022 18:28

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/04/2022 21:31

Lab File ID: 05190021.D Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| HMX | Ave | 83827 | 90072 | | 269 | 250 | 7.4 | 15.0 |
| RDX | Ave | 103609 | 106992 | | 258 | 250 | 3.3 | 15.0 |
| Picric acid | Ave | 77039 | 134072 | | 435 | 250 | 74.0* | 15.0 |
| 1,3,5-Trinitrobenzene | Ave | 218096 | 215624 | | 247 | 250 | -1.1 | 15.0 |
| 1,3-Dinitrobenzene | Ave | 288401 | 297484 | | 258 | 250 | 3.1 | 15.0 |
| Nitrobenzene | Ave | 191953 | 193184 | | 252 | 250 | 0.6 | 15.0 |
| Tetryl | Ave | 170567 | 170256 | | 250 | 250 | -0.2 | 15.0 |
| Nitroglycerin | Ave | 63037 | 64695 | | 2570 | 2500 | 2.6 | 15.0 |
| 2,4,6-Trinitrotoluene | Ave | 202726 | 212504 | | 262 | 250 | 4.8 | 15.0 |
| 4-Amino-2,6-dinitrotoluene | Ave | 150985 | 145308 | | 241 | 250 | -3.8 | 15.0 |
| 2-Amino-4,6-dinitrotoluene | Ave | 202171 | 198244 | | 245 | 250 | -1.9 | 15.0 |
| 2,6-Dinitrotoluene | Ave | 143115 | 140044 | | 245 | 250 | -2.1 | 15.0 |
| 2,4-Dinitrotoluene | Ave | 289351 | 290876 | | 251 | 250 | 0.5 | 15.0 |
| 2-Nitrotoluene | Ave | 127614 | 137900 | | 270 | 250 | 8.1 | 15.0 |
| 4-Nitrotoluene | Ave | 106235 | 105816 | | 249 | 250 | -0.4 | 15.0 |
| 3-Nitrotoluene | Ave | 142273 | 134416 | | 236 | 250 | -5.5 | 15.0 |
| PETN | Lin2 | | 72732 | | 2490 | 2500 | -0.5 | 15.0 |
| 1,2-Dinitrobenzene | Ave | 124698 | 130976 | | 263 | 250 | 5.0 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/21 Calibration Date: 05/20/2022 00:40

Instrument ID: CHHPLC_X3 Calib Start Date: 01/04/2022 18:28

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/04/2022 21:31

Lab File ID: 05190021.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| HMX | 6.60 | 6.46 | 6.76 |
| RDX | 7.60 | 7.45 | 7.75 |
| Picric acid | 7.94 | 7.80 | 8.10 |
| 1,3,5-Trinitrobenzene | 8.68 | 8.53 | 8.83 |
| 1,3-Dinitrobenzene | 9.31 | 9.16 | 9.46 |
| Nitrobenzene | 9.70 | 9.55 | 9.85 |
| Tetryl | 10.02 | 9.88 | 10.18 |
| Nitroglycerin | 10.47 | 10.32 | 10.62 |
| 2,4,6-Trinitrotoluene | 10.93 | 10.83 | 11.03 |
| 4-Amino-2,6-dinitrotoluene | 11.13 | 11.03 | 11.23 |
| 2-Amino-4,6-dinitrotoluene | 11.38 | 11.29 | 11.49 |
| 2,6-Dinitrotoluene | 11.54 | 11.45 | 11.65 |
| 2,4-Dinitrotoluene | 11.71 | 11.62 | 11.82 |
| 2-Nitrotoluene | 12.56 | 12.42 | 12.72 |
| 4-Nitrotoluene | 12.99 | 12.85 | 13.15 |
| 3-Nitrotoluene | 13.56 | 13.42 | 13.72 |
| PETN | 14.62 | 14.49 | 14.79 |
| 1,2-Dinitrobenzene | 8.56 | 8.40 | 8.70 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190021.D
Lims ID: CCV INT
Client ID:
Sample Type: CCV
Inject. Date: 20-May-2022 00:40:36 ALS Bottle#: 7 Worklist Smp#: 21
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: CCV INT
Misc. Info.: 280-0111180-021
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:40:07 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:15:05

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.604 | 6.606 | -0.002 | 22518 | 0.2500 | 0.2686 | M |
| 8 RDX | 1 | 7.604 | 7.599 | 0.005 | 26748 | 0.2500 | 0.2582 | |
| 9 2,4,6-Trinitrophenol | 1 | 7.944 | 7.946 | -0.002 | 33518 | 0.2500 | 0.4351 | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.558 | 8.552 | 0.006 | 32744 | 0.2500 | 0.2626 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.678 | 8.679 | -0.001 | 53906 | 0.2500 | 0.2472 | |
| 12 1,3-Dinitrobenzene | 1 | 9.311 | 9.306 | 0.005 | 74371 | 0.2500 | 0.2579 | |
| 13 Nitrobenzene | 1 | 9.698 | 9.699 | -0.001 | 48296 | 0.2500 | 0.2516 | |
| 15 Tetryl | 1 | 10.024 | 10.026 | -0.002 | 42564 | 0.2500 | 0.2495 | |
| 16 Nitroglycerin | 2 | 10.471 | 10.472 | -0.001 | 161737 | 2.50 | 2.57 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.931 | 10.932 | -0.001 | 53126 | 0.2500 | 0.2621 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.131 | 11.132 | -0.001 | 36327 | 0.2500 | 0.2406 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.384 | 11.386 | -0.002 | 49561 | 0.2500 | 0.2451 | |
| 20 2,6-Dinitrotoluene | 1 | 11.544 | 11.546 | -0.002 | 35011 | 0.2500 | 0.2446 | |
| 21 2,4-Dinitrotoluene | 1 | 11.711 | 11.719 | -0.008 | 72719 | 0.2500 | 0.2513 | |
| 22 o-Nitrotoluene | 1 | 12.564 | 12.572 | -0.008 | 34475 | 0.2500 | 0.2702 | |
| 23 p-Nitrotoluene | 1 | 12.991 | 12.999 | -0.008 | 26454 | 0.2500 | 0.2490 | |
| 24 m-Nitrotoluene | 1 | 13.564 | 13.572 | -0.008 | 33604 | 0.2500 | 0.2362 | |
| 25 PETN | 2 | 14.624 | 14.639 | -0.015 | 181829 | 2.50 | 2.49 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330IntermStk_00072 Amount Added: 25.00 Units: uL


Report Date: 20-May-2022 13:40:07 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190021.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 00:40:36 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | CCV INT | | | Worklist Smp#: | 21 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 7 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190021.d | | | | |
| Injection Date: | 20-May-2022 00:40:36 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | CCV INT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 7 | Worklist Smp#: | 21 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.60
Area: 31141
Amount: 0.371490
Amount Units: ug/mL




Manual Integration Results

RT: 6.60
Area: 22518
Amount: 0.268624
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:15:04

Audit Action: Manually Integrated Audit Reason: Baseline

FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/23 | Calibration Date: 05/20/2022 01:26

Instrument ID: CHHPLC_X3 | Calib Start Date: 01/05/2022 01:43

GC Column: UltraCarb5uODS ID: 4.60(mm) | Calib End Date: 01/05/2022 04:24

Lab File ID: 05190023.D | Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| TNX | Ave | 181207 | 189040 | | 261 | 250 | 4.3 | 15.0 |
| DNX | Ave | 138113 | 141741 | | 258 | 251 | 2.6 | 15.0 |
| MNX | Ave | 125995 | 131552 | | 305 | 293 | 4.4 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/23 Calibration Date: 05/20/2022 01:26

Instrument ID: CHHPLC_X3 Calib Start Date: 01/05/2022 01:43

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/05/2022 04:24

Lab File ID: 05190023.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| TNX | 6.49 | 6.39 | 6.59 |
| DNX | 6.80 | 6.70 | 6.90 |
| MNX | 7.22 | 7.07 | 7.37 |

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190023.D | | | | |
| Lims ID: | CCV DMT | | | | |
| Client ID: | | | | | |
| Sample Type: | CCV | | | | |
| Inject. Date: | 20-May-2022 01:26:26 | ALS Bottle#: | 9 | Worklist Smp#: | 23 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | CCV DMT | | | | |
| Misc. Info.: | 280-0111180-023 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Sublist: | chrom-8330_X3*sub17 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:05 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |
| First Level Reviewer: zhangji | | Date: | 20-May-2022 12:15:26 | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.486 | 6.486 | 0.000 | 47260 | 0.2500 | 0.2608 | M |
| 6 DNX | 1 | 6.800 | 6.799 | 0.001 | 35577 | 0.2510 | 0.2576 | M |
| 7 MNX | 1 | 7.220 | 7.219 | 0.001 | 38479 | 0.2925 | 0.3054 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330 DMT_00011 Amount Added: 12.50 Units: uL


Report Date: 20-May-2022 13:40:05 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190023.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 01:26:26 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | CCV DMT | | | Worklist Smp#: | 23 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 9 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190023.d | | | | |
| Injection Date: | 20-May-2022 01:26:26 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | CCV DMT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 9 | Worklist Smp#: | 23 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.49
Area: 63444
Amount: 0.350118
Amount Units: ug/mL




Manual Integration Results

RT: 6.49
Area: 47260
Amount: 0.260806
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:15:21

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190023.d | | | | |
| Injection Date: | 20-May-2022 01:26:26 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | CCV DMT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 9 | Worklist Smp#: | 23 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 38488
Amount: 0.278670
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 35577
Amount: 0.257594
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:15:25
Audit Action: Manually Integrated Audit Reason: Baseline

FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/33 Calibration Date: 05/20/2022 05:15

Instrument ID: CHHPLC_X3 Calib Start Date: 01/04/2022 18:28

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/04/2022 21:31

Lab File ID: 05190033.D Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| HMX | Ave | 83827 | 90344 | | 269 | 250 | 7.8 | 15.0 |
| RDX | Ave | 103609 | 107128 | | 258 | 250 | 3.4 | 15.0 |
| Picric acid | Ave | 77039 | 135836 | | 441 | 250 | 76.3* | 15.0 |
| 1,3,5-Trinitrobenzene | Ave | 218096 | 216248 | | 248 | 250 | -0.8 | 15.0 |
| 1,3-Dinitrobenzene | Ave | 288401 | 299816 | | 260 | 250 | 4.0 | 15.0 |
| Nitrobenzene | Ave | 191953 | 191956 | | 250 | 250 | 0.0 | 15.0 |
| Tetryl | Ave | 170567 | 170084 | | 249 | 250 | -0.3 | 15.0 |
| Nitroglycerin | Ave | 63037 | 66059 | | 2620 | 2500 | 4.8 | 15.0 |
| 2,4,6-Trinitrotoluene | Ave | 202726 | 212816 | | 262 | 250 | 5.0 | 15.0 |
| 4-Amino-2,6-dinitrotoluene | Ave | 150985 | 146048 | | 242 | 250 | -3.3 | 15.0 |
| 2-Amino-4,6-dinitrotoluene | Ave | 202171 | 197356 | | 244 | 250 | -2.4 | 15.0 |
| 2,6-Dinitrotoluene | Ave | 143115 | 144024 | | 252 | 250 | 0.6 | 15.0 |
| 2,4-Dinitrotoluene | Ave | 289351 | 292320 | | 253 | 250 | 1.0 | 15.0 |
| 2-Nitrotoluene | Ave | 127614 | 140404 | | 275 | 250 | 10.0 | 15.0 |
| 4-Nitrotoluene | Ave | 106235 | 105712 | | 249 | 250 | -0.5 | 15.0 |
| 3-Nitrotoluene | Ave | 142273 | 131676 | | 231 | 250 | -7.4 | 15.0 |
| PETN | Lin2 | | 73346 | | 2510 | 2500 | 0.3 | 15.0 |
| 1,2-Dinitrobenzene | Ave | 124698 | 128892 | | 258 | 250 | 3.4 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/33 Calibration Date: 05/20/2022 05:15

Instrument ID: CHHPLC_X3 Calib Start Date: 01/04/2022 18:28

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/04/2022 21:31

Lab File ID: 05190033.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| HMX | 6.61 | 6.46 | 6.76 |
| RDX | 7.60 | 7.45 | 7.75 |
| Picric acid | 7.95 | 7.80 | 8.10 |
| 1,3,5-Trinitrobenzene | 8.68 | 8.53 | 8.83 |
| 1,3-Dinitrobenzene | 9.30 | 9.16 | 9.46 |
| Nitrobenzene | 9.69 | 9.55 | 9.85 |
| Tetryl | 10.02 | 9.88 | 10.18 |
| Nitroglycerin | 10.47 | 10.32 | 10.62 |
| 2,4,6-Trinitrotoluene | 10.92 | 10.83 | 11.03 |
| 4-Amino-2,6-dinitrotoluene | 11.12 | 11.03 | 11.23 |
| 2-Amino-4,6-dinitrotoluene | 11.38 | 11.29 | 11.49 |
| 2,6-Dinitrotoluene | 11.54 | 11.45 | 11.65 |
| 2,4-Dinitrotoluene | 11.71 | 11.62 | 11.82 |
| 2-Nitrotoluene | 12.56 | 12.42 | 12.72 |
| 4-Nitrotoluene | 12.99 | 12.85 | 13.15 |
| 3-Nitrotoluene | 13.56 | 13.42 | 13.72 |
| PETN | 14.62 | 14.49 | 14.79 |
| 1,2-Dinitrobenzene | 8.56 | 8.40 | 8.70 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190033.D
Lims ID: CCV INT
Client ID:
Sample Type: CCV
Inject. Date: 20-May-2022 05:15:40 ALS Bottle#: 7 Worklist Smp#: 33
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: CCV INT
Misc. Info.: 280-0111180-033
Operator ID: JZ Instrument ID: CHHPLC_X3
Sublist: chrom-8330_X3*sub9

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:39:57 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:30:10

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.605 | 6.606 | -0.001 | 22586 | 0.2500 | 0.2694 | M |
| 8 RDX | 1 | 7.598 | 7.599 | -0.001 | 26782 | 0.2500 | 0.2585 | |
| 9 2,4,6-Trinitrophenol | 1 | 7.945 | 7.946 | -0.001 | 33959 | 0.2500 | 0.4408 | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.558 | 8.552 | 0.006 | 32223 | 0.2500 | 0.2584 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.678 | 8.679 | -0.001 | 54062 | 0.2500 | 0.2479 | |
| 12 1,3-Dinitrobenzene | 1 | 9.304 | 9.306 | -0.002 | 74954 | 0.2500 | 0.2599 | |
| 13 Nitrobenzene | 1 | 9.691 | 9.699 | -0.008 | 47989 | 0.2500 | 0.2500 | |
| 15 Tetryl | 1 | 10.018 | 10.026 | -0.008 | 42521 | 0.2500 | 0.2493 | |
| 16 Nitroglycerin | 2 | 10.471 | 10.472 | -0.001 | 165148 | 2.50 | 2.62 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.924 | 10.932 | -0.008 | 53204 | 0.2500 | 0.2624 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.124 | 11.132 | -0.008 | 36512 | 0.2500 | 0.2418 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.378 | 11.386 | -0.008 | 49339 | 0.2500 | 0.2440 | |
| 20 2,6-Dinitrotoluene | 1 | 11.544 | 11.546 | -0.002 | 36006 | 0.2500 | 0.2516 | |
| 21 2,4-Dinitrotoluene | 1 | 11.711 | 11.719 | -0.008 | 73080 | 0.2500 | 0.2526 | |
| 22 o-Nitrotoluene | 1 | 12.564 | 12.572 | -0.008 | 35101 | 0.2500 | 0.2751 | |
| 23 p-Nitrotoluene | 1 | 12.991 | 12.999 | -0.008 | 26428 | 0.2500 | 0.2488 | |
| 24 m-Nitrotoluene | 1 | 13.564 | 13.572 | -0.008 | 32919 | 0.2500 | 0.2314 | |
| 25 PETN | 2 | 14.624 | 14.639 | -0.015 | 183365 | 2.50 | 2.51 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330IntermStk_00072 Amount Added: 25.00 Units: uL


Report Date: 20-May-2022 13:39:57 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190033.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 05:15:40 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | CCV INT | | | Worklist Smp#: | 33 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 7 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190033.d | | | | |
| Injection Date: | 20-May-2022 05:15:40 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | CCV INT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 7 | Worklist Smp#: | 33 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.60
Area: 27329
Amount: 0.326016
Amount Units: ug/mL




Manual Integration Results

RT: 6.60
Area: 22586
Amount: 0.269435
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:30:09
Audit Action: Manually Integrated Audit Reason: Baseline

FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/35 Calibration Date: 05/20/2022 06:01

Instrument ID: CHHPLC_X3 Calib Start Date: 01/05/2022 01:43

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/05/2022 04:24

Lab File ID: 05190035.D Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| TNX | Ave | 181207 | 184344 | | 254 | 250 | 1.7 | 15.0 |
| DNX | Ave | 138113 | 141749 | | 258 | 251 | 2.6 | 15.0 |
| MNX | Ave | 125995 | 131149 | | 304 | 293 | 4.1 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575600/35 Calibration Date: 05/20/2022 06:01

Instrument ID: CHHPLC_X3 Calib Start Date: 01/05/2022 01:43

GC Column: UltraCarb5uODS ID: 4.60(mm) Calib End Date: 01/05/2022 04:24

Lab File ID: 05190035.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| TNX | 6.49 | 6.39 | 6.59 |
| DNX | 6.80 | 6.70 | 6.90 |
| MNX | 7.22 | 7.07 | 7.37 |

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190035.D | | | | |
| Lims ID: | CCV DMT | | | | |
| Client ID: | | | | | |
| Sample Type: | CCV | | | | |
| Inject. Date: | 20-May-2022 06:01:34 | ALS Bottle#: | 9 | Worklist Smp#: | 35 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | CCV DMT | | | | |
| Misc. Info.: | 280-0111180-035 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Sublist: | chrom-8330_X3*sub17 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:39:56 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |
| First Level Reviewer: zhangji | | Date: | 20-May-2022 12:30:34 | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.487 | 6.486 | 0.001 | 46086 | 0.2500 | 0.2543 | M |
| 6 DNX | 1 | 6.800 | 6.799 | 0.001 | 35579 | 0.2510 | 0.2576 | M |
| 7 MNX | 1 | 7.220 | 7.219 | 0.001 | 38361 | 0.2925 | 0.3045 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

8330 DMT_00011 Amount Added: 12.50 Units: uL


Report Date: 20-May-2022 13:39:56 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190035.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 06:01:34 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | CCV DMT | | | Worklist Smp#: | 35 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 9 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190035.d | | | | |
| Injection Date: | 20-May-2022 06:01:34 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | CCV DMT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 9 | Worklist Smp#: | 35 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 3 TNX, CAS: 13980-04-6

Signal: 1


Processing Integration Results

RT: 6.49
Area: 62333
Amount: 0.343987
Amount Units: ug/mL




Manual Integration Results

RT: 6.49
Area: 46086
Amount: 0.254327
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:30:29

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190035.d | | | | |
| Injection Date: | 20-May-2022 06:01:34 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | CCV DMT | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 9 | Worklist Smp#: | 35 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 6 DNX, CAS: 80251-29-2

Signal: 1


Processing Integration Results

RT: 6.80
Area: 38939
Amount: 0.281936
Amount Units: ug/mL




Manual Integration Results

RT: 6.80
Area: 35579
Amount: 0.257608
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:30:32
Audit Action: Manually Integrated Audit Reason: Baseline

FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-567560/19 Calibration Date: 03/03/2022 02:38

Instrument ID: CHHPLC_X5 Calib Start Date: 03/02/2022 21:22

GC Column: Luna-phenylhex ID: 4.60(mm) Calib End Date: 03/03/2022 02:03

Lab File ID: 03020019.D Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| HMX | Ave | 166135 | 152908 | | 460 | 500 | -8.0 | 15.0 |
| Picric acid | Ave | 132885 | 149388 | | 562 | 500 | 12.4 | 15.0 |
| RDX | Ave | 194331 | 186788 | | 481 | 500 | -3.9 | 15.0 |
| Nitrobenzene | Ave | 368293 | 368460 | | 500 | 500 | 0.0 | 15.0 |
| 1,3-Dinitrobenzene | Ave | 571666 | 563218 | | 493 | 500 | -1.5 | 15.0 |
| Nitroglycerin | Ave | 122518 | 128779 | | 5260 | 5000 | 5.1 | 15.0 |
| 2-Nitrotoluene | Ave | 234672 | 232836 | | 496 | 500 | -0.8 | 15.0 |
| 4-Nitrotoluene | Ave | 210817 | 216650 | | 514 | 500 | 2.8 | 15.0 |
| 4-Amino-2,6-dinitrotoluene | Lin2 | | 269688 | | 505 | 500 | 1.0 | 15.0 |
| 3-Nitrotoluene | Lin2 | | 254816 | | 480 | 500 | -4.1 | 15.0 |
| 2-Amino-4,6-dinitrotoluene | Ave | 360536 | 361200 | | 501 | 500 | 0.2 | 15.0 |
| 1,3,5-Trinitrobenzene | Ave | 415464 | 433072 | | 521 | 500 | 4.2 | 15.0 |
| 2,6-Dinitrotoluene | Ave | 265662 | 266814 | | 502 | 500 | 0.4 | 15.0 |
| 2,4-Dinitrotoluene | Lin2 | | 522322 | | 470 | 500 | -5.9 | 15.0 |
| Tetryl | Ave | 342171 | 323254 | | 472 | 500 | -5.5 | 15.0 |
| 2,4,6-Trinitrotoluene | Ave | 369179 | 384614 | | 521 | 500 | 4.2 | 15.0 |
| PETN | Ave | 129329 | 137808 | | 5330 | 5000 | 6.6 | 15.0 |
| 1,2-Dinitrobenzene | Ave | 249753 | 254466 | | 509 | 500 | 1.9 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-567560/19 Calibration Date: 03/03/2022 02:38

Instrument ID: CHHPLC_X5 Calib Start Date: 03/02/2022 21:22

GC Column: Luna-phenylhex ID: 4.60(mm) Calib End Date: 03/03/2022 02:03

Lab File ID: 03020019.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| HMX | 6.87 | 6.74 | 7.04 |
| Picric acid | 7.62 | 7.45 | 7.75 |
| RDX | 9.08 | 8.97 | 9.27 |
| Nitrobenzene | 12.01 | 11.91 | 12.21 |
| 1,3-Dinitrobenzene | 15.60 | 15.49 | 15.79 |
| Nitroglycerin | 16.04 | 15.91 | 16.21 |
| 2-Nitrotoluene | 16.78 | 16.67 | 16.97 |
| 4-Nitrotoluene | 17.08 | 16.98 | 17.28 |
| 4-Amino-2,6-dinitrotoluene | 17.72 | 17.61 | 17.91 |
| 3-Nitrotoluene | 18.06 | 17.95 | 18.25 |
| 2-Amino-4,6-dinitrotoluene | 18.72 | 18.59 | 18.89 |
| 1,3,5-Trinitrobenzene | 18.92 | 18.80 | 19.10 |
| 2,6-Dinitrotoluene | 20.22 | 20.11 | 20.41 |
| 2,4-Dinitrotoluene | 20.73 | 20.61 | 20.91 |
| Tetryl | 24.48 | 24.34 | 24.64 |
| 2,4,6-Trinitrotoluene | 25.24 | 25.11 | 25.41 |
| PETN | 26.21 | 26.07 | 26.37 |
| 1,2-Dinitrobenzene | 13.24 | 13.13 | 13.43 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020019.D
Lims ID: ICV INT
Client ID:
Sample Type: ICV
Inject. Date: 03-Mar-2022 02:38:50 ALS Bottle#: 19 Worklist Smp#: 19
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: ICV INT
Misc. Info.: 280-0108949-019
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist:

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 03-Mar-2022 12:52:22 Calib Date: 03-Mar-2022 02:03:29
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020018.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1618

First Level Reviewer: zhangji Date: 03-Mar-2022 12:42:44
Second Level Reviewer: zhangji Date: 03-Mar-2022 12:52:22

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2,6-diamino-4-nitrotoluene | 1 | 4.143 | 4.142 | 0.001 | 223893 | 0.5000 | 0.5509 | |
| 2 | 2,4-diamino-6-nitrotoluene | 1 | 4.749 | 4.669 | 0.080 | 110582 | 0.5000 | 0.4814 | M |
| 5 | HMX | 1 | 6.869 | 6.889 | -0.020 | 76454 | 0.5000 | 0.4602 | |
| 7 | 2,4,6-Trinitrophenol | 1 | 7.623 | 7.602 | 0.021 | 74694 | 0.5000 | 0.5621 | |
| 8 | RDX | 1 | 9.076 | 9.115 | -0.039 | 93394 | 0.5000 | 0.4806 | |
| 9 | Nitrobenzene | 1 | 12.009 | 12.062 | -0.053 | 184230 | 0.5000 | 0.5002 | |
| $ 10 | 1,2-Dinitrobenzene | 1 | 13.236 | 13.282 | -0.046 | 127233 | 0.5000 | 0.5094 | |
| 11 | 3,5-Dinitroaniline | 1 | 15.229 | 15.269 | -0.040 | 225413 | 0.5000 | 0.5479 | |
| 12 | 1,3-Dinitrobenzene | 1 | 15.596 | 15.635 | -0.039 | 281609 | 0.5000 | 0.4926 | |
| 13 | Nitroglycerin | 2 | 16.036 | 16.055 | -0.019 | 643894 | 5.00 | 5.26 | |
| 14 | o-Nitrotoluene | 1 | 16.776 | 16.822 | -0.046 | 116418 | 0.5000 | 0.4961 | |
| 16 | p-Nitrotoluene | 1 | 17.083 | 17.129 | -0.046 | 108325 | 0.5000 | 0.5138 | |
| 17 | 4-Amino-2,6-dinitrotoluene | 1 | 17.716 | 17.755 | -0.039 | 134844 | 0.5000 | 0.5048 | |
| 18 | m-Nitrotoluene | 1 | 18.056 | 18.102 | -0.046 | 127408 | 0.5000 | 0.4797 | |
| 19 | 2-Amino-4,6-dinitrotoluene | 1 | 18.716 | 18.742 | -0.026 | 180600 | 0.5000 | 0.5009 | |
| 20 | 1,3,5-Trinitrobenzene | 1 | 18.916 | 18.949 | -0.033 | 216536 | 0.5000 | 0.5212 | |
| 21 | 2,6-Dinitrotoluene | 1 | 20.223 | 20.255 | -0.032 | 133407 | 0.5000 | 0.5022 | |
| 22 | 2,4-Dinitrotoluene | 1 | 20.729 | 20.762 | -0.033 | 261161 | 0.5000 | 0.4704 | |
| 23 | Tetryl | 1 | 24.476 | 24.489 | -0.013 | 161627 | 0.5000 | 0.4724 | |
| 24 | 2,4,6-Trinitrotoluene | 1 | 25.243 | 25.262 | -0.019 | 192307 | 0.5000 | 0.5209 | |
| 25 | PETN | 2 | 26.209 | 26.215 | -0.006 | 689039 | 5.00 | 5.33 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

| | | | |
|---|---|---|---|
| 8330 LCS_00111 | Amount Added: | 50.00 | Units: uL |
| 8330Surrogate_00127 | Amount Added: | 50.00 | Units: uL |
| 3,5-DNA LCS_00040 | Amount Added: | 50.00 | Units: uL |
| 8330DiaminLCS_00047 | Amount Added: | 50.00 | Units: uL |


Report Date: 03-Mar-2022 12:52:29 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020019.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 02:38:50 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | ICV INT | | | Worklist Smp#: | 19 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 19 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-567560/28 Calibration Date: 03/03/2022 07:54

Instrument ID: CHHPLC_X5 Calib Start Date: 03/03/2022 03:13

GC Column: Luna-phenylhex ID: 4.60(mm) Calib End Date: 03/03/2022 07:19

Lab File ID: 03020028.D Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| TNX | Ave | 354070 | 354839 | | 502 | 501 | 0.2 | 15.0 |
| DNX | Ave | 278639 | 276448 | | 497 | 501 | -0.8 | 15.0 |
| MNX | Ave | 250081 | 253925 | | 592 | 584 | 1.5 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: ICV 280-567560/28 Calibration Date: 03/03/2022 07:54

Instrument ID: CHHPLC_X5 Calib Start Date: 03/03/2022 03:13

GC Column: Luna-phenylhex ID: 4.60(mm) Calib End Date: 03/03/2022 07:19

Lab File ID: 03020028.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| TNX | 5.16 | 5.02 | 5.32 |
| DNX | 6.02 | 5.88 | 6.18 |
| MNX | 7.61 | 7.48 | 7.78 |

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020028.D | | | | |
| Lims ID: | ICV DMT | | | | |
| Client ID: | | | | | |
| Sample Type: | ICV | | | | |
| Inject. Date: | 03-Mar-2022 07:54:47 | ALS Bottle#: | 28 | Worklist Smp#: | 28 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | ICV DMT | | | | |
| Misc. Info.: | 280-0108949-028 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Sublist: | | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 03-Mar-2022 13:02:36 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1618 | | | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.157 | 5.171 | -0.014 | 177597 | 0.5005 | 0.5016 | |
| 4 DNX | 1 | 6.017 | 6.031 | -0.014 | 138362 | 0.5005 | 0.4966 | |
| 6 MNX | 1 | 7.610 | 7.625 | -0.015 | 148165 | 0.5835 | 0.5925 | |

## Reagents:

8330_OP_DMT_00012 Amount Added: 50.00 Units: uL


Report Date: 03-Mar-2022 13:02:44 Chrom Revision: 2.3 16-Feb-2022 17:52:00

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020028.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 03-Mar-2022 07:54:47 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | ICV DMT | | | Worklist Smp#: | 28 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 28 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575712/7 | Calibration Date: 05/20/2022 16:51

Instrument ID: CHHPLC_X5 | Calib Start Date: 03/02/2022 21:22

GC Column: Luna-phenylhex ID: 4.60(mm) | Calib End Date: 03/03/2022 02:03

Lab File ID: 05200007.D | Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| HMX | Ave | 166135 | 177804 | | 268 | 250 | 7.0 | 15.0 |
| Picric acid | Ave | 132885 | 152760 | | 287 | 250 | 15.0 | 15.0 |
| RDX | Ave | 194331 | 197036 | | 253 | 250 | 1.4 | 15.0 |
| Nitrobenzene | Ave | 368293 | 386544 | | 262 | 250 | 5.0 | 15.0 |
| 1,3-Dinitrobenzene | Ave | 571666 | 577808 | | 253 | 250 | 1.1 | 15.0 |
| Nitroglycerin | Ave | 122518 | 126110 | | 2570 | 2500 | 2.9 | 15.0 |
| 2-Nitrotoluene | Ave | 234672 | 234720 | | 250 | 250 | 0.0 | 15.0 |
| 4-Nitrotoluene | Ave | 210817 | 211292 | | 251 | 250 | 0.2 | 15.0 |
| 4-Amino-2,6-dinitrotoluene | Lin2 | | 265356 | | 248 | 250 | -0.6 | 15.0 |
| 3-Nitrotoluene | Lin2 | | 268120 | | 253 | 250 | 1.1 | 15.0 |
| 2-Amino-4,6-dinitrotoluene | Ave | 360536 | 363124 | | 252 | 250 | 0.7 | 15.0 |
| 1,3,5-Trinitrobenzene | Ave | 415464 | 424084 | | 255 | 250 | 2.1 | 15.0 |
| 2,6-Dinitrotoluene | Ave | 265662 | 271164 | | 255 | 250 | 2.1 | 15.0 |
| 2,4-Dinitrotoluene | Lin2 | | 543760 | | 239 | 250 | -4.3 | 15.0 |
| Tetryl | Ave | 342171 | 338792 | | 248 | 250 | -1.0 | 15.0 |
| 2,4,6-Trinitrotoluene | Ave | 369179 | 417012 | | 282 | 250 | 13.0 | 15.0 |
| PETN | Ave | 129329 | 135527 | | 2620 | 2500 | 4.8 | 15.0 |
| 1,2-Dinitrobenzene | Ave | 249753 | 255052 | | 255 | 250 | 2.1 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575712/7 Calibration Date: 05/20/2022 16:51

Instrument ID: CHHPLC_X5 Calib Start Date: 03/02/2022 21:22

GC Column: Luna-phenylhex ID: 4.60(mm) Calib End Date: 03/03/2022 02:03

Lab File ID: 05200007.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| HMX | 6.81 | 6.66 | 6.96 |
| Picric acid | 8.12 | 7.97 | 8.27 |
| RDX | 8.99 | 8.84 | 9.14 |
| Nitrobenzene | 11.96 | 11.81 | 12.11 |
| 1,3-Dinitrobenzene | 15.51 | 15.36 | 15.66 |
| Nitroglycerin | 15.94 | 15.79 | 16.09 |
| 2-Nitrotoluene | 16.74 | 16.59 | 16.89 |
| 4-Nitrotoluene | 17.05 | 16.90 | 17.20 |
| 4-Amino-2,6-dinitrotoluene | 17.65 | 17.50 | 17.80 |
| 3-Nitrotoluene | 18.03 | 17.88 | 18.18 |
| 2-Amino-4,6-dinitrotoluene | 18.67 | 18.52 | 18.82 |
| 1,3,5-Trinitrobenzene | 18.81 | 18.66 | 18.96 |
| 2,6-Dinitrotoluene | 20.17 | 20.02 | 20.32 |
| 2,4-Dinitrotoluene | 20.68 | 20.53 | 20.83 |
| Tetryl | 24.43 | 24.28 | 24.58 |
| 2,4,6-Trinitrotoluene | 25.19 | 25.04 | 25.34 |
| PETN | 26.17 | 26.02 | 26.32 |
| 1,2-Dinitrobenzene | 13.18 | 13.03 | 13.33 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200007.D
Lims ID: CCV
Client ID:
Sample Type: CCV
Inject. Date: 20-May-2022 16:51:58 ALS Bottle#: 7 Worklist Smp#: 7
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: CCV
Misc. Info.: 280-0111212-007
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 21-May-2022 12:33:09 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1646

First Level Reviewer: zhangji Date: 20-May-2022 17:46:05

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|---|
| | 1 2,6-diamino-4-nitrotoluene | 1 | 4.181 | 4.181 | 0.000 | 38634 | 0.2500 | 0.0951 | |
| | 2 2,4-diamino-6-nitrotoluene | 1 | 4.788 | 4.788 | 0.000 | 8830 | 0.2500 | 0.0317 | |
| | 5 HMX | 1 | 6.808 | 6.808 | 0.000 | 44451 | 0.2500 | 0.2676 | |
| | 7 2,4,6-Trinitrophenol | 1 | 8.121 | 8.121 | 0.000 | 38190 | 0.2500 | 0.2874 | |
| | 8 RDX | 1 | 8.988 | 8.988 | 0.000 | 49259 | 0.2500 | 0.2535 | |
| | 9 Nitrobenzene | 1 | 11.961 | 11.961 | 0.000 | 96636 | 0.2500 | 0.2624 | |
| $ | 10 1,2-Dinitrobenzene | 1 | 13.181 | 13.181 | 0.000 | 63763 | 0.2500 | 0.2553 | |
| | 11 3,5-Dinitroaniline | 1 | 15.141 | 15.141 | 0.000 | 102221 | 0.2500 | 0.2483 | |
| | 12 1,3-Dinitrobenzene | 1 | 15.507 | 15.507 | 0.000 | 144452 | 0.2500 | 0.2527 | |
| | 13 Nitroglycerin | 2 | 15.941 | 15.941 | 0.000 | 315276 | 2.50 | 2.57 | |
| | 14 o-Nitrotoluene | 1 | 16.741 | 16.741 | 0.000 | 58680 | 0.2500 | 0.2501 | |
| | 16 p-Nitrotoluene | 1 | 17.047 | 17.047 | 0.000 | 52823 | 0.2500 | 0.2506 | |
| | 17 4-Amino-2,6-dinitrotoluene | 1 | 17.654 | 17.654 | 0.000 | 66339 | 0.2500 | 0.2485 | |
| | 18 m-Nitrotoluene | 1 | 18.027 | 18.027 | 0.000 | 67030 | 0.2500 | 0.2527 | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | 18.667 | 18.667 | 0.000 | 90781 | 0.2500 | 0.2518 | |
| | 20 1,3,5-Trinitrobenzene | 1 | 18.807 | 18.807 | 0.000 | 106021 | 0.2500 | 0.2552 | |
| | 21 2,6-Dinitrotoluene | 1 | 20.174 | 20.174 | 0.000 | 67791 | 0.2500 | 0.2552 | |
| | 22 2,4-Dinitrotoluene | 1 | 20.681 | 20.681 | 0.000 | 135940 | 0.2500 | 0.2392 | |
| | 23 Tetryl | 1 | 24.428 | 24.428 | 0.000 | 84698 | 0.2500 | 0.2475 | M |
| | 24 2,4,6-Trinitrotoluene | 1 | 25.188 | 25.188 | 0.000 | 104253 | 0.2500 | 0.2824 | M |
| | 25 PETN | 2 | 26.168 | 26.168 | 0.000 | 338818 | 2.50 | 2.62 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

| | | | |
|---|---|---|---|
| 8330IntermStk_00072 | Amount Added: | 25.00 | Units: uL |
| 8330_ADDs_00031 | Amount Added: | 12.50 | Units: uL |


Report Date: 21-May-2022 12:33:09 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200007.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 16:51:58 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | CCV | | | Worklist Smp#: | 7 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 7 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200007.D | | | | |
| Injection Date: | 20-May-2022 16:51:58 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | CCV | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 7 | Worklist Smp#: | 7 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 23 Tetryl, CAS: 479-45-8

Signal: 1


Processing Integration Results

RT: 24.43
Area: 182892
Amount: 0.534505
Amount Units: ug/ml




Manual Integration Results

RT: 24.43
Area: 84698
Amount: 0.247532
Amount Units: ug/ml




Reviewer: zhangji, 20-May-2022 17:45:55

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200007.D | | | | |
| Injection Date: | 20-May-2022 16:51:58 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | CCV | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 7 | Worklist Smp#: | 7 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 24 2,4,6-Trinitrotoluene, CAS: 118-96-7

Signal: 1


Processing Integration Results

RT: 25.19
Area: 298683
Amount: 0.809046
Amount Units: ug/ml




Manual Integration Results

RT: 25.19
Area: 104253
Amount: 0.282391
Amount Units: ug/ml




Reviewer: zhangji, 20-May-2022 17:45:59

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575712/8 Calibration Date: 05/20/2022 17:26

Instrument ID: CHHPLC_X5 Calib Start Date: 03/03/2022 03:13

GC Column: Luna-phenylhex ID: 4.60(mm) Calib End Date: 03/03/2022 07:19

Lab File ID: 05200008.D Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| TNX | Ave | 354070 | 366236 | | 259 | 250 | 3.4 | 15.0 |
| DNX | Ave | 278639 | 274745 | | 247 | 251 | -1.4 | 15.0 |
| MNX | Ave | 250081 | 250954 | | 294 | 293 | 0.3 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575712/8 Calibration Date: 05/20/2022 17:26

Instrument ID: CHHPLC_X5 Calib Start Date: 03/03/2022 03:13

GC Column: Luna-phenylhex ID: 4.60(mm) Calib End Date: 03/03/2022 07:19

Lab File ID: 05200008.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| TNX | 5.10 | 4.95 | 5.25 |
| DNX | 5.94 | 5.79 | 6.09 |
| MNX | 7.51 | 7.36 | 7.66 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200008.D
Lims ID: CCV DMT
Client ID:
Sample Type: CCV
Inject. Date: 20-May-2022 17:26:56 ALS Bottle#: 8 Worklist Smp#: 8
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: CCV DMT
Misc. Info.: 280-0111212-008
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub2

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 21-May-2022 12:33:09 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1646

First Level Reviewer: zhangji Date: 20-May-2022 18:00:58

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.103 | 5.103 | 0.000 | 91559 | 0.2500 | 0.2586 | |
| 4 DNX | 1 | 5.943 | 5.943 | 0.000 | 68961 | 0.2510 | 0.2475 | |
| 6 MNX | 1 | 7.509 | 7.509 | 0.000 | 73404 | 0.2925 | 0.2935 | |

## Reagents:

8330 DMT_00011 Amount Added: 12.50 Units: uL


Report Date: 21-May-2022 12:33:09 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200008.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 17:26:56 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | CCV DMT | | | Worklist Smp#: | 8 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 8 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575712/20 | Calibration Date: 05/20/2022 23:52

Instrument ID: CHHPLC_X5 | Calib Start Date: 03/02/2022 21:22

GC Column: Luna-phenylhex ID: 4.60(mm) | Calib End Date: 03/03/2022 02:03

Lab File ID: 05200020.D | Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| HMX | Ave | 166135 | 178980 | | 269 | 250 | 7.7 | 15.0 |
| Picric acid | Ave | 132885 | 154412 | | 290 | 250 | 16.2* | 15.0 |
| RDX | Ave | 194331 | 199340 | | 256 | 250 | 2.6 | 15.0 |
| Nitrobenzene | Ave | 368293 | 379000 | | 257 | 250 | 2.9 | 15.0 |
| 1,3-Dinitrobenzene | Ave | 571666 | 575388 | | 252 | 250 | 0.7 | 15.0 |
| Nitroglycerin | Ave | 122518 | 125689 | | 2560 | 2500 | 2.6 | 15.0 |
| 2-Nitrotoluene | Ave | 234672 | 232012 | | 247 | 250 | -1.1 | 15.0 |
| 4-Nitrotoluene | Ave | 210817 | 211068 | | 250 | 250 | 0.1 | 15.0 |
| 4-Amino-2,6-dinitrotoluene | Lin2 | | 269368 | | 252 | 250 | 0.9 | 15.0 |
| 3-Nitrotoluene | Lin2 | | 267416 | | 252 | 250 | 0.8 | 15.0 |
| 2-Amino-4,6-dinitrotoluene | Ave | 360536 | 366816 | | 254 | 250 | 1.7 | 15.0 |
| 1,3,5-Trinitrobenzene | Ave | 415464 | 433700 | | 261 | 250 | 4.4 | 15.0 |
| 2,6-Dinitrotoluene | Ave | 265662 | 274868 | | 259 | 250 | 3.5 | 15.0 |
| 2,4-Dinitrotoluene | Lin2 | | 549876 | | 242 | 250 | -3.2 | 15.0 |
| Tetryl | Ave | 342171 | 334480 | | 244 | 250 | -2.2 | 15.0 |
| 2,4,6-Trinitrotoluene | Ave | 369179 | 393100 | | 266 | 250 | 6.5 | 15.0 |
| PETN | Ave | 129329 | 136531 | | 2640 | 2500 | 5.6 | 15.0 |
| 1,2-Dinitrobenzene | Ave | 249753 | 254840 | | 255 | 250 | 2.0 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575712/20 Calibration Date: 05/20/2022 23:52

Instrument ID: CHHPLC_X5 Calib Start Date: 03/02/2022 21:22

GC Column: Luna-phenylhex ID: 4.60(mm) Calib End Date: 03/03/2022 02:03

Lab File ID: 05200020.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| HMX | 6.80 | 6.66 | 6.96 |
| Picric acid | 8.00 | 7.97 | 8.27 |
| RDX | 8.96 | 8.84 | 9.14 |
| Nitrobenzene | 11.93 | 11.81 | 12.11 |
| 1,3-Dinitrobenzene | 15.47 | 15.36 | 15.66 |
| Nitroglycerin | 15.91 | 15.79 | 16.09 |
| 2-Nitrotoluene | 16.70 | 16.59 | 16.89 |
| 4-Nitrotoluene | 17.01 | 16.90 | 17.20 |
| 4-Amino-2,6-dinitrotoluene | 17.60 | 17.50 | 17.80 |
| 3-Nitrotoluene | 17.98 | 17.88 | 18.18 |
| 2-Amino-4,6-dinitrotoluene | 18.60 | 18.52 | 18.82 |
| 1,3,5-Trinitrobenzene | 18.76 | 18.66 | 18.96 |
| 2,6-Dinitrotoluene | 20.11 | 20.02 | 20.32 |
| 2,4-Dinitrotoluene | 20.61 | 20.53 | 20.83 |
| Tetryl | 24.32 | 24.28 | 24.58 |
| 2,4,6-Trinitrotoluene | 25.08 | 25.04 | 25.34 |
| PETN | 26.09 | 26.02 | 26.32 |
| 1,2-Dinitrobenzene | 13.14 | 13.03 | 13.33 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200020.D
Lims ID: CCV
Client ID:
Sample Type: CCV
Inject. Date: 20-May-2022 23:52:34 ALS Bottle#: 7 Worklist Smp#: 20
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: CCV
Misc. Info.: 280-0111212-020
Operator ID: JZ Instrument ID: CHHPLC_X5
Sublist: chrom-8330_X5_Luna*sub1

Method: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m
Limit Group: GCSV - 8330
Last Update: 21-May-2022 12:33:14 Calib Date: 03-Mar-2022 07:19:48
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D

Column 1 : Luna-Phenyl hexyl ( 4.60 mm) Det: LC mwd1A, 254 nm
Process Host: CTX1646

First Level Reviewer: zhangji Date: 21-May-2022 11:27:29

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|---|
| | 1 2,6-diamino-4-nitrotoluene | 1 | 4.177 | 4.181 | -0.004 | 39965 | 0.2500 | 0.0983 | |
| | 2 2,4-diamino-6-nitrotoluene | 1 | 4.750 | 4.788 | -0.038 | 3434 | 0.2500 | 0.007812 | |
| | 5 HMX | 1 | 6.797 | 6.808 | -0.011 | 44745 | 0.2500 | 0.2693 | |
| | 7 2,4,6-Trinitrophenol | 1 | 8.003 | 8.121 | -0.118 | 38603 | 0.2500 | 0.2905 | |
| | 8 RDX | 1 | 8.963 | 8.988 | -0.025 | 49835 | 0.2500 | 0.2564 | |
| | 9 Nitrobenzene | 1 | 11.930 | 11.961 | -0.031 | 94750 | 0.2500 | 0.2573 | |
| $ | 10 1,2-Dinitrobenzene | 1 | 13.143 | 13.181 | -0.038 | 63710 | 0.2500 | 0.2551 | |
| | 11 3,5-Dinitroaniline | 1 | 15.097 | 15.141 | -0.044 | 103111 | 0.2500 | 0.2505 | |
| | 12 1,3-Dinitrobenzene | 1 | 15.470 | 15.507 | -0.037 | 143847 | 0.2500 | 0.2516 | |
| | 13 Nitroglycerin | 2 | 15.910 | 15.941 | -0.031 | 314223 | 2.50 | 2.56 | |
| | 14 o-Nitrotoluene | 1 | 16.703 | 16.741 | -0.038 | 58003 | 0.2500 | 0.2472 | |
| | 16 p-Nitrotoluene | 1 | 17.010 | 17.047 | -0.037 | 52767 | 0.2500 | 0.2503 | |
| | 17 4-Amino-2,6-dinitrotoluene | 1 | 17.603 | 17.654 | -0.051 | 67342 | 0.2500 | 0.2522 | |
| | 18 m-Nitrotoluene | 1 | 17.983 | 18.027 | -0.044 | 66854 | 0.2500 | 0.2520 | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | 18.597 | 18.667 | -0.070 | 91704 | 0.2500 | 0.2544 | |
| | 20 1,3,5-Trinitrobenzene | 1 | 18.763 | 18.807 | -0.044 | 108425 | 0.2500 | 0.2610 | |
| | 21 2,6-Dinitrotoluene | 1 | 20.110 | 20.174 | -0.064 | 68717 | 0.2500 | 0.2587 | |
| | 22 2,4-Dinitrotoluene | 1 | 20.610 | 20.681 | -0.071 | 137469 | 0.2500 | 0.2420 | |
| | 23 Tetryl | 1 | 24.317 | 24.428 | -0.111 | 83620 | 0.2500 | 0.2444 | M |
| | 24 2,4,6-Trinitrotoluene | 1 | 25.083 | 25.188 | -0.105 | 98275 | 0.2500 | 0.2662 | M |
| | 25 PETN | 2 | 26.090 | 26.168 | -0.078 | 341328 | 2.50 | 2.64 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated

## Reagents:

| | | | |
|---|---|---|---|
| 8330IntermStk_00072 | Amount Added: | 25.00 | Units: uL |
| 8330_ADDs_00031 | Amount Added: | 12.50 | Units: uL |


Report Date: 21-May-2022 12:33:15 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200020.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 20-May-2022 23:52:34 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | CCV | | | Worklist Smp#: | 20 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 7 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200020.D | | | | |
| Injection Date: | 20-May-2022 23:52:34 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | CCV | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 7 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 23 Tetryl, CAS: 479-45-8

Signal: 1


Processing Integration Results

RT: 24.32
Area: 190921
Amount: 0.557970
Amount Units: ug/ml




Manual Integration Results

RT: 24.32
Area: 83620
Amount: 0.244381
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:30:02
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200020.D | | | | |
| Injection Date: | 20-May-2022 23:52:34 | Instrument ID: | CHHPLC_X5 | | |
| Lims ID: | CCV | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 7 | Worklist Smp#: | 20 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |
| Column: | Luna-Phenyl hexyl ( 4.60 mm) | Detector | LC mwd1A, 254 nm | | |

## 24 2,4,6-Trinitrotoluene, CAS: 118-96-7

Signal: 1


Processing Integration Results

RT: 25.08
Area: 296315
Amount: 0.802632
Amount Units: ug/ml




Manual Integration Results

RT: 25.08
Area: 98275
Amount: 0.266199
Amount Units: ug/ml




Reviewer: zhangji, 21-May-2022 12:30:05

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

FORM VII
HPLC/IC CONTINUING CALIBRATION DATA

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575712/21 Calibration Date: 05/21/2022 00:27

Instrument ID: CHHPLC_X5 Calib Start Date: 03/03/2022 03:13

GC Column: Luna-phenylhex ID: 4.60(mm) Calib End Date: 03/03/2022 07:19

Lab File ID: 05200021.D Conc. Units: ug/L

| ANALYTE | CURVE TYPE | AVE CF | CF | MIN CF | CALC AMOUNT | SPIKE AMOUNT | %D | MAX %D |
|---|---|---|---|---|---|---|---|---|
| TNX | Ave | 354070 | 359084 | | 254 | 250 | 1.4 | 15.0 |
| DNX | Ave | 278639 | 271323 | | 244 | 251 | -2.6 | 15.0 |
| MNX | Ave | 250081 | 251453 | | 294 | 293 | 0.5 | 15.0 |

FORM VII
HPLC/IC CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Lab Sample ID: CCV 280-575712/21 Calibration Date: 05/21/2022 00:27

Instrument ID: CHHPLC_X5 Calib Start Date: 03/03/2022 03:13

GC Column: Luna-phenylhex ID: 4.60(mm) Calib End Date: 03/03/2022 07:19

Lab File ID: 05200021.D

| Analyte | RT | RT WINDOW | |
|---|---|---|---|
| | | FROM | TO |
| TNX | 5.08 | 4.95 | 5.25 |
| DNX | 5.93 | 5.79 | 6.09 |
| MNX | 7.49 | 7.36 | 7.66 |

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200021.D | | | | |
| Lims ID: | CCV DMT | | | | |
| Client ID: | | | | | |
| Sample Type: | CCV | | | | |
| Inject. Date: | 21-May-2022 00:27:38 | ALS Bottle#: | 8 | Worklist Smp#: | 21 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | CCV DMT | | | | |
| Misc. Info.: | 280-0111212-021 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X5 | | |
| Sublist: | chrom-8330_X5_Luna*sub2 | | | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\8330_X5_Luna.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 21-May-2022 12:33:15 | Calib Date: | 03-Mar-2022 07:19:48 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X5\20220302-108949.b\03020027.D | | | | |
| Column 1 : | Luna-Phenyl hexyl ( 4.60 mm) | | Det: LC mwd1A, 254 nm | | |
| Process Host: | CTX1646 | | | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 5.084 | 5.103 | -0.019 | 89771 | 0.2500 | 0.2535 | |
| 4 DNX | 1 | 5.931 | 5.943 | -0.012 | 68102 | 0.2510 | 0.2444 | |
| 6 MNX | 1 | 7.491 | 7.509 | -0.018 | 73550 | 0.2925 | 0.2941 | |

## Reagents:

8330 DMT_00011 Amount Added: 12.50 Units: uL


Report Date: 21-May-2022 12:33:15 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\CHHPLC_X5\20220520-111212.b\05200021.D

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 21-May-2022 00:27:38 | Instrument ID: | CHHPLC_X5 | Operator ID: | JZ |
| Lims ID: | CCV DMT | | | Worklist Smp#: | 21 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 8 |
| Method: | 8330_X5_Luna | Limit Group: | GCSV - 8330 | | |

Column: Luna-Phenyl hexyl ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 2




Y Scaling: Method Defined: Scale to the Nth Largest Target: 2



FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: | Lab Sample ID: MB 280-575516/1-A

Matrix: Water | Lab File ID: 05190011.D

Analysis Method: 8330A | Date Collected:

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 500(mL) | Date Analyzed: 05/19/2022 20:51

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.084 |
| 99-65-0 | 1,3-Dinitrobenzene | 0.10 | U | 0.11 | 0.10 | 0.037 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.045 |
| 121-14-2 | 2,4-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.027 |
| 606-20-2 | 2,6-Dinitrotoluene | 0.080 | U | 0.10 | 0.080 | 0.040 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 0.10 | U | 0.11 | 0.10 | 0.051 |
| 88-72-2 | 2-Nitrotoluene | 0.20 | U M | 0.21 | 0.20 | 0.086 |
| 99-08-1 | 3-Nitrotoluene | 0.40 | U | 0.40 | 0.40 | 0.20 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 0.12 | U | 0.15 | 0.12 | 0.058 |
| 99-99-0 | 4-Nitrotoluene | 0.40 | U | 0.41 | 0.40 | 0.10 |
| 2691-41-0 | HMX | 0.20 | U | 0.21 | 0.20 | 0.088 |
| 5755-27-1 | MNX | 0.40 | U | 2.0 | 0.40 | 0.15 |
| 98-95-3 | Nitrobenzene | 0.20 | U | 0.21 | 0.20 | 0.091 |
| 121-82-4 | RDX | 0.20 | U M | 0.21 | 0.20 | 0.052 |
| 479-45-8 | Tetryl | 0.10 | U | 0.11 | 0.10 | 0.032 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 106 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190011.D
Lims ID: MB 280-575516/1-A
Client ID:
Sample Type: MB
Inject. Date: 19-May-2022 20:51:30 ALS Bottle#: 11 Worklist Smp#: 11
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: MB 280-575516/1-
Misc. Info.: 280-0111180-011
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:40:07 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 11:58:07

| | Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|---|
| | 1 Triamine Trinitrobenzene | 1 | | 2.454 | | | | ND | |
| | 2 2,6-diamino-4-nitrotoluene | 1 | | 6.479 | | | | ND | |
| | 3 TNX | 1 | | 6.486 | | | | ND | U |
| | 4 HMX | 1 | | 6.606 | | | | ND | |
| | 5 2,4-diamino-6-nitrotoluene | 1 | | 6.659 | | | | ND | |
| | 6 DNX | 1 | | 6.799 | | | | ND | |
| | 7 MNX | 1 | | 7.219 | | | | ND | 7 |
| | 8 RDX | 1 | | 7.599 | | | | ND | U |
| | 9 2,4,6-Trinitrophenol | 1 | | 7.946 | | | | ND | U |
| $ | 10 1,2-Dinitrobenzene | 1 | 8.558 | 8.552 | 0.006 | 26413 | 0.2000 | 0.2118 | M |
| | 11 1,3,5-Trinitrobenzene | 1 | | 8.679 | | | | ND | |
| | 12 1,3-Dinitrobenzene | 1 | | 9.306 | | | | ND | |
| | 13 Nitrobenzene | 1 | | 9.699 | | | | ND | |
| | 14 3,5-Dinitroaniline | 1 | | 9.905 | | | | ND | |
| | 15 Tetryl | 1 | | 10.026 | | | | ND | |
| | 16 Nitroglycerin | 2 | | 10.472 | | | | ND | |
| | 17 2,4,6-Trinitrotoluene | 1 | | 10.932 | | | | ND | |
| | 18 4-Amino-2,6-dinitrotoluene | 1 | | 11.132 | | | | ND | |
| | 19 2-Amino-4,6-dinitrotoluene | 1 | | 11.386 | | | | ND | |
| | 20 2,6-Dinitrotoluene | 1 | | 11.546 | | | | ND | |
| | 21 2,4-Dinitrotoluene | 1 | | 11.719 | | | | ND | |
| | 22 o-Nitrotoluene | 1 | | 12.572 | | | | ND | U |
| | 23 p-Nitrotoluene | 1 | | 12.999 | | | | ND | |
| | 24 m-Nitrotoluene | 1 | | 13.572 | | | | ND | |
| | 25 PETN | 2 | | 14.639 | | | | ND | |
| | 26 Ammonium Picrate | 1 | | 0.000 | | | | ND | |

## QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Review Flags

M - Manually Integrated

U - Marked Undetected


Report Date: 20-May-2022 13:40:15 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190011.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 19-May-2022 20:51:30 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | MB 280-575516/1-A | | | Worklist Smp#: | 11 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 11 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190011.D | | | | |
| Lims ID: | MB 280-575516/1-A | | | | |
| Client ID: | | | | | |
| Sample Type: | MB | | | | |
| Inject. Date: | 19-May-2022 20:51:30 | ALS Bottle#: | 11 | Worklist Smp#: | 11 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | MB 280-575516/1- | | | | |
| Misc. Info.: | 280-0111180-011 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 11:58:07

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2118 | 105.91 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190011.d | | | | |
| Injection Date: | 19-May-2022 20:51:30 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | MB 280-575516/1-A | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 11 | Worklist Smp#: | 11 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.56
Area: 27739
Amount: 0.222450
Amount Units: ug/mL




Manual Integration Results

RT: 8.56
Area: 26413
Amount: 0.211816
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 11:58:04

Audit Action: Manually Integrated Audit Reason: Baseline

User Disabled Compound Report


Eurofins Denver

Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190011.d
Injection Date: 19-May-2022 20:51:30 Instrument ID: CHHPLC_X3
Lims ID: MB 280-575516/1-A
Client ID:
Operator ID: JZ ALS Bottle#: 11 Worklist Smp#: 11
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330

Column: UltraCarb5uODS (20) ( 4.60 mm) Detector LC DAD1B, 254 nm

## 22 o-Nitrotoluene, CAS: 88-72-2, Signal: 1

RT: 12.46
Response: 3284
Amount: 0.025734




Reviewer: zhangji, 20-May-2022 11:58:07
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

User Disabled Compound Report


Eurofins Denver

Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190011.d
Injection Date: 19-May-2022 20:51:30 Instrument ID: CHHPLC_X3
Lims ID: MB 280-575516/1-A
Client ID:
Operator ID: JZ ALS Bottle#: 11 Worklist Smp#: 11
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Method: 8330_X3 Limit Group: GCSV - 8330

Column: UltraCarb5uODS (20) ( 4.60 mm) Detector LC DAD1B, 254 nm

8 RDX, CAS: 121-82-4, Signal: 1

RT: 7.73
Response: 1728
Amount: 0.016678




Reviewer: zhangji, 20-May-2022 11:58:07
Audit Action: Marked Compound Undetected Audit Reason: Invalid Compound ID

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: | Lab Sample ID: LCS 280-575516/2-A

Matrix: Water | Lab File ID: 05190012.D

Analysis Method: 8330A | Date Collected:

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 500(mL) | Date Analyzed: 05/19/2022 21:14

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 2.06 | | 0.21 | 0.20 | 0.084 |
| 99-65-0 | 1,3-Dinitrobenzene | 2.09 | | 0.11 | 0.10 | 0.037 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 2.07 | | 0.11 | 0.10 | 0.045 |
| 121-14-2 | 2,4-Dinitrotoluene | 1.96 | | 0.10 | 0.080 | 0.027 |
| 606-20-2 | 2,6-Dinitrotoluene | 2.05 | | 0.10 | 0.080 | 0.040 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 1.98 | | 0.11 | 0.10 | 0.051 |
| 88-72-2 | 2-Nitrotoluene | 1.98 | | 0.21 | 0.20 | 0.086 |
| 99-08-1 | 3-Nitrotoluene | 1.62 | | 0.40 | 0.40 | 0.20 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 1.96 | | 0.15 | 0.12 | 0.058 |
| 99-99-0 | 4-Nitrotoluene | 1.90 | | 0.41 | 0.40 | 0.10 |
| 2691-41-0 | HMX | 2.00 | M | 0.21 | 0.20 | 0.088 |
| 98-95-3 | Nitrobenzene | 1.92 | | 0.21 | 0.20 | 0.091 |
| 121-82-4 | RDX | 1.96 | | 0.21 | 0.20 | 0.052 |
| 479-45-8 | Tetryl | 2.06 | | 0.11 | 0.10 | 0.032 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 105 | | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190012.D
Lims ID: LCS 280-575516/2-A
Client ID:
Sample Type: LCS
Inject. Date: 19-May-2022 21:14:25 ALS Bottle#: 12 Worklist Smp#: 12
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: LCS 280-575516/2
Misc. Info.: 280-0111180-012
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:40:07 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 13:38:45

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.602 | 6.606 | -0.004 | 16776 | 0.2000 | 0.2001 | M |
| 8 RDX | 1 | 7.596 | 7.599 | -0.003 | 20308 | 0.2000 | 0.1960 | |
| 9 2,4,6-Trinitrophenol | 1 | 7.936 | 7.946 | -0.010 | 29987 | 0.2000 | 0.3892 | |
| $ 10 1,2-Dinitrobenzene | 1 | 8.556 | 8.552 | 0.004 | 26246 | 0.2000 | 0.2105 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.676 | 8.679 | -0.003 | 44941 | 0.2000 | 0.2061 | |
| 12 1,3-Dinitrobenzene | 1 | 9.309 | 9.306 | 0.003 | 60363 | 0.2000 | 0.2093 | |
| 13 Nitrobenzene | 1 | 9.695 | 9.699 | -0.004 | 36910 | 0.2000 | 0.1923 | |
| 15 Tetryl | 1 | 10.022 | 10.026 | -0.004 | 35135 | 0.2000 | 0.2060 | |
| 16 Nitroglycerin | 2 | 10.469 | 10.472 | -0.003 | 137039 | 2.00 | 2.17 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.929 | 10.932 | -0.003 | 42010 | 0.2000 | 0.2072 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.122 | 11.132 | -0.010 | 29567 | 0.2000 | 0.1958 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.375 | 11.386 | -0.011 | 40097 | 0.2000 | 0.1983 | |
| 20 2,6-Dinitrotoluene | 1 | 11.542 | 11.546 | -0.004 | 29310 | 0.2000 | 0.2048 | |
| 21 2,4-Dinitrotoluene | 1 | 11.709 | 11.719 | -0.010 | 56774 | 0.2000 | 0.1962 | |
| 22 o-Nitrotoluene | 1 | 12.562 | 12.572 | -0.010 | 25303 | 0.2000 | 0.1983 | |
| 23 p-Nitrotoluene | 1 | 12.995 | 12.999 | -0.004 | 20222 | 0.2000 | 0.1904 | |
| 24 m-Nitrotoluene | 1 | 13.569 | 13.572 | -0.003 | 23082 | 0.2000 | 0.1622 | |
| 25 PETN | 2 | 14.635 | 14.639 | -0.004 | 155366 | 2.00 | 2.12 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated


Report Date: 20-May-2022 13:40:14 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190012.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 19-May-2022 21:14:25 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | LCS 280-575516/2-A | | | Worklist Smp#: | 12 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 12 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190012.D | | | | |
| Lims ID: | LCS 280-575516/2-A | | | | |
| Client ID: | | | | | |
| Sample Type: | LCS | | | | |
| Inject. Date: | 19-May-2022 21:14:25 | ALS Bottle#: | 12 | Worklist Smp#: | 12 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | LCS 280-575516/2 | | | | |
| Misc. Info.: | 280-0111180-012 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 13:38:45

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2105 | 105.24 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190012.d | | | | |
| Injection Date: | 19-May-2022 21:14:25 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | LCS 280-575516/2-A | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 12 | Worklist Smp#: | 12 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.60
Area: 23198
Amount: 0.276736
Amount Units: ug/mL




Manual Integration Results

RT: 6.60
Area: 16776
Amount: 0.200126
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 13:38:43

Audit Action: Manually Integrated Audit Reason: Baseline

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: | Lab Sample ID: LCS 280-575516/3-A

Matrix: Water | Lab File ID: 05190013.D

Analysis Method: 8330A | Date Collected:

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 500(mL) | Date Analyzed: 05/19/2022 21:37

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 5755-27-1 | MNX | 2.41 | M | 2.0 | 0.40 | 0.15 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 104 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190013.D | | | | |
| Lims ID: | LCS 280-575516/3-A | | | | |
| Client ID: | | | | | |
| Sample Type: | LCS | | | | |
| Inject. Date: | 19-May-2022 21:37:20 | ALS Bottle#: | 13 | Worklist Smp#: | 13 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | LCS 280-575516/3 | | | | |
| Misc. Info.: | 280-0111180-013 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |
| First Level Reviewer: zhangji | | Date: | 20-May-2022 11:59:16 | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.485 | 6.486 | -0.001 | 37382 | 0.2000 | 0.2063 | M |
| 6 DNX | 1 | 6.798 | 6.799 | -0.001 | 28761 | 0.2008 | 0.2082 | M |
| 7 MNX | 1 | 7.218 | 7.219 | -0.001 | 30421 | 0.2340 | 0.2414 | M |
| $ 10 1,2-Dinitrobenzene | 1 | 8.552 | 8.552 | 0.000 | 25966 | 0.2000 | 0.2082 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated


Report Date: 20-May-2022 13:40:13 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190013.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 19-May-2022 21:37:20 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | LCS 280-575516/3-A | | | Worklist Smp#: | 13 |
| Client ID: | | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 13 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190013.D | | | | |
| Lims ID: | LCS 280-575516/3-A | | | | |
| Client ID: | | | | | |
| Sample Type: | LCS | | | | |
| Inject. Date: | 19-May-2022 21:37:20 | ALS Bottle#: | 13 | Worklist Smp#: | 13 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | LCS 280-575516/3 | | | | |
| Misc. Info.: | 280-0111180-013 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 11:59:16

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2082 | 104.12 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190013.d | | | | |
| Injection Date: | 19-May-2022 21:37:20 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | LCS 280-575516/3-A | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 13 | Worklist Smp#: | 13 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.55
Area: 26531
Amount: 0.212763
Amount Units: ug/mL




Manual Integration Results

RT: 8.55
Area: 25966
Amount: 0.208232
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 11:59:15

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190013.d | | | | |
| Injection Date: | 19-May-2022 21:37:20 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | LCS 280-575516/3-A | | | | |
| Client ID: | | | | | |
| Operator ID: | JZ | ALS Bottle#: | 13 | Worklist Smp#: | 13 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 33386
Amount: 0.264978
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 30421
Amount: 0.241445
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 11:59:10

Audit Action: Manually Integrated Audit Reason: Baseline

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A MS | Lab Sample ID: 280-162386-1 MS

Matrix: Water | Lab File ID: 05190015.D

Analysis Method: 8330A | Date Collected: 05/13/2022 09:15

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 506.7(mL) | Date Analyzed: 05/19/2022 22:23

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 2.06 | M | 0.21 | 0.20 | 0.083 |
| 99-65-0 | 1,3-Dinitrobenzene | 2.10 | | 0.11 | 0.099 | 0.036 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 2.05 | | 0.11 | 0.099 | 0.044 |
| 121-14-2 | 2,4-Dinitrotoluene | 1.89 | | 0.099 | 0.079 | 0.027 |
| 606-20-2 | 2,6-Dinitrotoluene | 1.99 | | 0.099 | 0.079 | 0.040 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 1.94 | | 0.11 | 0.099 | 0.050 |
| 88-72-2 | 2-Nitrotoluene | 1.92 | | 0.21 | 0.20 | 0.084 |
| 99-08-1 | 3-Nitrotoluene | 1.51 | | 0.39 | 0.39 | 0.19 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 1.89 | | 0.15 | 0.12 | 0.057 |
| 99-99-0 | 4-Nitrotoluene | 1.85 | | 0.40 | 0.39 | 0.099 |
| 2691-41-0 | HMX | 2.01 | M | 0.21 | 0.20 | 0.086 |
| 98-95-3 | Nitrobenzene | 1.98 | | 0.21 | 0.20 | 0.090 |
| 121-82-4 | RDX | 1.82 | M | 0.21 | 0.20 | 0.051 |
| 479-45-8 | Tetryl | 2.03 | | 0.11 | 0.099 | 0.031 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 109 | | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190015.D
Lims ID: 280-162386-A-1-B MS
Client ID: PZ007-22A
Sample Type: MS
Inject. Date: 19-May-2022 22:23:09 ALS Bottle#: 15 Worklist Smp#: 15
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-1-B
Misc. Info.: 280-0111180-015
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:40:07 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:08:14

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.602 | 6.606 | -0.004 | 17084 | 0.2000 | 0.2038 | M |
| 8 RDX | 1 | 7.602 | 7.599 | 0.003 | 19095 | 0.2000 | 0.1843 | M |
| 9 2,4,6-Trinitrophenol | 1 | 7.915 | 7.946 | -0.031 | 20151 | 0.2000 | 0.2616 | M |
| $ 10 1,2-Dinitrobenzene | 1 | 8.555 | 8.552 | 0.003 | 27186 | 0.2000 | 0.2180 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.675 | 8.679 | -0.004 | 45434 | 0.2000 | 0.2083 | M |
| 12 1,3-Dinitrobenzene | 1 | 9.308 | 9.306 | 0.002 | 61506 | 0.2000 | 0.2133 | |
| 13 Nitrobenzene | 1 | 9.695 | 9.699 | -0.004 | 38463 | 0.2000 | 0.2004 | |
| 15 Tetryl | 1 | 10.022 | 10.026 | -0.004 | 35059 | 0.2000 | 0.2055 | |
| 16 Nitroglycerin | 2 | 10.468 | 10.472 | -0.004 | 137372 | 2.00 | 2.18 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.928 | 10.932 | -0.004 | 42052 | 0.2000 | 0.2074 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.128 | 11.132 | -0.004 | 28923 | 0.2000 | 0.1916 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.375 | 11.386 | -0.011 | 39817 | 0.2000 | 0.1969 | |
| 20 2,6-Dinitrotoluene | 1 | 11.542 | 11.546 | -0.004 | 28841 | 0.2000 | 0.2015 | |
| 21 2,4-Dinitrotoluene | 1 | 11.708 | 11.719 | -0.011 | 55413 | 0.2000 | 0.1915 | |
| 22 o-Nitrotoluene | 1 | 12.562 | 12.572 | -0.010 | 24865 | 0.2000 | 0.1948 | |
| 23 p-Nitrotoluene | 1 | 12.988 | 12.999 | -0.011 | 19865 | 0.2000 | 0.1870 | |
| 24 m-Nitrotoluene | 1 | 13.568 | 13.572 | -0.004 | 21788 | 0.2000 | 0.1531 | |
| 25 PETN | 2 | 14.628 | 14.639 | -0.011 | 153946 | 2.00 | 2.10 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated


Report Date: 20-May-2022 13:40:12 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190015.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 19-May-2022 22:23:09 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-1-B MS | | | Worklist Smp#: | 15 |
| Client ID: | PZ007-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 15 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190015.D | | | | |
| Lims ID: | 280-162386-A-1-B MS | | | | |
| Client ID: | PZ007-22A | | | | |
| Sample Type: | MS | | | | |
| Inject. Date: | 19-May-2022 22:23:09 | ALS Bottle#: | 15 | Worklist Smp#: | 15 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-1-B | | | | |
| Misc. Info.: | 280-0111180-015 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:08:14

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2180 | 109.01 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190015.d | | | | |
| Injection Date: | 19-May-2022 22:23:09 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-1-B MS | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 15 | Worklist Smp#: | 15 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 11 1,3,5-Trinitrobenzene, CAS: 99-35-4

Signal: 1


Processing Integration Results

RT: 8.68
Area: 47434
Amount: 0.217492
Amount Units: ug/mL




Manual Integration Results

RT: 8.68
Area: 45434
Amount: 0.208322
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:08:12
Audit Action: Split an Integrated Peak Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190015.d | | | | |
| Injection Date: | 19-May-2022 22:23:09 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-1-B MS | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 15 | Worklist Smp#: | 15 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.60
Area: 994616
Amount: 11.865075
Amount Units: ug/mL




Manual Integration Results

RT: 6.60
Area: 17084
Amount: 0.203800
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:07:55

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190015.d | | | | |
| Injection Date: | 19-May-2022 22:23:09 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-1-B MS | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 15 | Worklist Smp#: | 15 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 8 RDX, CAS: 121-82-4

Signal: 1


Processing Integration Results

RT: 7.60
Area: 119074
Amount: 1.149261
Amount Units: ug/mL




Manual Integration Results

RT: 7.60
Area: 19095
Amount: 0.184298
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:08:00
Audit Action: Manually Integrated Audit Reason: Baseline

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A MS | Lab Sample ID: 280-162386-1 MS

Matrix: Water | Lab File ID: 05190017.D

Analysis Method: 8330A | Date Collected: 05/13/2022 09:15

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 498.4(mL) | Date Analyzed: 05/19/2022 23:08

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 5755-27-1 | MNX | 2.33 | M | 2.0 | 0.40 | 0.15 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 107 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190017.D | | | | |
| Lims ID: | 280-162386-B-1-A MS | | | | |
| Client ID: | PZ007-22A | | | | |
| Sample Type: | MS | | | | |
| Inject. Date: | 19-May-2022 23:08:55 | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-B-1-A | | | | |
| Misc. Info.: | 280-0111180-017 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |
| First Level Reviewer: zhangji | | Date: | 20-May-2022 12:10:38 | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.483 | 6.486 | -0.003 | 38590 | 0.2000 | 0.2130 | M |
| 6 DNX | 1 | 6.803 | 6.799 | 0.004 | 27695 | 0.2008 | 0.2005 | M |
| 7 MNX | 1 | 7.223 | 7.219 | 0.004 | 29274 | 0.2340 | 0.2323 | M |
| $ 10 1,2-Dinitrobenzene | 1 | 8.556 | 8.552 | 0.004 | 26730 | 0.2000 | 0.2144 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated


Report Date: 20-May-2022 13:40:10 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190017.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 19-May-2022 23:08:55 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-B-1-A MS | | | Worklist Smp#: | 17 |
| Client ID: | PZ007-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 17 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190017.D | | | | |
| Lims ID: | 280-162386-B-1-A MS | | | | |
| Client ID: | PZ007-22A | | | | |
| Sample Type: | MS | | | | |
| Inject. Date: | 19-May-2022 23:08:55 | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-B-1-A | | | | |
| Misc. Info.: | 280-0111180-017 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:10:38

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2144 | 107.18 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190017.d | | | | |
| Injection Date: | 19-May-2022 23:08:55 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-1-A MS | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.56
Area: 30746
Amount: 0.246564
Amount Units: ug/mL




Manual Integration Results

RT: 8.56
Area: 26730
Amount: 0.214358
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:10:37

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190017.d | | | | |
| Injection Date: | 19-May-2022 23:08:55 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-1-A MS | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 17 | Worklist Smp#: | 17 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 371709
Amount: 2.950179
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 29274
Amount: 0.232342
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:10:34

Audit Action: Manually Integrated Audit Reason: Baseline

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A MSD | Lab Sample ID: 280-162386-1 MSD

Matrix: Water | Lab File ID: 05190016.D

Analysis Method: 8330A | Date Collected: 05/13/2022 09:15

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 516.3(mL) | Date Analyzed: 05/19/2022 22:46

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 99-35-4 | 1,3,5-Trinitrobenzene | 2.02 | M | 0.20 | 0.19 | 0.081 |
| 99-65-0 | 1,3-Dinitrobenzene | 2.05 | | 0.11 | 0.097 | 0.036 |
| 118-96-7 | 2,4,6-Trinitrotoluene | 1.99 | | 0.11 | 0.097 | 0.044 |
| 121-14-2 | 2,4-Dinitrotoluene | 1.86 | | 0.097 | 0.077 | 0.027 |
| 606-20-2 | 2,6-Dinitrotoluene | 1.96 | | 0.097 | 0.077 | 0.039 |
| 35572-78-2 | 2-Amino-4,6-dinitrotoluene | 1.89 | | 0.11 | 0.097 | 0.049 |
| 88-72-2 | 2-Nitrotoluene | 1.95 | | 0.20 | 0.19 | 0.083 |
| 99-08-1 | 3-Nitrotoluene | 1.50 | | 0.39 | 0.39 | 0.19 |
| 19406-51-0 | 4-Amino-2,6-dinitrotoluene | 1.85 | | 0.15 | 0.12 | 0.056 |
| 99-99-0 | 4-Nitrotoluene | 1.87 | | 0.40 | 0.39 | 0.097 |
| 2691-41-0 | HMX | 1.96 | M | 0.20 | 0.19 | 0.085 |
| 98-95-3 | Nitrobenzene | 1.96 | | 0.20 | 0.19 | 0.088 |
| 121-82-4 | RDX | 1.80 | M | 0.20 | 0.19 | 0.050 |
| 479-45-8 | Tetryl | 1.99 | | 0.11 | 0.097 | 0.031 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 108 | | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190016.D
Lims ID: 280-162386-A-1-C MSD
Client ID: PZ007-22A
Sample Type: MSD
Inject. Date: 19-May-2022 22:46:01 ALS Bottle#: 16 Worklist Smp#: 16
Injection Vol: 100.0 ul Dil. Factor: 1.0000
Sample Info: 280-162386-A-1-C
Misc. Info.: 280-0111180-016
Operator ID: JZ Instrument ID: CHHPLC_X3

Method: \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m
Limit Group: GCSV - 8330
Last Update: 20-May-2022 13:40:07 Calib Date: 25-Mar-2022 16:30:08
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D

Column 1 : UltraCarb5uODS (20) ( 4.60 mm) Det: LC DAD1B, 254 nm
Process Host: CTX1677

First Level Reviewer: zhangji Date: 20-May-2022 12:10:17

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 4 HMX | 1 | 6.603 | 6.606 | -0.003 | 16993 | 0.2000 | 0.2027 | M |
| 8 RDX | 1 | 7.603 | 7.599 | 0.004 | 19222 | 0.2000 | 0.1855 | M |
| 9 2,4,6-Trinitrophenol | 1 | 7.916 | 7.946 | -0.030 | 19537 | 0.2000 | 0.2536 | M |
| $ 10 1,2-Dinitrobenzene | 1 | 8.550 | 8.552 | -0.002 | 27032 | 0.2000 | 0.2168 | |
| 11 1,3,5-Trinitrobenzene | 1 | 8.676 | 8.679 | -0.003 | 45589 | 0.2000 | 0.2090 | M |
| 12 1,3-Dinitrobenzene | 1 | 9.303 | 9.306 | -0.003 | 61087 | 0.2000 | 0.2118 | |
| 13 Nitrobenzene | 1 | 9.690 | 9.699 | -0.009 | 38920 | 0.2000 | 0.2028 | |
| 15 Tetryl | 1 | 10.016 | 10.026 | -0.010 | 35094 | 0.2000 | 0.2057 | |
| 16 Nitroglycerin | 2 | 10.470 | 10.472 | -0.002 | 136297 | 2.00 | 2.16 | |
| 17 2,4,6-Trinitrotoluene | 1 | 10.923 | 10.932 | -0.009 | 41718 | 0.2000 | 0.2058 | |
| 18 4-Amino-2,6-dinitrotoluene | 1 | 11.123 | 11.132 | -0.009 | 28883 | 0.2000 | 0.1913 | |
| 19 2-Amino-4,6-dinitrotoluene | 1 | 11.376 | 11.386 | -0.010 | 39449 | 0.2000 | 0.1951 | |
| 20 2,6-Dinitrotoluene | 1 | 11.536 | 11.546 | -0.010 | 28926 | 0.2000 | 0.2021 | |
| 21 2,4-Dinitrotoluene | 1 | 11.710 | 11.719 | -0.009 | 55700 | 0.2000 | 0.1925 | |
| 22 o-Nitrotoluene | 1 | 12.556 | 12.572 | -0.016 | 25631 | 0.2000 | 0.2008 | |
| 23 p-Nitrotoluene | 1 | 12.990 | 12.999 | -0.009 | 20563 | 0.2000 | 0.1936 | |
| 24 m-Nitrotoluene | 1 | 13.563 | 13.572 | -0.009 | 22069 | 0.2000 | 0.1551 | |
| 25 PETN | 2 | 14.623 | 14.639 | -0.016 | 152950 | 2.00 | 2.09 | |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated


Report Date: 20-May-2022 13:40:11 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190016.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 19-May-2022 22:46:01 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-A-1-C MSD | | | Worklist Smp#: | 16 |
| Client ID: | PZ007-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 16 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190016.D | | | | |
| Lims ID: | 280-162386-A-1-C MSD | | | | |
| Client ID: | PZ007-22A | | | | |
| Sample Type: | MSD | | | | |
| Inject. Date: | 19-May-2022 22:46:01 | ALS Bottle#: | 16 | Worklist Smp#: | 16 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-A-1-C | | | | |
| Misc. Info.: | 280-0111180-016 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:10:17

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2168 | 108.39 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190016.d | | | | |
| Injection Date: | 19-May-2022 22:46:01 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-1-C MSD | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 16 | Worklist Smp#: | 16 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 11 1,3,5-Trinitrobenzene, CAS: 99-35-4

Signal: 1


Processing Integration Results

RT: 8.68
Area: 47532
Amount: 0.217941
Amount Units: ug/mL




Manual Integration Results

RT: 8.68
Area: 45589
Amount: 0.209032
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:10:16
Audit Action: Split an Integrated Peak Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190016.d | | | | |
| Injection Date: | 19-May-2022 22:46:01 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-1-C MSD | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 16 | Worklist Smp#: | 16 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 4 HMX, CAS: 2691-41-0

Signal: 1


Processing Integration Results

RT: 6.60
Area: 973381
Amount: 11.611756
Amount Units: ug/mL




Manual Integration Results

RT: 6.60
Area: 16993
Amount: 0.202715
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:08:23
Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190016.d | | | | |
| Injection Date: | 19-May-2022 22:46:01 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-A-1-C MSD | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 16 | Worklist Smp#: | 16 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 8 RDX, CAS: 121-82-4

Signal: 1


Processing Integration Results

RT: 7.60
Area: 118727
Amount: 1.145912
Amount Units: ug/mL




Manual Integration Results

RT: 7.60
Area: 19222
Amount: 0.185524
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:08:26
Audit Action: Manually Integrated Audit Reason: Baseline

FORM I
HPLC/IC ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Client Sample ID: PZ007-22A MSD | Lab Sample ID: 280-162386-1 MSD

Matrix: Water | Lab File ID: 05190018.D

Analysis Method: 8330A | Date Collected: 05/13/2022 09:15

Extraction Method: 3535 | Date Extracted: 05/19/2022 14:06

Sample wt/vol: 476.2(mL) | Date Analyzed: 05/19/2022 23:31

Con. Extract Vol.: 5(mL) | Dilution Factor: 1

Injection Volume: 100(uL) | GC Column: UltraCarb5uODS ID: 4.6(mm)

% Moisture: % Solids: | GPC Cleanup:(Y/N) N

Cleanup Factor:

Analysis Batch No.: 575600 | Units: ug/L

| CAS NO. | COMPOUND NAME | RESULT | Q | LOQ | LOD | DL |
|---|---|---|---|---|---|---|
| 5755-27-1 | MNX | 2.39 | M | 2.1 | 0.42 | 0.16 |

| CAS NO. | SURROGATE | %REC | Q | LIMITS |
|---|---|---|---|---|
| 528-29-0 | 1,2-Dinitrobenzene | 106 | M | 83-119 |

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190018.D | | | | |
| Lims ID: | 280-162386-B-1-B MSD | | | | |
| Client ID: | PZ007-22A | | | | |
| Sample Type: | MSD | | | | |
| Inject. Date: | 19-May-2022 23:31:47 | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-B-1-B | | | | |
| Misc. Info.: | 280-0111180-018 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |
| First Level Reviewer: zhangji | | Date: | 20-May-2022 12:11:01 | | |

| Compound | Det | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/mL | OnCol Amt ug/mL | Flags |
|---|---|---|---|---|---|---|---|---|
| 3 TNX | 1 | 6.487 | 6.486 | 0.001 | 39421 | 0.2000 | 0.2175 | M |
| 6 DNX | 1 | 6.800 | 6.799 | 0.001 | 27584 | 0.2008 | 0.1997 | M |
| 7 MNX | 1 | 7.220 | 7.219 | 0.001 | 28679 | 0.2340 | 0.2276 | M |
| $ 10 1,2-Dinitrobenzene | 1 | 8.553 | 8.552 | 0.001 | 26542 | 0.2000 | 0.2129 | M |

## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated


Report Date: 20-May-2022 13:40:09 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver


Data File: \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190018.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 19-May-2022 23:31:47 | Instrument ID: | CHHPLC_X3 | Operator ID: | JZ |
| Lims ID: | 280-162386-B-1-B MSD | | | Worklist Smp#: | 18 |
| Client ID: | PZ007-22A | | | | |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 18 |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |

Column: UltraCarb5uODS (20) ( 4.60 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1




Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Eurofins Denver
Recovery Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\05190018.D | | | | |
| Lims ID: | 280-162386-B-1-B MSD | | | | |
| Client ID: | PZ007-22A | | | | |
| Sample Type: | MSD | | | | |
| Inject. Date: | 19-May-2022 23:31:47 | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-162386-B-1-B | | | | |
| Misc. Info.: | 280-0111180-018 | | | | |
| Operator ID: | JZ | Instrument ID: | CHHPLC_X3 | | |
| Method: | \\chromfs\Denver\ChromData\CHHPLC_X\20220519-111180.b\8330_X3.m | | | | |
| Limit Group: | GCSV - 8330 | | | | |
| Last Update: | 20-May-2022 13:40:07 | Calib Date: | 25-Mar-2022 16:30:08 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\CHHPLC_X\20220325-109559.b\03250017.D | | | | |
| Column 1 : | UltraCarb5uODS (20) ( 4.60 mm) | | Det: LC DAD1B, 254 nm | | |
| Process Host: | CTX1677 | | | | |

First Level Reviewer: zhangji Date: 20-May-2022 12:11:01

| Compound | Amount Added | Amount Recovered | % Rec. |
|---|---|---|---|
| $ 10 1,2-Dinitrobenzene | 0.2000 | 0.2129 | 106.43 |

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190018.d | | | | |
| Injection Date: | 19-May-2022 23:31:47 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-1-B MSD | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## $ 10 1,2-Dinitrobenzene, CAS: 528-29-0

Signal: 1


Processing Integration Results

RT: 8.55
Area: 28206
Amount: 0.226195
Amount Units: ug/mL




Manual Integration Results

RT: 8.55
Area: 26542
Amount: 0.212851
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:10:45

Audit Action: Manually Integrated Audit Reason: Baseline

Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\denver\chromdata\chhplc_x\20220519-111180.b\05190018.d | | | | |
| Injection Date: | 19-May-2022 23:31:47 | Instrument ID: | CHHPLC_X3 | | |
| Lims ID: | 280-162386-B-1-B MSD | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | JZ | ALS Bottle#: | 18 | Worklist Smp#: | 18 |
| Injection Vol: | 100.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | 8330_X3 | Limit Group: | GCSV - 8330 | | |
| Column: | UltraCarb5uODS (20) ( 4.60 mm) | Detector | LC DAD1B, 254 nm | | |

## 7 MNX, CAS: 5755-27-1

Signal: 1


Processing Integration Results

RT: 7.22
Area: 359192
Amount: 2.850834
Amount Units: ug/mL




Manual Integration Results

RT: 7.22
Area: 28679
Amount: 0.227619
Amount Units: ug/mL




Reviewer: zhangji, 20-May-2022 12:11:00

Audit Action: Manually Integrated Audit Reason: Baseline

HPLC/IC ANALYSIS RUN LOG

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3 Start Date: 01/04/2022 18:28

Analysis Batch Number: 562503 End Date: 01/05/2022 04:47

| LAB SAMPLE ID | CLIENT SAMPLE ID | DATE ANALYZED | DILUTION FACTOR | LAB FILE ID | COLUMN ID |
|---|---|---|---|---|---|
| IC 280-562503/11 | | 01/04/2022 18:28 | 1 | 01040011.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/12 | | 01/04/2022 18:51 | 1 | 01040012.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/13 | | 01/04/2022 19:13 | 1 | 01040013.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/14 | | 01/04/2022 19:36 | 1 | 01040014.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/15 | | 01/04/2022 19:59 | 1 | 01040015.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/16 | | 01/04/2022 20:22 | 1 | 01040016.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/17 | | 01/04/2022 20:45 | 1 | 01040017.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/18 | | 01/04/2022 21:08 | 1 | 01040018.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/19 | | 01/04/2022 21:31 | 1 | 01040019.D | UltraCarb5uODS 4.6(mm) |
| ICV 280-562503/20 | | 01/04/2022 21:54 | 1 | 01040020.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/21 | | 01/04/2022 22:17 | 1 | | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/22 | | 01/04/2022 22:40 | 1 | | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/23 | | 01/04/2022 23:03 | 1 | | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/24 | | 01/04/2022 23:26 | 1 | | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/25 | | 01/04/2022 23:49 | 1 | | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/26 | | 01/05/2022 00:11 | 1 | | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/27 | | 01/05/2022 00:34 | 1 | | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/28 | | 01/05/2022 00:57 | 1 | | UltraCarb5uODS 4.6(mm) |
| ICV 280-562503/29 | | 01/05/2022 01:20 | 1 | | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/30 | | 01/05/2022 01:43 | 1 | 01040030.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/31 | | 01/05/2022 02:06 | 1 | 01040031.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/32 | | 01/05/2022 02:29 | 1 | 01040032.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/33 | | 01/05/2022 02:52 | 1 | 01040033.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/34 | | 01/05/2022 03:15 | 1 | 01040034.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/35 | | 01/05/2022 03:38 | 1 | 01040035.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/36 | | 01/05/2022 04:01 | 1 | 01040036.D | UltraCarb5uODS 4.6(mm) |
| IC 280-562503/37 | | 01/05/2022 04:24 | 1 | 01040037.D | UltraCarb5uODS 4.6(mm) |
| ICV 280-562503/38 | | 01/05/2022 04:47 | 1 | 01040038.D | UltraCarb5uODS 4.6(mm) |

HPLC/IC ANALYSIS RUN LOG

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X5 Start Date: 03/02/2022 21:22

Analysis Batch Number: 567560 End Date: 03/03/2022 07:54

| LAB SAMPLE ID | CLIENT SAMPLE ID | DATE ANALYZED | DILUTION FACTOR | LAB FILE ID | COLUMN ID |
|---|---|---|---|---|---|
| IC 280-567560/10 | | 03/02/2022 21:22 | 1 | 03020010.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/11 | | 03/02/2022 21:57 | 1 | 03020011.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/12 | | 03/02/2022 22:32 | 1 | 03020012.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/13 | | 03/02/2022 23:07 | 1 | 03020013.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/14 | | 03/02/2022 23:42 | 1 | 03020014.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/15 | | 03/03/2022 00:17 | 1 | 03020015.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/16 | | 03/03/2022 00:53 | 1 | 03020016.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/17 | | 03/03/2022 01:28 | 1 | 03020017.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/18 | | 03/03/2022 02:03 | 1 | 03020018.D | Luna-phenylhex 4.6(mm) |
| ICV 280-567560/19 | | 03/03/2022 02:38 | 1 | 03020019.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/20 | | 03/03/2022 03:13 | 1 | 03020020.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/21 | | 03/03/2022 03:49 | 1 | 03020021.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/22 | | 03/03/2022 04:24 | 1 | 03020022.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/23 | | 03/03/2022 04:59 | 1 | 03020023.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/24 | | 03/03/2022 05:34 | 1 | 03020024.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/25 | | 03/03/2022 06:09 | 1 | 03020025.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/26 | | 03/03/2022 06:44 | 1 | 03020026.D | Luna-phenylhex 4.6(mm) |
| IC 280-567560/27 | | 03/03/2022 07:19 | 1 | 03020027.D | Luna-phenylhex 4.6(mm) |
| ICV 280-567560/28 | | 03/03/2022 07:54 | 1 | 03020028.D | Luna-phenylhex 4.6(mm) |

HPLC/IC ANALYSIS RUN LOG

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X3 Start Date: 05/19/2022 19:42

Analysis Batch Number: 575600 End Date: 05/20/2022 07:56

| LAB SAMPLE ID | CLIENT SAMPLE ID | DATE ANALYZED | DILUTION FACTOR | LAB FILE ID | COLUMN ID |
|---|---|---|---|---|---|
| CCV 280-575600/7 | | 05/19/2022 19:42 | 1 | 05190007.D | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/8 | | 05/19/2022 20:05 | 1 | | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/9 | | 05/19/2022 20:28 | 1 | 05190009.D | UltraCarb5uODS 4.6(mm) |
| MB 280-575516/1-A | | 05/19/2022 20:51 | 1 | 05190011.D | UltraCarb5uODS 4.6(mm) |
| LCS 280-575516/2-A | | 05/19/2022 21:14 | 1 | 05190012.D | UltraCarb5uODS 4.6(mm) |
| LCS 280-575516/3-A | | 05/19/2022 21:37 | 1 | 05190013.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-1 | PZ007-22A | 05/19/2022 22:00 | 1 | 05190014.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-1 MS | PZ007-22A MS | 05/19/2022 22:23 | 1 | 05190015.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-1 MSD | PZ007-22A MSD | 05/19/2022 22:46 | 1 | 05190016.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-1 MS | PZ007-22A MS | 05/19/2022 23:08 | 1 | 05190017.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-1 MSD | PZ007-22A MSD | 05/19/2022 23:31 | 1 | 05190018.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-2 | G0087-22A | 05/19/2022 23:54 | 1 | 05190019.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-3 | G0117-22A | 05/20/2022 00:17 | 1 | 05190020.D | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/21 | | 05/20/2022 00:40 | 1 | 05190021.D | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/22 | | 05/20/2022 01:03 | 1 | | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/23 | | 05/20/2022 01:26 | 1 | 05190023.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-4 | G0022-22A | 05/20/2022 01:49 | 1 | 05190024.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-5 | G0088-22A | 05/20/2022 02:12 | 1 | 05190025.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-6 | G0116-22A | 05/20/2022 02:35 | 1 | 05190026.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-7 | PZ014-22A | 05/20/2022 02:58 | 1 | 05190027.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-8 | G0092-22A | 05/20/2022 03:21 | 1 | 05190028.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-9 | PZ013-22A | 05/20/2022 03:43 | 1 | 05190029.D | UltraCarb5uODS 4.6(mm) |
| 280-162386-10 | G0081-22A | 05/20/2022 04:06 | 1 | 05190030.D | UltraCarb5uODS 4.6(mm) |
| ZZZZZ | | 05/20/2022 04:29 | 1 | | UltraCarb5uODS 4.6(mm) |
| ZZZZZ | | 05/20/2022 04:52 | 1 | | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/33 | | 05/20/2022 05:15 | 1 | 05190033.D | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/34 | | 05/20/2022 05:38 | 1 | | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/35 | | 05/20/2022 06:01 | 1 | 05190035.D | UltraCarb5uODS 4.6(mm) |
| ZZZZZ | | 05/20/2022 06:24 | 20 | | UltraCarb5uODS 4.6(mm) |
| ZZZZZ | | 05/20/2022 06:47 | 20 | | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/38 | | 05/20/2022 07:10 | 1 | | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/39 | | 05/20/2022 07:33 | 1 | | UltraCarb5uODS 4.6(mm) |
| CCV 280-575600/40 | | 05/20/2022 07:56 | 1 | | UltraCarb5uODS 4.6(mm) |

HPLC/IC ANALYSIS RUN LOG

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: CHHPLC_X5 Start Date: 05/20/2022 16:51

Analysis Batch Number: 575712 End Date: 05/21/2022 05:42

| LAB SAMPLE ID | CLIENT SAMPLE ID | DATE ANALYZED | DILUTION FACTOR | LAB FILE ID | COLUMN ID |
|---|---|---|---|---|---|
| CCV 280-575712/7 | | 05/20/2022 16:51 | 1 | 05200007.D | Luna-phenylhex 4.6(mm) |
| CCV 280-575712/8 | | 05/20/2022 17:26 | 1 | 05200008.D | Luna-phenylhex 4.6(mm) |
| ZZZZZ | | 05/20/2022 18:01 | 1 | | Luna-phenylhex 4.6(mm) |
| ZZZZZ | | 05/20/2022 18:36 | 1 | | Luna-phenylhex 4.6(mm) |
| ZZZZZ | | 05/20/2022 19:11 | 1 | | Luna-phenylhex 4.6(mm) |
| 280-162386-2 | G0087-22A | 05/20/2022 19:46 | 1 | 05200013.D | Luna-phenylhex 4.6(mm) |
| 280-162386-3 | G0117-22A | 05/20/2022 20:21 | 1 | 05200014.D | Luna-phenylhex 4.6(mm) |
| 280-162386-4 | G0022-22A | 05/20/2022 20:57 | 1 | 05200015.D | Luna-phenylhex 4.6(mm) |
| 280-162386-5 | G0088-22A | 05/20/2022 21:32 | 1 | 05200016.D | Luna-phenylhex 4.6(mm) |
| 280-162386-6 | G0116-22A | 05/20/2022 22:07 | 1 | 05200017.D | Luna-phenylhex 4.6(mm) |
| 280-162386-9 | PZ013-22A | 05/20/2022 22:42 | 1 | 05200018.D | Luna-phenylhex 4.6(mm) |
| 280-162386-10 | G0081-22A | 05/20/2022 23:17 | 1 | 05200019.D | Luna-phenylhex 4.6(mm) |
| CCV 280-575712/20 | | 05/20/2022 23:52 | 1 | 05200020.D | Luna-phenylhex 4.6(mm) |
| CCV 280-575712/21 | | 05/21/2022 00:27 | 1 | 05200021.D | Luna-phenylhex 4.6(mm) |
| ZZZZZ | | 05/21/2022 01:02 | 1 | | Luna-phenylhex 4.6(mm) |
| ZZZZZ | | 05/21/2022 01:37 | 1 | | Luna-phenylhex 4.6(mm) |
| ZZZZZ | | 05/21/2022 02:12 | 20 | | Luna-phenylhex 4.6(mm) |
| ZZZZZ | | 05/21/2022 02:47 | 20 | | Luna-phenylhex 4.6(mm) |
| ZZZZZ | | 05/21/2022 03:22 | 1 | | Luna-phenylhex 4.6(mm) |
| ZZZZZ | | 05/21/2022 03:57 | 1 | | Luna-phenylhex 4.6(mm) |
| ZZZZZ | | 05/21/2022 04:32 | 1 | | Luna-phenylhex 4.6(mm) |
| CCV 280-575712/31 | | 05/21/2022 05:07 | 1 | | Luna-phenylhex 4.6(mm) |
| CCV 280-575712/32 | | 05/21/2022 05:42 | 1 | | Luna-phenylhex 4.6(mm) |

# HPLC/IC BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 562503  Batch Start Date: 01/04/22 18:28  Batch Analyst: Zhang, Jian

Batch Method: 8330A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | FinalAmount | 8330 DMT 00010 | 8330 LCS 00111 | 8330_OP_DMT 00012 | 8330IntermStk 00070 | 8330Surrogate 00127 |
|---|---|---|---|---|---|---|---|---|---|
| IC 280-562503/11 | | 8330A | | 1.0 mL | | | | 250 uL | |
| IC 280-562503/12 | | 8330A | | 1.0 mL | | | | 100 uL | |
| IC 280-562503/13 | | 8330A | | 1.0 mL | | | | 70 uL | |
| IC 280-562503/14 | | 8330A | | 1.0 mL | | | | 40 uL | |
| IC 280-562503/15 | | 8330A | | 1.0 mL | | | | 25 uL | |
| IC 280-562503/16 | | 8330A | | 1.0 mL | | | | 10 uL | |
| IC 280-562503/17 | | 8330A | | 1.0 mL | | | | 5 uL | |
| IC 280-562503/18 | | 8330A | | 1.0 mL | | | | 2 uL | |
| IC 280-562503/19 | | 8330A | | 1.0 mL | | | | 1 uL | |
| ICV 280-562503/20 | | 8330A | | 1.0 mL | | 50 uL | | | 50 uL |
| IC 280-562503/30 | | 8330A | | | 125 uL | | | | |
| IC 280-562503/31 | | 8330A | | | 50 uL | | | | |
| IC 280-562503/32 | | 8330A | | | 35 uL | | | | |
| IC 280-562503/33 | | 8330A | | | 20 uL | | | | |
| IC 280-562503/34 | | 8330A | | | 12.5 uL | | | | |
| IC 280-562503/35 | | 8330A | | | 5 uL | | | | |
| IC 280-562503/36 | | 8330A | | | 2.5 uL | | | | |
| IC 280-562503/37 | | 8330A | | | 1 uL | | | | |
| ICV 280-562503/38 | | 8330A | | | | | 50 uL | | |

| Batch Notes | |
|---|---|
| Methanol ID | 214340 |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# HPLC/IC BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 562503  Batch Start Date: 01/04/22 18:28  Batch Analyst: Zhang, Jian

Batch Method: 8330A  Batch End Date:

| Basis | Basis Description |
|---|---|
| | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# HPLC/IC BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 567560  Batch Start Date: 03/02/22 21:22  Batch Analyst: Zhang, Jian

Batch Method: 8330A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | FinalAmount | 3,5-DNA LCS 00040 | 8330 DMT 00010 | 8330 LCS 00111 | 8330_ADDs 00031 | 8330_OP_DMT 00012 |
|---|---|---|---|---|---|---|---|---|---|
| IC 280-567560/10 | | 8330A | | 1.0 mL | | | | 125 uL | |
| IC 280-567560/11 | | 8330A | | 1.0 mL | | | | 50 uL | |
| IC 280-567560/12 | | 8330A | | 1.0 mL | | | | 35 uL | |
| IC 280-567560/13 | | 8330A | | 1.0 mL | | | | 20 uL | |
| IC 280-567560/14 | | 8330A | | 1.0 mL | | | | 12.5 uL | |
| IC 280-567560/15 | | 8330A | | 1.0 mL | | | | 5 uL | |
| IC 280-567560/16 | | 8330A | | 1.0 mL | | | | 2.5 uL | |
| IC 280-567560/17 | | 8330A | | 1.0 mL | | | | 1 uL | |
| IC 280-567560/18 | | 8330A | | 1.0 mL | | | | 0.5 uL | |
| ICV 280-567560/19 | | 8330A | | 1.0 mL | 50 uL | | 50 uL | | |
| IC 280-567560/20 | | 8330A | | 1.0 mL | | 125 uL | | | |
| IC 280-567560/21 | | 8330A | | 1.0 mL | | 50 uL | | | |
| IC 280-567560/22 | | 8330A | | 1.0 mL | | 35 uL | | | |
| IC 280-567560/23 | | 8330A | | 1.0 mL | | 20 uL | | | |
| IC 280-567560/24 | | 8330A | | 1.0 mL | | 12.5 uL | | | |
| IC 280-567560/25 | | 8330A | | 1.0 mL | | 5 uL | | | |
| IC 280-567560/26 | | 8330A | | 1.0 mL | | 2.5 uL | | | |
| IC 280-567560/27 | | 8330A | | 1.0 mL | | 1 uL | | | |
| ICV 280-567560/28 | | 8330A | | | | | | | 50 uL |

| Lab Sample ID | Client Sample ID | Method Chain | Basis | 8330DiaminLCS 00047 | 8330IntermStk 00070 | 8330Surrogate 00127 | | | |
|---|---|---|---|---|---|---|---|---|---|

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# HPLC/IC BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 567560  Batch Start Date: 03/02/22 21:22  Batch Analyst: Zhang, Jian

Batch Method: 8330A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | 8330DiaminLCS 00047 | 8330IntermStk 00070 | 8330Surrogate 00127 | | | |
|---|---|---|---|---|---|---|---|---|---|
| IC 280-567560/10 | | 8330A | | | 250 uL | | | | |
| IC 280-567560/11 | | 8330A | | | 100 uL | | | | |
| IC 280-567560/12 | | 8330A | | | 70 uL | | | | |
| IC 280-567560/13 | | 8330A | | | 40 uL | | | | |
| IC 280-567560/14 | | 8330A | | | 25 uL | | | | |
| IC 280-567560/15 | | 8330A | | | 10 uL | | | | |
| IC 280-567560/16 | | 8330A | | | 5 uL | | | | |
| IC 280-567560/17 | | 8330A | | | 2 uL | | | | |
| IC 280-567560/18 | | 8330A | | | 1 uL | | | | |
| ICV 280-567560/19 | | 8330A | | 50 uL | | 50 uL | | | |
| IC 280-567560/20 | | 8330A | | | | | | | |
| IC 280-567560/21 | | 8330A | | | | | | | |
| IC 280-567560/22 | | 8330A | | | | | | | |
| IC 280-567560/23 | | 8330A | | | | | | | |
| IC 280-567560/24 | | 8330A | | | | | | | |
| IC 280-567560/25 | | 8330A | | | | | | | |
| IC 280-567560/26 | | 8330A | | | | | | | |
| IC 280-567560/27 | | 8330A | | | | | | | |
| ICV 280-567560/28 | | 8330A | | | | | | | |

| Batch Notes | |
|---|---|
| Methanol ID | 214340 |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# HPLC/IC BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 567560  Batch Start Date: 03/02/22  21:22  Batch Analyst: Zhang, Jian

Batch Method: 8330A  Batch End Date:

| Basis | Basis Description |
|---|---|
| | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# HPLC/IC BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575516  Batch Start Date: 05/19/22 14:06  Batch Analyst: Lee, David C

Batch Method: 3535  Batch End Date: 05/19/22 18:05

| Lab Sample ID | Client Sample ID | Method Chain | Basis | GrossWeight | TareWeight | InitialAmount | FinalAmount | 8330 LCS 00113 | 8330_OP_DMT 00014 |
|---|---|---|---|---|---|---|---|---|---|
| MB 280-575516/1 | | 3535, 8330A | | | | 500 mL | 5 mL | | |
| LCS 280-575516/2 | | 3535, 8330A | | | | 500 mL | 5 mL | 0.1 mL | |
| LCS 280-575516/3 | | 3535, 8330A | | | | 500 mL | 5 mL | | 0.1 mL |
| 280-162386-A-1 | PZ007-22A | 3535, 8330A | T | 789.4 g | 286.6 g | 502.8 mL | 5 mL | | |
| 280-162386-A-1 MS | PZ007-22A | 3535, 8330A | T | 793.0 g | 286.3 g | 506.7 mL | 5 mL | 0.1 mL | |
| 280-162386-A-1 MSD | PZ007-22A | 3535, 8330A | T | 802.7 g | 286.4 g | 516.3 mL | 5 mL | 0.1 mL | |
| 280-162386-B-1 MS | PZ007-22A | 3535, 8330A | T | 785.3 g | 286.9 g | 498.4 mL | 5 mL | | 0.1 mL |
| 280-162386-B-1 MSD | PZ007-22A | 3535, 8330A | T | 762.3 g | 286.1 g | 476.2 mL | 5 mL | | 0.1 mL |
| 280-162386-A-2 | G0087-22A | 3535, 8330A | T | 787.4 g | 285.7 g | 501.7 mL | 5 mL | | |
| 280-162386-B-3 | G0117-22A | 3535, 8330A | T | 784.5 g | 287.2 g | 497.3 mL | 5 mL | | |
| 280-162386-A-4 | G0022-22A | 3535, 8330A | T | 767.7 g | 284.9 g | 482.8 mL | 5 mL | | |
| 280-162386-B-5 | G0088-22A | 3535, 8330A | T | 780.7 g | 286.2 g | 494.5 mL | 5 mL | | |
| 280-162386-A-6 | G0116-22A | 3535, 8330A | T | 764.0 g | 287.2 g | 476.8 mL | 5 mL | | |
| 280-162386-A-7 | PZ014-22A | 3535, 8330A | T | 721.1 g | 256.4 g | 464.7 mL | 5 mL | | |
| 280-162386-A-8 | G0092-22A | 3535, 8330A | T | 727.2 g | 256.9 g | 470.3 mL | 5 mL | | |
| 280-162386-B-9 | PZ013-22A | 3535, 8330A | T | 780.5 g | 288.1 g | 492.4 mL | 5 mL | | |
| 280-162386-A-10 | G0081-22A | 3535, 8330A | T | 775.4 g | 286.0 g | 489.4 mL | 5 mL | | |

| Lab Sample ID | Client Sample ID | Method Chain | Basis | 8330Surrogate 00128 | AnalysisComment | | | | |
|---|---|---|---|---|---|---|---|---|---|
| MB 280-575516/1 | | 3535, 8330A | | 0.1 mL | | | | | |
| LCS 280-575516/2 | | 3535, 8330A | | 0.1 mL | 8330 LCS | | | | |
| LCS 280-575516/3 | | 3535, 8330A | | 0.1 mL | DMT | | | | |
| 280-162386-A-1 | PZ007-22A | 3535, 8330A | T | 0.1 mL | | | | | |
| 280-162386-A-1 MS | PZ007-22A | 3535, 8330A | T | 0.1 mL | 8330 LCS | | | | |
| 280-162386-A-1 MSD | PZ007-22A | 3535, 8330A | T | 0.1 mL | 8330 LCS | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# HPLC/IC BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575516  Batch Start Date: 05/19/22 14:06  Batch Analyst: Lee, David C

Batch Method: 3535  Batch End Date: 05/19/22 18:05

| Lab Sample ID | Client Sample ID | Method Chain | Basis | 8330Surrogate 00128 | AnalysisComment | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 280-162386-B-1 MS | PZ007-22A | 3535, 8330A | T | 0.1 mL | DMT | | | | |
| 280-162386-B-1 MSD | PZ007-22A | 3535, 8330A | T | 0.1 mL | DMT | | | | |
| 280-162386-A-2 | G0087-22A | 3535, 8330A | T | 0.1 mL | | | | | |
| 280-162386-B-3 | G0117-22A | 3535, 8330A | T | 0.1 mL | | | | | |
| 280-162386-A-4 | G0022-22A | 3535, 8330A | T | 0.1 mL | | | | | |
| 280-162386-B-5 | G0088-22A | 3535, 8330A | T | 0.1 mL | | | | | |
| 280-162386-A-6 | G0116-22A | 3535, 8330A | T | 0.1 mL | | | | | |
| 280-162386-A-7 | PZ014-22A | 3535, 8330A | T | 0.1 mL | | | | | |
| 280-162386-A-8 | G0092-22A | 3535, 8330A | T | 0.1 mL | | | | | |
| 280-162386-B-9 | PZ013-22A | 3535, 8330A | T | 0.1 mL | | | | | |
| 280-162386-A-10 | G0081-22A | 3535, 8330A | T | 0.1 mL | | | | | |

| Batch Notes | |
|---|---|
| First Start time | 05/19/2022 14:36 |
| First End time | 05/19/2022 17:37 |
| SPE Cartridge Type | Porapak RDX |
| SPE Cartridge Lot ID | 005231202A |
| Balance ID | 24350888 |
| Pipette/Syringe/Dispenser ID | JiJi, Soot, DOD |
| Solvent Name | Acetonitrile |
| Solvent Lot # | Acetonitrile_0065 |
| Rinse Solvent Name | 0.1%AAinACN |
| Rinse Solvent Lot | 0.1%AAinACN_00179 |
| Acid Name | Ca2Cl |
| Acid ID | Ca2Cl_Sol_00080 |
| Analyst ID - Spike Analyst | AA |
| Analyst ID - Spike Witness Analyst | Reviewer: DL |
| Batch Comment | DV-OP-0017; Mantel: B |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# HPLC/IC BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575516  Batch Start Date: 05/19/22 14:06  Batch Analyst: Lee, David C

Batch Method: 3535  Batch End Date: 05/19/22 18:05

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY

COVER PAGE
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job Number: 280-162386-1

SDG No.:

Project: Cornhusker (CHAAP)

| Client Sample ID | Lab Sample ID |
|---|---|
| PZ007-22A | 280-162386-1 |
| G0087-22A | 280-162386-2 |
| G0117-22A | 280-162386-3 |
| G0022-22A | 280-162386-4 |
| G0088-22A | 280-162386-5 |
| G0116-22A | 280-162386-6 |
| PZ014-22A | 280-162386-7 |
| G0092-22A | 280-162386-8 |
| PZ013-22A | 280-162386-9 |
| G0081-22A | 280-162386-10 |

Comments:

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY

Client Sample ID: PZ007-22A
Lab Sample ID: 280-162386-1
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 09:15
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.074 | 0.10 | 0.050 | 0.029 | mg/L | J | | 1 | 350.1 |
| Nitrogen, Total Kjeldahl | 0.80 | 1.0 | 0.80 | 0.69 | mg/L | U | J1 | 1 | 351.2 |
| Nitrate Nitrite as N | 0.59 | 0.10 | 0.050 | 0.044 | mg/L | | | 1 | 353.2 |
| Sulfide | 2.0 | 4.0 | 2.0 | 1.6 | mg/L | U | | 1 | 9034 |
| Sulfate | 850 | 25 | 13 | 5.2 | mg/L | | D M | 5 | 9056A |
| Total Alkalinity as CaCO3 | 380 | 10 | 6.4 | 3.1 | mg/L | | B | 1 | SM 2320B |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY - DISSOLVED

Client Sample ID: PZ007-22A
Lab Sample ID: 280-162386-1
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 09:15
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 4.2 | 1.0 | 0.80 | 0.35 | mg/L | | | 1 | 9060A |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY

Client Sample ID: G0087-22A
Lab Sample ID: 280-162386-2
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 13:15
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.050 | 0.10 | 0.050 | 0.029 | mg/L | U | | 1 | 350.1 |
| Nitrogen, Total Kjeldahl | 0.80 | 1.0 | 0.80 | 0.69 | mg/L | U | | 1 | 351.2 |
| Nitrate Nitrite as N | 6.8 | 0.10 | 0.050 | 0.044 | mg/L | | | 1 | 353.2 |
| Sulfide | 2.0 | 4.0 | 2.0 | 1.6 | mg/L | U | | 1 | 9034 |
| Sulfate | 140 | 5.0 | 2.5 | 1.0 | mg/L | | M | 1 | 9056A |
| Total Alkalinity as CaCO3 | 290 | 10 | 6.4 | 3.1 | mg/L | | B | 1 | SM 2320B |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY - DISSOLVED

Client Sample ID: G0087-22A
Lab Sample ID: 280-162386-2
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 13:15
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 3.1 | 1.0 | 0.80 | 0.35 | mg/L | | | 1 | 9060A |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY

Client Sample ID: G0117-22A
Lab Sample ID: 280-162386-3
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 12:55
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 6.4 | 0.20 | 0.10 | 0.058 | mg/L | | | 2 | 350.1 |
| Nitrogen, Total Kjeldahl | 8.7 | 1.0 | 0.80 | 0.69 | mg/L | | | 1 | 351.2 |
| Nitrate Nitrite as N | 0.050 | 0.10 | 0.050 | 0.044 | mg/L | U | | 1 | 353.2 |
| Sulfide | 2.0 | 4.0 | 2.0 | 1.6 | mg/L | U | | 1 | 9034 |
| Sulfate | 380 | 25 | 13 | 5.2 | mg/L | | D M | 5 | 9056A |
| Total Alkalinity as CaCO3 | 890 | 10 | 6.4 | 3.1 | mg/L | | B | 1 | SM 2320B |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY - DISSOLVED

Client Sample ID: G0117-22A
Lab Sample ID: 280-162386-3
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 12:55
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 10 | 1.0 | 0.80 | 0.35 | mg/L | | | 1 | 9060A |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY

Client Sample ID: G0022-22A
Lab Sample ID: 280-162386-4
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 14:25
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.89 | 0.10 | 0.050 | 0.029 | mg/L | | | 1 | 350.1 |
| Nitrogen, Total Kjeldahl | 0.80 | 1.0 | 0.80 | 0.69 | mg/L | U | | 1 | 351.2 |
| Nitrate Nitrite as N | 7.5 | 0.10 | 0.050 | 0.044 | mg/L | | | 1 | 353.2 |
| Sulfide | 2.0 | 4.0 | 2.0 | 1.6 | mg/L | U | | 1 | 9034 |
| Sulfate | 140 | 5.0 | 2.5 | 1.0 | mg/L | | M | 1 | 9056A |
| Total Alkalinity as CaCO3 | 350 | 10 | 6.4 | 3.1 | mg/L | | B | 1 | SM 2320B |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY - DISSOLVED

Client Sample ID: G0022-22A
Lab Sample ID: 280-162386-4
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 14:25
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 3.9 | 1.0 | 0.80 | 0.35 | mg/L | | | 1 | 9060A |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY

Client Sample ID: G0088-22A
Lab Sample ID: 280-162386-5
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 15:35
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.096 | 0.10 | 0.050 | 0.029 | mg/L | J | | 1 | 350.1 |
| Nitrogen, Total Kjeldahl | 0.80 | 1.0 | 0.80 | 0.69 | mg/L | U | | 1 | 351.2 |
| Nitrate Nitrite as N | 1.4 | 0.10 | 0.050 | 0.044 | mg/L | | | 1 | 353.2 |
| Sulfide | 2.0 | 4.0 | 2.0 | 1.6 | mg/L | U | | 1 | 9034 |
| Sulfate | 280 | 10 | 5.0 | 2.1 | mg/L | | D M | 2 | 9056A |
| Total Alkalinity as CaCO3 | 300 | 10 | 6.4 | 3.1 | mg/L | | B | 1 | SM 2320B |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY - DISSOLVED

Client Sample ID: G0088-22A
Lab Sample ID: 280-162386-5
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 15:35
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 2.9 | 1.0 | 0.80 | 0.35 | mg/L | | | 1 | 9060A |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY

Client Sample ID: G0116-22A
Lab Sample ID: 280-162386-6
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 14:40
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 12 | 1.0 | 0.50 | 0.29 | mg/L | | | 10 | 350.1 |
| Nitrogen, Total Kjeldahl | 14 | 5.0 | 4.0 | 3.4 | mg/L | | D | 5 | 351.2 |
| Nitrate Nitrite as N | 0.050 | 0.10 | 0.050 | 0.044 | mg/L | U | | 1 | 353.2 |
| Sulfide | 2.0 | 4.0 | 2.0 | 1.6 | mg/L | U | | 1 | 9034 |
| Sulfate | 250 | 25 | 13 | 5.2 | mg/L | | D M | 5 | 9056A |
| Total Alkalinity as CaCO3 | 1000 | 10 | 6.4 | 3.1 | mg/L | | B | 1 | SM 2320B |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY - DISSOLVED

Client Sample ID: G0116-22A
Lab Sample ID: 280-162386-6
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 14:40
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 17 | 1.0 | 0.80 | 0.35 | mg/L | | | 1 | 9060A |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY

Client Sample ID: PZ014-22A
Lab Sample ID: 280-162386-7
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 15:50
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.49 | 0.10 | 0.050 | 0.029 | mg/L | | | 1 | 350.1 |
| Nitrogen, Total Kjeldahl | 1.5 | 1.0 | 0.80 | 0.69 | mg/L | | | 1 | 351.2 |
| Nitrate Nitrite as N | 0.050 | 0.10 | 0.050 | 0.044 | mg/L | U | | 1 | 353.2 |
| Sulfide | 2.0 | 4.0 | 2.0 | 1.6 | mg/L | U | | 1 | 9034 |
| Sulfate | 490 | 25 | 13 | 5.2 | mg/L | | D M | 5 | 9056A |
| Total Alkalinity as CaCO3 | 590 | 10 | 6.4 | 3.1 | mg/L | | B | 1 | SM 2320B |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY - DISSOLVED

Client Sample ID: PZ014-22A
Lab Sample ID: 280-162386-7
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 15:50
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 7.8 | 1.0 | 0.80 | 0.35 | mg/L | | | 1 | 9060A |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY

Client Sample ID: G0092-22A
Lab Sample ID: 280-162386-8
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/12/2022 14:20
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.050 | 0.10 | 0.050 | 0.029 | mg/L | U | | 1 | 350.1 |
| Nitrogen, Total Kjeldahl | 0.80 | 1.0 | 0.80 | 0.69 | mg/L | U | | 1 | 351.2 |
| Nitrate Nitrite as N | 0.050 | 0.10 | 0.050 | 0.044 | mg/L | U | | 1 | 353.2 |
| Sulfide | 2.0 | 4.0 | 2.0 | 1.6 | mg/L | U | | 1 | 9034 |
| Sulfate | 410 | 25 | 13 | 5.2 | mg/L | | D M | 5 | 9056A |
| Total Alkalinity as CaCO3 | 330 | 10 | 6.4 | 3.1 | mg/L | | B | 1 | SM 2320B |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY - DISSOLVED

Client Sample ID: G0092-22A
Lab Sample ID: 280-162386-8
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/12/2022 14:20
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 3.4 | 1.0 | 0.80 | 0.35 | mg/L | | | 1 | 9060A |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY

Client Sample ID: PZ013-22A
Lab Sample ID: 280-162386-9
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 11:40
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 1.9 | 0.10 | 0.050 | 0.029 | mg/L | | | 1 | 350.1 |
| Nitrogen, Total Kjeldahl | 0.90 | 1.0 | 0.80 | 0.69 | mg/L | J | | 1 | 351.2 |
| Nitrate Nitrite as N | 5.7 | 0.10 | 0.050 | 0.044 | mg/L | | | 1 | 353.2 |
| Sulfide | 2.0 | 4.0 | 2.0 | 1.6 | mg/L | U | | 1 | 9034 |
| Sulfate | 340 | 25 | 13 | 5.2 | mg/L | | D M | 5 | 9056A |
| Total Alkalinity as CaCO3 | 810 | 10 | 6.4 | 3.1 | mg/L | | B | 1 | SM 2320B |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY - DISSOLVED

Client Sample ID: PZ013-22A
Lab Sample ID: 280-162386-9
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 11:40
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 8.6 | 1.0 | 0.80 | 0.35 | mg/L | | | 1 | 9060A |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY

Client Sample ID: G0081-22A
Lab Sample ID: 280-162386-10
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 12:05
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Ammonia | 0.49 | 0.10 | 0.050 | 0.029 | mg/L | | | 1 | 350.1 |
| Nitrogen, Total Kjeldahl | 0.80 | 1.0 | 0.80 | 0.69 | mg/L | U | | 1 | 351.2 |
| Nitrate Nitrite as N | 0.13 | 0.10 | 0.050 | 0.044 | mg/L | | | 1 | 353.2 |
| Sulfide | 2.0 | 4.0 | 2.0 | 1.6 | mg/L | U | | 1 | 9034 |
| Sulfate | 170 | 5.0 | 2.5 | 1.0 | mg/L | | M | 1 | 9056A |
| Total Alkalinity as CaCO3 | 320 | 10 | 6.4 | 3.1 | mg/L | | B | 1 | SM 2320B |

1B-IN
INORGANIC ANALYSIS DATA SHEET
GENERAL CHEMISTRY - DISSOLVED

Client Sample ID: G0081-22A
Lab Sample ID: 280-162386-10
Lab Name: Eurofins Denver
Job No.: 280-162386-1
SDG ID.:
Matrix: Water
Date Sampled: 05/13/2022 12:05
Reporting Basis: WET
Date Received: 05/14/2022 09:25

| Analyte | Result | LOQ | LOD | DL | Units | C | Q | DIL | Method |
|---|---|---|---|---|---|---|---|---|---|
| Dissolved Organic Carbon - Quad | 6.0 | 1.0 | 0.80 | 0.35 | mg/L | | | 1 | 9060A |

2-IN
CALIBRATION QUALITY CONTROL
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Analyst: MMP  Batch Start Date: 06/01/2022

Reporting Units: mg/L  Analytical Batch No.: 576796

| Sample Number | QC Type | Time | Analyte | Result | Spike Amount | (%) Recovery | Limits | Qual | Reagent |
|---|---|---|---|---|---|---|---|---|---|
| 14 | ICV | 09:43 | Ammonia | 2.49 | 2.51 | 99 | 90-110 | | 350.1 ICV_00522 |
| 15 | ICVL | 09:45 | Ammonia | 0.502 | 0.501 | 100 | 90-110 | | 350.1 ICV_00522 |
| 16 | ICB | 09:47 | Ammonia | 0.050 | | | | U | |
| 28 | CCV | 10:20 | Ammonia | 2.53 | 2.50 | 101 | 90-110 | | 350.1 cal_00537 |
| 29 | CCVL | 10:22 | Ammonia | 0.502 | 0.500 | 100 | 90-110 | | 350.1 cal low_01654 |
| 30 | CCB | 10:25 | Ammonia | 0.050 | | | | U | |
| 42 | CCV | 10:58 | Ammonia | 2.55 | 2.50 | 102 | 90-110 | | 350.1 cal_00537 |
| 43 | CCVL | 10:59 | Ammonia | 0.506 | 0.500 | 101 | 90-110 | | 350.1 cal low_01654 |
| 44 | CCB | 11:02 | Ammonia | 0.050 | | | | U | |
| 88 | CCV | 13:00 | Ammonia | 2.52 | 2.50 | 101 | 90-110 | | 350.1 cal_00537 |
| 90 | CCB | 13:05 | Ammonia | 0.050 | | | | U | |
| 102 | CCV | 13:37 | Ammonia | 2.53 | 2.50 | 101 | 90-110 | | 350.1 cal_00537 |
| 104 | CCB | 13:42 | Ammonia | 0.050 | | | | U | |
| 132 | CCV | 14:57 | Ammonia | 2.55 | 2.50 | 102 | 90-110 | | 350.1 cal_00537 |
| 133 | CCVL | 15:00 | Ammonia | 0.499 | 0.500 | 100 | 90-110 | | 350.1 cal low_01654 |
| 134 | CCB | 15:02 | Ammonia | 0.050 | | | | U | |
| 148 | CCV | 15:41 | Ammonia | 2.55 | 2.50 | 102 | 90-110 | | 350.1 cal_00537 |
| 149 | CCVL | 15:42 | Ammonia | 0.514 | 0.500 | 103 | 90-110 | | 350.1 cal low_01654 |
| 150 | CCB | 15:45 | Ammonia | 0.050 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM II-IN

2-IN
CALIBRATION QUALITY CONTROL
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Analyst: SVC  Batch Start Date: 05/25/2022

Reporting Units: mg/L  Analytical Batch No.: 576217

| Sample Number | QC Type | Time | Analyte | Result | Spike Amount | (%) Recovery | Limits | Qual | Reagent |
|---|---|---|---|---|---|---|---|---|---|
| 7 | ICV | 16:57 | Nitrogen, Total Kjeldahl | 5.24 | 5.00 | 105 | 90-110 | | TKN 25ppm_00831 |
| 8 | ICB | 16:58 | Nitrogen, Total Kjeldahl | 1.0 | | | | U | |
| 45 | CCV | 17:14 | Nitrogen, Total Kjeldahl | 5.14 | 5.00 | 103 | 90-110 | | TKN ICV 25_00117 |
| 46 | CCB | 17:14 | Nitrogen, Total Kjeldahl | 0.779 | | | | J | |
| 56 | CCV | 17:19 | Nitrogen, Total Kjeldahl | 5.18 | 5.00 | 104 | 90-110 | | TKN ICV 25_00117 |
| 57 | CCB | 17:19 | Nitrogen, Total Kjeldahl | 1.0 | | | | U | |
| 75 | CCV | 18:30 | Nitrogen, Total Kjeldahl | 5.12 | 5.00 | 102 | 90-110 | | TKN ICV 25_00117 |
| 76 | CCB | 18:31 | Nitrogen, Total Kjeldahl | 1.0 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM II-IN

2-IN
CALIBRATION QUALITY CONTROL
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Analyst: SVC  Batch Start Date: 06/02/2022

Reporting Units: mg/L  Analytical Batch No.: 576988

| Sample Number | QC Type | Time | Analyte | Result | Spike Amount | (%) Recovery | Limits | Qual | Reagent |
|---|---|---|---|---|---|---|---|---|---|
| 17 | ICV | 16:59 | Nitrate Nitrite as N | 4.97 | 5.00 | 99 | 90-110 | | NXN ICV INT_00599 |
| 18 | ICVL | 17:01 | Nitrate Nitrite as N | 2.03 | 2.00 | 102 | 90-110 | | NXN ICV INT_00599 |
| 19 | ICB | 17:03 | Nitrate Nitrite as N | 0.050 | | | | U | |
| 51 | CCV | 18:07 | Nitrate Nitrite as N | 4.86 | 5.00 | 97 | 90-110 | | NXN CAL INT_00623 |
| 52 | CCVL | 18:09 | Nitrate Nitrite as N | 1.02 | 1.00 | 102 | 90-110 | | NXN CAL INT_00623 |
| 53 | CCB | 18:11 | Nitrate Nitrite as N | 0.050 | | | | U | |
| 67 | CCV | 18:39 | Nitrate Nitrite as N | 4.87 | 5.00 | 97 | 90-110 | | NXN CAL INT_00623 |
| 68 | CCVL | 18:41 | Nitrate Nitrite as N | 1.01 | 1.00 | 101 | 90-110 | | NXN CAL INT_00623 |
| 69 | CCB | 18:43 | Nitrate Nitrite as N | 0.050 | | | | U | |
| 81 | CCV | 19:07 | Nitrate Nitrite as N | 4.93 | 5.00 | 99 | 90-110 | | NXN CAL INT_00623 |
| 82 | CCVL | 19:09 | Nitrate Nitrite as N | 1.02 | 1.00 | 102 | 90-110 | | NXN CAL INT_00623 |
| 83 | CCB | 19:11 | Nitrate Nitrite as N | 0.050 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM II-IN

2-IN
CALIBRATION QUALITY CONTROL
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Analyst: RAF  Batch Start Date: 05/16/2022

Reporting Units: mg/L  Analytical Batch No.: 575123

| Sample Number | QC Type | Time | Analyte | Result | Spike Amount | (%) Recovery | Limits | Qual | Reagent |
|---|---|---|---|---|---|---|---|---|---|
| 8 | ICV | 19:10 | Sulfate | 83.8 | 80.0 | 105 | 90-110 | | IC SO4 ICV_00022 |
| 9 | ICB | 19:26 | Sulfate | 2.5 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM II-IN

2-IN
CALIBRATION QUALITY CONTROL
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Analyst: CJ  Batch Start Date: 05/26/2022

Reporting Units: mg/L  Analytical Batch No.: 576257

| Sample Number | QC Type | Time | Analyte | Result | Spike Amount | (%) Recovery | Limits | Qual | Reagent |
|---|---|---|---|---|---|---|---|---|---|
| 8 | ICV | 12:13 | Sulfate | 75.9 | 80.0 | 95 | 90-110 | | IC SO4 ICV_00022 |
| 9 | ICB | 12:29 | Sulfate | 2.5 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM II-IN

2-IN
CALIBRATION QUALITY CONTROL
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Analyst: RAF  Batch Start Date: 05/31/2022

Reporting Units: mg/L  Analytical Batch No.: 576575

| Sample Number | QC Type | Time | Analyte | Result | Spike Amount | (%) Recovery | Limits | Qual | Reagent |
|---|---|---|---|---|---|---|---|---|---|
| 48 | CCV | 21:37 | Sulfate | 100 | 100 | 100 | 90-110 | | IC LCS_01878 |
| 49 | CCB | 21:53 | Sulfate | 2.5 | | | | U | |
| 60 | CCV | 00:48 | Sulfate | 101 | 100 | 101 | 90-110 | | IC LCS_01878 |
| 61 | CCB | 01:04 | Sulfate | 2.5 | | | | U | |
| 72 | CCV | 04:00 | Sulfate | 101 | 100 | 101 | 90-110 | | IC LCS_01878 |
| 73 | CCB | 04:16 | Sulfate | 2.5 | | | | U | |
| 87 | CCV | 10:24 | Sulfate | 102 | 100 | 102 | 90-110 | | IC LCS_01878 |
| 88 | CCB | 10:40 | Sulfate | 2.5 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM II-IN

2-IN
CALIBRATION QUALITY CONTROL
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Analyst: RAF  Batch Start Date: 06/01/2022

Reporting Units: mg/L  Analytical Batch No.: 576718

| Sample Number | QC Type | Time | Analyte | Result | Spike Amount | (%) Recovery | Limits | Qual | Reagent |
|---|---|---|---|---|---|---|---|---|---|
| 1 | CCV | 11:09 | Sulfate | 98.8 | 100 | 99 | 90-110 | | IC LCS_01879 |
| 2 | CCB | 11:25 | Sulfate | 2.5 | | | | U | |
| 18 | CCV | 15:44 | Sulfate | 98.3 | 100 | 98 | 90-110 | | IC LCS_01879 |
| 19 | CCB | 16:00 | Sulfate | 2.5 | | | | U | |
| 30 | CCV | 18:54 | Sulfate | 97.5 | 100 | 97 | 90-110 | | IC LCS_01879 |
| 31 | CCB | 19:10 | Sulfate | 2.5 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM II-IN

2-IN
CALIBRATION QUALITY CONTROL
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Analyst: ABW  Batch Start Date: 05/26/2022

Reporting Units: mg/L  Analytical Batch No.: 576443

| Sample Number | QC Type | Time | Analyte | Result | Spike Amount | (%) Recovery | Limits | Qual | Reagent |
|---|---|---|---|---|---|---|---|---|---|
| 1 | ICV | 16:43 | Dissolved Organic Carbon - Quad | 19.6 | 20.0 | 98 | 90-110 | | TOC ICV Std_00049 |
| 2 | ICB | 16:58 | Dissolved Organic Carbon - Quad | 0.80 | | | | U | |
| 15 | CCV | 20:26 | Dissolved Organic Carbon - Quad | 24.8 | 25.0 | 99 | 90-110 | | TOC LCS Std_00054 |
| 16 | CCB | 20:47 | Dissolved Organic Carbon - Quad | 0.80 | | | | U | |
| 27 | CCV | 23:39 | Dissolved Organic Carbon - Quad | 24.3 | 25.0 | 97 | 90-110 | | TOC LCS Std_00054 |
| 28 | CCB | 23:56 | Dissolved Organic Carbon - Quad | 0.80 | | | | U | |
| 39 | CCV | 02:58 | Dissolved Organic Carbon - Quad | 24.5 | 25.0 | 98 | 90-110 | | TOC LCS Std_00054 |
| 40 | CCB | 03:14 | Dissolved Organic Carbon - Quad | 0.80 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM II-IN

2-IN
CALIBRATION QUALITY CONTROL
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Analyst: KEG  Batch Start Date: 05/24/2022

Reporting Units: mg/L  Analytical Batch No.: 576106

| Sample Number | QC Type | Time | Analyte | Result | Spike Amount | (%) Recovery | Limits | Qual | Reagent |
|---|---|---|---|---|---|---|---|---|---|
| 17 | CCV | 12:55 | Total Alkalinity as CaCO3 | 196 | 200 | 98 | 90-110 | | Alk daily lcs 01041 |
| 18 | CCB | 13:00 | Total Alkalinity as CaCO3 | 4.53 | | | | J | |
| 29 | CCV | 14:17 | Total Alkalinity as CaCO3 | 201 | 200 | 100 | 90-110 | | Alk daily lcs 01041 |
| 30 | CCB | 14:22 | Total Alkalinity as CaCO3 | 5.10 | | | | J | |
| 43 | CCV | 16:01 | Total Alkalinity as CaCO3 | 199 | 200 | 100 | 90-110 | | Alk daily lcs 01041 |
| 44 | CCB | 16:06 | Total Alkalinity as CaCO3 | 5.52 | | | | J | |
| 55 | CCV | 17:22 | Total Alkalinity as CaCO3 | 189 | 200 | 95 | 90-110 | | Alk daily lcs 01041 |
| 56 | CCB | 17:27 | Total Alkalinity as CaCO3 | 6.4 | | | | U | |

Note! Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM II-IN

3-IN
METHOD BLANK
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

| Method | Lab Sample ID | Analyte | Result | Qual | Units | LOQ | Dil |
|---|---|---|---|---|---|---|---|
| Batch ID: 576796 Date: 06/01/2022 09:55 | | | | | | | |
| 350.1 | MB 280-576796/19 | Ammonia | 0.050 | U | mg/L | 0.10 | 1 |
| Batch ID: 576796 Date: 06/01/2022 13:23 | | | | | | | |
| 350.1 | MB 280-576796/97 | Ammonia | 0.050 | U | mg/L | 0.10 | 1 |
| Batch ID: 576217 Date: 05/25/2022 17:11 Prep Batch: 575901 Date: 05/23/2022 15:54 | | | | | | | |
| 351.2 | MB 280-575901/2-A | Nitrogen, Total Kjeldahl | 0.80 | U | mg/L | 1.0 | 1 |
| Batch ID: 576988 Date: 06/02/2022 18:25 | | | | | | | |
| 353.2 | MB 280-576988/60 | Nitrate Nitrite as N | 0.050 | U | mg/L | 0.10 | 1 |
| Batch ID: 575054 Date: 05/16/2022 11:02 Prep Batch: 575031 Date: 05/16/2022 10:04 | | | | | | | |
| 9034 | MB 280-575031/2-A | Sulfide | 2.0 | U | mg/L | 4.0 | 1 |
| Batch ID: 575192 Date: 05/17/2022 10:24 Prep Batch: 575174 Date: 05/17/2022 09:10 | | | | | | | |
| 9034 | MB 280-575174/2-A | Sulfide | 2.0 | U | mg/L | 4.0 | 1 |
| Batch ID: 575233 Date: 05/17/2022 12:50 Prep Batch: 575177 Date: 05/17/2022 09:13 | | | | | | | |
| 9034 | MB 280-575177/2-A | Sulfide | 2.0 | U | mg/L | 4.0 | 1 |
| Batch ID: 576575 Date: 06/01/2022 00:00 | | | | | | | |
| 9056A | MB 280-576575/57 | Sulfate | 2.5 | U | mg/L | 5.0 | 1 |
| Batch ID: 576718 Date: 06/01/2022 12:28 | | | | | | | |
| 9056A | MB 280-576718/6 | Sulfate | 2.5 | U | mg/L | 5.0 | 1 |
| Batch ID: 576443 Date: 05/26/2022 22:01 | | | | | | | |
| 9060A | MB 280-576248/2-A | Dissolved Organic Carbon - Quad | 0.80 | U | mg/L | 1.0 | 1 |
| Batch ID: 576106 Date: 05/24/2022 11:33 | | | | | | | |
| SM 2320B | MB 280-576106/6 | Total Alkalinity as CaCO3 | 6.4 | U | mg/L | 10 | 1 |
| Batch ID: 576106 Date: 05/24/2022 14:33 | | | | | | | |
| SM 2320B | MB 280-576106/32 | Total Alkalinity as CaCO3 | 5.40 | J | mg/L | 10 | 1 |

5-IN
MATRIX SPIKE SAMPLE RECOVERY
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Matrix: Water

| Method | Lab Sample ID | Analyte | Result | C | Unit | Spike Amount | Pct. Rec. | Limits | RPD | RPD Limit | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Batch ID: 576796 | Date: 06/01/2022 10:01 | | | | | | | | | | |
| 350.1 | 280-162386-1 | Ammonia | 0.074 | J | mg/L | | | | | | |
| 350.1 | 280-162386-1 MS | Ammonia | 1.09 | | mg/L | 1.00 | 101 | 90-110 | | | |
| Batch ID: 576217 | Date: 05/25/2022 17:12 | Prep Batch: 575901 | Date: 05/23/2022 15:54 | | | | | | | | |
| 351.2 | 280-162386-1 | Nitrogen, Total Kjeldahl | 0.80 | U | mg/L | | | | | | J1 |
| 351.2 | 280-162386-1 MS | Nitrogen, Total Kjeldahl | 3.36 | | mg/L | 3.00 | 112 | 90-110 | | | J1 |
| Batch ID: 576988 | Date: 06/02/2022 18:29 | | | | | | | | | | |
| 353.2 | 280-162386-1 | Nitrate Nitrite as N | 0.59 | | mg/L | | | | | | |
| 353.2 | 280-162386-1 MS | Nitrate Nitrite as N | 4.47 | | mg/L | 4.00 | 97 | 90-110 | | | |
| Batch ID: 575192 | Date: 05/17/2022 10:24 | Prep Batch: 575174 | Date: 05/17/2022 09:10 | | | | | | | | |
| 9034 | 280-162386-1 | Sulfide | 2.0 | U | mg/L | | | | | | |
| 9034 | 280-162386-1 MS | Sulfide | 12.8 | | mg/L | 19.1 | 67 | 44-110 | | | |
| Batch ID: 576575 | Date: 06/01/2022 01:20 | | | | | | | | | | |
| 9056A | 280-162386-1 | Sulfate | 850 | | mg/L | | | | | | D M |
| 9056A | 280-162386-1 MS | Sulfate | 1070 | | mg/L | 250 | 88 | 87-112 | | | D M J1 |
| Batch ID: 576718 | Date: 06/01/2022 16:16 | | | | | | | | | | |
| 9056A | 280-162386-3 | Sulfate | 380 | | mg/L | | | | | | D M |
| 9056A | 280-162386-3 MS | Sulfate | 653 | | mg/L | 250 | 109 | 87-112 | | | D |
| Batch ID: 576443 | Date: 05/26/2022 22:34 | | | | | | | | | | |
| 9060A | 280-162386-1 | Dissolved Organic Carbon - Quad | 4.2 | | mg/L | | | | | | |
| 9060A | 280-162386-1 MS | Dissolved Organic Carbon - Quad | 28.4 | | mg/L | 25.0 | 97 | 88-112 | | | |

Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM V-IN

5-IN
MATRIX SPIKE DUPLICATE SAMPLE RECOVERY
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Matrix: Water

| Method | Lab Sample ID | Analyte | Result | C | Unit | Spike Amount | Pct. Rec. | Limits | RPD | RPD Limit | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Batch ID: 576796 | Date: 06/01/2022 10:03 | | | | | | | | | | |
| 350.1 | 280-162386-1 MSD | Ammonia | 1.09 | | mg/L | 1.00 | 102 | 90-110 | 1 | 10 | |
| Batch ID: 576217 | Date: 05/25/2022 17:13 | Prep Batch: 575901 | Date: 05/23/2022 15:54 | | | | | | | | |
| 351.2 | 280-162386-1 MSD | Nitrogen, Total Kjeldahl | 3.37 | | mg/L | 3.00 | 112 | 90-110 | 1 | 25 | J1 |
| Batch ID: 576988 | Date: 06/02/2022 18:31 | | | | | | | | | | |
| 353.2 | 280-162386-1 MSD | Nitrate Nitrite as N | 4.45 | | mg/L | 4.00 | 96 | 90-110 | 0 | 10 | |
| Batch ID: 575192 | Date: 05/17/2022 10:24 | Prep Batch: 575174 | Date: 05/17/2022 09:10 | | | | | | | | |
| 9034 | 280-162386-1 MSD | Sulfide | 13.6 | | mg/L | 19.1 | 71 | 44-110 | 6 | 20 | |
| Batch ID: 576575 | Date: 06/01/2022 01:36 | | | | | | | | | | |
| 9056A | 280-162386-1 MSD | Sulfate | 1080 | | mg/L | 250 | 90 | 87-112 | 0 | 10 | D M J1 |
| Batch ID: 576718 | Date: 06/01/2022 16:32 | | | | | | | | | | |
| 9056A | 280-162386-3 MSD | Sulfate | 656 | | mg/L | 250 | 110 | 87-112 | 0 | 10 | D M |
| Batch ID: 576443 | Date: 05/26/2022 22:48 | | | | | | | | | | |
| 9060A | 280-162386-1 MSD | Dissolved Organic Carbon - Quad | 28.7 | | mg/L | 25.0 | 98 | 88-112 | 1 | 15 | |

Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM V-IN

6-IN
DUPLICATE
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Matrix: Water

| Method | Client Sample ID | Lab Sample ID | Analyte | Result | Unit | RPD | RPD Limit | Qual |
|---|---|---|---|---|---|---|---|---|
| Batch ID: 576575 Date: 06/01/2022 00:32 | | | | | | | | |
| 9056A | PZ007-22A | 280-162386-1 | Sulfate | 850 | mg/L | | | |
| 9056A | PZ007-22A | 280-162386-1 DU | Sulfate | 834 | mg/L | 2 | 10 | D M |
| Batch ID: 576718 Date: 06/01/2022 15:28 | | | | | | | | |
| 9056A | G0117-22A | 280-162386-3 | Sulfate | 380 | mg/L | | | |
| 9056A | G0117-22A | 280-162386-3 DU | Sulfate | 380 | mg/L | 0.2 | 10 | D M |

Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM VI-IN

7A-IN
LAB CONTROL SAMPLE
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Matrix: Water

| Method | Lab Sample ID | Analyte | Result | C | Unit | Spike Amount | Pct. Rec. | Limits | RPD | RPD Limit | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Batch ID: 576796 | Date: 06/01/2022 09:50 | | | | | | | | | | |
| | | | | | | LCS Source: 350.1 cal_00537 | | | | | |
| 350.1 | LCS 280-576796/17 | Ammonia | 2.50 | | mg/L | 2.50 | 100 | 90-110 | 2 | 10 | |
| Batch ID: 576796 | Date: 06/01/2022 13:18 | | | | | | | | | | |
| | | | | | | LCS Source: 350.1 cal_00537 | | | | | |
| 350.1 | LCS 280-576796/95 | Ammonia | 2.37 | | mg/L | 2.50 | 95 | 90-110 | 4 | 10 | |
| Batch ID: 576217 | Date: 05/25/2022 17:11 | Prep Batch: 575901 | Date: 05/23/2022 15:54 | | | | | | | | |
| | | | | | | LCS Source: TKN 25ppm_00831 | | | | | |
| 351.2 | LCS 280-575901/1-A | Nitrogen, Total Kjeldahl | 6.20 | | mg/L | 6.00 | 103 | 90-110 | | | |
| Batch ID: 576988 | Date: 06/02/2022 18:23 | | | | | | | | | | |
| | | | | | | LCS Source: NXN CAL INT_00623 | | | | | |
| 353.2 | LCS 280-576988/59 | Nitrate Nitrite as N | 4.85 | | mg/L | 5.00 | 97 | 90-110 | | | |
| Batch ID: 575054 | Date: 05/16/2022 11:02 | Prep Batch: 575031 | Date: 05/16/2022 10:04 | | | | | | | | |
| | | | | | | LCS Source: SFD ICV INT_02134 | | | | | |
| 9034 | LCS 280-575031/1-A | Sulfide | 13.6 | | mg/L | 19.4 | 70 | 44-110 | | | |
| Batch ID: 575192 | Date: 05/17/2022 10:24 | Prep Batch: 575174 | Date: 05/17/2022 09:10 | | | | | | | | |
| | | | | | | LCS Source: SFD ICV INT_02135 | | | | | |
| 9034 | LCS 280-575174/1-A | Sulfide | 12.8 | | mg/L | 19.1 | 67 | 44-110 | | | |
| Batch ID: 575233 | Date: 05/17/2022 12:50 | Prep Batch: 575177 | Date: 05/17/2022 09:13 | | | | | | | | |
| | | | | | | LCS Source: SFD ICV INT_02135 | | | | | |
| 9034 | LCS 280-575177/1-A | Sulfide | 12.8 | | mg/L | 19.1 | 67 | 44-110 | | | |
| Batch ID: 576575 | Date: 05/31/2022 23:28 | | | | | | | | | | |
| | | | | | | LCS Source: IC LCS_01878 | | | | | |
| 9056A | LCS 280-576575/55 | Sulfate | 100 | | mg/L | 100 | 100 | 87-112 | 1 | 10 | M |
| Batch ID: 576718 | Date: 06/01/2022 11:57 | | | | | | | | | | |
| | | | | | | LCS Source: IC LCS_01879 | | | | | |
| 9056A | LCS 280-576718/4 | Sulfate | 98.3 | | mg/L | 100 | 98 | 87-112 | 1 | 10 | M |
| Batch ID: 576443 | Date: 05/26/2022 21:46 | | | | | | | | | | |
| | | | | | | LCS Source: TOC LCS Std_00054 | | | | | |
| 9060A | LCS 280-576248/1-A | Dissolved Organic Carbon - Quad | 25.1 | | mg/L | 25.0 | 100 | 88-112 | | | |
| Batch ID: 576106 | Date: 05/24/2022 14:28 | | | | | | | | | | |
| | | | | | | LCS Source: Alk daily lcs_01041 | | | | | |
| SM 2320B | LCS 280-576106/31 | Total Alkalinity as CaCO3 | 201 | | mg/L | 200 | 101 | 89-109 | | | |

Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM VIIA-IN

7A-IN
LAB CONTROL SAMPLE DUPLICATE
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Matrix: Water

| Method | Lab Sample ID | Analyte | Result | C | Unit | Spike Amount | Pct. Rec. | Limits | RPD | RPD Limit | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Batch ID: 576796 | Date: 06/01/2022 09:53 | | | | | | | | | | |
| | | | | | | LCSD Source: 350.1 cal_00537 | | | | | |
| 350.1 | LCSD 280-576796/18 | Ammonia | 2.56 | | mg/L | 2.50 | 103 | 90-110 | 2 | 10 | |
| Batch ID: 576796 | Date: 06/01/2022 13:20 | | | | | | | | | | |
| | | | | | | LCSD Source: 350.1 cal_00537 | | | | | |
| 350.1 | LCSD 280-576796/96 | Ammonia | 2.46 | | mg/L | 2.50 | 98 | 90-110 | 4 | 10 | |
| Batch ID: 576575 | Date: 05/31/2022 23:44 | | | | | | | | | | |
| | | | | | | LCSD Source: IC LCS_01878 | | | | | |
| 9056A | LCSD 280-576575/56 | Sulfate | 101 | | mg/L | 100 | 101 | 87-112 | 1 | 10 | M |
| Batch ID: 576718 | Date: 06/01/2022 12:13 | | | | | | | | | | |
| | | | | | | LCSD Source: IC LCS_01879 | | | | | |
| 9056A | LCSD 280-576718/5 | Sulfate | 97.7 | | mg/L | 100 | 98 | 87-112 | 1 | 10 | M |
| Batch ID: 576106 | Date: 05/24/2022 11:28 | | | | | | | | | | |
| | | | | | | LCSD Source: Alk daily lcs_01041 | | | | | |
| SM 2320B | LCSD 280-576106/5 | Total Alkalinity as CaCO3 | 186 | | mg/L | 200 | 93 | 89-109 | 2 | 10 | |

Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM VIIA-IN

7A-IN
METHOD REPORTING LIMIT CHECK
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Matrix: Water

| Method | Lab Sample ID | Analyte | Result | C | Unit | Spike Amount | Pct. Rec. | Limits | RPD | RPD Limit | Q |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Batch ID: 576575 | Date: 05/31/2022 11:29 | | | | | | | | | | |
| | | | | | | LCS Source: IC CAL cl/so4_00423 | | | | | |
| 9056A | MRL 280-576575/3 | Sulfate | 4.56 | J | mg/L | 5.00 | 91 | 50-150 | | | M |
| Batch ID: 576718 | Date: 06/01/2022 11:41 | | | | | | | | | | |
| | | | | | | LCS Source: IC CAL cl/so4_00424 | | | | | |
| 9056A | MRL 280-576718/3 | Sulfate | 4.07 | J | mg/L | 5.00 | 81 | 50-150 | | | M |

Calculations are performed before rounding to avoid round-off errors in calculated results.

FORM VIIA-IN

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job Number: 280-162386-1

SDG Number:

Matrix: Water  Instrument ID: WC_SKALAR_01

Method: 350.1  DL Date: 04/29/2022 13:46

| Analyte | Wavelength/ Mass | LOQ (mg/L) | DL (mg/L) |
|---|---|---|---|
| Ammonia | | 0.1 | 0.029 |

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job Number: 280-162386-1

SDG Number:

Matrix: Water Instrument ID: WC_SKALAR_01

Method: 350.1 XMDL Date: 03/28/2011 13:26

| Analyte | Wavelength/ Mass | XRL (mg/L) | XMDL (mg/L) |
|---|---|---|---|
| Ammonia | | 0.1 | 0.0225 |

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job Number: 280-162386-1

SDG Number:

Matrix: Water  Instrument ID: WC_GAL1

Method: 351.2  DL Date: 02/03/2019 00:00

Prep Method: 351.2

| Analyte | Wavelength/ Mass | LOQ (mg/L) | DL (mg/L) |
|---|---|---|---|
| Nitrogen, Total Kjeldahl | | 1 | 0.687 |

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job Number: 280-162386-1

SDG Number:

Matrix: Water  Instrument ID: WC_GAL1

Method: 351.2  XMDL Date: 02/03/2019 00:00

| Analyte | Wavelength/ Mass | XRL (mg/L) | XMDL (mg/L) |
|---|---|---|---|
| Nitrogen, Total Kjeldahl | | 1 | 0.687 |

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job Number: 280-162386-1

SDG Number:

Matrix: Water Instrument ID: WC_Alp 2

Method: 353.2 DL Date: 04/15/2022 12:31

| Analyte | Wavelength/ Mass | LOQ (mg/L) | DL (mg/L) |
|---|---|---|---|
| Nitrate Nitrite as N | | 0.1 | 0.044 |

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job Number: 280-162386-1

SDG Number:

Matrix: Water Instrument ID: WC_Alp 2

Method: 353.2 XMDL Date: 04/15/2022 12:31

| Analyte | Wavelength/ Mass | XRL (mg/L) | XMDL (mg/L) |
|---|---|---|---|
| Nitrate Nitrite as N | | 0.1 | 0.044 |

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job Number: 280-162386-1

SDG Number:

Matrix: Water  Instrument ID: NOEQUIP

Method: 9034  DL Date: 04/15/2022 13:08

Prep Method: 9030B

| Analyte | Wavelength/ Mass | LOQ (mg/L) | DL (mg/L) |
|---|---|---|---|
| Sulfide | | 4 | 1.6 |

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job Number: 280-162386-1

SDG Number:

Matrix: Water Instrument ID: NOEQUIP

Method: 9034 XMDL Date: 04/15/2022 13:09

| Analyte | Wavelength/ Mass | XRL (mg/L) | XMDL (mg/L) |
|---|---|---|---|
| Sulfide | | 4 | 1.6 |

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job Number: 280-162386-1

SDG Number:

Matrix: Water  Instrument ID: WC_IonChrom11

Method: 9056A  DL Date: 06/21/2019 00:00

| Analyte | Wavelength/ Mass | LOQ (mg/L) | DL (mg/L) |
|---|---|---|---|
| Sulfate | | 5 | 1.03 |

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job Number: 280-162386-1

SDG Number:

Matrix: Water Instrument ID: WC_IonChrom11

Method: 9056A XMDL Date: 06/21/2019 00:00

| Analyte | Wavelength/ Mass | XRL (mg/L) | XMDL (mg/L) |
|---|---|---|---|
| Sulfate | | 5 | 1.03 |

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job Number: 280-162386-1

SDG Number:

Matrix: Water Instrument ID: WC_IonChrom13

Method: 9056A DL Date: 06/21/2019 00:00

| Analyte | Wavelength/ Mass | LOQ (mg/L) | DL (mg/L) |
|---|---|---|---|
| Sulfate | | 5 | 1.03 |

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job Number: 280-162386-1

SDG Number:

Matrix: Water Instrument ID: WC_IonChrom13

Method: 9056A XMDL Date: 06/21/2019 00:00

| Analyte | Wavelength/ Mass | XRL (mg/L) | XMDL (mg/L) |
|---|---|---|---|
| Sulfate | | 5 | 1.03 |

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY - DISSOLVED

Lab Name: Eurofins Denver  Job Number: 280-162386-1

SDG Number:

Matrix: Water  Instrument ID: WC_SHI5

Method: 9060A  DL Date: 06/21/2019 00:00

| Analyte | Wavelength/ Mass | LOQ (mg/L) | DL (mg/L) |
|---|---|---|---|
| Dissolved Organic Carbon - Quad | | 1 | 0.345 |

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY - DISSOLVED

Lab Name: Eurofins Denver  Job Number: 280-162386-1

SDG Number:

Matrix: Water  Instrument ID: WC_SHI5

Method: 9060A  XMDL Date: 06/21/2019 00:00

| Analyte | Wavelength/ Mass | XRL (mg/L) | XMDL (mg/L) |
|---|---|---|---|
| Dissolved Organic Carbon - Quad | | 1 | 0.345 |

9-IN
DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job Number: 280-162386-1

SDG Number:

Matrix: Water  Instrument ID: WC-AT3

Method: SM 2320B  DL Date: 02/03/2019 00:00

| Analyte | Wavelength/ Mass | LOQ (mg/L) | DL (mg/L) |
|---|---|---|---|
| Total Alkalinity as CaCO3 | | 10 | 3.08 |

9-IN
CALIBRATION BLANK DETECTION LIMITS
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job Number: 280-162386-1

SDG Number:

Matrix: Water Instrument ID: WC-AT3

Method: SM 2320B XMDL Date: 02/03/2019 00:00

| Analyte | Wavelength/ Mass | XRL (mg/L) | XMDL (mg/L) |
|---|---|---|---|
| Total Alkalinity as CaCO3 | | 10 | 3.08 |

12-IN
PREPARATION LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Prep Method: 351.2

| Lab Sample ID | Preparation Date | Prep Batch | Initial Weight | Initial Volume (mL) | Final Volume (mL) |
|---|---|---|---|---|---|
| LCS 280-575901/1-A | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| MB 280-575901/2-A | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-1 | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-1 MS | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-1 MSD | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-2 | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-3 | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-4 | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-5 | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-6 | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-7 | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-8 | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-9 | 05/23/2022 15:54 | 575901 | | 25 | 25 |
| 280-162386-10 | 05/23/2022 15:54 | 575901 | | 25 | 25 |

12-IN
PREPARATION LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Prep Method: 9030B

| Lab Sample ID | Preparation Date | Prep Batch | Initial Weight | Initial Volume (mL) | Final Volume (mL) |
|---|---|---|---|---|---|
| LCS 280-575031/1-A | 05/16/2022 10:04 | 575031 | | 50 | 50 |
| MB 280-575031/2-A | 05/16/2022 10:04 | 575031 | | 50 | 50 |
| 280-162386-8 | 05/16/2022 10:04 | 575031 | | 50 | 50 |

12-IN
PREPARATION LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Prep Method: 9030B

| Lab Sample ID | Preparation Date | Prep Batch | Initial Weight | Initial Volume (mL) | Final Volume (mL) |
|---|---|---|---|---|---|
| LCS 280-575174/1-A | 05/17/2022 09:10 | 575174 | | 50 | 50 |
| MB 280-575174/2-A | 05/17/2022 09:10 | 575174 | | 50 | 50 |
| 280-162386-1 | 05/17/2022 09:10 | 575174 | | 50 | 50 |
| 280-162386-1 MS | 05/17/2022 09:10 | 575174 | | 50 | 50 |
| 280-162386-1 MSD | 05/17/2022 09:10 | 575174 | | 50 | 50 |
| 280-162386-2 | 05/17/2022 09:10 | 575174 | | 50 | 50 |

12-IN
PREPARATION LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Prep Method: 9030B

| Lab Sample ID | Preparation Date | Prep Batch | Initial Weight | Initial Volume (mL) | Final Volume (mL) |
|---|---|---|---|---|---|
| LCS 280-575177/1-A | 05/17/2022 09:13 | 575177 | | 50 | 50 |
| MB 280-575177/2-A | 05/17/2022 09:13 | 575177 | | 50 | 50 |
| 280-162386-3 | 05/17/2022 09:13 | 575177 | | 50 | 50 |
| 280-162386-4 | 05/17/2022 09:13 | 575177 | | 50 | 50 |
| 280-162386-5 | 05/17/2022 09:13 | 575177 | | 50 | 50 |
| 280-162386-6 | 05/17/2022 09:13 | 575177 | | 50 | 50 |
| 280-162386-7 | 05/17/2022 09:13 | 575177 | | 50 | 50 |
| 280-162386-9 | 05/17/2022 09:13 | 575177 | | 50 | 50 |
| 280-162386-10 | 05/17/2022 09:13 | 575177 | | 50 | 50 |

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_SKALAR_01  Analysis Method: 350.1

Start Date: 06/01/2022 09:07  End Date: 06/01/2022 15:53

| Lab Sample Id | D/F | Type | Time | Analytes |
|---|---|---|---|---|
| | | | | NH3 |
| ZZZZZZ | | | 09:07 | |
| ZZZZZZ | | | 09:09 | |
| ZZZZZZ | | | 09:13 | |
| ZZZZZZ | | | 09:15 | |
| ZZZZZZ | | | 09:19 | |
| ZZZZZZ | | | 09:21 | |
| ZZZZZZ | | | 09:23 | |
| ZZZZZZ | | | 09:26 | |
| ZZZZZZ | | | 09:29 | |
| ZZZZZZ | | | 09:31 | |
| ZZZZZZ | | | 09:34 | |
| ZZZZZZ | | | 09:37 | |
| ZZZZZZ | | | 09:39 | |
| ICV 280-576796/14 | 1 | | 09:43 | X |
| ICVL 280-576796/15 | 1 | | 09:45 | X |
| ICB 280-576796/16 | 1 | | 09:47 | X |
| LCS 280-576796/17 | 1 | T | 09:50 | X |
| LCSD 280-576796/18 | 1 | T | 09:53 | X |
| MB 280-576796/19 | 1 | T | 09:55 | X |
| 280-162386-1 | 1 | T | 09:58 | X |
| 280-162386-1 MS | 1 | T | 10:01 | X |
| 280-162386-1 MSD | 1 | T | 10:03 | X |
| 280-162386-2 | 1 | T | 10:06 | X |
| ZZZZZZ | | | 10:09 | |
| 280-162386-4 | 1 | T | 10:11 | X |
| 280-162386-5 | 1 | T | 10:14 | X |
| ZZZZZZ | | | 10:17 | |
| CCV 280-576796/28 | 1 | | 10:20 | X |
| CCVL 280-576796/29 | 1 | | 10:22 | X |
| CCB 280-576796/30 | 1 | | 10:25 | X |
| 280-162386-6 | 10 | T | 10:27 | X |
| 280-162386-7 | 1 | T | 10:30 | X |
| 280-162386-8 | 1 | T | 10:33 | X |
| 280-162386-9 | 1 | T | 10:35 | X |
| 280-162386-10 | 1 | T | 10:38 | X |
| ZZZZZZ | | | 10:41 | |
| ZZZZZZ | | | 10:43 | |
| ZZZZZZ | | | 10:46 | |
| ZZZZZZ | | | 10:49 | |
| ZZZZZZ | | | 10:51 | |
| ZZZZZZ | | | 10:54 | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_SKALAR_01  Analysis Method: 350.1

Start Date: 06/01/2022 09:07  End Date: 06/01/2022 15:53

| Lab Sample Id | D/F | Type | Time | Analytes |
|---|---|---|---|---|
| | | | | NH3 |
| CCV 280-576796/42 | 1 | | 10:58 | X |
| CCVL 280-576796/43 | 1 | | 10:59 | X |
| CCB 280-576796/44 | 1 | | 11:02 | X |
| ZZZZZZ | | | 11:05 | |
| ZZZZZZ | | | 11:07 | |
| ZZZZZZ | | | 11:11 | |
| ZZZZZZ | | | 11:13 | |
| ZZZZZZ | | | 11:15 | |
| ZZZZZZ | | | 11:18 | |
| ZZZZZZ | | | 11:21 | |
| ZZZZZZ | | | 11:23 | |
| ZZZZZZ | | | 11:26 | |
| ZZZZZZ | | | 11:29 | |
| ZZZZZZ | | | 11:31 | |
| ZZZZZZ | | | 11:34 | |
| ZZZZZZ | | | 11:37 | |
| CCV 280-576796/58 | | | 11:40 | |
| CCVL 280-576796/59 | | | 11:42 | |
| CCB 280-576796/60 | | | 11:45 | |
| ZZZZZZ | | | 11:47 | |
| ZZZZZZ | | | 11:50 | |
| ZZZZZZ | | | 11:53 | |
| ZZZZZZ | | | 11:55 | |
| ZZZZZZ | | | 11:58 | |
| ZZZZZZ | | | 12:01 | |
| ZZZZZZ | | | 12:03 | |
| ZZZZZZ | | | 12:06 | |
| ZZZZZZ | | | 12:09 | |
| ZZZZZZ | | | 12:12 | |
| ZZZZZZ | | | 12:14 | |
| CCV 280-576796/72 | | | 12:17 | |
| CCVL 280-576796/73 | | | 12:20 | |
| CCB 280-576796/74 | | | 12:22 | |
| ZZZZZZ | | | 12:25 | |
| ZZZZZZ | | | 12:28 | |
| ZZZZZZ | | | 12:31 | |
| ZZZZZZ | | | 12:33 | |
| ZZZZZZ | | | 12:35 | |
| ZZZZZZ | | | 12:38 | |
| ZZZZZZ | | | 12:41 | |
| ZZZZZZ | | | 12:43 | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_SKALAR_01 Analysis Method: 350.1

Start Date: 06/01/2022 09:07 End Date: 06/01/2022 15:53

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | NH3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:46 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:49 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:51 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:54 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:57 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576796/88 | 1 | | 13:00 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCVL 280-576796/89 | | | 13:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576796/90 | 1 | | 13:05 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:08 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:10 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| LCS 280-576796/95 | 1 | T | 13:18 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| LCSD 280-576796/96 | 1 | T | 13:20 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| MB 280-576796/97 | 1 | T | 13:23 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:26 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:29 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:34 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576796/102 | 1 | | 13:37 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCVL 280-576796/103 | | | 13:40 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576796/104 | 1 | | 13:42 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:45 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:47 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:51 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:53 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:56 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:58 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:01 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:04 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:06 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:09 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:14 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:17 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576796/118 | | | 14:20 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCVL 280-576796/119 | | | 14:22 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576796/120 | | | 14:25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:28 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:30 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:33 | | | | | | | | | | | | | | | | | | | | | | | | | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_SKALAR_01  Analysis Method: 350.1

Start Date: 06/01/2022 09:07  End Date: 06/01/2022 15:53

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | NH3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:36 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:38 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:41 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:44 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:46 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:49 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:52 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:54 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576796/132 | 1 | | 14:57 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCVL 280-576796/133 | 1 | | 15:00 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576796/134 | 1 | | 15:02 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:05 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:08 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:11 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-3 | 2 | T | 15:13 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:18 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:21 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:27 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:30 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:32 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:34 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:37 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576796/148 | 1 | | 15:41 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCVL 280-576796/149 | 1 | | 15:42 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576796/150 | 1 | | 15:45 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:48 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:53 | | | | | | | | | | | | | | | | | | | | | | | | | |

Prep Types:
T = Total/NA

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_GAL1  Analysis Method: 351.2

Start Date: 05/02/2022 16:56  End Date: 05/25/2022 18:31

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | TKN | | | | | | | | | | | | | | | | | | | | | | | | |
| IC 280-573320/1-A | | | 16:56 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| IC 280-573320/2-A | | | 16:56 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| IC 280-573320/3-A | | | 16:57 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| IC 280-573320/4-A | | | 16:57 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| IC 280-573320/5-A | | | 16:57 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| IC 280-573320/6-A | | | 16:58 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ICV 280-573320/7-A | 1 | | 16:57 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ICB 280-573320/8-A | 1 | | 16:58 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:58 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:58 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:59 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:59 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:59 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:59 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:00 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:00 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:01 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:01 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-573320/9-A | | | 17:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-573320/10-A | | | 17:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:04 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:04 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:05 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:05 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:05 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:06 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-573320/9-A | | | 17:08 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-573320/10-A | | | 17:09 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:09 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:10 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:10 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:10 | | | | | | | | | | | | | | | | | | | | | | | | | |
| LCS 280-575901/1-A | 1 | T | 17:11 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| MB 280-575901/2-A | 1 | T | 17:11 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 | 1 | T | 17:12 | X | | | | | | | | | | | | | | | | | | | | | | | | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_GAL1  Analysis Method: 351.2

Start Date: 05/02/2022 16:56  End Date: 05/25/2022 18:31

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | TKN | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 MS | 1 | T | 17:12 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 MSD | 1 | T | 17:13 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-2 | 1 | T | 17:13 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-573320/9-A | 1 | | 17:14 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-573320/10-A | 1 | | 17:14 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-3 | 1 | T | 17:14 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-4 | 1 | T | 17:15 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-5 | 1 | T | 17:16 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-7 | 1 | T | 17:16 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-8 | 1 | T | 17:16 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-9 | 1 | T | 17:17 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-10 | 1 | T | 17:18 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:18 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:18 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-573320/9-A | 1 | | 17:19 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-573320/10-A | 1 | | 17:19 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:20 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:20 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:21 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:21 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:22 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:22 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:23 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:23 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-573320/9-A | | | 17:25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-573320/10-A | | | 17:25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-6 | 5 | T | 17:29 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:04 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:30 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:30 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:30 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-573320/9-A | 1 | | 18:30 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-573320/10-A | 1 | | 18:31 | X | | | | | | | | | | | | | | | | | | | | | | | | |

Prep Types:
T = Total/NA

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_Alp 2  Analysis Method: 353.2

Start Date: 06/02/2022 16:27  End Date: 06/02/2022 20:32

| Lab Sample Id | D/F | Type | Time | Analytes |
|---|---|---|---|---|
| | | | | NNO32 |
| ZZZZZZ | | | 16:27 | |
| ZZZZZZ | | | 16:29 | |
| ZZZZZZ | | | 16:31 | |
| ZZZZZZ | | | 16:33 | |
| IC 280-576988/5 | | | 16:35 | X |
| IC 280-576988/6 | | | 16:37 | X |
| IC 280-576988/7 | | | 16:39 | X |
| IC 280-576988/8 | | | 16:41 | X |
| IC 280-576988/9 | | | 16:43 | X |
| IC 280-576988/10 | | | 16:45 | X |
| IC 280-576988/11 | | | 16:47 | X |
| IC 280-576988/12 | | | 16:49 | X |
| IC 280-576988/13 | | | 16:51 | X |
| ZZZZZZ | | | 16:53 | |
| ZZZZZZ | | | 16:55 | |
| ZZZZZZ | | | 16:57 | |
| ICV 280-576988/17 | 1 | | 16:59 | X |
| ICVL 280-576988/18 | 1 | | 17:01 | X |
| ICB 280-576988/19 | 1 | | 17:03 | X |
| ZZZZZZ | | | 17:05 | |
| ZZZZZZ | | | 17:07 | |
| ZZZZZZ | | | 17:09 | |
| ZZZZZZ | | | 17:11 | |
| ZZZZZZ | | | 17:13 | |
| ZZZZZZ | | | 17:15 | |
| ZZZZZZ | | | 17:17 | |
| ZZZZZZ | | | 17:19 | |
| ZZZZZZ | | | 17:21 | |
| ZZZZZZ | | | 17:23 | |
| ZZZZZZ | | | 17:25 | |
| ZZZZZZ | | | 17:27 | |
| ZZZZZZ | | | 17:29 | |
| RINSE 280-576988/33 | | | 17:31 | |
| ZZZZZZ | | | 17:33 | |
| CCV 280-576988/35 | | | 17:35 | |
| CCVL 280-576988/36 | | | 17:37 | |
| CCB 280-576988/37 | | | 17:39 | |
| ZZZZZZ | | | 17:41 | |
| ZZZZZZ | | | 17:43 | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_Alp 2  Analysis Method: 353.2

Start Date: 06/02/2022 16:27  End Date: 06/02/2022 20:32

| Lab Sample Id | D/F | Type | Time | Analytes |
|---|---|---|---|---|
| | | | | NNO32 |
| ZZZZZZ | | | 17:45 | |
| ZZZZZZ | | | 17:47 | |
| ZZZZZZ | | | 17:49 | |
| ZZZZZZ | | | 17:51 | |
| ZZZZZZ | | | 17:53 | |
| ZZZZZZ | | | 17:55 | |
| ZZZZZZ | | | 17:57 | |
| ZZZZZZ | | | 17:59 | |
| ZZZZZZ | | | 18:01 | |
| RINSE 280-576988/49 | | | 18:03 | |
| ZZZZZZ | | | 18:05 | |
| CCV 280-576988/51 | 1 | | 18:07 | X |
| CCVL 280-576988/52 | 1 | | 18:09 | X |
| CCB 280-576988/53 | 1 | | 18:11 | X |
| ZZZZZZ | | | 18:13 | |
| ZZZZZZ | | | 18:15 | |
| ZZZZZZ | | | 18:17 | |
| ZZZZZZ | | | 18:19 | |
| ZZZZZZ | | | 18:21 | |
| LCS 280-576988/59 | 1 | T | 18:23 | X |
| MB 280-576988/60 | 1 | T | 18:25 | X |
| 280-162386-1 | 1 | T | 18:27 | X |
| 280-162386-1 MS | 1 | T | 18:29 | X |
| 280-162386-1 MSD | 1 | T | 18:31 | X |
| 280-162386-2 | 1 | T | 18:33 | X |
| RINSE 280-576988/65 | | | 18:35 | |
| ZZZZZZ | | | 18:37 | |
| CCV 280-576988/67 | 1 | | 18:39 | X |
| CCVL 280-576988/68 | 1 | | 18:41 | X |
| CCB 280-576988/69 | 1 | | 18:43 | X |
| ZZZZZZ | | | 18:45 | |
| 280-162386-3 | 1 | T | 18:47 | X |
| 280-162386-4 | 1 | T | 18:49 | X |
| 280-162386-5 | 1 | T | 18:51 | X |
| 280-162386-6 | 1 | T | 18:53 | X |
| 280-162386-7 | 1 | T | 18:55 | X |
| 280-162386-8 | 1 | T | 18:57 | X |
| 280-162386-9 | 1 | T | 18:59 | X |
| 280-162386-10 | 1 | T | 19:01 | X |

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_Alp 2  Analysis Method: 353.2

Start Date: 06/02/2022 16:27  End Date: 06/02/2022 20:32

| Lab Sample Id | D/F | Type | Time | Analytes |
|---|---|---|---|---|
| | | | | NNO32 |
| RINSE 280-576988/79 | | | 19:03 | |
| ZZZZZZ | | | 19:05 | |
| CCV 280-576988/81 | 1 | | 19:07 | X |
| CCVL 280-576988/82 | 1 | | 19:09 | X |
| CCB 280-576988/83 | 1 | | 19:11 | X |
| ZZZZZZ | | | 19:13 | |
| ZZZZZZ | | | 19:20 | |
| ZZZZZZ | | | 19:22 | |
| ZZZZZZ | | | 19:24 | |
| ZZZZZZ | | | 19:26 | |
| ZZZZZZ | | | 19:28 | |
| ZZZZZZ | | | 19:30 | |
| ZZZZZZ | | | 19:32 | |
| ZZZZZZ | | | 19:34 | |
| ZZZZZZ | | | 19:36 | |
| ZZZZZZ | | | 19:38 | |
| ZZZZZZ | | | 19:40 | |
| ZZZZZZ | | | 19:42 | |
| ZZZZZZ | | | 19:44 | |
| RINSE 280-576988/98 | | | 19:46 | |
| ZZZZZZ | | | 19:48 | |
| CCV 280-576988/100 | | | 19:50 | |
| CCVL 280-576988/101 | | | 19:52 | |
| CCB 280-576988/102 | | | 19:54 | |
| ZZZZZZ | | | 19:56 | |
| ZZZZZZ | | | 19:58 | |
| ZZZZZZ | | | 20:00 | |
| ZZZZZZ | | | 20:02 | |
| ZZZZZZ | | | 20:04 | |
| ZZZZZZ | | | 20:06 | |
| ZZZZZZ | | | 20:08 | |
| ZZZZZZ | | | 20:10 | |
| ZZZZZZ | | | 20:12 | |
| ZZZZZZ | | | 20:14 | |
| ZZZZZZ | | | 20:16 | |
| ZZZZZZ | | | 20:18 | |
| ZZZZZZ | | | 20:20 | |
| RINSE 280-576988/116 | | | 20:22 | |
| ZZZZZZ | | | 20:24 | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_Alp 2  Analysis Method: 353.2

Start Date: 06/02/2022 16:27  End Date: 06/02/2022 20:32

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | NNO32 | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576988/118 | | | 20:26 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCVL 280-576988/119 | | | 20:28 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576988/120 | | | 20:30 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:32 | | | | | | | | | | | | | | | | | | | | | | | | | |

Prep Types:
T = Total/NA

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: NOEQUIP  Analysis Method: 9034

Start Date: 05/16/2022 11:02  End Date: 05/16/2022 11:02

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | S2 | | | | | | | | | | | | | | | | | | | | | | | | |
| LCS 280-575031/1-A | 1 | T | 11:02 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| MB 280-575031/2-A | 1 | T | 11:02 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-8 | 1 | T | 11:02 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |

Prep Types:
T = Total/NA

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: NOEQUIP  Analysis Method: 9034

Start Date: 05/17/2022 10:24  End Date: 05/17/2022 10:24

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | S2 | | | | | | | | | | | | | | | | | | | | | | | | |
| LCS 280-575174/1-A | 1 | T | 10:24 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| MB 280-575174/2-A | 1 | T | 10:24 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 | 1 | T | 10:24 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 MS | 1 | T | 10:24 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 MSD | 1 | T | 10:24 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-2 | 1 | T | 10:24 | X | | | | | | | | | | | | | | | | | | | | | | | | |

Prep Types:
T = Total/NA

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: NOEQUIP  Analysis Method: 9034

Start Date: 05/17/2022 12:50  End Date: 05/17/2022 12:50

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | S2 | | | | | | | | | | | | | | | | | | | | | | | | |
| LCS 280-575177/1-A | 1 | T | 12:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| MB 280-575177/2-A | 1 | T | 12:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-3 | 1 | T | 12:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-4 | 1 | T | 12:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-5 | 1 | T | 12:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-6 | 1 | T | 12:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-7 | 1 | T | 12:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-9 | 1 | T | 12:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-10 | 1 | T | 12:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:50 | | | | | | | | | | | | | | | | | | | | | | | | | |

Prep Types:
T = Total/NA

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom11  Analysis Method: 9056A

Start Date: 05/26/2022 10:38  End Date: 05/27/2022 03:13

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | SO4 | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-576257/2 IC | 1 | | 10:38 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-576257/3 IC | 1 | | 10:54 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-576257/4 IC | 1 | | 11:10 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-576257/5 IC | 1 | | 11:25 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-576257/6 IC | 1 | | 11:41 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-576257/7 IC | 1 | | 11:57 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ICV 280-576257/8 | 1 | | 12:13 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ICB 280-576257/9 | 1 | | 12:29 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:45 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:01 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:16 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:32 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:48 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:04 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:19 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:35 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:51 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:23 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:39 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:55 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:10 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576257/24 | | | 17:26 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576257/25 | | | 17:42 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:58 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:14 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:30 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:46 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:01 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:17 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:33 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:49 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:05 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:21 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576257/38 | | | 20:37 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576257/39 | | | 20:52 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:08 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:40 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:56 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:12 | | | | | | | | | | | | | | | | | | | | | | | | | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom11  Analysis Method: 9056A

Start Date: 05/26/2022 10:38  End Date: 05/27/2022 03:13

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | SO4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:28 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:43 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:59 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:47 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 00:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 00:18 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576257/50 | | | 00:34 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576257/51 | | | 00:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 01:06 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 01:22 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 01:38 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 01:54 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 02:09 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 02:25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 02:41 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576257/59 | | | 02:57 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576257/60 | | | 03:13 | | | | | | | | | | | | | | | | | | | | | | | | | |

Prep Types:
=

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom11  Analysis Method: 9056A

Start Date: 06/01/2022 11:09  End Date: 06/02/2022 07:19

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | SO4 | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576718/1 | 1 | | 11:09 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576718/2 | 1 | | 11:25 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| MRL 280-576718/3 | 1 | T | 11:41 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| LCS 280-576718/4 | 1 | T | 11:57 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| LCSD 280-576718/5 | 1 | T | 12:13 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| MB 280-576718/6 | 1 | T | 12:28 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:51 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:23 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:39 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:55 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:11 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:26 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:42 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-3 | 5 | T | 15:12 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-3 DU | 5 | T | 15:28 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576718/18 | 1 | | 15:44 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576718/19 | 1 | | 16:00 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-3 MS | 5 | T | 16:16 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-3 MSD | 5 | T | 16:32 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-6 | 5 | T | 16:48 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-7 | 5 | T | 17:04 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-9 | 5 | T | 17:19 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:35 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:51 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:23 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:39 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576718/30 | 1 | | 18:54 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576718/31 | 1 | | 19:10 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:26 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:42 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:58 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:14 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:29 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:45 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:01 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:17 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:33 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:49 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576718/42 | | | 22:05 | | | | | | | | | | | | | | | | | | | | | | | | | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom11  Analysis Method: 9056A

Start Date: 06/01/2022 11:09  End Date: 06/02/2022 07:19

| Lab Sample Id | D/F | Type | Time | Analytes |
|---|---|---|---|---|
| | | | | SO4 |
| CCB 280-576718/43 | | | 22:20 | |
| ZZZZZZ | | | 22:36 | |
| ZZZZZZ | | | 22:52 | |
| ZZZZZZ | | | 23:08 | |
| ZZZZZZ | | | 23:24 | |
| ZZZZZZ | | | 23:40 | |
| ZZZZZZ | | | 23:55 | |
| ZZZZZZ | | | 00:11 | |
| ZZZZZZ | | | 00:27 | |
| ZZZZZZ | | | 00:43 | |
| ZZZZZZ | | | 00:59 | |
| CCV 280-576718/54 | | | 01:15 | |
| CCB 280-576718/55 | | | 01:31 | |
| ZZZZZZ | | | 01:46 | |
| ZZZZZZ | | | 02:02 | |
| ZZZZZZ | | | 02:18 | |
| ZZZZZZ | | | 02:34 | |
| ZZZZZZ | | | 02:50 | |
| ZZZZZZ | | | 03:06 | |
| ZZZZZZ | | | 03:21 | |
| ZZZZZZ | | | 03:37 | |
| ZZZZZZ | | | 03:53 | |
| ZZZZZZ | | | 04:09 | |
| CCV 280-576718/66 | | | 04:25 | |
| CCB 280-576718/67 | | | 04:41 | |
| ZZZZZZ | | | 04:56 | |
| ZZZZZZ | | | 05:12 | |
| ZZZZZZ | | | 05:28 | |
| ZZZZZZ | | | 05:44 | |
| ZZZZZZ | | | 06:00 | |
| ZZZZZZ | | | 06:16 | |
| ZZZZZZ | | | 06:32 | |
| ZZZZZZ | | | 06:47 | |
| CCV 280-576718/76 | | | 07:03 | |
| CCB 280-576718/77 | | | 07:19 | |

Prep Types:
T = Total/NA

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13  Analysis Method: 9056A

Start Date: 05/16/2022 17:34  End Date: 05/18/2022 08:17

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | SO4 | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-575123/2 IC | 1 | | 17:34 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-575123/3 IC | 1 | | 17:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-575123/4 IC | 1 | | 18:06 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-575123/5 IC | 1 | | 18:22 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-575123/6 IC | 1 | | 18:38 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| STD 280-575123/7 IC | 1 | | 18:54 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ICV 280-575123/8 | 1 | | 19:10 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ICB 280-575123/9 | 1 | | 19:26 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:42 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:58 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:14 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:30 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:58 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:14 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:30 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:46 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:18 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:34 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:06 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:22 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-575123/24 | | | 14:38 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-575123/25 | | | 14:54 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:10 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:26 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:43 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:59 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:47 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:19 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:35 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-575123/36 | | | 17:51 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-575123/37 | | | 18:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:23 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:39 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:55 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:11 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:27 | | | | | | | | | | | | | | | | | | | | | | | | | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13 Analysis Method: 9056A

Start Date: 05/16/2022 17:34 End Date: 05/18/2022 08:17

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | SO4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:43 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:59 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:47 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-575123/48 | | | 21:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-575123/49 | | | 21:19 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:35 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:51 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:23 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:39 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:55 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:11 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:27 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:43 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:59 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-575123/60 | | | 00:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-575123/61 | | | 00:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 00:47 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 01:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 01:19 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 01:35 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 01:51 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 02:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 02:23 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 02:39 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 02:55 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 03:11 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-575123/72 | | | 03:27 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-575123/73 | | | 03:43 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 03:59 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 04:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 04:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 04:47 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 05:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 05:19 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 05:36 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 05:52 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 06:08 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 06:24 | | | | | | | | | | | | | | | | | | | | | | | | | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13  Analysis Method: 9056A

Start Date: 05/16/2022 17:34  End Date: 05/18/2022 08:17

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | SO4 | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-575123/84 | | | 06:40 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-575123/85 | | | 06:56 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 07:12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 07:29 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 07:45 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-575123/121 | | | 08:01 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-575123/122 | | | 08:17 | | | | | | | | | | | | | | | | | | | | | | | | | |

Prep Types:
=

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13  Analysis Method: 9056A

Start Date: 05/31/2022 10:57  End Date: 06/01/2022 13:04

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | SO4 | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576575/1 | | | 10:57 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576575/2 | | | 11:13 | | | | | | | | | | | | | | | | | | | | | | | | | |
| MRL 280-576575/3 | 1 | T | 11:29 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:45 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:00 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:16 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:32 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:48 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:04 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:20 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:36 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:52 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:08 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:40 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:56 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576575/21 | | | 15:12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576575/22 | | | 15:28 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 15:44 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:00 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:16 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:32 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:48 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:04 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:20 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:37 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:53 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:09 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576575/35 | | | 18:25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576575/36 | | | 18:41 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:57 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:13 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:29 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:45 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:01 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:17 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:33 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:49 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:05 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:21 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576575/48 | 1 | | 21:37 | X | | | | | | | | | | | | | | | | | | | | | | | | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13  Analysis Method: 9056A

Start Date: 05/31/2022 10:57  End Date: 06/01/2022 13:04

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | SO4 | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576575/49 | 1 | | 21:53 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:08 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:40 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:56 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| LCS 280-576575/55 | 1 | T | 23:28 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| LCSD 280-576575/56 | 1 | T | 23:44 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| MB 280-576575/57 | 1 | T | 00:00 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 | 5 | T | 00:16 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 DU | 5 | T | 00:32 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576575/60 | 1 | | 00:48 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576575/61 | 1 | | 01:04 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 MS | 5 | T | 01:20 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 MSD | 5 | T | 01:36 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-2 | 1 | T | 01:52 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 02:08 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-4 | 1 | T | 02:24 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-5 | 2 | T | 02:40 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 02:56 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 03:12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-8 | 5 | T | 03:28 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 03:44 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576575/72 | 1 | | 04:00 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576575/73 | 1 | | 04:16 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-10 | 1 | T | 04:32 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 04:48 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 05:04 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 05:20 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 05:36 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 05:52 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 06:08 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 06:24 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 06:40 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:08 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576575/87 | 1 | | 10:24 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576575/88 | 1 | | 10:40 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 10:56 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:28 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:44 | | | | | | | | | | | | | | | | | | | | | | | | | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_IonChrom13  Analysis Method: 9056A

Start Date: 05/31/2022 10:57  End Date: 06/01/2022 13:04

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | SO4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:00 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:16 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:32 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576575/96 | | | 12:48 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576575/97 | | | 13:04 | | | | | | | | | | | | | | | | | | | | | | | | | |

Prep Types:
T = Total/NA

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_SHI5  Analysis Method: 9060A

Start Date: 05/26/2022 16:43  End Date: 05/27/2022 12:07

| Lab Sample Id | D/F | Type | Time | Analytes |
|---|---|---|---|---|
| | | | | DOCQ |
| ICV 280-576443/1 | 1 | | 16:43 | X |
| ICB 280-576443/2 | 1 | | 16:58 | X |
| ZZZZZZ | | | 17:14 | |
| ZZZZZZ | | | 17:31 | |
| ZZZZZZ | | | 17:45 | |
| ZZZZZZ | | | 18:03 | |
| ZZZZZZ | | | 18:18 | |
| ZZZZZZ | | | 18:34 | |
| ZZZZZZ | | | 18:50 | |
| ZZZZZZ | | | 19:09 | |
| ZZZZZZ | | | 19:25 | |
| ZZZZZZ | | | 19:43 | |
| ZZZZZZ | | | 19:58 | |
| ZZZZZZ | | | 20:12 | |
| CCV 280-576443/15 | 1 | | 20:26 | X |
| CCB 280-576443/16 | 1 | | 20:47 | X |
| ZZZZZZ | | | 21:01 | |
| ZZZZZZ | | | 21:15 | |
| ZZZZZZ | | | 21:30 | |
| LCS 280-576248/1-A | 1 | D | 21:46 | X |
| MB 280-576248/2-A | 1 | D | 22:01 | X |
| 280-162386-1 | 1 | D | 22:15 | X |
| 280-162386-1 MS | 1 | D | 22:34 | X |
| 280-162386-1 MSD | 1 | D | 22:48 | X |
| 280-162386-2 | 1 | D | 23:02 | X |
| 280-162386-3 | 1 | D | 23:21 | X |
| CCV 280-576443/27 | 1 | | 23:39 | X |
| CCB 280-576443/28 | 1 | | 23:56 | X |
| 280-162386-4 | 1 | D | 00:10 | X |
| 280-162386-5 | 1 | D | 00:28 | X |
| 280-162386-6 | 1 | D | 00:45 | X |
| 280-162386-7 | 1 | D | 01:03 | X |
| 280-162386-8 | 1 | D | 01:21 | X |
| 280-162386-9 | 1 | D | 01:37 | X |
| 280-162386-10 | 1 | D | 01:56 | X |
| ZZZZZZ | | | 02:10 | |
| ZZZZZZ | | | 02:28 | |
| ZZZZZZ | | | 02:43 | |
| CCV 280-576443/39 | 1 | | 02:58 | X |
| CCB 280-576443/40 | 1 | | 03:14 | X |

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC_SHI5  Analysis Method: 9060A

Start Date: 05/26/2022 16:43  End Date: 05/27/2022 12:07

| Lab Sample Id | D/F | Type | Time | Analytes |
|---|---|---|---|---|
| | | | | DOCQ |
| ZZZZZZ | | | 03:29 | |
| ZZZZZZ | | | 03:43 | |
| ZZZZZZ | | | 03:57 | |
| ZZZZZZ | | | 04:12 | |
| ZZZZZZ | | | 04:26 | |
| ZZZZZZ | | | 04:42 | |
| ZZZZZZ | | | 04:57 | |
| ZZZZZZ | | | 05:11 | |
| ZZZZZZ | | | 05:25 | |
| ZZZZZZ | | | 05:42 | |
| CCV 280-576443/51 | | | 05:56 | |
| CCB 280-576443/52 | | | 06:10 | |
| ZZZZZZ | | | 06:27 | |
| ZZZZZZ | | | 06:41 | |
| ZZZZZZ | | | 06:55 | |
| ZZZZZZ | | | 07:12 | |
| ZZZZZZ | | | 07:30 | |
| ZZZZZZ | | | 07:44 | |
| ZZZZZZ | | | 08:02 | |
| ZZZZZZ | | | 08:17 | |
| ZZZZZZ | | | 08:31 | |
| ZZZZZZ | | | 08:46 | |
| CCV 280-576443/63 | | | 09:00 | |
| CCB 280-576443/64 | | | 09:15 | |
| ZZZZZZ | | | 09:29 | |
| ZZZZZZ | | | 09:47 | |
| ZZZZZZ | | | 10:06 | |
| ZZZZZZ | | | 10:20 | |
| ZZZZZZ | | | 10:34 | |
| ZZZZZZ | | | 10:48 | |
| ZZZZZZ | | | 11:02 | |
| ZZZZZZ | | | 11:19 | |
| ZZZZZZ | | | 11:38 | |
| CCV 280-576443/74 | | | 11:52 | |
| CCB 280-576443/75 | | | 12:07 | |

Prep Types:
D = Dissolved

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Instrument ID: WC-AT3  Analysis Method: SM 2320B

Start Date: 05/24/2022 10:56  End Date: 05/25/2022 00:48

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Alk | | | | | | | | | | | | | | | | | | | | | | | | |
| RINSE 280-576106/1 | | | 10:56 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:22 | | | | | | | | | | | | | | | | | | | | | | | | | |
| LCSD 280-576106/5 | 1 | T | 11:28 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| MB 280-576106/6 | 1 | T | 11:33 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:43 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 11:52 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:00 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:05 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:13 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:21 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:27 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:35 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:40 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 12:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576106/17 | 1 | | 12:55 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576106/18 | 1 | | 13:00 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:20 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:37 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:44 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 13:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:00 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576106/29 | 1 | | 14:17 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576106/30 | 1 | | 14:22 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| LCS 280-576106/31 | 1 | T | 14:28 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| MB 280-576106/32 | 1 | T | 14:33 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:43 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 14:54 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-1 | 1 | T | 15:01 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-2 | 1 | T | 15:07 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-3 | 1 | T | 15:17 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-4 | 1 | T | 15:23 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-5 | 1 | T | 15:30 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-6 | 1 | T | 15:42 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-7 | 1 | T | 15:50 | X | | | | | | | | | | | | | | | | | | | | | | | | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Instrument ID: WC-AT3 Analysis Method: SM 2320B

Start Date: 05/24/2022 10:56 End Date: 05/25/2022 00:48

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Alk | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-8 | 1 | T | 15:56 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576106/43 | 1 | | 16:01 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576106/44 | 1 | | 16:06 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-9 | 1 | T | 16:16 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 280-162386-10 | 1 | T | 16:23 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:29 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:36 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:42 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:48 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 16:55 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:01 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:09 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:16 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576106/55 | 1 | | 17:22 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576106/56 | 1 | | 17:27 | X | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:33 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:38 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:44 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 17:56 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:09 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:23 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:37 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 18:44 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576106/69 | | | 18:49 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576106/70 | | | 18:54 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:09 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:15 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:21 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:28 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:36 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:43 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 19:58 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:06 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576106/81 | | | 20:12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576106/82 | | | 20:16 | | | | | | | | | | | | | | | | | | | | | | | | | |

FORM XIII-IN

13-IN
ANALYSIS RUN LOG
GENERAL CHEMISTRY

Lab Name: Eurofins Denver | Job No.: 280-162386-1

SDG No.:

Instrument ID: WC-AT3 | Analysis Method: SM 2320B

Start Date: 05/24/2022 10:56 | End Date: 05/25/2022 00:48

| Lab Sample Id | D/F | Type | Time | Analytes | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Alk | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:22 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:26 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:35 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:41 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:48 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:54 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 20:59 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:07 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:13 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:19 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576106/95 | | | 21:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576106/96 | | | 21:36 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:44 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:53 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 21:58 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:04 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:10 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:16 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:22 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:28 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:39 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 22:46 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576106/107 | | | 22:52 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576106/108 | | | 22:57 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:03 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:09 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:20 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:39 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:46 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 23:52 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 00:02 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 00:12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 00:33 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ZZZZZZ | | | 00:37 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCV 280-576106/120 | | | 00:43 | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCB 280-576106/121 | | | 00:48 | | | | | | | | | | | | | | | | | | | | | | | | | |

Prep Types:
T = Total/NA

FORM XIII-IN

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576796  Batch Start Date: 06/01/22 09:07  Batch Analyst: Peterson, McKenzy M

Batch Method: 350.1  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | ClResPres | InitialAmount | FinalAmount | Initial pH | 350.1 cal 00537 | 350.1 cal low 01654 |
|---|---|---|---|---|---|---|---|---|---|
| ICV 280-576796/14 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | | |
| ICVL 280-576796/15 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | | |
| ICB 280-576796/16 | | 350.1 | | no | 10 mL | 10 mL | <2 SU | | |
| LCS 280-576796/17 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | 2.5 mL | |
| LCSD 280-576796/18 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | 2.5 mL | |
| MB 280-576796/19 | | 350.1 | | no | 10 mL | 10 mL | <2 SU | | |
| 280-162386-C-1 | PZ007-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | | |
| 280-162386-C-1 MS | PZ007-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | 0.1 mL | |
| 280-162386-C-1 MSD | PZ007-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | 0.1 mL | |
| 280-162386-C-2 | G0087-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | | |
| 280-162386-C-4 | G0022-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | | |
| 280-162386-C-5 | G0088-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | | |
| CCV 280-576796/28 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | 2.5 mL | |
| CCVL 280-576796/29 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | | 5 mL |
| CCB 280-576796/30 | | 350.1 | | no | 10 mL | 10 mL | <2 SU | | |
| 280-162386-C-6 | G0116-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | | |
| 280-162386-C-7 | PZ014-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | | |
| 280-162386-C-8 | G0092-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | | |
| 280-162386-C-9 | PZ013-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | | |
| 280-162386-C-10 | G0081-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | | |
| CCV 280-576796/42 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | 2.5 mL | |
| CCVL 280-576796/43 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | | 5 mL |
| CCB 280-576796/44 | | 350.1 | | no | 10 mL | 10 mL | <2 SU | | |
| CCV 280-576796/88 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | 2.5 mL | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576796  Batch Start Date: 06/01/22 09:07  Batch Analyst: Peterson, McKenzy M

Batch Method: 350.1  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | ClResPres | InitialAmount | FinalAmount | Initial pH | 350.1 cal 00537 | 350.1 cal low 01654 |
|---|---|---|---|---|---|---|---|---|---|
| CCB 280-576796/90 | | 350.1 | | no | 10 mL | 10 mL | <2 SU | | |
| LCS 280-576796/95 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | 2.5 mL | |
| LCSD 280-576796/96 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | 2.5 mL | |
| MB 280-576796/97 | | 350.1 | | no | 10 mL | 10 mL | <2 SU | | |
| CCV 280-576796/102 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | 2.5 mL | |
| CCB 280-576796/104 | | 350.1 | | no | 10 mL | 10 mL | <2 SU | | |
| CCV 280-576796/132 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | 2.5 mL | |
| CCVL 280-576796/133 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | | 5 mL |
| CCB 280-576796/134 | | 350.1 | | no | 10 mL | 10 mL | <2 SU | | |
| 280-162386-C-3 | G0117-22A | 350.1 | T | no | 10 mL | 10 mL | <2 SU | | |
| CCV 280-576796/148 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | 2.5 mL | |
| CCVL 280-576796/149 | | 350.1 | | no | 100 mL | 100 mL | <2 SU | | 5 mL |
| CCB 280-576796/150 | | 350.1 | | no | 10 mL | 10 mL | <2 SU | | |

| Lab Sample ID | Client Sample ID | Method Chain | Basis | 350.1 ICV 00522 | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| ICV 280-576796/14 | | 350.1 | | 2.5 mL | | | | | |
| ICVL 280-576796/15 | | 350.1 | | 0.5 mL | | | | | |
| ICB 280-576796/16 | | 350.1 | | | | | | | |
| LCS 280-576796/17 | | 350.1 | | | | | | | |
| LCSD 280-576796/18 | | 350.1 | | | | | | | |
| MB 280-576796/19 | | 350.1 | | | | | | | |
| 280-162386-C-1 | PZ007-22A | 350.1 | T | | | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576796  Batch Start Date: 06/01/22 09:07  Batch Analyst: Peterson, McKenzy M

Batch Method: 350.1  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | 350.1 ICV 00522 | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 280-162386-C-1 MS | PZ007-22A | 350.1 | T | | | | | | |
| 280-162386-C-1 MSD | PZ007-22A | 350.1 | T | | | | | | |
| 280-162386-C-2 | G0087-22A | 350.1 | T | | | | | | |
| 280-162386-C-4 | G0022-22A | 350.1 | T | | | | | | |
| 280-162386-C-5 | G0088-22A | 350.1 | T | | | | | | |
| CCV 280-576796/28 | | 350.1 | | | | | | | |
| CCVL 280-576796/29 | | 350.1 | | | | | | | |
| CCB 280-576796/30 | | 350.1 | | | | | | | |
| 280-162386-C-6 | G0116-22A | 350.1 | T | | | | | | |
| 280-162386-C-7 | PZ014-22A | 350.1 | T | | | | | | |
| 280-162386-C-8 | G0092-22A | 350.1 | T | | | | | | |
| 280-162386-C-9 | PZ013-22A | 350.1 | T | | | | | | |
| 280-162386-C-10 | G0081-22A | 350.1 | T | | | | | | |
| CCV 280-576796/42 | | 350.1 | | | | | | | |
| CCVL 280-576796/43 | | 350.1 | | | | | | | |
| CCB 280-576796/44 | | 350.1 | | | | | | | |
| CCV 280-576796/88 | | 350.1 | | | | | | | |
| CCB 280-576796/90 | | 350.1 | | | | | | | |
| LCS 280-576796/95 | | 350.1 | | | | | | | |
| LCSD 280-576796/96 | | 350.1 | | | | | | | |
| MB 280-576796/97 | | 350.1 | | | | | | | |
| CCV 280-576796/102 | | 350.1 | | | | | | | |
| CCB 280-576796/104 | | 350.1 | | | | | | | |
| CCV 280-576796/132 | | 350.1 | | | | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576796  Batch Start Date: 06/01/22 09:07  Batch Analyst: Peterson, McKenzy M

Batch Method: 350.1  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | 350.1 ICV 00522 | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| CCVL 280-576796/133 | | 350.1 | | | | | | | |
| CCB 280-576796/134 | | 350.1 | | | | | | | |
| 280-162386-C-3 | G0117-22A | 350.1 | T | | | | | | |
| CCV 280-576796/148 | | 350.1 | | | | | | | |
| CCVL 280-576796/149 | | 350.1 | | | | | | | |
| CCB 280-576796/150 | | 350.1 | | | | | | | |

| Batch Notes | |
|---|---|
| Acid used for pH adjustment | Sulfuric Acid_00288 |
| Sodium Nitroprusside ID | Na Salicylate: 00010, Na Nitro_00007 |
| Hypochlorite ID | Na Hypo_00006 |
| EDTA Buffer ID | Buffer A_00006 |
| Potassium Sodium Tartrate ID | Buffer B_00008 |
| Carrier Identification | Ammonia Rinse_00007 |
| Sodium Salicylate ID | Sodium Sal_00024 |
| Pipette/Syringe/Dispenser ID | SAH5000, 1000INTERCESSOR, BWH 200 |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 573320  Batch Start Date: 04/28/22 16:09  Batch Analyst: Cherry, Scott V

Batch Method: 351.2  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | TKN 25ppm 00831 | TKN ICV 25 00117 | | |
|---|---|---|---|---|---|---|---|---|---|
| ICV 280-573320/7 | | 351.2, 351.2 | | 25 mL | 25 mL | 5 mL | | | |
| ICB 280-573320/8 | | 351.2, 351.2 | | 25 mL | 25 mL | | | | |
| CCV 280-573320/9 | | 351.2, 351.2 | | 25 mL | 25 mL | | 5 mL | | |
| CCB 280-573320/10 | | 351.2, 351.2 | | 25 mL | 25 mL | | | | |

| Batch Notes | |
|---|---|
| Block Digestor ID | TKN Hotblock |
| Digestion Solution ID | TKN digestion_00146 |
| Oven, Bath or Block Temperature 1 | 160 Degrees C |
| Block Digestion Temperature Start Date | 04/28/2022 17:00 |
| Oven, Bath or Block Temperature 2 | 380 Degrees C |
| Bl;ock Digestion Temperature End Date | 04/28/2022 23:00 |
| Pipette/Syringe/Dispenser ID | 5000ad, 1000ad |
| pH Indicator ID | hc902937 |

| Basis | Basis Description |
|---|---|
| | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575901  Batch Start Date: 05/23/22 15:54  Batch Analyst: Cherry, Scott V

Batch Method: 351.2  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | Initial pH | InitialAmount | FinalAmount | TKN 25ppm 00831 | | |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-575901/1 | | 351.2, 351.2 | | | 25 mL | 25 mL | 6 mL | | |
| MB 280-575901/2 | | 351.2, 351.2 | | | 25 mL | 25 mL | | | |
| 280-162386-C-1 | PZ007-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | | | |
| 280-162386-C-1 MS | PZ007-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | 3 mL | | |
| 280-162386-C-1 MSD | PZ007-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | 3 mL | | |
| 280-162386-C-2 | G0087-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | | | |
| 280-162386-C-3 | G0117-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | | | |
| 280-162386-C-4 | G0022-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | | | |
| 280-162386-C-5 | G0088-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | | | |
| 280-162386-C-6 | G0116-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | | | |
| 280-162386-C-7 | PZ014-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | | | |
| 280-162386-C-8 | G0092-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | | | |
| 280-162386-C-9 | PZ013-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | | | |
| 280-162386-C-10 | G0081-22A | 351.2, 351.2 | T | <2 | 25 mL | 25 mL | | | |

| Batch Notes | |
|---|---|
| Block Digestor ID | TKN Hotblock |
| Digestion Solution ID | TKN digestion_00146 |
| Oven, Bath or Block Temperature 1 | 160 Degrees C |
| Block Digestion Temperature Start Date | 05/23/2022 16:40 |
| Oven, Bath or Block Temperature 2 | 380 Degrees C |
| Bl;ock Digestion Temperature End Date | 05/23/2022 22:40 |
| Pipette/Syringe/Dispenser ID | 5000ad, 1000ad |
| pH Indicator ID | hc902937 |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576217  Batch Start Date: 05/02/22 16:56  Batch Analyst: Cherry, Scott V

Batch Method: 351.2  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | FinalAmount | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| ICV 280-573320/7-A | | 351.2 | | 2 mL | | | | | |
| ICB 280-573320/8-A | | 351.2 | | 2 mL | | | | | |
| LCS 280-575901/1-A | | 351.2 | | 2 mL | | | | | |
| MB 280-575901/2-A | | 351.2 | | 2 mL | | | | | |
| 280-162386-C-1-A | PZ007-22A | 351.2 | T | 2 mL | | | | | |
| 280-162386-C-1-B MS | PZ007-22A | 351.2 | T | 2 mL | | | | | |
| 280-162386-C-1-C MSD | PZ007-22A | 351.2 | T | 2 mL | | | | | |
| 280-162386-C-2-A | G0087-22A | 351.2 | T | 2 mL | | | | | |
| CCV 280-573320/9-A | | 351.2 | | 2 mL | | | | | |
| CCB 280-573320/10-A | | 351.2 | | 2 mL | | | | | |
| 280-162386-C-3-A | G0117-22A | 351.2 | T | 2 mL | | | | | |
| 280-162386-C-4-A | G0022-22A | 351.2 | T | 2 mL | | | | | |
| 280-162386-C-5-A | G0088-22A | 351.2 | T | 2 mL | | | | | |
| 280-162386-C-7-A | PZ014-22A | 351.2 | T | 2 mL | | | | | |
| 280-162386-C-8-A | G0092-22A | 351.2 | T | 2 mL | | | | | |
| 280-162386-C-9-A | PZ013-22A | 351.2 | T | 2 mL | | | | | |
| 280-162386-C-10-A | G0081-22A | 351.2 | T | 2 mL | | | | | |
| CCV 280-573320/9-A | | 351.2 | | 2 mL | | | | | |
| CCB 280-573320/10-A | | 351.2 | | 2 mL | | | | | |
| 280-162386-C-6-A | G0116-22A | 351.2 | T | 2 mL | | | | | |
| CCV 280-573320/9-A | | 351.2 | | 2 mL | | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576217  Batch Start Date: 05/02/22 16:56  Batch Analyst: Cherry, Scott V

Batch Method: 351.2  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | FinalAmount | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| CCB 280-573320/10-A | | 351.2 | | 2 mL | | | | | |

| Batch Notes | |
|---|---|
| Hypochlorite ID | TKN hypo_00677 |
| Buffer Reagent ID | TKN buffer_00134 |
| Pipette/Syringe/Dispenser ID | 5000ad, 1000ad |
| Sodium Nitroprusside ID | sodium nitro_00109 |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576988  Batch Start Date: 06/02/22 16:27  Batch Analyst: Cherry, Scott V

Batch Method: 353.2  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | NXN CAL INT 00623 | NXN ICV INT 00599 | | |
|---|---|---|---|---|---|---|---|---|---|
| ICV 280-576988/17 | | 353.2 | | 100 mL | 100 mL | | 5 mL | | |
| ICVL 280-576988/18 | | 353.2 | | 100 mL | 100 mL | | 2 mL | | |
| ICB 280-576988/19 | | 353.2 | | 100 mL | 100 mL | | | | |
| CCV 280-576988/51 | | 353.2 | | 100 mL | 100 mL | 5 mL | | | |
| CCVL 280-576988/52 | | 353.2 | | 100 mL | 100 mL | 1 mL | | | |
| CCB 280-576988/53 | | 353.2 | | 100 mL | 100 mL | | | | |
| LCS 280-576988/59 | | 353.2 | | 100 mL | 100 mL | 5 mL | | | |
| MB 280-576988/60 | | 353.2 | | 100 mL | 100 mL | | | | |
| 280-162386-C-1 | PZ007-22A | 353.2 | T | 100 mL | 100 mL | | | | |
| 280-162386-C-1 MS | PZ007-22A | 353.2 | T | 5 mL | 5 mL | 0.2 mL | | | |
| 280-162386-C-1 MSD | PZ007-22A | 353.2 | T | 5 mL | 5 mL | 0.2 mL | | | |
| 280-162386-C-2 | G0087-22A | 353.2 | T | 100 mL | 100 mL | | | | |
| CCV 280-576988/67 | | 353.2 | | 100 mL | 100 mL | 5 mL | | | |
| CCVL 280-576988/68 | | 353.2 | | 100 mL | 100 mL | 1 mL | | | |
| CCB 280-576988/69 | | 353.2 | | 100 mL | 100 mL | | | | |
| 280-162386-C-3 | G0117-22A | 353.2 | T | 100 mL | 100 mL | | | | |
| 280-162386-C-4 | G0022-22A | 353.2 | T | 100 mL | 100 mL | | | | |
| 280-162386-C-5 | G0088-22A | 353.2 | T | 100 mL | 100 mL | | | | |
| 280-162386-C-6 | G0116-22A | 353.2 | T | 100 mL | 100 mL | | | | |
| 280-162386-C-7 | PZ014-22A | 353.2 | T | 100 mL | 100 mL | | | | |
| 280-162386-C-8 | G0092-22A | 353.2 | T | 100 mL | 100 mL | | | | |
| 280-162386-C-9 | PZ013-22A | 353.2 | T | 100 mL | 100 mL | | | | |
| 280-162386-C-10 | G0081-22A | 353.2 | T | 100 mL | 100 mL | | | | |
| CCV 280-576988/81 | | 353.2 | | 100 mL | 100 mL | 5 mL | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576988  Batch Start Date: 06/02/22 16:27  Batch Analyst: Cherry, Scott V

Batch Method: 353.2  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | NXN CAL INT 00623 | NXN ICV INT 00599 | | |
|---|---|---|---|---|---|---|---|---|---|
| CCVL 280-576988/82 | | 353.2 | | 100 mL | 100 mL | 1 mL | | | |
| CCB 280-576988/83 | | 353.2 | | 100 mL | 100 mL | | | | |

| Batch Notes | |
|---|---|
| pH Indicator ID | hc155968 |
| Buffer Reagent ID | NOXT Buffer_00224 |
| Color Reagent ID | NOXT CR_00124 |
| Pipette/Syringe/Dispenser ID | 5000ad, 1000ad |
| Cadmium Column Lot ID | q11513937102 |
| Copper Sulfate ID | CuSO4 NOXT_0015 |
| Hydrochloric Acid ID | 0.5N HCl_0086 |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575031  Batch Start Date: 05/16/22 10:04  Batch Analyst: Mayer, Zachary P

Batch Method: 9030B  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | DistillUnitPort | Initial pH | Final pH | AcidVolAdded |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-575031/1 | | 9030B, 9034 | | 50 mL | 50 mL | 1 | 7 SU | <2 SU | 5 mL |
| MB 280-575031/2 | | 9030B, 9034 | | 50 mL | 50 mL | 2 | 7 SU | <2 SU | 5 mL |
| 280-162386-E-8 | G0092-22A | 9030B, 9034 | T | 50 mL | 50 mL | 13 | 12+ SU | <2 SU | 5 mL |

| Lab Sample ID | Client Sample ID | Method Chain | Basis | SFD ICV INT 02134 | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-575031/1 | | 9030B, 9034 | | 1 mL | | | | | |
| MB 280-575031/2 | | 9030B, 9034 | | | | | | | |
| 280-162386-E-8 | G0092-22A | 9030B, 9034 | T | | | | | | |

| Batch Notes | |
|---|---|
| Formaldehyde ID | form_00122 |
| Zinc Acetate Buffer ID | znac_00121 |
| Pipette/Syringe/Dispenser ID | Tesla 5000, ARM1000 |
| Sulfuric Acid Reagent ID Number | SulfuricAcid_00288 |
| pH Indicator ID | HC157843 |
| Oven, Bath or Block Temperature 1 | 80 Degrees C |
| Distillation Start Time | 05/16/2022 10:05 |
| Uncorrected Temperature 2 | 80 Degrees C |
| Oven, Bath or Block Temperature 2 | 80 Degrees C |
| Distillation End Time | 05/16/2022 11:35 |
| Batch Comment | ZM |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575054  Batch Start Date: 05/16/22 11:02  Batch Analyst: Mayer, Zachary P

Batch Method: 9034  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | BuretStart1 | BuretStop1 | IodineAmount | TitrantVolume1 | FinalAmount | |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-575031/1-A | | 9034 | | 0 mL | 3.3 mL | 5 mL | 3.3 mL | 50 mL | |
| MB 280-575031/2-A | | 9034 | | 3.3 mL | 4.3 mL | 1 mL | 1 mL | 50 mL | |
| 280-162386-E-8-A | G0092-22A | 9034 | T | 19.1 mL | 20.1 mL | 1 mL | 1 mL | 50 mL | |

| Batch Notes | |
|---|---|
| Normality of First Titrant | 0.0250 N |
| Normality of Iodine Solution | 0.0250 N |
| Zinc Acetate Buffer ID | znac_00121 |
| Iodine ID | Iod_00275 |
| Hydrochloric Acid ID | HCl Sol_00200 |
| Sodium Thiosulfate ID | Na Thio_00178 |
| Starch Reagent ID | Starch ind_00067 |
| Pipette/Syringe/Dispenser ID | Tesla 5000, ARM1000 |
| Batch Comment | ZM |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575174  Batch Start Date: 05/17/22 09:10  Batch Analyst: Mayer, Zachary P

Batch Method: 9030B  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | DistillUnitPort | Initial pH | Final pH | AcidVolAdded |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-575174/1 | | 9030B, 9034 | | 50 mL | 50 mL | 1 | 7 SU | <2 SU | 5 mL |
| MB 280-575174/2 | | 9030B, 9034 | | 50 mL | 50 mL | 2 | 7 SU | <2 SU | 5 mL |
| 280-162386-E-1 | PZ007-22A | 9030B, 9034 | T | 50 mL | 50 mL | 12 | 12+ SU | <2 SU | 5 mL |
| 280-162386-E-1 MS | PZ007-22A | 9030B, 9034 | T | 50 mL | 50 mL | 13 | 12+ SU | <2 SU | 5 mL |
| 280-162386-E-1 MSD | PZ007-22A | 9030B, 9034 | T | 50 mL | 50 mL | 14 | 12+ SU | <2 SU | 5 mL |
| 280-162386-E-2 | G0087-22A | 9030B, 9034 | T | 50 mL | 50 mL | 15 | 12+ SU | <2 SU | 5 mL |

| Lab Sample ID | Client Sample ID | Method Chain | Basis | SFD ICV INT 02135 | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-575174/1 | | 9030B, 9034 | | 1 mL | | | | | |
| MB 280-575174/2 | | 9030B, 9034 | | | | | | | |
| 280-162386-E-1 | PZ007-22A | 9030B, 9034 | T | | | | | | |
| 280-162386-E-1 MS | PZ007-22A | 9030B, 9034 | T | 1 mL | | | | | |
| 280-162386-E-1 MSD | PZ007-22A | 9030B, 9034 | T | 1 mL | | | | | |
| 280-162386-E-2 | G0087-22A | 9030B, 9034 | T | | | | | | |

| Batch Notes | |
|---|---|
| Formaldehyde ID | form_00122 |
| Zinc Acetate Buffer ID | znac_00121 |
| Pipette/Syringe/Dispenser ID | Tesla 5000, ARM1000 |
| Sulfuric Acid Reagent ID Number | SulfuricAcid_00288 |
| pH Indicator ID | HC157843 |
| Oven, Bath or Block Temperature 1 | 80 Degrees C |
| Distillation Start Time | 05/17/2022 09:50 |
| Uncorrected Temperature 2 | 80 Degrees C |
| Oven, Bath or Block Temperature 2 | 80 Degrees C |
| Distillation End Time | 05/17/2022 11:20 |
| Batch Comment | ZM |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575174  Batch Start Date: 05/17/22 09:10  Batch Analyst: Mayer, Zachary P

Batch Method: 9030B  Batch End Date:

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575177  Batch Start Date: 05/17/22 09:12  Batch Analyst: Mayer, Zachary P

Batch Method: 9030B  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | DistillUnitPort | Initial pH | Final pH | AcidVolAdded |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-575177/1 | | 9030B, 9034 | | 50 mL | 50 mL | 1 | 7 SU | <2 SU | 5 mL |
| MB 280-575177/2 | | 9030B, 9034 | | 50 mL | 50 mL | 2 | 7 SU | <2 SU | 5 mL |
| 280-162386-E-3 | G0117-22A | 9030B, 9034 | T | 50 mL | 50 mL | 6 | 12+ SU | <2 SU | 5 mL |
| 280-162386-E-4 | G0022-22A | 9030B, 9034 | T | 50 mL | 50 mL | 7 | 12+ SU | <2 SU | 5 mL |
| 280-162386-E-5 | G0088-22A | 9030B, 9034 | T | 50 mL | 50 mL | 8 | 12+ SU | <2 SU | 5 mL |
| 280-162386-E-6 | G0116-22A | 9030B, 9034 | T | 50 mL | 50 mL | 9 | 12+ SU | <2 SU | 5 mL |
| 280-162386-E-7 | PZ014-22A | 9030B, 9034 | T | 50 mL | 50 mL | 10 | 12+ SU | <2 SU | 5 mL |
| 280-162386-E-9 | PZ013-22A | 9030B, 9034 | T | 50 mL | 50 mL | 11 | 12+ SU | <2 SU | 5 mL |
| 280-162386-E-10 | G0081-22A | 9030B, 9034 | T | 50 mL | 50 mL | 12 | 12+ SU | <2 SU | 5 mL |

| Lab Sample ID | Client Sample ID | Method Chain | Basis | SFD ICV INT 02135 | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-575177/1 | | 9030B, 9034 | | 1 mL | | | | | |
| MB 280-575177/2 | | 9030B, 9034 | | | | | | | |
| 280-162386-E-3 | G0117-22A | 9030B, 9034 | T | | | | | | |
| 280-162386-E-4 | G0022-22A | 9030B, 9034 | T | | | | | | |
| 280-162386-E-5 | G0088-22A | 9030B, 9034 | T | | | | | | |
| 280-162386-E-6 | G0116-22A | 9030B, 9034 | T | | | | | | |
| 280-162386-E-7 | PZ014-22A | 9030B, 9034 | T | | | | | | |
| 280-162386-E-9 | PZ013-22A | 9030B, 9034 | T | | | | | | |
| 280-162386-E-10 | G0081-22A | 9030B, 9034 | T | | | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575177  Batch Start Date: 05/17/22 09:12  Batch Analyst: Mayer, Zachary P

Batch Method: 9030B  Batch End Date:

| Batch Notes | |
|---|---|
| Formaldehyde ID | form_00122 |
| Zinc Acetate Buffer ID | znac_00121 |
| Pipette/Syringe/Dispenser ID | Tesla 5000, ARM1000 |
| Sulfuric Acid Reagent ID Number | SulfuricAcid_00288 |
| pH Indicator ID | HC157843 |
| Oven, Bath or Block Temperature 1 | 80 Degrees C |
| Distillation Start Time | 05/17/2022 12:50 |
| Uncorrected Temperature 2 | 80 Degrees C |
| Oven, Bath or Block Temperature 2 | 80 Degrees C |
| Distillation End Time | 05/17/2022 14:20 |
| Batch Comment | ZM |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575192  Batch Start Date: 05/17/22 10:24  Batch Analyst: Mayer, Zachary P

Batch Method: 9034  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | BuretStart1 | BuretStop1 | IodineAmount | TitrantVolume1 | FinalAmount | |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-575174/1-A | | 9034 | | 0 mL | 3.4 mL | 5 mL | 3.4 mL | 50 mL | |
| MB 280-575174/2-A | | 9034 | | 3.8 mL | 4.9 mL | 1 mL | 1.1 mL | 50 mL | |
| 280-162386-E-1-A | PZ007-22A | 9034 | T | 19 mL | 20 mL | 1 mL | 1 mL | 50 mL | |
| 280-162386-E-1-B MS | PZ007-22A | 9034 | T | 20 mL | 23.4 mL | 5 mL | 3.4 mL | 50 mL | |
| 280-162386-E-1-C MSD | PZ007-22A | 9034 | T | 6.1 mL | 9.4 mL | 5 mL | 3.3 mL | 50 mL | |
| 280-162386-E-2-A | G0087-22A | 9034 | T | 9.4 mL | 10.5 mL | 1 mL | 1.1 mL | 50 mL | |

| Batch Notes | |
|---|---|
| Normality of First Titrant | 0.0250 N |
| Normality of Iodine Solution | 0.0250 N |
| Zinc Acetate Buffer ID | znac_00121 |
| Iodine ID | Iod_00275 |
| Hydrochloric Acid ID | HCl Sol_00200 |
| Sodium Thiosulfate ID | Na Thio_00178 |
| Starch Reagent ID | Starch ind_00067 |
| Pipette/Syringe/Dispenser ID | Tesla 5000, ARM1000 |
| Batch Comment | ZM |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575233  Batch Start Date: 05/17/22 12:50  Batch Analyst: Mayer, Zachary P

Batch Method: 9034  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | BuretStart1 | BuretStop1 | IodineAmount | TitrantVolume1 | FinalAmount | |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-575177/1-A | | 9034 | | 0 mL | 3.4 mL | 5 mL | 3.4 mL | 50 mL | |
| MB 280-575177/2-A | | 9034 | | 3.4 mL | 4.4 mL | 1 mL | 1 mL | 50 mL | |
| 280-162386-E-3-A | G0117-22A | 9034 | T | 12.3 mL | 13.3 mL | 1 mL | 1 mL | 50 mL | |
| 280-162386-E-4-A | G0022-22A | 9034 | T | 13.3 mL | 14.3 mL | 1 mL | 1 mL | 50 mL | |
| 280-162386-E-5-A | G0088-22A | 9034 | T | 14.3 mL | 15.3 mL | 1 mL | 1 mL | 50 mL | |
| 280-162386-E-6-A | G0116-22A | 9034 | T | 15.3 mL | 16.3 mL | 1 mL | 1 mL | 50 mL | |
| 280-162386-E-7-A | PZ014-22A | 9034 | T | 16.3 mL | 17.3 mL | 1 mL | 1 mL | 50 mL | |
| 280-162386-E-9-A | PZ013-22A | 9034 | T | 17.3 mL | 18.3 mL | 1 mL | 1 mL | 50 mL | |
| 280-162386-E-10-A | G0081-22A | 9034 | T | 18.3 mL | 19.3 mL | 1 mL | 1 mL | 50 mL | |

| Batch Notes | |
|---|---|
| Normality of First Titrant | 0.0250 N |
| Normality of Iodine Solution | 0.0250 N |
| Zinc Acetate Buffer ID | znac_00121 |
| Iodine ID | Iod_00275 |
| Hydrochloric Acid ID | HCl Sol_00200 |
| Sodium Thiosulfate ID | Na Thio_00178 |
| Starch Reagent ID | Starch ind_00067 |
| Pipette/Syringe/Dispenser ID | Tesla 5000, ARM1000 |
| Batch Comment | ZM |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575123  Batch Start Date: 05/16/22 17:34  Batch Analyst: Fox, Regan A

Batch Method: 9056A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | Cl ICV Std 00005 | IC CAL cl/so4 00419 | IC Cal low 00637 | IC ICV 5 00364 |
|---|---|---|---|---|---|---|---|---|---|
| STD 280-575123/2 IC | | 9056A | | 5 mL | 5 mL | | 0.02 mL | 0.02 mL | |
| STD 280-575123/3 IC | | 9056A | | 5 mL | 5 mL | | 0.05 mL | 0.05 mL | |
| STD 280-575123/4 IC | | 9056A | | 5 mL | 5 mL | | 0.1 mL | 0.1 mL | |
| STD 280-575123/5 IC | | 9056A | | 5 mL | 5 mL | | 1.2 mL | 0.4 mL | |
| STD 280-575123/6 IC | | 9056A | | 5 mL | 5 mL | | 2.4 mL | 0.8 mL | |
| STD 280-575123/7 IC | | 9056A | | 5 mL | 5 mL | | 4 mL | 1 mL | |
| ICV 280-575123/8 | | 9056A | | 5 mL | 5 mL | 0.8 mL | | | 0.8 mL |
| ICB 280-575123/9 | | 9056A | | 5 mL | 5 mL | | | | |

| Lab Sample ID | Client Sample ID | Method Chain | Basis | IC SO4 ICV 00022 | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| STD 280-575123/2 IC | | 9056A | | | | | | | |
| STD 280-575123/3 IC | | 9056A | | | | | | | |
| STD 280-575123/4 IC | | 9056A | | | | | | | |
| STD 280-575123/5 IC | | 9056A | | | | | | | |
| STD 280-575123/6 IC | | 9056A | | | | | | | |
| STD 280-575123/7 IC | | 9056A | | | | | | | |
| ICV 280-575123/8 | | 9056A | | 0.8 mL | | | | | |
| ICB 280-575123/9 | | 9056A | | | | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 575123  Batch Start Date: 05/16/22 17:34  Batch Analyst: Fox, Regan A

Batch Method: 9056A  Batch End Date:

| Batch Notes | |
|---|---|
| Filter ID | SF020E |
| Pipette/Syringe/Dispenser ID | ARM5000, 1000HEX, 200CJ, IC100 |
| Sufficient Volume for Batch QC | yes |
| Eluent 1 ID | IC10 Eluent_00003 |
| Batch Comment | Run by JM, reviewed by RF |

| Basis | Basis Description |
|---|---|
| | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576257  Batch Start Date: 05/26/22 10:38  Batch Analyst: Jindarat, Chanida

Batch Method: 9056A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | Cl ICV Std 00005 | IC CAL cl/so4 00423 | IC Cal low 00641 | IC ICV 5 00366 |
|---|---|---|---|---|---|---|---|---|---|
| STD 280-576257/2 IC | | 9056A | | 5 mL | 5 mL | | 0.02 mL | 0.02 mL | |
| STD 280-576257/3 IC | | 9056A | | 5 mL | 5 mL | | 0.05 mL | 0.05 mL | |
| STD 280-576257/4 IC | | 9056A | | 5 mL | 5 mL | | 0.1 mL | 0.1 mL | |
| STD 280-576257/5 IC | | 9056A | | 5 mL | 5 mL | | 1.2 mL | 0.4 mL | |
| STD 280-576257/6 IC | | 9056A | | 5 mL | 5 mL | | 2.4 mL | 0.8 mL | |
| STD 280-576257/7 IC | | 9056A | | 5 mL | 5 mL | | 4 mL | 1 mL | |
| ICV 280-576257/8 | | 9056A | | 5 mL | 5 mL | 0.4 mL | | | 0.4 mL |
| ICB 280-576257/9 | | 9056A | | 5 mL | 5 mL | | | | |

| Lab Sample ID | Client Sample ID | Method Chain | Basis | IC SO4 ICV 00022 | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| STD 280-576257/2 IC | | 9056A | | | | | | | |
| STD 280-576257/3 IC | | 9056A | | | | | | | |
| STD 280-576257/4 IC | | 9056A | | | | | | | |
| STD 280-576257/5 IC | | 9056A | | | | | | | |
| STD 280-576257/6 IC | | 9056A | | | | | | | |
| STD 280-576257/7 IC | | 9056A | | | | | | | |
| ICV 280-576257/8 | | 9056A | | 0.4 mL | | | | | |
| ICB 280-576257/9 | | 9056A | | | | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576257  Batch Start Date: 05/26/22 10:38  Batch Analyst: Jindarat, Chanida

Batch Method: 9056A  Batch End Date:

| Batch Notes | |
|---|---|
| Filter ID | SF020E |
| Pipette/Syringe/Dispenser ID | ARM5000,1000HEX,200CJ,ic100 |
| Sufficient Volume for Batch QC | Yes |
| Eluent 1 ID | AS14 Eluent_00024 |

| Basis | Basis Description |
|---|---|
| | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576575  Batch Start Date: 05/31/22 10:57  Batch Analyst: Fox, Regan A

Batch Method: 9056A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | IC CAL cl/so4 00423 | IC Cal low 00641 | IC LCS 01878 | ICMS/MSD WEEK 00759 |
|---|---|---|---|---|---|---|---|---|---|
| MRL 280-576575/3 | | 9056A | | 10 mL | 10 mL | 0.2 mL | 0.1 mL | | |
| CCV 280-576575/48 | | 9056A | | 10 mL | 10 mL | | | 10 mL | |
| CCB 280-576575/49 | | 9056A | | 10 mL | 10 mL | | | | |
| LCS 280-576575/55 | | 9056A | | 10 mL | 10 mL | | | 10 mL | |
| LCSD 280-576575/56 | | 9056A | | 10 mL | 10 mL | | | 10 mL | |
| MB 280-576575/57 | | 9056A | | 10 mL | 10 mL | | | | |
| 280-162386-F-1 | PZ007-22A | 9056A | T | 10 mL | 10 mL | | | | |
| 280-162386-F-1 DU | PZ007-22A | 9056A | T | 10 mL | 10 mL | | | | |
| CCV 280-576575/60 | | 9056A | | 10 mL | 10 mL | | | 10 mL | |
| CCB 280-576575/61 | | 9056A | | 10 mL | 10 mL | | | | |
| 280-162386-F-1 MS | PZ007-22A | 9056A | T | 10 mL | 10 mL | | | | 0.1 mL |
| 280-162386-F-1 MSD | PZ007-22A | 9056A | T | 10 mL | 10 mL | | | | 0.1 mL |
| 280-162386-F-2 | G0087-22A | 9056A | T | 10 mL | 10 mL | | | | |
| 280-162386-F-4 | G0022-22A | 9056A | T | 10 mL | 10 mL | | | | |
| 280-162386-F-5 | G0088-22A | 9056A | T | 10 mL | 10 mL | | | | |
| 280-162386-F-8 | G0092-22A | 9056A | T | 10 mL | 10 mL | | | | |
| CCV 280-576575/72 | | 9056A | | 10 mL | 10 mL | | | 10 mL | |
| CCB 280-576575/73 | | 9056A | | 10 mL | 10 mL | | | | |
| 280-162386-F-10 | G0081-22A | 9056A | T | 10 mL | 10 mL | | | | |
| CCV 280-576575/87 | | 9056A | | 10 mL | 10 mL | | | 10 mL | |
| CCB 280-576575/88 | | 9056A | | 10 mL | 10 mL | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576575  Batch Start Date: 05/31/22 10:57  Batch Analyst: Fox, Regan A

Batch Method: 9056A  Batch End Date:

| Batch Notes | |
|---|---|
| Filter ID | SF020E |
| Pipette/Syringe/Dispenser ID | ARM5000, 1000HEX, 200CJ, IC100 |
| Sufficient Volume for Batch QC | yes |
| Eluent 1 ID | IC10 Eluent_00003 |
| Batch Comment | RAF |

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576718  Batch Start Date: 06/01/22 11:09  Batch Analyst: Fox, Regan A

Batch Method: 9056A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | IC CAL cl/so4 00424 | IC Cal low 00642 | IC LCS 01879 | ICMS/MSD WEEK 00760 |
|---|---|---|---|---|---|---|---|---|---|
| CCV 280-576718/1 | | 9056A | | 5 mL | 5 mL | | | 5 mL | |
| CCB 280-576718/2 | | 9056A | | 5 mL | 5 mL | | | | |
| MRL 280-576718/3 | | 9056A | | 5 mL | 5 mL | 0.1 mL | 0.05 mL | | |
| LCS 280-576718/4 | | 9056A | | 5 mL | 5 mL | | | 5 mL | |
| LCSD 280-576718/5 | | 9056A | | 5 mL | 5 mL | | | 5 mL | |
| MB 280-576718/6 | | 9056A | | 5 mL | 5 mL | | | | |
| 280-162386-F-3 | G0117-22A | 9056A | T | 5 mL | 5 mL | | | | |
| 280-162386-F-3 DU | G0117-22A | 9056A | T | 5 mL | 5 mL | | | | |
| CCV 280-576718/18 | | 9056A | | 5 mL | 5 mL | | | 5 mL | |
| CCB 280-576718/19 | | 9056A | | 5 mL | 5 mL | | | | |
| 280-162386-F-3 MS | G0117-22A | 9056A | T | 5 mL | 5 mL | | | | 0.05 mL |
| 280-162386-F-3 MSD | G0117-22A | 9056A | T | 5 mL | 5 mL | | | | 0.05 mL |
| 280-162386-F-6 | G0116-22A | 9056A | T | 5 mL | 5 mL | | | | |
| 280-162386-F-7 | PZ014-22A | 9056A | T | 5 mL | 5 mL | | | | |
| 280-162386-F-9 | PZ013-22A | 9056A | T | 5 mL | 5 mL | | | | |
| CCV 280-576718/30 | | 9056A | | 5 mL | 5 mL | | | 5 mL | |
| CCB 280-576718/31 | | 9056A | | 5 mL | 5 mL | | | | |

| Batch Notes | |
|---|---|
| Filter ID | SF020E |
| Pipette/Syringe/Dispenser ID | ARM5000, 1000HEX, 200CJ, IC100 |
| Sufficient Volume for Batch QC | yes |
| Eluent 1 ID | AS14 Eluent_00021 |
| Batch Comment | RAF |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576718  Batch Start Date: 06/01/22 11:09  Batch Analyst: Fox, Regan A

Batch Method: 9056A  Batch End Date:

| Basis | Basis Description |
|---|---|
| T | Total/NA |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576442  Batch Start Date: 05/26/22 16:43  Batch Analyst: Wondimu, Akewak B

Batch Method: 9060A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | Initial pH | TOC LCS Std 00054 | AnalysisComment | |
|---|---|---|---|---|---|---|---|---|---|
| LCS 280-576248/1-A | | 9060A | | 200 mL | 200 mL | <2 SU | 5 mL | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| MB 280-576248/2-A | | 9060A | | 20 mL | 20 mL | <2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-1-A | PZ007-22A | 9060A | D | 20 mL | 20 mL | >2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-1-B MS | PZ007-22A | 9060A | D | 50 mL | 50 mL | >2 SU | 1.25 mL | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-1-C MSD | PZ007-22A | 9060A | D | 50 mL | 50 mL | >2 SU | 1.25 mL | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-2-A | G0087-22A | 9060A | D | 20 mL | 20 mL | >2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-3-A | G0117-22A | 9060A | D | 20 mL | 20 mL | >2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Batch Number: 576442 Batch Start Date: 05/26/22 16:43 Batch Analyst: Wondimu, Akewak B

Batch Method: 9060A Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | Initial pH | TOC LCS Std 00054 | AnalysisComment | |
|---|---|---|---|---|---|---|---|---|---|
| 280-162386-D-4-A | G0022-22A | 9060A | D | 20 mL | 20 mL | >2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-5-A | G0088-22A | 9060A | D | 20 mL | 20 mL | >2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-6-A | G0116-22A | 9060A | D | 20 mL | 20 mL | >2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-7-A | PZ014-22A | 9060A | D | 20 mL | 20 mL | >2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-8-A | G0092-22A | 9060A | D | 20 mL | 20 mL | >2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-9-A | PZ013-22A | 9060A | D | 20 mL | 20 mL | >2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |
| 280-162386-D-10-A | G0081-22A | 9060A | D | 20 mL | 20 mL | >2 SU | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576442  Batch Start Date: 05/26/22 16:43  Batch Analyst: Wondimu, Akewak B

Batch Method: 9060A  Batch End Date:

| Batch Notes | |
|---|---|
| Acid ID | 0.2% H2SO4_00431, H2SO4_00214 |
| Combustion Catylyst ID | 19003D-03 |
| Pipette/Syringe/Dispenser ID | BWH 5000, 1000 MS, 1272995 |
| Batch Comment | Run and reviewed by ABW |

| Basis | Basis Description |
|---|---|
| D | Dissolved |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576443  Batch Start Date: 05/26/22 16:43  Batch Analyst: Wondimu, Akewak B

Batch Method: 9060A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | Initial pH | Final pH | TOC ICV Std 00049 | TOC LCS Std 00054 |
|---|---|---|---|---|---|---|---|---|---|
| ICV 280-576443/1 | | 9060A | | 50 mL | 50 mL | <2 SU | <2 SU | 1 mL | |
| ICB 280-576443/2 | | 9060A | | 20 mL | 20 mL | <2 SU | <2 SU | | |
| CCV 280-576443/15 | | 9060A | | 200 mL | 200 mL | <2 SU | <2 SU | | 5 mL |
| CCB 280-576443/16 | | 9060A | | 20 mL | 20 mL | <2 SU | <2 SU | | |
| LCS 280-576248/1-A | | 9060A | | 200 mL | 200 mL | <2 SU | <2 SU | | 5 mL |
| MB 280-576248/2-A | | 9060A | | 20 mL | 20 mL | <2 SU | <2 SU | | |
| 280-162386-D-1-A | PZ007-22A | 9060A | D | 20 mL | 20 mL | >2 SU | >2 SU | | |
| 280-162386-D-1-B MS | PZ007-22A | 9060A | D | 50 mL | 50 mL | >2 SU | >2 SU | | 1.25 mL |
| 280-162386-D-1-C MSD | PZ007-22A | 9060A | D | 50 mL | 50 mL | >2 SU | >2 SU | | 1.25 mL |
| 280-162386-D-2-A | G0087-22A | 9060A | D | 20 mL | 20 mL | >2 SU | >2 SU | | |
| 280-162386-D-3-A | G0117-22A | 9060A | D | 20 mL | 20 mL | >2 SU | >2 SU | | |
| CCV 280-576443/27 | | 9060A | | 200 mL | 200 mL | <2 SU | <2 SU | | 5 mL |
| CCB 280-576443/28 | | 9060A | | 20 mL | 20 mL | <2 SU | <2 SU | | |
| 280-162386-D-4-A | G0022-22A | 9060A | D | 20 mL | 20 mL | >2 SU | >2 SU | | |
| 280-162386-D-5-A | G0088-22A | 9060A | D | 20 mL | 20 mL | >2 SU | >2 SU | | |
| 280-162386-D-6-A | G0116-22A | 9060A | D | 20 mL | 20 mL | >2 SU | >2 SU | | |
| 280-162386-D-7-A | PZ014-22A | 9060A | D | 20 mL | 20 mL | >2 SU | >2 SU | | |
| 280-162386-D-8-A | G0092-22A | 9060A | D | 20 mL | 20 mL | >2 SU | >2 SU | | |
| 280-162386-D-9-A | PZ013-22A | 9060A | D | 20 mL | 20 mL | >2 SU | >2 SU | | |
| 280-162386-D-10-A | G0081-22A | 9060A | D | 20 mL | 20 mL | >2 SU | >2 SU | | |
| CCV 280-576443/39 | | 9060A | | 200 mL | 200 mL | <2 SU | <2 SU | | 5 mL |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576443  Batch Start Date: 05/26/22 16:43  Batch Analyst: Wondimu, Akewak B

Batch Method: 9060A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | InitialAmount | FinalAmount | Initial pH | Final pH | TOC ICV Std 00049 | TOC LCS Std 00054 |
|---|---|---|---|---|---|---|---|---|---|
| CCB 280-576443/40 | | 9060A | | 20 mL | 20 mL | <2 SU | <2 SU | | |

| Lab Sample ID | Client Sample ID | Method Chain | Basis | AnalysisComment | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| ICV 280-576443/1 | | 9060A | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| ICB 280-576443/2 | | 9060A | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| CCV 280-576443/15 | | 9060A | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| CCB 280-576443/16 | | 9060A | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| LCS 280-576248/1-A | | 9060A | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| MB 280-576248/2-A | | 9060A | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Batch Number: 576443 Batch Start Date: 05/26/22 16:43 Batch Analyst: Wondimu, Akewak B

Batch Method: 9060A Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | AnalysisComment | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 280-162386-D-1-A | PZ007-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| 280-162386-D-1-B MS | PZ007-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| 280-162386-D-1-C MSD | PZ007-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| 280-162386-D-2-A | G0087-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| 280-162386-D-3-A | G0117-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| CCV 280-576443/27 | | 9060A | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| CCB 280-576443/28 | | 9060A | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver Job No.: 280-162386-1

SDG No.:

Batch Number: 576443 Batch Start Date: 05/26/22 16:43 Batch Analyst: Wondimu, Akewak B

Batch Method: 9060A Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | AnalysisComment | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 280-162386-D-4-A | G0022-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| 280-162386-D-5-A | G0088-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| 280-162386-D-6-A | G0116-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| 280-162386-D-7-A | PZ014-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| 280-162386-D-8-A | G0092-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| 280-162386-D-9-A | PZ013-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| 280-162386-D-10-A | G0081-22A | 9060A | D | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576443  Batch Start Date: 05/26/22 16:43  Batch Analyst: Wondimu, Akewak B

Batch Method: 9060A  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | AnalysisComment | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| CCV 280-576443/39 | | 9060A | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |
| CCB 280-576443/40 | | 9060A | | The final volume of these samples was fixed at 50 by the TOCControlV preprocessor. | | | | | |

| Batch Notes | |
|---|---|
| Acid ID | 0.2% H2SO4_00431, H2SO4_00214 |
| Combustion Catylyst ID | 19003D-03 |
| Pipette/Syringe/Dispenser ID | BWH 5000, 1000 MS, 1272995 |
| Filter ID | R1MB55774-2036-DS |
| pH Paper ID | HC178690 |
| Batch Comment | Run and reviewed by ABW |

| Basis | Basis Description |
|---|---|
| D | Dissolved |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576106  Batch Start Date: 05/24/22 10:56  Batch Analyst: Guillen, Kristela E

Batch Method: SM 2320B  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | CalcMsg | Alk daily lcs 01041 | | | | |
|---|---|---|---|---|---|---|---|---|---|
| LCSD 280-576106/5 | | SM 2320B | | InitialAmount is blank | 10 mL | | | | |
| MB 280-576106/6 | | SM 2320B | | InitialAmount is blank | | | | | |
| CCV 280-576106/17 | | SM 2320B | | InitialAmount is blank | 10 mL | | | | |
| CCB 280-576106/18 | | SM 2320B | | InitialAmount is blank | | | | | |
| CCV 280-576106/29 | | SM 2320B | | InitialAmount is blank | 10 mL | | | | |
| CCB 280-576106/30 | | SM 2320B | | InitialAmount is blank | | | | | |
| LCS 280-576106/31 | | SM 2320B | | InitialAmount is blank | 10 mL | | | | |
| MB 280-576106/32 | | SM 2320B | | InitialAmount is blank | | | | | |
| 280-162386-F-1 | PZ007-22A | SM 2320B | T | InitialAmount is blank | | | | | |
| 280-162386-F-2 | G0087-22A | SM 2320B | T | InitialAmount is blank | | | | | |
| 280-162386-F-3 | G0117-22A | SM 2320B | T | InitialAmount is blank | | | | | |
| 280-162386-F-4 | G0022-22A | SM 2320B | T | InitialAmount is blank | | | | | |
| 280-162386-F-5 | G0088-22A | SM 2320B | T | InitialAmount is blank | | | | | |
| 280-162386-F-6 | G0116-22A | SM 2320B | T | InitialAmount is blank | | | | | |
| 280-162386-F-7 | PZ014-22A | SM 2320B | T | InitialAmount is blank | | | | | |
| 280-162386-F-8 | G0092-22A | SM 2320B | T | InitialAmount is blank | | | | | |
| CCV 280-576106/43 | | SM 2320B | | InitialAmount is blank | 10 mL | | | | |
| CCB 280-576106/44 | | SM 2320B | | InitialAmount is blank | | | | | |
| 280-162386-F-9 | PZ013-22A | SM 2320B | T | InitialAmount is blank | | | | | |
| 280-162386-F-10 | G0081-22A | SM 2320B | T | InitialAmount is blank | | | | | |
| CCV 280-576106/55 | | SM 2320B | | InitialAmount is blank | 10 mL | | | | |

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# GENERAL CHEMISTRY BATCH WORKSHEET

Lab Name: Eurofins Denver  Job No.: 280-162386-1

SDG No.:

Batch Number: 576106  Batch Start Date: 05/24/22 10:56  Batch Analyst: Guillen, Kristela E

Batch Method: SM 2320B  Batch End Date:

| Lab Sample ID | Client Sample ID | Method Chain | Basis | CalcMsg | Alk daily lcs 01041 | | | | |
|---|---|---|---|---|---|---|---|---|---|
| CCB 280-576106/56 | | SM 2320B | | InitialAmount is blank | | | | | |

| Batch Notes | |
|---|---|
| Nominal Amount Used | 10 mL |
| Acid ID | 0.02 H2SO4_00296 |
| Normality of First Titrant | 0.02 N |
| Sodium Carbonate ID | Alk Stk Std_00022 |
| pH Buffer 1 ID | pH 2.0 buffer_00096 |
| pH Buffer 2 ID | pH 4.0 buffer_00207 |
| pH Buffer 3 ID | pH 7.0 buffer_00312 |
| pH Buffer 4 ID | pH 7.0 buffer_00313 |
| pH Buffer 5 ID | pH 10 buffer_00156 |
| pH Buffer 6 ID | pH 12 buffer_00178 |
| Probe ID | PCE 80 pH 1200D_8918 |
| Batch Comment | KG |

| Basis | Basis Description |
|---|---|
| T | Total/NA |


The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

Select/deselect Standards

| | SerialNumber | Cup position | Sample Type | Identity | Concentration | Corrected Height | Result | Use this | Y Residuals | Relative Error(%) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 4 | ST1 | S1 | 0 mg/L | 0.000 | -0.002 | -0.001 | ☑ | | |
| 2 | 5 | ST2 | S2 | 0.05 | 0.050 | 0.037 | 0.105 | ☑ | 54.65% | 109.28% |
| 3 | 6 | ST3 | S3 | 0.1 | 0.100 | 0.017 | 0.052 | ☑ | -102.86% | -48.34% |
| 4 | 7 | ST4 | S4 | 0.5 | 0.500 | 0.179 | 0.494 | ☑ | -1.24% | -1.22% |
| 5 | 8 | ST5 | S5 | 1 | 1.000 | 0.361 | 0.995 | ☑ | -0.53% | -0.53% |
| 6 | 9 | ST6 | S6 | 2.5 | 2.500 | 0.901 | 2.507 | ☑ | 0.29% | 0.3% |
| 7 | 10 | ST7 | S7 | 5 | 5.000 | 1.762 | 4.998 | ☑ | -0.03% | -0.03% |


| | | | | |
|---|---|---|---|---|
| Method Name | Ammonia | a | -0.00172550 | R Squared |
| Module Name | NH3 and TKN | b | 0.36747134 | Constant Sx0 |
| Calibration Order | II Order ISO 8466 | c | -0.00290949 | Constant Vx0 |
| Residual Std. Dev. (Sy) | 0.01353615544568 | d | | |
| | | Correlation Coefficient | 0.99979994 | |

Calibration Order: II Order ISO 8466


NH3 and TKN
Peak Height
1.8
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
0
2
4
Concentration
0.99971461
0.03761453
2.87761405
Save
Close

# FlowAccessV3

Date:Jun 1 2022 4:06PM





a = -0.0017254979352379 b = 0.3674713380244040 c =-0.0029094888767160 RSD = 0.01353615544568

r =0.99979994027810 R2 = 0.99971461164894

Run Name : Skalar20220601A0

User Name : Administrator Operator Name : Administrator


Height ( ABS )
4.321
4.013
3.704
3.395
3.087
2.778
2.469
2.161
1.852
1.543
2499
4998
7496
9995
12494
14993
17492
19990
22489
24988
Time
NH3 and TKN
FlowAccess V3 : Date :06/01/2022 4:08 PM
Run Name Skalar20220601A0
User Name : Administrator Operator Name : Administrator

FlowAccessV3 Results Report

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | Position | SampleType | SampleIdentity | Comments | ExternalDilution |
|---|---|---|---|---|---|
| 1 | IW | IW | InitialWash | | 1.0000 |
| 2 | ST7 | T | Tracer | | 1.0000 |
| 3 | ST5 | D | Drift | | 1.0000 |
| 4 | WT | W | Wash | | 1.0000 |
| 5 | ST1 | S1 | 0 mg/L | | 1.0000 |
| 6 | ST2 | S2 | 0.05 | | 1.0000 |
| 7 | ST3 | S3 | 0.1 | | 1.0000 |
| 8 | ST4 | S4 | 0.5 | | 1.0000 |
| 9 | ST5 | S5 | 1.0 | | 1.0000 |
| 10 | ST6 | S6 | 2.5 | | 1.0000 |
| 11 | ST7 | S7 | 5.0 | | 1.0000 |
| 12 | ST5 | D | Drift | | 1.0000 |
| 13 | WT | W | Wash | | 1.0000 |
| 14 | ST8 | U | ICV | | 1.0000 |
| 15 | ST9 | U | ICVL | | 1.0000 |
| 16 | WT | U | ICB | | 1.0000 |
| 17 | D29 | U | LCS | | 1.0000 |
| 18 | D29 | U | LCSD | | 1.0000 |
| 19 | WT | U | MB | | 1.0000 |
| 20 | A1 | U | 280-162386-C-1 | | 1.0000 |
| 21 | A2 | U | 280-162386-C-1 MS | | 1.0000 |
| 22 | A3 | U | 280-162386-c-1 MSI | | 1.0000 |
| 23 | A4 | U | 280-162386-c-2 | | 1.0000 |
| 24 | A5 | U | 280-162386-c-3 | | 1.0000 |
| 25 | A6 | U | 280-162386-c-4 | | 1.0000 |
| 26 | A7 | U | 280-162386-c-5 | | 1.0000 |
| 27 | WT | W | Wash | | 1.0000 |
| 28 | ST6 | U | CCV | | 1.0000 |
| 29 | ST4 | U | CCVL | | 1.0000 |
| 30 | WT | U | CCB | | 1.0000 |
| 31 | A8 | U | 280-162386-c-6 | | 10.0000 |
| 32 | A9 | U | 280-162386-c-7 | | 1.0000 |
| 33 | A10 | U | 280-162386-c-8 | | 1.0000 |
| 34 | A11 | U | 280-162386-c-9 | | 1.0000 |
| 35 | A12 | U | 280-162386-c-10 | | 1.0000 |
| 36 | A13 | U | 280-162403-b-5 | | 5.0000 |
| 37 | A14 | U | 280-162403-b-5 MS | | 5.0000 |
| 38 | A15 | U | 280-162403-b-5 MSI | | 5.0000 |
| 39 | A16 | U | 280-162403-b-4 | | 1.0000 |
| 40 | A17 | U | 280-162418-g-2 | | 800.0000 |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | Position | SampleType | SampleIdentity | Comments | ExternalDilution |
|---|---|---|---|---|---|
| 41 | WT | W | Wash | | 1.0000 |
| 42 | ST6 | U | CCV | | 1.0000 |
| 43 | ST4 | U | CCVL | | 1.0000 |
| 44 | WT | U | CCB | | 1.0000 |
| 45 | ST5 | D | Drift | | 1.0000 |
| 46 | WT | W | Wash | | 1.0000 |
| 47 | A18 | U | 280-162403-b-6 | | 2.0000 |
| 48 | A19 | U | 280-162403-b-7 | | 1.0000 |
| 49 | A20 | U | 280-162442-c-1 | | 1.0000 |
| 50 | A21 | U | 280-162442-c-2 | | 1.0000 |
| 51 | A22 | U | 280-162442-c-3 | | 1.0000 |
| 52 | A23 | U | 280-162442-c-4 | | 1.0000 |
| 53 | A24 | U | 280-162442-c-5 | | 1.0000 |
| 54 | D29 | U | LCS | | 1.0000 |
| 55 | D29 | U | LCSD | | 1.0000 |
| 56 | WT | U | MB | | 1.0000 |
| 57 | WT | W | Wash | | 1.0000 |
| 58 | ST6 | U | CCV | | 1.0000 |
| 59 | ST4 | U | CCVL | | 1.0000 |
| 60 | WT | U | CCB | | 1.0000 |
| 61 | A25 | U | 280-162334-a-3 | | 1.0000 |
| 62 | A26 | U | 280-162334-a-3 MS | | 1.0000 |
| 63 | A27 | U | 280-162334-a-3 MSI | | 1.0000 |
| 64 | A28 | U | 280-162334-a-10 | | 1.0000 |
| 65 | A29 | U | 280-162442-c-6 | | 1.0000 |
| 66 | A30 | U | 280-162442-c-7 | | 1.0000 |
| 67 | A31 | U | 280-162442-c-8 | | 1.0000 |
| 68 | A32 | U | 280-162442-c-9 | | 1.0000 |
| 69 | A33 | U | 280-162442-c-10 | | 1.0000 |
| 70 | A34 | U | 280-162442-c-11 | | 1.0000 |
| 71 | WT | W | Wash | | 1.0000 |
| 72 | ST6 | U | CCV | | 1.0000 |
| 73 | ST4 | U | CCVL | | 1.0000 |
| 74 | WT | U | CCB | | 1.0000 |
| 75 | ST5 | D | Drift | | 1.0000 |
| 76 | WT | W | Wash | | 1.0000 |
| 77 | A35 | U | 280-162442-c-12 | | 1.0000 |
| 78 | B1 | U | 280-162442-c-13 | | 1.0000 |
| 79 | B2 | U | 280-162342-a-3 | | 1.0000 |
| 80 | B3 | U | 280-162342-a-3 MS | | 1.0000 |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | Position | SampleType | SampleIdentity | Comments | ExternalDilution |
|---|---|---|---|---|---|
| 81 | B4 | U | 280-162342-a-3 MSI | | 1.0000 |
| 82 | B5 | U | 280-162342-a-10 | | 1.0000 |
| 83 | B6 | U | 280-162442-c-14 | | 5.0000 |
| 84 | B7 | U | 280-162442-c-15 | | 1.0000 |
| 85 | B8 | U | 280-162442-c-16 | | 1.0000 |
| 86 | B9 | U | 280-162442-c-17 | | 1.0000 |
| 87 | WT | W | Wash | | 1.0000 |
| 88 | ST6 | U | CCV | | 1.0000 |
| 89 | ST4 | U | CCVL | | 1.0000 |
| 90 | WT | U | CCB | | 1.0000 |
| 91 | B10 | U | 280-162442-c-18 | | 1.0000 |
| 92 | B11 | U | 280-162442-c-19 | | 1.0000 |
| 93 | B12 | U | 280-162442-c-20 | | 1.0000 |
| 94 | B13 | U | 280-162442-c-21 | | 1.0000 |
| 95 | D30 | U | LCS | | 1.0000 |
| 96 | D30 | U | LCSD | | 1.0000 |
| 97 | WT | U | MB | | 1.0000 |
| 98 | B14 | U | 280-162343-a-3 | | 1.0000 |
| 99 | B15 | U | 280-162343-a-3 MS | | 1.0000 |
| 100 | B16 | U | 280-162343-a-3 MSI | | 1.0000 |
| 101 | WT | W | Wash | | 1.0000 |
| 102 | ST6 | U | CCV | | 1.0000 |
| 103 | ST4 | U | CCVL | | 1.0000 |
| 104 | WT | U | CCB | | 1.0000 |
| 105 | ST5 | D | Drift | | 1.0000 |
| 106 | WT | W | Wash | | 1.0000 |
| 107 | B17 | U | 280-162343-a-11 | | 1.0000 |
| 108 | B18 | U | 280-162317-h-1 | RERUN FOR HF | 10.0000 |
| 109 | B19 | U | 280-162377-b-2 | RERUN FOR HF | 1.0000 |
| 110 | B20 | U | 280-162494-c-2 | | 1.0000 |
| 111 | B21 | U | 280-162494-c-3 | | 1.0000 |
| 112 | B22 | U | 280-162494-c-4 | | 1.0000 |
| 113 | B23 | U | 280-162494-c-5 | | 1.0000 |
| 114 | B24 | U | 280-162494-c-6 | | 1.0000 |
| 115 | B25 | U | 280-162494-c-7 | | 1.0000 |
| 116 | B26 | U | 280-162349-a-3 | | 1.0000 |
| 117 | WT | W | Wash | | 1.0000 |
| 118 | ST6 | U | CCV | | 1.0000 |
| 119 | ST4 | U | CCVL | | 1.0000 |
| 120 | WT | U | CCB | | 1.0000 |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | Position | SampleType | SampleIdentity | Comments | ExternalDilution |
|---|---|---|---|---|---|
| 121 | B27 | U | 280-162349-a-3 MS | | 1.0000 |
| 122 | B28 | U | 280-162349-a-3 MSI | | 1.0000 |
| 123 | B29 | U | 280-162494-c-8 | | 1.0000 |
| 124 | B30 | U | 280-162494-c-9 | | 1.0000 |
| 125 | B31 | U | 280-162494-c-10 | | 1.0000 |
| 126 | B32 | U | 280-162603-A-1 | | 1.0000 |
| 127 | B33 | U | 280-162603-A-2 | | 1.0000 |
| 128 | B34 | U | 280-162603-A-3 | | 1.0000 |
| 129 | B35 | U | 280-162494-c-1 | | 1.0000 |
| 130 | C1 | U | 280-162494-c-1 MS | | 1.0000 |
| 131 | WT | W | Wash | | 1.0000 |
| 132 | ST6 | U | CCV | | 1.0000 |
| 133 | ST4 | U | CCVL | | 1.0000 |
| 134 | WT | U | CCB | | 1.0000 |
| 135 | ST5 | D | Drift | | 1.0000 |
| 136 | WT | W | Wash | | 1.0000 |
| 137 | C2 | U | 280-162494-c-1 MSI | | 1.0000 |
| 138 | C3 | U | 280-162386-c-3 | RERUN FOR DILUTION | 2.0000 |
| 139 | C4 | U | 280-162418-g-2 | RERUN FOR HIGHE DILUT | 1600.0000 |
| 140 | C5 | U | 280-162418-g-2 | TESTING A HIGHER DILUT | 2000.0000 |
| 141 | C6 | U | 280-162494-c-6 | RERUN FOR DILUTION | 2.0000 |
| 142 | C7 | U | 280-162431-B-3 | | 1.0000 |
| 143 | C8 | U | 280-162431-B-5 | | 1.0000 |
| 144 | C9 | U | 280-162431-B-6 | | 1.0000 |
| 145 | C10 | U | 280-160511-A-67 MI | | 1.0000 |
| 146 | C11 | U | 280-160511-A-67 LC | | 1.0000 |
| 147 | WT | W | Wash | | 1.0000 |
| 148 | ST6 | U | CCV | | 1.0000 |
| 149 | ST4 | U | CCVL | | 1.0000 |
| 150 | WT | U | CCB | | 1.0000 |
| 151 | ST5 | D | Drift | | 1.0000 |
| 152 | WT | W | Wash | | 1.0000 |
| 153 | E | E | EndRun | | 1.0000 |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | NH3 and TKN- Results | NH3 and TKN- | NH3 and TKN- |
|---|---|---|---|
| 1 | 0.005 | 0.0000 | Jun 1 2022 9:07AM |
| 2 | 5.020 | 1.7696 | Jun 1 2022 9:09AM |
| 3 | 1.008 | 0.3658 | Jun 1 2022 9:13AM |
| 4 | 0.005 | 0.0000 | Jun 1 2022 9:15AM |
| 5 | -0.001 | -0.0020 | Jun 1 2022 9:19AM |
| 6 | 0.105 | 0.0367 | Jun 1 2022 9:21AM |
| 7 | 0.052 | 0.0173 | Jun 1 2022 9:23AM |
| 8 | 0.494 | 0.1791 | Jun 1 2022 9:26AM |
| 9 | 0.995 | 0.3609 | Jun 1 2022 9:29AM |
| 10 | 2.507 | 0.9014 | Jun 1 2022 9:31AM |
| 11 | 4.998 | 1.7623 | Jun 1 2022 9:34AM |
| 12 | 1.022 | 0.3708 | Jun 1 2022 9:37AM |
| 13 | 0.005 | 0.0000 | Jun 1 2022 9:39AM |
| 14 | 2.485 | 0.8934 | Jun 1 2022 9:43AM |
| 15 | 0.502 | 0.1822 | Jun 1 2022 9:45AM |
| 16 | 0.009 | 0.0015 | Jun 1 2022 9:47AM |
| 17 | 2.502 | 0.8996 | Jun 1 2022 9:50AM |
| 18 | 2.563 | 0.9210 | Jun 1 2022 9:53AM |
| 19 | 0.013 | 0.0031 | Jun 1 2022 9:55AM |
| 20 | 0.074 | 0.0256 | Jun 1 2022 9:58AM |
| 21 | 1.085 | 0.3934 | Jun 1 2022 10:01AM |
| 22 | 1.091 | 0.3957 | Jun 1 2022 10:03AM |
| 23 | 0.008 | 0.0011 | Jun 1 2022 10:06AM |
| 24 | 6.178 | 2.1576 | Jun 1 2022 10:09AM |
| 25 | 0.892 | 0.3237 | Jun 1 2022 10:11AM |
| 26 | 0.096 | 0.0335 | Jun 1 2022 10:14AM |
| 27 | 0.005 | 0.0000 | Jun 1 2022 10:17AM |
| 28 | 2.533 | 0.9104 | Jun 1 2022 10:20AM |
| 29 | 0.502 | 0.1822 | Jun 1 2022 10:22AM |
| 30 | 0.005 | 0.0000 | Jun 1 2022 10:25AM |
| 31 | 11.778 | 0.4271 | Jun 1 2022 10:27AM |
| 32 | 0.492 | 0.1785 | Jun 1 2022 10:30AM |
| 33 | 0.007 | 0.0009 | Jun 1 2022 10:33AM |
| 34 | 1.899 | 0.6855 | Jun 1 2022 10:35AM |
| 35 | 0.489 | 0.1772 | Jun 1 2022 10:38AM |
| 36 | 10.424 | 0.7517 | Jun 1 2022 10:41AM |
| 37 | 15.428 | 1.1044 | Jun 1 2022 10:43AM |
| 38 | 15.385 | 1.1014 | Jun 1 2022 10:46AM |
| 39 | 4.620 | 1.6340 | Jun 1 2022 10:49AM |
| 40 | 6357.352 | 2.7347 | Jun 1 2022 10:51AM |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | NH3 and TKN- Results | NH3 and TKN- | NH3 and TKN- |
|---|---|---|---|
| 41 | 0.005 | 0.0000 | Jun 1 2022 10:54AM |
| 42 | 2.554 | 0.9176 | Jun 1 2022 10:58AM |
| 43 | 0.506 | 0.1835 | Jun 1 2022 10:59AM |
| 44 | 0.004 | -0.0003 | Jun 1 2022 11:02AM |
| 45 | 1.031 | 0.3740 | Jun 1 2022 11:05AM |
| 46 | 0.005 | 0.0000 | Jun 1 2022 11:07AM |
| 47 | 5.122 | 0.9203 | Jun 1 2022 11:11AM |
| 48 | 0.031 | 0.0096 | Jun 1 2022 11:13AM |
| 49 | 1.096 | 0.3977 | Jun 1 2022 11:15AM |
| 50 | 0.099 | 0.0345 | Jun 1 2022 11:18AM |
| 51 | 0.722 | 0.2620 | Jun 1 2022 11:21AM |
| 52 | 0.044 | 0.0144 | Jun 1 2022 11:23AM |
| 53 | 0.298 | 0.1076 | Jun 1 2022 11:26AM |
| 54 | 2.662 | 0.9559 | Jun 1 2022 11:29AM |
| 55 | 2.508 | 0.9014 | Jun 1 2022 11:31AM |
| 56 | 0.010 | 0.0021 | Jun 1 2022 11:34AM |
| 57 | 0.005 | 0.0000 | Jun 1 2022 11:37AM |
| 58 | 2.503 | 0.8998 | Jun 1 2022 11:40AM |
| 59 | 0.503 | 0.1825 | Jun 1 2022 11:42AM |
| 60 | 0.004 | -0.0003 | Jun 1 2022 11:45AM |
| 61 | 2.743 | 0.9845 | Jun 1 2022 11:47AM |
| 62 | 3.776 | 1.3443 | Jun 1 2022 11:50AM |
| 63 | 3.790 | 1.3491 | Jun 1 2022 11:53AM |
| 64 | 0.008 | 0.0013 | Jun 1 2022 11:55AM |
| 65 | 0.128 | 0.0454 | Jun 1 2022 11:58AM |
| 66 | 0.870 | 0.3156 | Jun 1 2022 12:01PM |
| 67 | 1.837 | 0.6633 | Jun 1 2022 12:03PM |
| 68 | 0.106 | 0.0372 | Jun 1 2022 12:06PM |
| 69 | 0.012 | 0.0028 | Jun 1 2022 12:09PM |
| 70 | 0.009 | 0.0014 | Jun 1 2022 12:12PM |
| 71 | 0.005 | 0.0000 | Jun 1 2022 12:14PM |
| 72 | 2.529 | 0.9092 | Jun 1 2022 12:17PM |
| 73 | 0.509 | 0.1846 | Jun 1 2022 12:20PM |
| 74 | 0.009 | 0.0016 | Jun 1 2022 12:22PM |
| 75 | 1.032 | 0.3743 | Jun 1 2022 12:25PM |
| 76 | 0.005 | 0.0000 | Jun 1 2022 12:28PM |
| 77 | 0.001 | -0.0012 | Jun 1 2022 12:31PM |
| 78 | 1.771 | 0.6399 | Jun 1 2022 12:33PM |
| 79 | 0.373 | 0.1350 | Jun 1 2022 12:35PM |
| 80 | 1.341 | 0.4857 | Jun 1 2022 12:38PM |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | NH3 and TKN- Results | NH3 and TKN- | NH3 and TKN- |
|---|---|---|---|
| 81 | 1.344 | 0.4870 | Jun 1 2022 12:41PM |
| 82 | 3.284 | 1.1736 | Jun 1 2022 12:43PM |
| 83 | 6.865 | 0.4974 | Jun 1 2022 12:46PM |
| 84 | 2.752 | 0.9876 | Jun 1 2022 12:49PM |
| 85 | 0.370 | 0.1338 | Jun 1 2022 12:51PM |
| 86 | 1.375 | 0.4980 | Jun 1 2022 12:54PM |
| 87 | 0.005 | 0.0000 | Jun 1 2022 12:57PM |
| 88 | 2.517 | 0.9046 | Jun 1 2022 1:00PM |
| 89 | 0.507 | 0.1840 | Jun 1 2022 1:02PM |
| 90 | 0.003 | -0.0006 | Jun 1 2022 1:05PM |
| 91 | 2.928 | 1.0492 | Jun 1 2022 1:08PM |
| 92 | 0.553 | 0.2006 | Jun 1 2022 1:10PM |
| 93 | 0.455 | 0.1650 | Jun 1 2022 1:12PM |
| 94 | 0.717 | 0.2602 | Jun 1 2022 1:15PM |
| 95 | 2.372 | 0.8535 | Jun 1 2022 1:18PM |
| 96 | 2.459 | 0.8844 | Jun 1 2022 1:20PM |
| 97 | 0.008 | 0.0011 | Jun 1 2022 1:23PM |
| 98 | 3.009 | 1.0777 | Jun 1 2022 1:26PM |
| 99 | 3.615 | 1.2887 | Jun 1 2022 1:29PM |
| 100 | 4.028 | 1.4314 | Jun 1 2022 1:31PM |
| 101 | 0.005 | 0.0000 | Jun 1 2022 1:34PM |
| 102 | 2.525 | 0.9076 | Jun 1 2022 1:37PM |
| 103 | 0.506 | 0.1836 | Jun 1 2022 1:40PM |
| 104 | 0.004 | -0.0004 | Jun 1 2022 1:42PM |
| 105 | 1.036 | 0.3758 | Jun 1 2022 1:45PM |
| 106 | 0.005 | 0.0000 | Jun 1 2022 1:47PM |
| 107 | 0.061 | 0.0205 | Jun 1 2022 1:51PM |
| 108 | 4.930 | 0.1787 | Jun 1 2022 1:53PM |
| 109 | 0.067 | 0.0230 | Jun 1 2022 1:56PM |
| 110 | 0.037 | 0.0118 | Jun 1 2022 1:58PM |
| 111 | 0.002 | -0.0010 | Jun 1 2022 2:01PM |
| 112 | 0.005 | 0.0000 | Jun 1 2022 2:04PM |
| 113 | 0.145 | 0.0515 | Jun 1 2022 2:06PM |
| 114 | 6.374 | 2.2225 | Jun 1 2022 2:09PM |
| 115 | 1.002 | 0.3635 | Jun 1 2022 2:12PM |
| 116 | 0.020 | 0.0057 | Jun 1 2022 2:14PM |
| 117 | 0.005 | 0.0000 | Jun 1 2022 2:17PM |
| 118 | 2.544 | 0.9143 | Jun 1 2022 2:20PM |
| 119 | 0.505 | 0.1832 | Jun 1 2022 2:22PM |
| 120 | 0.005 | 0.0000 | Jun 1 2022 2:25PM |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | NH3 and TKN- Results | NH3 and TKN- | NH3 and TKN- |
|---|---|---|---|
| 121 | 1.060 | 0.3847 | Jun 1 2022 2:28PM |
| 122 | 1.024 | 0.3715 | Jun 1 2022 2:30PM |
| 123 | 0.512 | 0.1855 | Jun 1 2022 2:33PM |
| 124 | 0.105 | 0.0367 | Jun 1 2022 2:36PM |
| 125 | 0.163 | 0.0580 | Jun 1 2022 2:38PM |
| 126 | 0.000 | -0.0017 | Jun 1 2022 2:41PM |
| 127 | 0.012 | 0.0027 | Jun 1 2022 2:44PM |
| 128 | 0.001 | -0.0012 | Jun 1 2022 2:46PM |
| 129 | 0.019 | 0.0053 | Jun 1 2022 2:49PM |
| 130 | 1.101 | 0.3993 | Jun 1 2022 2:52PM |
| 131 | 0.005 | 0.0000 | Jun 1 2022 2:54PM |
| 132 | 2.552 | 0.9172 | Jun 1 2022 2:57PM |
| 133 | 0.499 | 0.1808 | Jun 1 2022 3:00PM |
| 134 | 0.008 | 0.0014 | Jun 1 2022 3:02PM |
| 135 | 1.039 | 0.3771 | Jun 1 2022 3:05PM |
| 136 | 0.005 | 0.0000 | Jun 1 2022 3:08PM |
| 137 | 1.051 | 0.3812 | Jun 1 2022 3:11PM |
| 138 | 6.353 | 1.1361 | Jun 1 2022 3:13PM |
| 139 | 7187.035 | 1.5902 | Jun 1 2022 3:15PM |
| 140 | 5802.099 | 1.0398 | Jun 1 2022 3:18PM |
| 141 | 6.726 | 1.2012 | Jun 1 2022 3:21PM |
| 142 | 0.204 | 0.0732 | Jun 1 2022 3:24PM |
| 143 | 0.015 | 0.0037 | Jun 1 2022 3:27PM |
| 144 | 0.009 | 0.0018 | Jun 1 2022 3:30PM |
| 145 | 0.081 | 0.0281 | Jun 1 2022 3:32PM |
| 146 | 0.199 | 0.0714 | Jun 1 2022 3:34PM |
| 147 | 0.005 | 0.0000 | Jun 1 2022 3:37PM |
| 148 | 2.550 | 0.9163 | Jun 1 2022 3:41PM |
| 149 | 0.514 | 0.1863 | Jun 1 2022 3:42PM |
| 150 | 0.008 | 0.0011 | Jun 1 2022 3:45PM |
| 151 | 1.045 | 0.3793 | Jun 1 2022 3:48PM |
| 152 | 0.005 | 0.0000 | Jun 1 2022 3:50PM |
| 153 | 0.005 | 0.0000 | Jun 1 2022 3:53PM |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | NH3 and TKN- |
|---|---|
| 1 | 0.005 |
| 2 | 5.020 |
| 3 | 1.008 |
| 4 | 0.005 |
| 5 | -0.001 |
| 6 | 0.105 |
| 7 | 0.052 |
| 8 | 0.494 |
| 9 | 0.995 |
| 10 | 2.507 |
| 11 | 4.998 |
| 12 | 1.022 |
| 13 | 0.005 |
| 14 | 2.485 |
| 15 | 0.502 |
| 16 | 0.009 |
| 17 | 2.502 |
| 18 | 2.563 |
| 19 | 0.013 |
| 20 | 0.074 |
| 21 | 1.085 |
| 22 | 1.091 |
| 23 | 0.008 |
| 24 | 6.178 |
| 25 | 0.892 |
| 26 | 0.096 |
| 27 | 0.005 |
| 28 | 2.533 |
| 29 | 0.502 |
| 30 | 0.005 |
| 31 | 1.178 |
| 32 | 0.492 |
| 33 | 0.007 |
| 34 | 1.899 |
| 35 | 0.489 |
| 36 | 2.085 |
| 37 | 3.086 |
| 38 | 3.077 |
| 39 | 4.620 |
| 40 | 7.947 |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | NH3 and TKN- |
|---|---|
| 41 | 0.005 |
| 42 | 2.554 |
| 43 | 0.506 |
| 44 | 0.004 |
| 45 | 1.031 |
| 46 | 0.005 |
| 47 | 2.561 |
| 48 | 0.031 |
| 49 | 1.096 |
| 50 | 0.099 |
| 51 | 0.722 |
| 52 | 0.044 |
| 53 | 0.298 |
| 54 | 2.662 |
| 55 | 2.508 |
| 56 | 0.010 |
| 57 | 0.005 |
| 58 | 2.503 |
| 59 | 0.503 |
| 60 | 0.004 |
| 61 | 2.743 |
| 62 | 3.776 |
| 63 | 3.790 |
| 64 | 0.008 |
| 65 | 0.128 |
| 66 | 0.870 |
| 67 | 1.837 |
| 68 | 0.106 |
| 69 | 0.012 |
| 70 | 0.009 |
| 71 | 0.005 |
| 72 | 2.529 |
| 73 | 0.509 |
| 74 | 0.009 |
| 75 | 1.032 |
| 76 | 0.005 |
| 77 | 0.001 |
| 78 | 1.771 |
| 79 | 0.373 |
| 80 | 1.341 |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | NH3 and TKN- |
|---|---|
| 81 | 1.344 |
| 82 | 3.284 |
| 83 | 1.373 |
| 84 | 2.752 |
| 85 | 0.370 |
| 86 | 1.375 |
| 87 | 0.005 |
| 88 | 2.517 |
| 89 | 0.507 |
| 90 | 0.003 |
| 91 | 2.928 |
| 92 | 0.553 |
| 93 | 0.455 |
| 94 | 0.717 |
| 95 | 2.372 |
| 96 | 2.459 |
| 97 | 0.008 |
| 98 | 3.009 |
| 99 | 3.615 |
| 100 | 4.028 |
| 101 | 0.005 |
| 102 | 2.525 |
| 103 | 0.506 |
| 104 | 0.004 |
| 105 | 1.036 |
| 106 | 0.005 |
| 107 | 0.061 |
| 108 | 0.493 |
| 109 | 0.067 |
| 110 | 0.037 |
| 111 | 0.002 |
| 112 | 0.005 |
| 113 | 0.145 |
| 114 | 6.374 |
| 115 | 1.002 |
| 116 | 0.020 |
| 117 | 0.005 |
| 118 | 2.544 |
| 119 | 0.505 |
| 120 | 0.005 |

Run Name : Skalar20220601A0
DateTime :Jun 1 2022 8:57AM
User Name : Administrator Operator Name : Administrator

| | NH3 and TKN- |
|---|---|
| 121 | 1.060 |
| 122 | 1.024 |
| 123 | 0.512 |
| 124 | 0.105 |
| 125 | 0.163 |
| 126 | 0.000 |
| 127 | 0.012 |
| 128 | 0.001 |
| 129 | 0.019 |
| 130 | 1.101 |
| 131 | 0.005 |
| 132 | 2.552 |
| 133 | 0.499 |
| 134 | 0.008 |
| 135 | 1.039 |
| 136 | 0.005 |
| 137 | 1.051 |
| 138 | 3.176 |
| 139 | 4.492 |
| 140 | 2.901 |
| 141 | 3.363 |
| 142 | 0.204 |
| 143 | 0.015 |
| 144 | 0.009 |
| 145 | 0.081 |
| 146 | 0.199 |
| 147 | 0.005 |
| 148 | 2.550 |
| 149 | 0.514 |
| 150 | 0.008 |
| 151 | 1.045 |
| 152 | 0.005 |
| 153 | 0.005 |

# Calibration results

TKN Version number 1.5 WC_GAL1


**Date** 5/25/2022 **User** Dealer

**Time** 6:59:00PM **Software version: 7.0**

**Analyzer name** WC_GAL1

| | | | |
|---|---|---|---|
| **Test** | TKN | **Coeff. of deter.** | 0.999549 |
| **Status** | Accepted | **Total factor** | 3.957 |
| **Accepted** | 5/2/2022 5:00 PM | | |
| **Checked** | 5/2/2022 5:00 PM | | |
| **User name** | Dealer | | |
| **Comment** | | | |
| **Errors** | | | |
| **Factor** | 3.957 | | |
| **Bias** | 0.073 | | |

| Cal/Ctrl | Response | Calc. conc. | Given conc. | Lot | Errors |
|---|---|---|---|---|---|
| TKN 10.0 | 0.212 | 0.54704120 | 0.50000000 | Default | |
| TKN 10.0 | 0.328 | 1.00753300 | 1.00000000 | Default | |
| TKN 10.0 | 0.579 | 1.99932900 | 2.00000000 | Default | |
| TKN 10.0 | 1.299 | 4.85103300 | 5.00000000 | Default | |
| TKN 7.5 | 1.993 | 7.59420700 | 7.50000000 | Default | |
| TKN 10.0 | 2.601 | 10.00086000 | 10.00000000 | Default | |



# Test results report

WC_GAL1

## Test name TKN

**Date** 5/25/2022 **User** Dealer

**Time** 6:56:59PM **Software version: 7.0**

**Test** TKN **Group ID** [All] **Acceptance** Not accepted

**Sample ID** [All] **Group name** [All] **Request type** All

| Test | Sample/ctrl ID | Test version | Result | Unit | Note | Dil. 1 + | Status | Errors |
|---|---|---|---|---|---|---|---|---|
| TKN | icv | 1.5 | 5.2361430 | mg/l | | 0.0 | calc | |
| TKN | icb | 1.5 | 0.1789618 | mg/l | | 0.0 | calc | |
| TKN | LCS 280-575900/1-A | 1.5 | 6.2151200 | mg/l | | 0.0 | calc | |
| TKN | MB 280-575900/2-A | 1.5 | 0.1768689 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-7-A | 1.5 | 0.3500878 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-7-B MS | 1.5 | 3.4698930 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-7-C MSD | 1.5 | 3.4773920 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-1-A | 1.5 | 2.0320460 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-2-A | 1.5 | 0.4434713 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-3-A | 1.5 | 1.6513210 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-4-A | 1.5 | 0.0346841 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-5-A | 1.5 | 2.7528830 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-6-A | 1.5 | 0.0506394 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-8-A | 1.5 | 0.2451449 | mg/l | | 0.0 | calc | |
| TKN | ccv1 | 1.5 | 5.1238750 | mg/l | | 0.0 | calc | |
| TKN | ccb1 | 1.5 | 0.1770924 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-9-A | 1.5 | 0.1733599 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-10-A | 1.5 | 6.1551500 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-11-A | 1.5 | 2.0627890 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-11-B MS | 1.5 | 4.9892110 | mg/l | | 0.0 | calc | |
| TKN | 280-162320-C-11-C MS | 1.5 | 4.9795860 | mg/l | | 0.0 | calc | |

| Test | Sample/ctrl ID | Test version | Result | Unit | Note | Dil. 1 + | Status | Errors |
|---|---|---|---|---|---|---|---|---|
| TKN | 280-162478-A-1-B | 1.5 | 0.0096681 | mg/l | | 0.0 | calc | |
| TKN | 280-162478-A-2-B | 1.5 | 0.0059109 | mg/l | | 0.0 | calc | |
| TKN | 280-162478-A-3-B | 1.5 | 0.0008050 | mg/l | | 0.0 | calc | |
| TKN | 280-162262-C-1-A | 1.5 | 0.0832922 | mg/l | | 0.0 | calc | |
| TKN | 280-162262-C-2-A | 1.5 | 0.0310414 | mg/l | | 0.0 | calc | |
| TKN | ccv2 | 1.5 | 5.1545710 | mg/l | | 0.0 | calc | |
| TKN | ccb2 | 1.5 | 0.1758141 | mg/l | | 0.0 | calc | |
| TKN | 280-162262-C-3-A | 1.5 | 0.0252055 | mg/l | | 0.0 | calc | |
| TKN | 280-162262-C-4-A | 1.5 | 0.8264584 | mg/l | | 0.0 | calc | |
| TKN | 280-162262-C-5-A | 1.5 | 0.0238894 | mg/l | | 0.0 | calc | |
| TKN | 280-162262-C-6-A | 1.5 | 0.2892899 | mg/l | | 0.0 | calc | |
| TKN | LCS 280-575901/1-A | 1.5 | 6.1965440 | mg/l | | 0.0 | calc | |
| TKN | MB 280-575901/2-A | 1.5 | 0.1789612 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-1-A | 1.5 | 0.4103609 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-1-B MS | 1.5 | 3.3570040 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-1-C MSD | 1.5 | 3.3745940 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-2-A | 1.5 | 0.0728850 | mg/l | | 0.0 | calc | |
| TKN | ccv3 | 1.5 | 5.1406460 | mg/l | | 0.0 | calc | |
| TKN | ccb3 | 1.5 | 0.7794068 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-3-A | 1.5 | 8.7226750 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-4-A | 1.5 | 0.6324500 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-5-A | 1.5 | 0.5653923 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-7-A | 1.5 | 1.5387240 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-8-A | 1.5 | 0.5389127 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-9-A | 1.5 | 0.9030471 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-10-A | 1.5 | 0.4837691 | mg/l | | 0.0 | calc | |

| Test | Sample/ctrl ID | Test version | Result | Unit | Note | Dil. 1 + | Status | Errors |
|---|---|---|---|---|---|---|---|---|
| TKN | 590-17556-G-1-A | 1.5 | 0.0607386 | mg/l | | 0.0 | calc | |
| TKN | 590-17556-G-1-B MS | 1.5 | 3.2342070 | mg/l | | 0.0 | calc | |
| TKN | ccv4 | 1.5 | 5.1796490 | mg/l | | 0.0 | calc | |
| TKN | ccb4 | 1.5 | 0.1853429 | mg/l | | 0.0 | calc | |
| TKN | 590-17556-G-1-C MSD | 1.5 | 3.2624000 | mg/l | | 0.0 | calc | |
| TKN | 280-162603-A-1-A | 1.5 | 0.0030466 | mg/l | | 0.0 | calc | |
| TKN | 280-162603-A-2-A | 1.5 | -0.0016121 | mg/l | | 0.0 | calc | |
| TKN | 280-162603-A-3-A | 1.5 | -0.0023877 | mg/l | | 0.0 | calc | |
| TKN | 280-162488-A-1-C | 1.5 | 1.1200880 | mg/l | | 0.0 | calc | |
| TKN | 280-162488-A-2-C | 1.5 | 0.7965457 | mg/l | | 0.0 | calc | |
| TKN | LCS 280-575902/1-A | 1.5 | 6.2586950 | mg/l | | 0.0 | calc | |
| TKN | MB 280-575902/2-A | 1.5 | 0.2414814 | mg/l | | 0.0 | calc | |
| TKN | ccv5 | 1.5 | 5.2199890 | mg/l | | 0.0 | calc | |
| TKN | ccb5 | 1.5 | 0.2025160 | mg/l | | 0.0 | calc | |
| TKN | 280-162386-C-6-A | 1.5 | 14.3845100 | mg/l | | 4.0 | calc | |
| TKN | 580-113991-A-1-A | 1.5 | 87.7498900 | mg/l | | 9.0 | calc | |
| TKN | 580-113991-A-1-B MS | 1.5 | 109.6138000 | mg/l | | 19.0 | calc | |
| TKN | 580-113991-A-1-C MSD | 1.5 | 110.5301000 | mg/l | | 19.0 | calc | |
| TKN | d580-113991-A-1-A | 1.5 | 116.5689000 | mg/l | | 0.0 | calc | |
| TKN | d580-113991-A-1-B MS | 1.5 | 134.9070000 | mg/l | | 0.0 | calc | |
| TKN | d580-113991-A-1-C MS | 1.5 | 135.0968000 | mg/l | | 0.0 | calc | |
| TKN | ccv6 | 1.5 | 5.1208540 | mg/l | | 0.0 | calc | |
| TKN | ccb6 | 1.5 | 0.1918174 | mg/l | | 0.0 | calc | |

Run Results Report

Facility Name
Facility Location
Department
Operator Name svc
Operator ID svc
Platform FS III/IV/3100
Software Rev Code 240
Data system ID 54

Result path C:\FLOW_4\060222A.RST
Sample table path C:\FLOW_4\060222.tbl
Method path C:\FLOW_4\nox.mth
Date acquired 02-Jun-22
Time acquired 20:39

| Date | Time | Cup | Name |
|---|---|---|---|
| 02-Jun-22 | 16:27 | 109 | SYNC |
| 02-Jun-22 | 16:29 | 0 | Carryover |
| 02-Jun-22 | 16:31 | 0 | Carryover (Statistics) |
| 02-Jun-22 | 16:33 | 0 | read baseline |
| 02-Jun-22 | 16:35 | 101 | Cal 0.00 ppb |
| 02-Jun-22 | 16:37 | 102 | Cal 50.0 ppb |
| 02-Jun-22 | 16:39 | 103 | Cal 100 ppb |
| 02-Jun-22 | 16:41 | 104 | Cal 500 ppb |
| 02-Jun-22 | 16:43 | 105 | Cal 1000 ppb |
| 02-Jun-22 | 16:45 | 106 | Cal 2500 ppb |
| 02-Jun-22 | 16:47 | 107 | Cal 5000 ppb |
| 02-Jun-22 | 16:49 | 108 | Cal 7500 ppb |
| 02-Jun-22 | 16:51 | 109 | Cal 10000 ppb |
| 02-Jun-22 | 16:53 | 0 | Blank |
| 02-Jun-22 | 16:55 | 0 | Read Baseline |
| 02-Jun-22 | 16:57 | 110 | 5000 PPB NO2 |
| 02-Jun-22 | 16:59 | 111 | ICV 5000 PPB |
| 02-Jun-22 | 17:01 | 112 | ICV 2000 PPB |
| 02-Jun-22 | 17:03 | 0 | ICB |
| 02-Jun-22 | 17:05 | 0 | Read Baseline |
| 02-Jun-22 | 17:07 | 107 | LCS |
| 02-Jun-22 | 17:09 | 0 | MB |
| 02-Jun-22 | 17:11 | 113 | 280-162286-A-1 |
| 02-Jun-22 | 17:13 | 114 | ms 280-162286-A-1 |
| 02-Jun-22 | 17:15 | 115 | msd 280-162286-A-1 |
| 02-Jun-22 | 17:17 | 116 | 280-162286-A-2 |
| 02-Jun-22 | 17:19 | 117 | 280-162430-A-1 |
| 02-Jun-22 | 17:21 | 118 | 280-162571-B-4 |
| 02-Jun-22 | 17:23 | 119 | 280-162442-C-13 |
| 02-Jun-22 | 17:25 | 120 | 280-162442-C-14 |
| 02-Jun-22 | 17:27 | 121 | 280-162442-C-15 |
| 02-Jun-22 | 17:29 | 122 | 280-162442-C-16 |
| 02-Jun-22 | 17:31 | 0 | Rinse |
| 02-Jun-22 | 17:33 | 0 | Read Baseline |
| 02-Jun-22 | 17:35 | 107 | CCV 5000 ppb |
| 02-Jun-22 | 17:37 | 105 | CCVL 1000 ppb |
| 02-Jun-22 | 17:39 | 0 | CCB |
| 02-Jun-22 | 17:41 | 0 | Read Baseline |
| 02-Jun-22 | 17:43 | 123 | 280-162442-C-17 |
| 02-Jun-22 | 17:45 | 124 | 280-162442-C-18 |
| 02-Jun-22 | 17:47 | 125 | 280-162666-F-2 |
| 02-Jun-22 | 17:49 | 126 | ms 280-162666-F-2 |
| 02-Jun-22 | 17:51 | 127 | msd 280-162666-F-2 |
| 02-Jun-22 | 17:53 | 128 | 280-162442-C-21 |

Result path C:\FLOW_4\060222A.RST
Sample table path C:\FLOW_4\060222.tbl
Method path C:\FLOW_4\nox.mth
Date acquired 02-Jun-22
Time acquired 20:39

| Date | Time | Cup | Name |
|---|---|---|---|
| 02-Jun-22 | 17:55 | 129 | 280-162603-A-1 |
| 02-Jun-22 | 17:57 | 130 | 280-162603-A-2 |
| 02-Jun-22 | 17:59 | 131 | 280-162603-A-3 |
| 02-Jun-22 | 18:01 | 132 | 580-113804-G-1 |
| 02-Jun-22 | 18:03 | 0 | Rinse |
| 02-Jun-22 | 18:05 | 0 | Read Baseline |
| 02-Jun-22 | 18:07 | 107 | CCV 5000 ppb |
| 02-Jun-22 | 18:09 | 105 | CCVL 1000 ppb |
| 02-Jun-22 | 18:11 | 0 | CCB |
| 02-Jun-22 | 18:13 | 0 | Read Baseline |
| 02-Jun-22 | 18:15 | 133 | 580-113804-G-2 |
| 02-Jun-22 | 18:17 | 134 | 280-162681-B-1 |
| 02-Jun-22 | 18:19 | 135 | 280-162681-B-2 |
| 02-Jun-22 | 18:21 | 136 | 280-162681-B-3 |
| 02-Jun-22 | 18:23 | 107 | LCS |
| 02-Jun-22 | 18:25 | 0 | MB |
| 02-Jun-22 | 18:27 | 137 | 280-162386-C-1 |
| 02-Jun-22 | 18:29 | 138 | ms 280-162386-C-1 |
| 02-Jun-22 | 18:31 | 139 | msd 280-162386-C-1 |
| 02-Jun-22 | 18:33 | 140 | 280-162386-C-2 |
| 02-Jun-22 | 18:35 | 0 | Rinse |
| 02-Jun-22 | 18:37 | 0 | Read Baseline |
| 02-Jun-22 | 18:39 | 107 | CCV 5000 ppb |
| 02-Jun-22 | 18:41 | 105 | CCVL 1000 ppb |
| 02-Jun-22 | 18:43 | 0 | CCB |
| 02-Jun-22 | 18:45 | 0 | Read Baseline |
| 02-Jun-22 | 18:47 | 141 | 280-162386-C-3 |
| 02-Jun-22 | 18:49 | 142 | 280-162386-C-4 |
| 02-Jun-22 | 18:51 | 143 | 280-162386-C-5 |
| 02-Jun-22 | 18:53 | 144 | 280-162386-C-6 |
| 02-Jun-22 | 18:55 | 145 | 280-162386-C-7 |
| 02-Jun-22 | 18:57 | 146 | 280-162386-C-8 |
| 02-Jun-22 | 18:59 | 147 | 280-162386-C-9 |
| 02-Jun-22 | 19:01 | 148 | 280-162386-C-10 |
| 02-Jun-22 | 19:03 | 0 | Rinse |
| 02-Jun-22 | 19:05 | 0 | Read Baseline |
| 02-Jun-22 | 19:07 | 107 | CCV 5000 ppb |
| 02-Jun-22 | 19:09 | 105 | CCVL 1000 ppb |
| 02-Jun-22 | 19:11 | 0 | CCB |
| 02-Jun-22 | 19:13 | 0 | Read Baseline |
| 02-Jun-22 | 19:20 | 107 | LCS |
| 02-Jun-22 | 19:22 | 0 | MB |
| 02-Jun-22 | 19:24 | 149 | 280-162495-A-1 |
| 02-Jun-22 | 19:26 | 150 | 280-162495-A-1 MS |
| 02-Jun-22 | 19:28 | 151 | 280-162495-A-1 MSD |
| 02-Jun-22 | 19:30 | 152 | 280-162495-A-2 |
| 02-Jun-22 | 19:32 | 153 | 280-162495-A-3 |
| 02-Jun-22 | 19:34 | 154 | 280-162495-A-4 |
| 02-Jun-22 | 19:36 | 155 | 280-162495-A-5 |
| 02-Jun-22 | 19:38 | 156 | 280-162442-C-1 |
| 02-Jun-22 | 19:40 | 157 | 280-162442-C-2 |
| 02-Jun-22 | 19:42 | 158 | 280-162442-C-3 |
| 02-Jun-22 | 19:44 | 159 | 280-162442-C-4 |
| 02-Jun-22 | 19:46 | 0 | Rinse |
| 02-Jun-22 | 19:48 | 0 | Read Baseline |
| 02-Jun-22 | 19:50 | 107 | CCV 5000 ppb |
| 02-Jun-22 | 19:52 | 105 | CCVL 1000 ppb |

| | |
|---|---|
| Result path | C:\FLOW_4\060222A.RST |
| Sample table path | C:\FLOW_4\060222.tbl |
| Method path | C:\FLOW_4\nox.mth |
| Date acquired | 02-Jun-22 |
| Time acquired | 20:39 |

| Date | Time | Cup | Name |
|---|---|---|---|
| 02-Jun-22 | 19:54 | 0 | CCB |
| 02-Jun-22 | 19:56 | 0 | Read Baseline |
| 02-Jun-22 | 19:58 | 160 | 280-162442-C-5 |
| 02-Jun-22 | 20:00 | 201 | 280-162442-C-6 |
| 02-Jun-22 | 20:02 | 202 | ms 280-162442-C-6 |
| 02-Jun-22 | 20:04 | 203 | msd 280-162442-C-6 |
| 02-Jun-22 | 20:06 | 204 | 280-162442-C-7 |
| 02-Jun-22 | 20:08 | 205 | 280-162442-C-8 |
| 02-Jun-22 | 20:10 | 206 | 280-162442-C-9 |
| 02-Jun-22 | 20:12 | 207 | 280-162442-C-11 |
| 02-Jun-22 | 20:14 | 208 | 280-162442-C-10 |
| 02-Jun-22 | 20:16 | 209 | 280-162442-C-12 |
| 02-Jun-22 | 20:18 | 210 | 280-162442-C-19 |
| 02-Jun-22 | 20:20 | 211 | 280-162442-C-20 |
| 02-Jun-22 | 20:22 | 0 | Rinse |
| 02-Jun-22 | 20:24 | 0 | Read Baseline |
| 02-Jun-22 | 20:26 | 107 | CCV 5000 ppb |
| 02-Jun-22 | 20:28 | 105 | CCVL 1000 ppb |
| 02-Jun-22 | 20:30 | 0 | CCB |
| 02-Jun-22 | 20:32 | 0 | Read Baseline |

Run Results Report

| | |
|---|---|
| Facility Name | |
| Facility Location | |
| Department | |
| Operator Name | svc |
| Operator ID | svc |
| Platform | FS III/IV/3100 |
| Software Rev Code | 240 |
| Data system ID | 54 |
| Result path | C:\FLOW_4\060222A.RST |
| Sample table path | C:\FLOW_4\060222.tbl |
| Method path | C:\FLOW_4\nox.mth |
| Date acquired | 02-Jun-22 |
| Time acquired | 20:39 |

| | Nitrate as N | | | | | |
|---|---|---|---|---|---|---|
| Name | Response | Calc [ppb] | Flags | Mean Response | Mean Calc [ppb] | |
| SYNC | 2413628 | 9919.627 | | | | |
| Carryover | 3304 | 0.126 | | | | |
| Carryover | 917 | -9.340 | LO | | | |
| (Statistics) | | | | 2110 | -4.607 | N |
| read baseline | 0 | -12.974 | BL | | | |
| Cal 0.00 ppb | 752 | -9.994 | LO | | | |
| Cal 50.0 ppb | 12829 | 37.902 | | | | |
| Cal 100 ppb | 25882 | 89.688 | | | | |
| Cal 500 ppb | 127179 | 492.298 | | | | |
| Cal 1000 ppb | 261191 | 1026.900 | | | | |
| Cal 2500 ppb | 630282 | 2510.829 | | | | |
| Cal 5000 ppb | 1261690 | 5088.711 | | | | |
| Cal 7500 ppb | 1809040 | 7363.557 | | | | |
| Cal 10000 ppb | 2444201 | 10050.091 | HI | | | |
| Blank | -879 | -16.460 | LO | | | |
| Read Baseline | 0 | -12.974 | BL | | | |
| 5000 PPB NO2 | 1205581 | 4857.623 | | | | |
| ICV 5000 PPB | 1233479 | 4972.475 | | | | |
| ICV 2000 PPB | 511330 | 2030.730 | | | | |
| ICB | 378 | -11.477 | LO | | | |
| Read Baseline | 0 | -12.974 | BL | | | |
| LCS | 1211553 | 4882.202 | | | | |
| MB | -79 | -13.287 | LO | | | |
| 280-162286-A-1 | 1303355 | 10521.128 | | | | |
| ms 280-162286-A-1 | 2118682 | 17333.943 | | | | |
| msd 280-162286-A-1 | 2143491 | 17543.848 | | | | |
| 280-162286-A-2 | 373583 | 14769.747 | | | | |
| 280-162430-A-1 | 42909 | 157.275 | | | | |
| 280-162571-B-4 | 141104 | 547.744 | | | | |
| 280-162442-C-13 | 495664 | 19676.303 | | | | |
| 280-162442-C-14 | 2691 | -2.304 | LO | | | |
| 280-162442-C-15 | 111815 | 431.153 | | | | |
| 280-162442-C-16 | 23552 | 80.446 | | | | |
| Rinse | 54 | -12.760 | LO | | | |
| Read Baseline | 0 | -12.974 | BL | | | |
| CCV 5000 ppb | 1230631 | 4960.743 | | | | |
| CCVL 1000 ppb | 258692 | 1016.910 | | | | |
| CCB | 55 | -12.757 | LO | | | |
| Read Baseline | 0 | -12.974 | BL | | | |
| 280-162442-C-17 | 4813 | 6.112 | | | | |
| 280-162442-C-18 | 2956 | -1.254 | LO | | | |
| 280-162666-F-2 | 369097 | 1458.980 | | | | |
| ms 280-162666-F-2 | 1314679 | 5307.309 | | | | |
| msd 280-162666-F-2 | 1310261 | 5289.070 | | | | |
| 280-162442-C-21 | 936 | -9.264 | LO | | | |

Result path C:\FLOW_4\060222A.RST
Sample table path C:\FLOW_4\060222.tbl
Method path C:\FLOW_4\nox.mth
Date acquired 02-Jun-22
Time acquired 20:39

| | Nitrate as N | | | | |
|---|---|---|---|---|---|
| Name | Response | Calc [ppb] | Flags | Mean Response | Mean Calc [ppb] |
| 280-162603-A-1 | 303876 | 598822.938 | | | |
| 280-162603-A-2 | 298021 | 587106.375 | | | |
| 280-162603-A-3 | 307922 | 606920.812 | | | |
| 580-113804-G-1 | 112380 | 433.400 | | | |
| Rinse | 52 | -12.770 | LO | | |
| Read Baseline | 0 | -12.974 | BL | | |
| CCV 5000 ppb | 1206788 | 4862.589 | | | |
| CCVL 1000 ppb | 258434 | 1015.879 | | | |
| CCB | 286 | -11.842 | LO | | |
| Read Baseline | 0 | -12.974 | BL | | |
| 580-113804-G-2 | 12160 | 35.249 | | | |
| 280-162681-B-1 | 2566 | -2.801 | LO | | |
| 280-162681-B-2 | -222 | -13.856 | LO | | |
| 280-162681-B-3 | 1628 | -6.521 | LO | | |
| LCS | 1203481 | 4848.983 | | | |
| MB | -733 | -15.882 | LO | | |
| 280-162386-C-1 | 152832 | 594.461 | | | |
| ms 280-162386-C-1 | 1110630 | 4467.453 | | | |
| msd 280-162386-C-1 | 1106497 | 4450.499 | | | |
| 280-162386-C-2 | 1664564 | 6759.476 | | | |
| Rinse | -703 | -15.761 | LO | | |
| Read Baseline | 0 | -12.974 | BL | | |
| CCV 5000 ppb | 1209561 | 4874.001 | | | |
| CCVL 1000 ppb | 256229 | 1007.065 | | | |
| CCB | -141 | -13.533 | LO | | |
| Read Baseline | 0 | -12.974 | BL | | |
| 280-162386-C-3 | 1325 | -7.721 | LO | | |
| 280-162386-C-4 | 1848534 | 7529.138 | | | |
| 280-162386-C-5 | 359095 | 1418.871 | | | |
| 280-162386-C-6 | 3678 | 1.608 | | | |
| 280-162386-C-7 | 1316 | -7.755 | LO | | |
| 280-162386-C-8 | 14027 | 42.655 | | | |
| 280-162386-C-9 | 1411063 | 5705.822 | | | |
| 280-162386-C-10 | 36078 | 130.158 | | | |
| Rinse | 251 | -11.980 | LO | | |
| Read Baseline | 0 | -12.974 | BL | | |
| CCV 5000 ppb | 1223096 | 4929.717 | | | |
| CCVL 1000 ppb | 258374 | 1015.636 | | | |
| CCB | -85 | -13.311 | LO | | |
| Read Baseline | 0 | -12.974 | BL | | |
| LCS | 1218848 | 4912.227 | | | |
| MB | 300 | -11.783 | LO | | |
| 280-162495-A-1 | 1490 | -7.065 | LO | | |
| 280-162495-A-1 MS | 965169 | 3871.911 | | | |
| 280-162495-A-1 MSD | 952263 | 3819.196 | | | |
| 280-162495-A-2 | 2030 | -4.925 | LO | | |
| 280-162495-A-3 | 1401830 | 566759.625 | | | |
| 280-162495-A-4 | 3667 | 1.567 | | | |
| 280-162495-A-5 | 11526 | 32.735 | | | |
| 280-162442-C-1 | 18828 | 61.699 | | | |
| 280-162442-C-2 | 23417 | 79.907 | | | |
| 280-162442-C-3 | 1143884 | 4603.975 | | | |
| 280-162442-C-4 | 1032154 | 8291.659 | | | |
| Rinse | -411 | -14.604 | LO | | |
| Read Baseline | 0 | -12.974 | BL | | |
| CCV 5000 ppb | 1195661 | 4816.809 | | | |
| CCVL 1000 ppb | 260663 | 1024.788 | | | |

Result path C:\FLOW_4\060222A.RST
Sample table path C:\FLOW_4\060222.tbl
Method path C:\FLOW_4\nox.mth
Date acquired 02-Jun-22
Time acquired 20:39

| | Nitrate as N | | | | |
|---|---|---|---|---|---|
| Name | Response | Calc [ppb] | Flags | Mean Response | Mean Calc [ppb] |
| CCB | -10 | -13.015 | LO | | |
| Read Baseline | 0 | -12.974 | BL | | |
| 280-162442-C-5 | 2295372 | 9416.087 | | | |
| 280-162442-C-6 | 1140298 | 4589.243 | | | |
| ms 280-162442-C-6 | 1966015 | 8022.843 | | | |
| msd 280-162442-C-6 | 1983844 | 8097.917 | | | |
| 280-162442-C-7 | 951 | -9.204 | LO | | |
| 280-162442-C-8 | 3688 | 1.650 | | | |
| 280-162442-C-9 | 557357 | 2216.288 | | | |
| 280-162442-C-11 | 1328599 | 53647.910 | | | |
| 280-162442-C-10 | 1340138 | 54124.590 | | | |
| 280-162442-C-12 | 360927 | 1426.216 | | | |
| 280-162442-C-19 | 11060 | 30.888 | | | |
| 280-162442-C-20 | 768 | -9.930 | LO | | |
| Rinse | 347 | -11.600 | LO | | |
| Read Baseline | 0 | -12.974 | BL | | |
| CCV 5000 ppb | 1206428 | 4861.110 | | | |
| CCVL 1000 ppb | 256874 | 1009.643 | | | |
| CCB | 366 | -11.521 | LO | | |
| Read Baseline | 0 | -12.974 | BL | | |

Peak Table:Nitrate as N

File name: C:\FLOW_4\060222A.RST
Date: 02-Jun-22
Operator: svc

| Peak | Cup | Name | R | Type | Dil | Wt | Height | Calc. (ppb) | Flags |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 109 | SYNC | 1 | SYNC | 1 | 1 | 2413628 | 9919.626953 | |
| 2 | 0 | Carryover | 1 | CO | 1 | 1 | 3304 | 0.125577 | |
| 3 | 0 | Carryover | 2 | CO | 1 | 1 | 917 | -9.340362 | LO |
| B | 0 | read baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 5 | 101 | Cal 0.00 ppb | 1 | C | 1 | 1 | 752 | -9.993859 | LO |
| 6 | 102 | Cal 50.0 ppb | 1 | C | 1 | 1 | 12829 | 37.901566 | |
| 7 | 103 | Cal 100 ppb | 1 | C | 1 | 1 | 25882 | 89.688034 | |
| 8 | 104 | Cal 500 ppb | 1 | C | 1 | 1 | 127179 | 492.298065 | |
| 9 | 105 | Cal 1000 ppb | 1 | C | 1 | 1 | 261191 | 1026.900391 | |
| 10 | 106 | Cal 2500 ppb | 1 | C | 1 | 1 | 630282 | 2510.829102 | |
| 11 | 107 | Cal 5000 ppb | 1 | C | 1 | 1 | 1261690 | 5088.711426 | |
| 12 | 108 | Cal 7500 ppb | 1 | C | 1 | 1 | 1809040 | 7363.556641 | |
| 13 | 109 | Cal 10000 ppb | 1 | C | 1 | 1 | 2444201 | 10050.090820 | HI |
| 14 | 0 | Blank | 1 | BLNK | 1 | 1 | -879 | -16.459982 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 16 | 110 | 5000 PPB NO2 | 1 | U | 1 | 1 | 1205581 | 4857.623047 | |
| 17 | 111 | ICV 5000 PPB | 1 | CCV | 1 | 1 | 1233479 | 4972.475098 | |
| 18 | 112 | ICV 2000 PPB | 1 | CCV | 1 | 1 | 511330 | 2030.730347 | |
| 19 | 0 | ICB | 1 | U | 1 | 1 | 378 | -11.476748 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 21 | 107 | LCS | 1 | U | 1 | 1 | 1211553 | 4882.202148 | |
| 22 | 0 | MB | 1 | U | 1 | 1 | -79 | -13.286958 | LO |
| 23 | 113 | 280-162286-A-1 | 1 | U | 2 | 1 | 1303355 | 10521.127930 | |
| 24 | 114 | ms 280-162286-A-1 | 1 | U | 2 | 1 | 2118682 | 17333.943359 | |
| 25 | 115 | msd 280-162286-A-1 | 1 | U | 2 | 1 | 2143491 | 17543.847656 | |
| 26 | 116 | 280-162286-A-2 | 1 | U | 10 | 1 | 373583 | 14769.747070 | |
| 27 | 117 | 280-162430-A-1 | 1 | U | 1 | 1 | 42909 | 157.275055 | |
| 28 | 118 | 280-162571-B-4 | 1 | U | 1 | 1 | 141104 | 547.743835 | |
| 29 | 119 | 280-162442-C-13 | 1 | U | 10 | 1 | 495664 | 19676.302734 | |
| 30 | 120 | 280-162442-C-14 | 1 | U | 1 | 1 | 2691 | -2.304246 | LO |
| 31 | 121 | 280-162442-C-15 | 1 | U | 1 | 1 | 111815 | 431.152740 | |
| 32 | 122 | 280-162442-C-16 | 1 | U | 1 | 1 | 23552 | 80.446182 | |
| 33 | 0 | Rinse | 1 | U | 1 | 1 | 54 | -12.759633 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 35 | 107 | CCV 5000 ppb | 1 | CCV | 1 | 1 | 1230631 | 4960.743164 | |
| 36 | 105 | CCVL 1000 ppb | 1 | CCV | 1 | 1 | 258692 | 1016.910156 | |
| 37 | 0 | CCB | 1 | U | 1 | 1 | 55 | -12.757339 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 39 | 123 | 280-162442-C-17 | 1 | U | 1 | 1 | 4813 | 6.112453 | |
| 40 | 124 | 280-162442-C-18 | 1 | U | 1 | 1 | 2956 | -1.253975 | LO |
| 41 | 125 | 280-162666-F-2 | 1 | U | 1 | 1 | 369097 | 1458.980469 | |
| 42 | 126 | ms 280-162666-F-2 | 1 | U | 1 | 1 | 1314679 | 5307.309082 | |
| 43 | 127 | msd 280-162666-F-2 | 1 | U | 1 | 1 | 1310261 | 5289.069824 | |
| 44 | 128 | 280-162442-C-21 | 1 | U | 1 | 1 | 936 | -9.263852 | LO |
| 45 | 129 | 280-162603-A-1 | 1 | U | 500 | 1 | 303876 | 598822.937500 | |
| 46 | 130 | 280-162603-A-2 | 1 | U | 500 | 1 | 298021 | 587106.375000 | |
| 47 | 131 | 280-162603-A-3 | 1 | U | 500 | 1 | 307922 | 606920.812500 | |
| 48 | 132 | 580-113804-G-1 | 1 | U | 1 | 1 | 112380 | 433.400238 | |
| 49 | 0 | Rinse | 1 | U | 1 | 1 | 52 | -12.770129 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 51 | 107 | CCV 5000 ppb | 1 | CCV | 1 | 1 | 1206788 | 4862.588867 | |
| 52 | 105 | CCVL 1000 ppb | 1 | CCV | 1 | 1 | 258434 | 1015.878662 | |
| 53 | 0 | CCB | 1 | U | 1 | 1 | 286 | -11.842133 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 55 | 133 | 580-113804-G-2 | 1 | U | 1 | 1 | 12160 | 35.248932 | |
| 56 | 134 | 280-162681-B-1 | 1 | U | 1 | 1 | 2566 | -2.800617 | LO |
| 57 | 135 | 280-162681-B-2 | 1 | U | 1 | 1 | -222 | -13.856076 | LO |
| 58 | 136 | 280-162681-B-3 | 1 | U | 1 | 1 | 1628 | -6.520581 | LO |
| 59 | 107 | LCS | 1 | U | 1 | 1 | 1203481 | 4848.982910 | |
| 60 | 0 | MB | 1 | U | 1 | 1 | -733 | -15.882087 | LO |
| 61 | 137 | 280-162386-C-1 | 1 | U | 1 | 1 | 152832 | 594.461365 | |
| 62 | 138 | ms 280-162386-C-1 | 1 | U | 1 | 1 | 1110630 | 4467.453125 | |
| 63 | 139 | msd 280-162386-C-1 | 1 | U | 1 | 1 | 1106497 | 4450.499023 | |
| 64 | 140 | 280-162386-C-2 | 1 | U | 1 | 1 | 1664564 | 6759.475586 | |
| 65 | 0 | Rinse | 1 | U | 1 | 1 | -703 | -15.761398 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 67 | 107 | CCV 5000 ppb | 1 | CCV | 1 | 1 | 1209561 | 4874.000977 | |
| 68 | 105 | CCVL 1000 ppb | 1 | CCV | 1 | 1 | 256229 | 1007.064758 | |
| 69 | 0 | CCB | 1 | U | 1 | 1 | -141 | -13.533270 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |

| Peak | Cup | Name | R | Type | Dil | Wt | Height | Calc. (ppb) | Flags |
|---|---|---|---|---|---|---|---|---|---|
| 71 | 141 | 280-162386-C-3 | 1 | U | 1 | 1 | 1325 | -7.721020 | LO |
| 72 | 142 | 280-162386-C-4 | 1 | U | 1 | 1 | 1848534 | 7529.138184 | |
| 73 | 143 | 280-162386-C-5 | 1 | U | 1 | 1 | 359095 | 1418.870850 | |
| 74 | 144 | 280-162386-C-6 | 1 | U | 1 | 1 | 3678 | 1.608110 | |
| 75 | 145 | 280-162386-C-7 | 1 | U | 1 | 1 | 1316 | -7.755369 | LO |
| 76 | 146 | 280-162386-C-8 | 1 | U | 1 | 1 | 14027 | 42.655087 | |
| 77 | 147 | 280-162386-C-9 | 1 | U | 1 | 1 | 1411063 | 5705.822266 | |
| 78 | 148 | 280-162386-C-10 | 1 | U | 1 | 1 | 36078 | 130.157562 | |
| 79 | 0 | Rinse | 1 | U | 1 | 1 | 251 | -11.980407 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 81 | 107 | CCV 5000 ppb | 1 | CCV | 1 | 1 | 1223096 | 4929.717285 | |
| 82 | 105 | CCVL 1000 ppb | 1 | CCV | 1 | 1 | 258374 | 1015.636475 | |
| 83 | 0 | CCB | 1 | U | 1 | 1 | -85 | -13.310726 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 85 | 107 | LCS | 1 | U | 1 | 1 | 1218848 | 4912.227051 | |
| 86 | 0 | MB | 1 | U | 1 | 1 | 300 | -11.783435 | LO |
| 87 | 149 | 280-162495-A-1 | 1 | U | 1 | 1 | 1490 | -7.064593 | LO |
| 88 | 150 | 280-162495-A-1 MS | 1 | U | 1 | 1 | 965169 | 3871.911133 | |
| 89 | 151 | 280-162495-A-1 MSD | 1 | U | 1 | 1 | 952263 | 3819.195801 | |
| 90 | 152 | 280-162495-A-2 | 1 | U | 1 | 1 | 2030 | -4.924751 | LO |
| 91 | 153 | 280-162495-A-3 | 1 | U | 100 | 1 | 1401830 | 566759.625000 | |
| 92 | 154 | 280-162495-A-4 | 1 | U | 1 | 1 | 3667 | 1.566757 | |
| 93 | 155 | 280-162495-A-5 | 1 | U | 1 | 1 | 11526 | 32.734600 | |
| 94 | 156 | 280-162442-C-1 | 1 | U | 1 | 1 | 18828 | 61.699371 | |
| 95 | 157 | 280-162442-C-2 | 1 | U | 1 | 1 | 23417 | 79.907013 | |
| 96 | 158 | 280-162442-C-3 | 1 | U | 1 | 1 | 1143884 | 4603.975098 | |
| 97 | 159 | 280-162442-C-4 | 1 | U | 2 | 1 | 1032154 | 8291.659180 | |
| 98 | 0 | Rinse | 1 | U | 1 | 1 | -411 | -14.604144 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 100 | 107 | CCV 5000 ppb | 1 | CCV | 1 | 1 | 1195661 | 4816.809082 | |
| 101 | 105 | CCVL 1000 ppb | 1 | CCV | 1 | 1 | 260663 | 1024.788208 | |
| 102 | 0 | CCB | 1 | U | 1 | 1 | -10 | -13.014542 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 104 | 160 | 280-162442-C-5 | 1 | U | 1 | 1 | 2295372 | 9416.086914 | |
| 105 | 201 | 280-162442-C-6 | 1 | U | 1 | 1 | 1140298 | 4589.243164 | |
| 106 | 202 | ms 280-162442-C-6 | 1 | U | 1 | 1 | 1966015 | 8022.842773 | |
| 107 | 203 | msd 280-162442-C-6 | 1 | U | 1 | 1 | 1983844 | 8097.916504 | |
| 108 | 204 | 280-162442-C-7 | 1 | U | 1 | 1 | 951 | -9.203904 | LO |
| 109 | 205 | 280-162442-C-8 | 1 | U | 1 | 1 | 3688 | 1.649907 | |
| 110 | 206 | 280-162442-C-9 | 1 | U | 1 | 1 | 557357 | 2216.288330 | |
| 111 | 207 | 280-162442-C-11 | 1 | U | 10 | 1 | 1328599 | 53647.910156 | |
| 112 | 208 | 280-162442-C-10 | 1 | U | 10 | 1 | 1340138 | 54124.589844 | |
| 113 | 209 | 280-162442-C-12 | 1 | U | 1 | 1 | 360927 | 1426.216064 | |
| 114 | 210 | 280-162442-C-19 | 1 | U | 1 | 1 | 11060 | 30.888081 | |
| 115 | 211 | 280-162442-C-20 | 1 | U | 1 | 1 | 768 | -9.929794 | LO |
| 116 | 0 | Rinse | 1 | U | 1 | 1 | 347 | -11.599570 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |
| 118 | 107 | CCV 5000 ppb | 1 | CCV | 1 | 1 | 1206428 | 4861.109863 | |
| 119 | 105 | CCVL 1000 ppb | 1 | CCV | 1 | 1 | 256874 | 1009.642639 | |
| 120 | 0 | CCB | 1 | U | 1 | 1 | 366 | -11.521465 | LO |
| B | 0 | Read Baseline | 1 | RB | 1 | 1 | 0 | -12.974363 | BL |

Nitrate as N:Calibration  1: Peak 5-121

File name: C:\FLOW_4\060222A.RST
Date: 02-Jun-22
Operator: svc


| * | Name | Conc | Height |
|---|---|---|---|
| * | Cal 0.00 ppb | 0.000000 | 751.690552 |
| * | Cal 50.0 ppb | 50.000000 | 12828.605469 |
| * | Cal 100 ppb | 100.000000 | 25881.503906 |
| * | Cal 500 ppb | 500.000000 | 127178.617188 |
| * | Cal 1000 ppb | 1000.000000 | 261191.437500 |
| * | Cal 2500 ppb | 2500.000000 | 630282.375000 |
| * | Cal 5000 ppb | 5000.000000 | 1261690.000000 |
| * | Cal 7500 ppb | 7500.000000 | 1809040.125000 |
| * | Cal 10000 ppb | 10000.000000 | 2444201.000000 |


Calib Coef:
x=cyy+by+a
a: (intercept) -1.2974e+01
b: 3.9650e-03
c: 6.2228e-11


Corr Coef: 0.999862


Carryover: 0.137%

No Drift Peaks


Nitrate as N:Calibration 1: Peak 5-121
Height (E+06)
2.800
2.600
2.400
2.200
2.000
1.800
1.600
1.400
1.200
1.000
0.800
0.600
0.400
0.200
0.000
-0.200
-0.400
-0.200
0.000
0.200
0.400
0.600
0.800
1.000
1.200
Conc (E+04)


Channel 3: Nitrate as N
Absorbance (µAu) (E+06)
Time (sec)
Page 1153 of 1444
06/06/2022
2.600
2.400
2.200
2.000
1.800
1.600
1.400
1.200
1.000
0.800
0.600
0.400
0.200
1000
2000
3000
4000
5000
6000
1 2 3 B 5 6 7 8 9 10 11 12 13 14 B 16 17 18 19 B 21 22 23 24 25 26 27 28 29 30 31 32 33 B 35 36 37 B 39 40 41 42 43 44 45 46 47 48 49 B 51 52 53 B


Channel 3: Nitrate as N
Absorbance (µAu) (E+06)
Time (sec) (E+04)
Page 1154 of 1444
06/06/2022
2.600
2.400
2.200
2.000
1.800
1.600
1.400
1.200
1.000
0.800
0.600
0.400
0.200
0.000
0.600
0.700
0.800
0.900
1.000
1.100
1.200
48
49 B
51
52
53 B
55
56
57
58
59
60
61
62
63
64
65 B
67
68
69 B
71
72
73
74
75
76
77
78
79 B
81
82
83 B
85
86
87
88
89
90
91
92
93
94
95
96
97
98 B
100


Channel 3: Nitrate as N
Absorbance (µAu) (E+06)
Time (sec) (E+04)
Page 1155 of 1444
06/06/2022
2.600
2.400
2.200
2.000
1.800
1.600
1.400
1.200
1.000
0.800
0.600
0.400
0.200
0.000
0.900
1.000
1.100
1.200
1.300
1.400
1.500
69 B
71
72
73
74
75
76
77
78
79 B
81
82
83 B
85
86
87
88
89
90
91
92
93
94
95
96
97
98 B
100
101
102B
104
105
106
107
108
109
110
111
112
113
114
115
116B
118
119
120B

Sample Table - 060222.tbl

File name: C:\FLOW_4\060222.TBL
Date: 02-Jun-22

| Cup | Name | Type | R | Dil | Wt | Vial | Comment |
|---|---|---|---|---|---|---|---|
| 109 | SYNC | SYNC | 1 | 1 | 1 | | |
| 0 | Carryover | CO | 1 | 1 | 1 | | |
| 0 | Carryover | CO | 1 | 1 | 1 | | |
| 0 | read baseline | RB | 1 | 1 | 1 | | |
| 101 | Cal 0.00 ppb | C | 1 | 1 | 1 | | |
| 102 | Cal 50.0 ppb | C | 1 | 1 | 1 | | |
| 103 | Cal 100 ppb | C | 1 | 1 | 1 | | |
| 104 | Cal 500 ppb | C | 1 | 1 | 1 | | |
| 105 | Cal 1000 ppb | C | 1 | 1 | 1 | | |
| 106 | Cal 2500 ppb | C | 1 | 1 | 1 | | |
| 107 | Cal 5000 ppb | C | 1 | 1 | 1 | | |
| 108 | Cal 7500 ppb | C | 1 | 1 | 1 | | |
| 109 | Cal 10000 ppb | C | 1 | 1 | 1 | | |
| 0 | Blank | BLNK | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 110 | 5000 PPB NO2 | U | 1 | 1 | 1 | | |
| 111 | ICV 5000 PPB | CCV | 1 | 1 | 1 | | |
| 112 | ICV 2000 PPB | CCV | 1 | 1 | 1 | | |
| 0 | ICB | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | pH |
| 107 | LCS | U | 1 | 1 | 1 | | |
| 0 | MB | U | 1 | 1 | 1 | | |
| 113 | 280-162286-A-1 | U | 1 | 2 | 1 | | |
| 114 | ms 280-162286-A-1 | U | 1 | 2 | 1 | 1 | |
| 115 | msd 280-162286-A-1 | U | 1 | 2 | 1 | 1 | |
| 116 | 280-162286-A-2 | U | 1 | 10 | 1 | | |
| 117 | 280-162430-A-1 | U | 1 | 1 | 1 | | |
| 118 | 280-162571-B-4 | U | 1 | 1 | 1 | | |
| 119 | 280-162442-C-13 | U | 1 | 10 | 1 | | |
| 120 | 280-162442-C-14 | U | 1 | 1 | 1 | | |
| 121 | 280-162442-C-15 | U | 1 | 1 | 1 | | |
| 122 | 280-162442-C-16 | U | 1 | 1 | 1 | | |
| 0 | Rinse | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 107 | CCV 5000 ppb | CCV | 1 | 1 | 1 | | |
| 105 | CCVL 1000 ppb | CCV | 1 | 1 | 1 | | |
| 0 | CCB | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 123 | 280-162442-C-17 | U | 1 | 1 | 1 | | |
| 124 | 280-162442-C-18 | U | 1 | 1 | 1 | | |
| 125 | 280-162666-F-2 | U | 1 | 1 | 1 | | |
| 126 | ms 280-162666-F-2 | U | 1 | 1 | 1 | 1 | |
| 127 | msd 280-162666-F-2 | U | 1 | 1 | 1 | 1 | |
| 128 | 280-162442-C-21 | U | 1 | 1 | 1 | | |
| 129 | 280-162603-A-1 | U | 1 | 500 | 1 | | |
| 130 | 280-162603-A-2 | U | 1 | 500 | 1 | | |
| 131 | 280-162603-A-3 | U | 1 | 500 | 1 | | |
| 132 | 580-113804-G-1 | U | 1 | 1 | 1 | | |
| 0 | Rinse | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 107 | CCV 5000 ppb | CCV | 1 | 1 | 1 | | |
| 105 | CCVL 1000 ppb | CCV | 1 | 1 | 1 | | |
| 0 | CCB | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 133 | 580-113804-G-2 | U | 1 | 1 | 1 | | |
| 134 | 280-162681-B-1 | U | 1 | 1 | 1 | | |
| 135 | 280-162681-B-2 | U | 1 | 1 | 1 | | |
| 136 | 280-162681-B-3 | U | 1 | 1 | 1 | | |
| 107 | LCS | U | 1 | 1 | 1 | | |
| 0 | MB | U | 1 | 1 | 1 | | |
| 137 | 280-162386-C-1 | U | 1 | 1 | 1 | | |

| Cup | Name | Type | R | Dil | Wt | Vial | Comment |
|---|---|---|---|---|---|---|---|
| 138 | ms 280-162386-C-1 U | | 1 | 1 | 1 | 1 | ∠L |
| 139 | msd 280-162386-C-1 U | | 1 | 1 | 1 | 1 | ∠L |
| 140 | 280-162386-C-2 | U | 1 | 1 | 1 | | ∠L |
| 0 | Rinse | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 107 | CCV 5000 ppb | CCV | 1 | 1 | 1 | | |
| 105 | CCVL 1000 ppb | CCV | 1 | 1 | 1 | | |
| 0 | CCB | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 141 | 280-162386-C-3 | U | 1 | 1 | 1 | | ∠L |
| 142 | 280-162386-C-4 | U | 1 | 1 | 1 | | ∠L |
| 143 | 280-162386-C-5 | U | 1 | 1 | 1 | | ∠L |
| 144 | 280-162386-C-6 | U | 1 | 1 | 1 | | ∠L |
| 145 | 280-162386-C-7 | U | 1 | 1 | 1 | | ∠L |
| 146 | 280-162386-C-8 | U | 1 | 1 | 1 | | ∠L |
| 147 | 280-162386-C-9 | U | 1 | 1 | 1 | | ∠L |
| 148 | 280-162386-C-10 | U | 1 | 1 | 1 | | ∠L |
| 0 | Rinse | U | 1 | 1 | 1 | | ~~∠L~~ |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 107 | CCV 5000 ppb | CCV | 1 | 1 | 1 | | |
| 105 | CCVL 1000 ppb | CCV | 1 | 1 | 1 | | |
| 0 | CCB | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 107 | LCS | U | 1 | 1 | 1 | | |
| 0 | MB | U | 1 | 1 | 1 | | |
| 149 | 280-162495-A-1 | U | 1 | 1 | 1 | | ∠L |
| 150 | 280-162495-A-1 MS | U | 1 | 1 | 1 | | ∠L |
| 151 | 280-162495-A-1 MSD | U | 1 | 1 | 1 | | ∠L |
| 152 | 280-162495-A-2 | U | 1 | 1 | 1 | | ∠L |
| 153 | 280-162495-A-3 | U | 1 | 100 ~~1~~ | 1 | | ∠L |
| 154 | 280-162495-A-4 | U | 1 | 1 | 1 | | ∠L |
| 155 | 280-162495-A-5 | U | 1 | 1 | 1 | | ∠L |
| 156 | 280-162442-C-1 | U | 1 | 1 | 1 | | ∠L |
| 157 | 280-162442-C-2 | U | 1 | 1 | 1 | | ∠L |
| 158 | 280-162442-C-3 | U | 1 | 1 | 1 | | ∠L |
| 159 | 280-162442-C-4 | U | 1 | 2 ~~1~~ | 1 | | ∠L |
| 0 | Rinse | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 107 | CCV 5000 ppb | CCV | 1 | 1 | 1 | | |
| 105 | CCVL 1000 ppb | CCV | 1 | 1 | 1 | | |
| 0 | CCB | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 160 | 280-162442-C-5 | U | 1 | 1 ~~1~~ | 1 | | ∠L |
| 201 | 280-162442-C-6 | U | 1 | 1 | 1 | | ∠L |
| 202 | ms 280-162442-C-6 | U | 1 | 1 | 1 | | ∠L |
| 203 | msd 280-162442-C-6 | U | 1 | 1 | 1 | | ∠L |
| 204 | 280-162442-C-7 | U | 1 | 1 | 1 | | ∠L |
| 205 | 280-162442-C-8 | U | 1 | 1 | 1 | | ∠L |
| 206 | 280-162442-C-9 | U | 1 | 1 | 1 | | ∠L |
| 207 | 280-162442-C-11 | U | 1 | 10 ~~1~~ | 1 | | ∠L |
| 208 | 280-162442-C-10 | U | 1 | 10 ~~1~~ | 1 | | ∠L |
| 209 | 280-162442-C-12 | U | 1 | 1 | 1 | | ∠L |
| 210 | 280-162442-C-19 | U | 1 | 1 | 1 | | ∠L |
| 211 | 280-162442-C-20 | U | 1 | 1 | 1 | | ∠L |
| 0 | Rinse | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |
| 107 | CCV 5000 ppb | CCV | 1 | 1 | 1 | | |
| 105 | CCVL 1000 ppb | CCV | 1 | 1 | 1 | | |
| 0 | CCB | U | 1 | 1 | 1 | | |
| 0 | Read Baseline | RB | 1 | 1 | 1 | | |

# General Chemistry Raw Data Report

Job ID: 280-162386-1

**Batch: 575054** **Analyst Initials: ZPM**

**Method: 9034** **Instrument: No Equipment Used for this Test**

**Lab Sample ID: LCS 280-575031/1-A** **Analysis Date: May 16, 2022 11:02**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 13.6 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: MB 280-575031/2-A** **Analysis Date: May 16, 2022 11:02**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-8-A** **Analysis Date: May 16, 2022 11:02**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Sulfide by Titration**

| Analyst: | ZM | SOP Information: | |
|---|---|---|---|
| Date: | 5/16/2022-2 | Number: | 91 |
| **Titration Solutions** | | **Calibration Information** | |
| Solution 1: | Iodine | Source/Ver-Lot#: | INT_0215 |
| TALS ID | Iod_00275 | Prep Date: | 4/5/2022 |
| Normality: | 0.025 | Made By: | LRB |
| Solution 2: | sodium thiosulfate | Concentration: | 1600 |
| TALS ID | Na Thio_00178 | Expiration Date: | 7/5/2022 |
| Normality: | 0.025 | | |
| | Starch Indicator | | |
| TALS ID | Starch IND_00067 | | |

| | CAL Volume | Buret Start | Buret End | mL Iodine | Final mL | Conc mg/L |
|---|---|---|---|---|---|---|
| CAL | 5 | | | 20 | 0.00 | 1600.000 |
| CAL | 5 | | | 20 | 0.00 | 1600.000 |

| ICV Information | |
|---|---|
| Source/Ver-Lot#: | INT_0211 |
| Prep Date: | 4/5/2022 |
| Made By: | LRB |
| Concentration: | 968 |
| Expiration Date: | 7/5/2022 |
| | |
| | |
| | |

| | CAL Volume | Buret Start | Buret End | mL Iodine | Final mL | Conc mg/L |
|---|---|---|---|---|---|---|
| ICV | 5 | 0.00 | 7.90 | 20 | 7.90 | 968.000 |
| ICV | 5 | 5.20 | 13.10 | 20 | 7.90 | 968.000 |

# TALS Raw Data Report

Job Number: 280-113807-1
LIMS Batch: 575054
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575031/1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 13.6 mg/L | mg/L | 70 | 44 110 | | |
| Sulfide as H2S | | 14.45 mg/L | mg/L | | | | |

RS# 2 Lab ID: **MB 280-575031/2-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | |

RS# 3 Lab ID: **280-162238-E-1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | |

RS# 4 Lab ID: **280-162238-E-1-B MS** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 66 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 5 Lab ID: **280-162238-E-1-C MSD** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12 mg/L | mg/L | 62 | 44 110 | 6 | 20 |
| Sulfide as H2S | | 12.75 mg/L | mg/L | | | | |

RS# 14 Lab ID: **580-113807-A-1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | |

RS# 15 Lab ID: **580-113807-A-2-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | |

# TALS Raw Data Report

Job Number: 280-162238-1
LIMS Batch: 575054
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575031/1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|---|
| Sulfide | | 13.6 mg/L | mg/L | 70 | 44 | 110 | | |
| Sulfide as H2S | | 14.45 mg/L | mg/L | | | | | |

RS# 2 Lab ID: **MB 280-575031/2-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | | |

RS# 3 Lab ID: **280-162238-E-1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | | |

RS# 4 Lab ID: **280-162238-E-1-B MS** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 66 | 44 | 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | | |

RS# 5 Lab ID: **280-162238-E-1-C MSD** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|---|
| Sulfide | | 12 mg/L | mg/L | 62 | 44 | 110 | 6 | 20 |
| Sulfide as H2S | | 12.75 mg/L | mg/L | | | | | |

# TALS Raw Data Report

Job Number: 280-162317-1
LIMS Batch: 575054
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575031/1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 13.6 mg/L | mg/L | 70 | 44 110 | | |
| Sulfide as H2S | | 14.45 mg/L | mg/L | | | | |

RS# 2 Lab ID: **MB 280-575031/2-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | |

RS# 3 Lab ID: **280-162238-E-1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | |

RS# 4 Lab ID: **280-162238-E-1-B MS** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 66 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 5 Lab ID: **280-162238-E-1-C MSD** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12 mg/L | mg/L | 62 | 44 110 | 6 | 20 |
| Sulfide as H2S | | 12.75 mg/L | mg/L | | | | |

RS# 11 Lab ID: **280-162317-K-1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | |

RS# 12 Lab ID: **280-162317-K-2-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | |

# TALS Raw Data Report

Job Number: 280-162320-1
LIMS Batch: 575054
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575031/1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 13.6 mg/L | mg/L | 70 | 44 110 | | |
| Sulfide as H2S | | 14.45 mg/L | mg/L | | | | |

RS# 2 Lab ID: **MB 280-575031/2-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 3 Lab ID: **280-162238-E-1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 4 Lab ID: **280-162238-E-1-B MS** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 66 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 5 Lab ID: **280-162238-E-1-C MSD** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12 mg/L | mg/L | 62 | 44 110 | 6 | 20 |
| Sulfide as H2S | | 12.75 mg/L | mg/L | | | | |

RS# 6 Lab ID: **280-162320-E-1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0.8 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0.85 mg/L | 2.1 U mg/L | | | | |

RS# 7 Lab ID: **280-162320-E-2-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 8 Lab ID: **280-162320-E-3-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 9 Lab ID: **280-162320-E-4-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 10 Lab ID: **280-162320-E-5-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

# TALS Raw Data Report

Job Number: 280-162386-1
LIMS Batch: 575054
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575031/1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 13.6 mg/L | mg/L | 70 | 44 110 | | |
| Sulfide as H2S | | 14.45 mg/L | mg/L | | | | |

RS# 2 Lab ID: **MB 280-575031/2-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 3 Lab ID: **280-162238-E-1-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 4 Lab ID: **280-162238-E-1-B MS** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 66 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 5 Lab ID: **280-162238-E-1-C MSD** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12 mg/L | mg/L | 62 | 44 110 | 6 | 20 |
| Sulfide as H2S | | 12.75 mg/L | mg/L | | | | |

RS# 13 Lab ID: **280-162386-E-8-A** Inj Date: 5/16/2022 11:02:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

TestAmerica *Denver*

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

## *Titration Data Review Checklist*

| | | |
|---|---|---|
| LIMS Batch Number: 575084 | Method (circle one): | QC Type (circle): |
| Analyst/1st Reviewer: ZM | 2310B 2320B 2340C | Standard DoD QAPP Other |
| Date: 5/16/22 | 4500 S2 F 4500 SO3 B 9030B/9034 | |
| Matrix (circle): Water Solid | Automated or Manual (circle one) | Instrument ID (circle one if applicable): AT2 AT3 |

| Review Items | Yes | No | 2nd Rev | If No, why is data reportable? |
|---|---|---|---|---|
| **A. Sample Storage and Pretreatment** | | | | |
| 1. Is sample pH verified and documented prior to analysis? (if required) | ✓ | | ✓ | |
| 2. For samples requiring pH adjustment is the amount of acid/base used documented? | ✓ | | ✓ | If no, list details: |
| 3. Are samples analyzed within the required hold time? | ✓ | | ✓ | NCM: |
| 4. Pre-treatment reagents used to remove interferences are documented. | ✓ | | ✓ | |
| **B. Calibration / Instrument** | | | | |
| 5. Was the normality of the titrant verified and found acceptable? | ✓ | | ✓ | Comments: |
| 6. For potentiometric titration, the pH meter is calibrated with 5 buffers bracketing range of samples and QC. | ✓ | | ✓ | Comments: |
| 7. Calibration standards are analyzed at the beginning and end of the analytical sequence and after every 10 sample analyses. (samples/dilutions/reanalyses). | ✓ | | ✓ | Comments: |
| 8. Calibrations standards (ICV/CCV) are within 90-110% recovery. | ✓ | | ✓ | |
| **C. Sample and Batch QC** | | | | |
| 9. Blanks are analyzed at the beginning, end and after every 10 sample analyses in the sequence. | ✓ | | ✓ | |
| 10. Results of blank analyses (MB, ICB, CCB) are < ½ RL (<RL for alkalinity unless DoD) | ✓ | | ✓ | □ No analyte > ½ RL in associated samples<br>□ Sample results >10x blank |
| 11. A standard from a second source (SRM, CRM, LCS) is included in the analytical sequence. | ✓ | | ✓ | |
| 12. The recovery of the 2nd source material falls within 90-110% or manufacturer's limits. | ✓ | | ✓ | |
| 13. Samples analyses are bracketing by acceptable CCV/CCBs. | ✓ | | ✓ | □ No analyte > RL in associated samples<br>□ Sample results >10x blank<br>□ Sample results qualified |
| 14. MS/MSD analyzed at required frequency and recoveries within limits. (If recoveries out of limits, verify not due to lab error) (Required for 2340C, 4500 S2 F, 9030B/9034) | ✓ | | ✓ | □ Non-conformance (NCM) added<br>□ Sample results >4X spike conc. |
| 15. Duplicate analyzed at required frequency and RPD within limits. (Required for 2310B, 2320B, 4500 SO3 B) | ✓ | | ✓ | □ Non-conformance (NCM) added<br>□ Sample results ND or <2X RL |

| Review Items | Yes | No | 2nd Rev | If No, why is data reportable? |
|---|---|---|---|---|
| 16. Are all MS/MSD RPDs <50%? Note: Excessive RPDs (>50%) require evaluation, correction or explanation. | ✓ | | ✓ | ☐ Non-conformance (NCM) added |
| **D. Raw Data & TALS Data Entry** | | | | |
| 17. Raw Data | | | | |
| a. Unused data is clearly identified with reason | ✓ | | ✓ | |
| b. All crossed out data is initialed and dated | ✓ | | ✓ | |
| c. Out of control QC is clearly identified | ✓ | | ✓ | |
| d. Any data that has a qualifier is commented on with appropriate action taken | ✓ | | ✓ | |
| e. The first page of the run includes the filename, instrument, and analyst initials/signature | ✓ | | ✓ | |
| f. 100% of manual calculations are verified. | ✓ | | ✓ | |
| 18. TALS Samples Tab | | | | |
| a. LIMS Sample IDs / Containers are correct | ✓ | | ✓ | |
| b. Method and matrix are correct | ✓ | | ✓ | |
| c. Date and time match raw data | ✓ | | ✓ | |
| d. Dilutions are correct | ✓ | | ✓ | |
| e. Correct suffix designated (where applicable) | ✓ | | ✓ | |
| 19. TALS Worksheet Tab is complete and correct | ✓ | | ✓ | |
| 20. TALS Reagent Tab is complete and correct | ✓ | | ✓ | |
| 21. TALS QC Links Tab is correct | ✓ | | ✓ | |
| 22. TALS Sample Results Tab | ✓ | | | |
| a. All unused data are marked Rejected or Accepted | ✓ | | ✓ | |
| b. All reported analytes are marked Primary or Secondary | ✓ | | ✓ | |
| c. Data manually transcribed from benchsheet into TALS verified 100% including significant figures SM 4500 SO3 B). | ✓ | | ✓ | |
| d. TALS Batch Information Screen documentation is complete | ✓ | | ✓ | |
| e. TALS Status set to appropriate review level | ✓ | | ✓ | |
| **E. Final Report and NCMs (2nd level review only)** | | | | |
| f. Were all job/project requirements met? | | | ✓ | |
| g. Results for samples and QC correct on final report? | | | ✓ | |
| h. Are all necessary scanned documents in TALS? | | | ✓ | |
| i. NCMs reviewed for applicability, correct references to batches, grammar/typographical errors? | | | ✓ | |

**Comments:** _____

**2nd Reviewer:** UCB **Review Date:** 5/18/22

# General Chemistry Raw Data Report

Job ID: 280-162386-1

**Batch: 575192** **Analyst Initials: ZPM**

**Method: 9034** **Instrument: No Equipment Used for this Test**

**Lab Sample ID: LCS 280-575174/1-A** **Analysis Date: May 17, 2022 10:24**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 12.8 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: MB 280-575174/2-A** **Analysis Date: May 17, 2022 10:24**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | -0.8 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-1-A** **Analysis Date: May 17, 2022 10:24**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-1-B MS** **Analysis Date: May 17, 2022 10:24**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 12.8 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-1-C MSD** **Analysis Date: May 17, 2022 10:24**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 13.6 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-2-A** **Analysis Date: May 17, 2022 10:24**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | -0.8 | mg/L | 50 mL | 50 mL |

**Sulfide by Titration**

| Analyst: | ZM | SOP Information: | |
|---|---|---|---|
| Date: | 5/17/2022 | Number: | 91 |
| **Titration Solutions** | | **Calibration Information** | |
| Solution 1: | Iodine | Source/Ver-Lot#: | INT_0215 |
| TALS ID | Iod_00275 | Prep Date: | 4/5/2022 |
| Normality: | 0.025 | Made By: | LRB |
| Solution 2: | sodium thiosulfate | Concentration: | 1600 |
| TALS ID | Na Thio_00178 | Expiration Date: | 7/5/2022 |
| Normality: | 0.025 | | |
| | Starch Indicator | | |
| TALS ID | Starch IND_00067 | | |

| | CAL Volume | Buret Start | Buret End | mL Iodine | Final mL | Conc mg/L |
|---|---|---|---|---|---|---|
| CAL | 5 | | | 20 | 0.00 | 1600.000 |
| CAL | 5 | | | 20 | 0.00 | 1600.000 |

| ICV Information | |
|---|---|
| Source/Ver-Lot#: | INT_0211 |
| Prep Date: | 4/5/2022 |
| Made By: | LRB |
| Concentration: | 956 |
| Expiration Date: | 7/5/2022 |
| | |
| | |
| | |

| | CAL Volume | Buret Start | Buret End | mL Iodine | Final mL | Conc mg/L |
|---|---|---|---|---|---|---|
| ICV | 5 | 0.00 | 8.10 | 20 | 8.10 | 952.000 |
| ICV | 5 | 8.10 | 16.10 | 20 | 8.00 | 960.000 |

# TALS Raw Data Report

Job Number: 280-162320-1
LIMS Batch: 575192
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575174/1-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 2 Lab ID: **MB 280-575174/2-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | -0.8 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | -0.85 mg/L | 2.1 U mg/L | | | | |

RS# 3 Lab ID: **280-162320-E-7-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | -0.8 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | -0.85 mg/L | 2.1 U mg/L | | | | |

RS# 4 Lab ID: **280-162320-E-7-B MS** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 11.2 mg/L | mg/L | 59 | 44 110 | | |
| Sulfide as H2S | | 11.9 mg/L | mg/L | | | | |

RS# 5 Lab ID: **280-162320-E-7-C MSD** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | 13 | 20 |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 6 Lab ID: **280-162320-E-6-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 7 Lab ID: **280-162320-E-8-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 8 Lab ID: **280-162320-E-9-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 9 Lab ID: **280-162320-E-10-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

# TALS Raw Data Report

Job Number: 280-162383-1
LIMS Batch: 575192
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575174/1-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 2 Lab ID: **MB 280-575174/2-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | -0.8 mg/L | mg/L | | | | |
| Sulfide as H2S | | -0.85 mg/L | mg/L | | | | |

RS# 3 Lab ID: **280-162320-E-7-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | -0.8 mg/L | mg/L | | | | |
| Sulfide as H2S | | -0.85 mg/L | mg/L | | | | |

RS# 4 Lab ID: **280-162320-E-7-B MS** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 11.2 mg/L | mg/L | 59 | 44 110 | | |
| Sulfide as H2S | | 11.9 mg/L | mg/L | | | | |

RS# 5 Lab ID: **280-162320-E-7-C MSD** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | 13 | 20 |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 10 Lab ID: **280-162383-F-2-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | |

RS# 11 Lab ID: **280-162383-F-4-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | mg/L | | | | |

# TALS Raw Data Report

Job Number: 280-162386-1
LIMS Batch: 575192
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575174/1-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 2 Lab ID: **MB 280-575174/2-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | -0.8 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | -0.85 mg/L | 2.1 U mg/L | | | | |

RS# 12 Lab ID: **280-162386-E-1-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 13 Lab ID: **280-162386-E-1-B MS** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 14 Lab ID: **280-162386-E-1-C MSD** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 13.6 mg/L | mg/L | 71 | 44 110 | 6 | 20 |
| Sulfide as H2S | | 14.45 mg/L | mg/L | | | | |

RS# 15 Lab ID: **280-162386-E-2-A** Inj Date: 5/17/2022 10:24:00AM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | -0.8 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | -0.85 mg/L | 2.1 U mg/L | | | | |

TestAmerica *Denver*

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

***Titration Data Review Checklist***

| | | |
|---|---|---|
| **LIMS Batch Number:** 575 192 | **Method (circle one):** | **QC Type (circle):** |
| **Analyst/1st Reviewer:** ZM | **2310B 2320B 2340C** | **Standard DoD QAPP Other** |
| **Date:** 5/17/22 | **4500 S2 F 4500 SO3 B 9030B/9034** | |
| **Matrix (circle):** Water Solid | **Automated or Manual (circle one)** | **Instrument ID (circle one if applicable):** |
| | | **AT2 AT3** |

| Review Items | Yes | No | 2nd Rev | If No, why is data reportable? |
|---|---|---|---|---|
| **A. Sample Storage and Pretreatment** | | | | |
| 1. Is sample pH verified and documented prior to analysis? (if required) | ✓ | | ✓ | |
| 2. For samples requiring pH adjustment is the amount of acid/base used documented? | ✓ | | ✓ | If no, list details: |
| 3. Are samples analyzed within the required hold time? | ✓ | | ✓ | NCM: |
| 4. Pre-treatment reagents used to remove interferences are documented. | ✓ | | ✓ | |
| **B. Calibration / Instrument** | | | | |
| 5. Was the normality of the titrant verified and found acceptable? | ✓ | | ✓ | Comments: |
| 6. For potentiometric titration, the pH meter is calibrated with 5 buffers bracketing range of samples and QC. | ✓ | | ✓ | Comments: |
| 7. Calibration standards are analyzed at the beginning and end of the analytical sequence and after every 10 sample analyses. (samples/dilutions/reanalyses). | ✓ | | ✓ | Comments: |
| 8. Calibrations standards (ICV/CCV) are within 90-110% recovery. | ✓ | | ✓ | |
| **C. Sample and Batch QC** | | | | |
| 9. Blanks are analyzed at the beginning, end and after every 10 sample analyses in the sequence. | ✓ | | ✓ | |
| 10. Results of blank analyses (MB, ICB, CCB) are < ½ RL (<RL for alkalinity unless DoD) | ✓ | | ✓ | □ No analyte > ½ RL in associated samples<br>□ Sample results >10x blank |
| 11. A standard from a second source (SRM, CRM, LCS) is included in the analytical sequence. | ✓ | | ✓ | |
| 12. The recovery of the 2nd source material falls within 90-110% or manufacturer's limits. | ✓ | | ✓ | |
| 13. Samples analyses are bracketing by acceptable CCV/CCBs. | ✓ | | ✓ | □ No analyte > RL in associated samples<br>□ Sample results >10x blank<br>□ Sample results qualified |
| 14. MS/MSD analyzed at required frequency and recoveries within limits. (If recoveries out of limits, verify not due to lab error)<br>(Required for 2340C, 4500 S2 F, 9030B/9034) | ✓ | | ✓ | □ Non-conformance (NCM) added<br>□ Sample results >4X spike conc. |
| 15. Duplicate analyzed at required frequency and RPD within limits.<br>(Required for 2310B, 2320B, 4500 SO3 B) | ✓ | | ✓ | □ Non-conformance (NCM) added<br>□ Sample results ND or <2X RL |

| Review Items | Yes | No | 2nd Rev | If No, why is data reportable? |
|---|---|---|---|---|
| 16. Are all MS/MSD RPDs <50%? Note: Excessive RPDs (>50%) require evaluation, correction or explanation. | ✓ | | ✓ | □ Non-conformance (NCM) added |
| **D. Raw Data & TALS Data Entry** | | | | |
| 17. Raw Data | | | | |
| a. Unused data is clearly identified with reason | ✓ | | ✓ | |
| b. All crossed out data is initialed and dated | ✓ | | ✓ | |
| c. Out of control QC is clearly identified | ✓ | | ✓ | |
| d. Any data that has a qualifier is commented on with appropriate action taken | ✓ | | ✓ | |
| e. The first page of the run includes the filename, instrument, and analyst initials/signature | ✓ | | ✓ | |
| f. 100% of manual calculations are verified. | ✓ | | ✓ | |
| 18. TALS Samples Tab | | | | |
| a. LIMS Sample IDs / Containers are correct | ✓ | | ✓ | |
| b. Method and matrix are correct | ✓ | | ✓ | |
| c. Date and time match raw data | ✓ | | ✓ | |
| d. Dilutions are correct | ✓ | | ✓ | |
| e. Correct suffix designated (where applicable) | ✓ | | ✓ | |
| 19. TALS Worksheet Tab is complete and correct | ✓ | | ✓ | |
| 20. TALS Reagent Tab is complete and correct | ✓ | | ✓ | |
| 21. TALS QC Links Tab is correct | ✓ | | ✓ | |
| 22. TALS Sample Results Tab | ✓ | | | |
| a. All unused data are marked Rejected or Accepted | ✓ | | ✓ | |
| b. All reported analytes are marked Primary or Secondary | ✓ | | ✓ | |
| c. Data manually transcribed from benchsheet into TALS verified 100% including significant figures SM 4500 SO3 B). | ✓ | | ✓ | |
| d. TALS Batch Information Screen documentation is complete | ✓ | | ✓ | |
| e. TALS Status set to appropriate review level | ✓ | | ✓ | |
| **E. Final Report and NCMs (2nd level review only)** | | | | |
| f. Were all job/project requirements met? | | | ✓ | |
| g. Results for samples and QC correct on final report? | | | ✓ | |
| h. Are all necessary scanned documents in TALS? | | | ✓ | |
| i. NCMs reviewed for applicability, correct references to batches, grammar/typographical errors? | | | ✓ | |

**Comments:** _____

_____

_____

**2nd Reviewer:** WMB **Review Date:** 5/18/22

# General Chemistry Raw Data Report

Job ID: 280-162386-1

**Batch: 575233** **Analyst Initials: ZPM**

**Method: 9034** **Instrument: No Equipment Used for this Test**

**Lab Sample ID: LCS 280-575177/1-A** **Analysis Date: May 17, 2022 12:50**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 12.8 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: MB 280-575177/2-A** **Analysis Date: May 17, 2022 12:50**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-3-A** **Analysis Date: May 17, 2022 12:50**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-4-A** **Analysis Date: May 17, 2022 12:50**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-5-A** **Analysis Date: May 17, 2022 12:50**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-6-A** **Analysis Date: May 17, 2022 12:50**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-7-A** **Analysis Date: May 17, 2022 12:50**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-9-A** **Analysis Date: May 17, 2022 12:50**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Lab Sample ID: 280-162386-E-10-A** **Analysis Date: May 17, 2022 12:50**

| Analyte | Detector | Dilution | Raw Result | Unit | Initial Amount | Final Amount |
|---|---|---|---|---|---|---|
| Sulfide | None | 1 | 0 | mg/L | 50 mL | 50 mL |

**Sulfide by Titration**

| Analyst: | ZM | SOP Information: | |
|---|---|---|---|
| Date: | 5/17/2022 | Number: | 91 |
| **Titration Solutions** | | **Calibration Information** | |
| Solution 1: | Iodine | Source/Ver-Lot#: | INT_0215 |
| TALS ID | Iod_00275 | Prep Date: | 4/5/2022 |
| Normality: | 0.025 | Made By: | LRB |
| Solution 2: | sodium thiosulfate | Concentration: | 1600 |
| TALS ID | Na Thio_00178 | Expiration Date: | 7/5/2022 |
| Normality: | 0.025 | | |
| | Starch Indicator | | |
| TALS ID | Starch IND_00067 | | |

| | CAL Volume | Buret Start | Buret End | mL Iodine | Final mL | Conc mg/L |
|---|---|---|---|---|---|---|
| CAL | 5 | | | 20 | 0.00 | 1600.000 |
| CAL | 5 | | | 20 | 0.00 | 1600.000 |

| ICV Information | |
|---|---|
| Source/Ver-Lot#: | INT_0211 |
| Prep Date: | 4/5/2022 |
| Made By: | LRB |
| Concentration: | 956 |
| Expiration Date: | 7/5/2022 |
| | |
| | |
| | |

| | CAL Volume | Buret Start | Buret End | mL Iodine | Final mL | Conc mg/L |
|---|---|---|---|---|---|---|
| ICV | 5 | 0.00 | 8.10 | 20 | 8.10 | 952.000 |
| ICV | 5 | 8.10 | 16.10 | 20 | 8.00 | 960.000 |

# TALS Raw Data Report

Job Number: 280-160511-1
LIMS Batch: 575233
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575177/1-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034_Calc

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 2 Lab ID: **MB 280-575177/2-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034_Calc

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 0.793 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 0.841 U mg/L | | | | |

RS# 13 Lab ID: **280-160511-A-4-D MDLV** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034_Calc

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 1.6 mg/L | 1.60 J mg/L | 84 | | | |
| Sulfide as H2S | | 1.7 mg/L | 1.70 J mg/L | | | | |

# TALS Raw Data Report

Job Number: 280-162320-1
LIMS Batch: 575233
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575177/1-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 2 Lab ID: **MB 280-575177/2-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 3 Lab ID: **280-162320-E-11-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | -0.8 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | -0.85 mg/L | 2.1 U mg/L | | | | |

RS# 4 Lab ID: **280-162320-E-11-B MS** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 5 Lab ID: **280-162320-E-11-C MSD** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | 0 | 20 |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

# TALS Raw Data Report

Job Number: 280-162386-1
LIMS Batch: 575233
Equipment: NOEQUIP

Laboratory: Eurofins Denver

RS# 1 Lab ID: **LCS 280-575177/1-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 2 Lab ID: **MB 280-575177/2-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 3 Lab ID: **280-162320-E-11-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | -0.8 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | -0.85 mg/L | 2.1 U mg/L | | | | |

RS# 4 Lab ID: **280-162320-E-11-B MS** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | | |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 5 Lab ID: **280-162320-E-11-C MSD** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 12.8 mg/L | mg/L | 67 | 44 110 | 0 | 20 |
| Sulfide as H2S | | 13.6 mg/L | mg/L | | | | |

RS# 6 Lab ID: **280-162386-E-3-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 7 Lab ID: **280-162386-E-4-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 8 Lab ID: **280-162386-E-5-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 9 Lab ID: **280-162386-E-6-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 10 Lab ID: **280-162386-E-7-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 11 Lab ID: **280-162386-E-9-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

RS# 12 Lab ID: **280-162386-E-10-A** Inj Date: 5/17/2022 12:50:00PM Dil: 1.0 Meth: 9034

| Analyte | Rspnse | Raw Res/Units | Final Res/Qual/Units | % Rec | Rec Lmt | % RPD | RPD Lmt |
|---|---|---|---|---|---|---|---|
| Sulfide | | 0 mg/L | 2.0 U mg/L | | | | |
| Sulfide as H2S | | 0 mg/L | 2.1 U mg/L | | | | |

TestAmerica *Denver*

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

***Titration Data Review Checklist***

| | | |
|---|---|---|
| **LIMS Batch Number:** 575233 | **Method (circle one):** | **QC Type (circle):** |
| **Analyst/1st Reviewer:** ZM | 2310B 2320B 2340C | Standard DoD QAPP Other |
| **Date:** 5/17/22 | 4500 S2 F 4500 SO3 B 9030B/9034 | |
| **Matrix (circle):** Water Solid | **Automated or Manual (circle one)** | **Instrument ID (circle one if applicable):** AT2 AT3 |

| Review Items | Yes | No | 2nd Rev | If No, why is data reportable? |
|---|---|---|---|---|
| **A. Sample Storage and Pretreatment** | | | | |
| 1. Is sample pH verified and documented prior to analysis? (if required) | ✓ | | ✓ | |
| 2. For samples requiring pH adjustment is the amount of acid/base used documented? | ✓ | | ✓ | If no, list details: |
| 3. Are samples analyzed within the required hold time? | ✓ | | ✓ | NCM: |
| 4. Pre-treatment reagents used to remove interferences are documented. | ✓ | | ✓ | |
| **B. Calibration / Instrument** | | | | |
| 5. Was the normality of the titrant verified and found acceptable? | ✓ | | ✓ | Comments: |
| 6. For potentiometric titration, the pH meter is calibrated with 5 buffers bracketing range of samples and QC. | ✓ | | ✓ | Comments: |
| 7. Calibration standards are analyzed at the beginning and end of the analytical sequence and after every 10 sample analyses. (samples/dilutions/reanalyses). | ✓ | | ✓ | Comments: |
| 8. Calibrations standards (ICV/CCV) are within 90-110% recovery. | ✓ | | ✓ | |
| **C. Sample and Batch QC** | | | | |
| 9. Blanks are analyzed at the beginning, end and after every 10 sample analyses in the sequence. | ✓ | | ✓ | |
| 10. Results of blank analyses (MB, ICB, CCB) are < ½ RL (<RL for alkalinity unless DoD) | ✓ | | ✓ | □ No analyte > ½ RL in associated samples<br>□ Sample results >10x blank |
| 11. A standard from a second source (SRM, CRM, LCS) is included in the analytical sequence. | ✓ | | ✓ | |
| 12. The recovery of the 2nd source material falls within 90-110% or manufacturer's limits. | ✓ | | ✓ | |
| 13. Samples analyses are bracketing by acceptable CCV/CCBs. | ✓ | | ✓ | □ No analyte > RL in associated samples<br>□ Sample results >10x blank<br>□ Sample results qualified |
| 14. MS/MSD analyzed at required frequency and recoveries within limits. (If recoveries out of limits, verify not due to lab error) (Required for 2340C, 4500 S2 F, 9030B/9034) | ✓ | | ✓ | □ Non-conformance (NCM) added<br>□ Sample results >4X spike conc. |
| 15. Duplicate analyzed at required frequency and RPD within limits. (Required for 2310B, 2320B, 4500 SO3 B) | ✓ | | ✓ | □ Non-conformance (NCM) added<br>□ Sample results ND or <2X RL |

| Review Items | Yes | No | 2nd Rev | If No, why is data reportable? |
|---|---|---|---|---|
| 16. Are all MS/MSD RPDs <50%? Note: Excessive RPDs (>50%) require evaluation, correction or explanation. | ✓ | | ✓ | ☐ Non-conformance (NCM) added |
| **D. Raw Data & TALS Data Entry** | | | | |
| 17. Raw Data | ✓ | | | |
| a. Unused data is clearly identified with reason | ✓ | | ✓ | |
| b. All crossed out data is initialed and dated | ✓ | | ✓ | |
| c. Out of control QC is clearly identified | ✓ | | ✓ | |
| d. Any data that has a qualifier is commented on with appropriate action taken | ✓ | | ✓ | |
| e. The first page of the run includes the filename, instrument, and analyst initials/signature | ✓ | | ✓ | |
| f. 100% of manual calculations are verified. | ✓ | | ✓ | |
| 18. TALS Samples Tab | | | | |
| a. LIMS Sample IDs / Containers are correct | ✓ | | ✓ | |
| b. Method and matrix are correct | ✓ | | ✓ | |
| c. Date and time match raw data | ✓ | | ✓ | |
| d. Dilutions are correct | ✓ | | ✓ | |
| e. Correct suffix designated (where applicable) | ✓ | | ✓ | |
| 19. TALS Worksheet Tab is complete and correct | ✓ | | ✓ | |
| 20. TALS Reagent Tab is complete and correct | ✓ | | ✓ | |
| 21. TALS QC Links Tab is correct | ✓ | | ✓ | |
| 22. TALS Sample Results Tab | ✓ | | ✓ | |
| a. All unused data are marked Rejected or Accepted | ✓ | | ✓ | |
| b. All reported analytes are marked Primary or Secondary | ✓ | | ✓ | |
| c. Data manually transcribed from benchsheet into TALS verified 100% including significant figures SM 4500 SO3 B). | ✓ | | ✓ | |
| d. TALS Batch Information Screen documentation is complete | ✓ | | ✓ | |
| e. TALS Status set to appropriate review level | ✓ | | ✓ | |
| **E. Final Report and NCMs (2nd level review only)** | | | | |
| f. Were all job/project requirements met? | | | ✓ | |
| g. Results for samples and QC correct on final report? | | | ✓ | |
| h. Are all necessary scanned documents in TALS? | | | ✓ | |
| i. NCMs reviewed for applicability, correct references to batches, grammar/typographical errors? | | | ✓ | |

**Comments:** _____

_____

_____

**2nd Reviewer:** URB **Review Date:** 5/18/22

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0003.d
Lims ID: std L1
Client ID:
Sample Type: IC Calib Level: 1
Inject. Date: 26-May-2022 10:38:00 ALS Bottle#: 0 Worklist Smp#: 2
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111372-002
Operator ID: Instrument ID: WC_IonChrom11
Sublist: chrom-Anions_IC11*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 27-May-2022 12:31:39 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1619

First Level Reviewer: foxr Date: 26-May-2022 12:36:22

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.558 | 2.558 | 0.000 | 2517329 | 0.2000 | 0.2419 | M |
| 2 Chloride | 3.733 | 3.733 | 0.000 | 10490612 | 1.00 | 1.31 | M |
| 3 Nitrite as N | 4.508 | 4.508 | 0.000 | 4992670 | NC | NC | M |
| 4 Bromide | 5.450 | 5.450 | 0.000 | 967422 | 0.2000 | 0.2098 | |
| 5 Nitrate as N | 6.075 | 6.075 | 0.000 | 5412365 | NC | NC | M |
| 7 Orthophosphate as P | 9.183 | 9.183 | 0.000 | 1114901 | NC | NC | M |
| 6 Sulfate | 10.167 | 10.167 | 0.000 | 7664956 | 1.00 | 1.29 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC Cal low_00641 Amount Added: 0.02 Units: mL
IC CAL cl/so4_00423 Amount Added: 0.02 Units: mL

Report Date: 27-May-2022 12:31:39 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0003.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 10:38:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | std L1 | | | Worklist Smp#: | 2 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0003.d
Injection Date: 26-May-2022 10:38:00 Instrument ID: WC_IonChrom11
Lims ID: std L1
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 2
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 1 Fluoride, CAS: 16984-48-8

Signal: 1


RT: 2.56
Area: 20311793
Amount: -0.099410
Amount Units: ug/ml

Processing Integration Results




RT: 2.56
Area: 2517329
Amount: 0.241888
Amount Units: ug/ml

Manual Integration Results




Reviewer: foxr, 26-May-2022 12:36:18
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0003.d
Injection Date: 26-May-2022 10:38:00 Instrument ID: WC_IonChrom11
Lims ID: std L1
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 2
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 2 Chloride, CAS: 16887-00-6

Signal: 1


Processing Integration Results

RT: 3.73
Area: 10501100
Amount: 1.307736
Amount Units: ug/ml




Manual Integration Results

RT: 3.73
Area: 10490612
Amount: 1.307500
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:35:51
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0003.d
Injection Date: 26-May-2022 10:38:00 Instrument ID: WC_IonChrom11
Lims ID: std L1
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 2
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.17
Area: 7910021
Amount: 1.299005
Amount Units: ug/ml




Manual Integration Results

RT: 10.17
Area: 7664956
Amount: 1.292658
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:36:09
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0004.d
Lims ID: std L2
Client ID:
Sample Type: IC Calib Level: 2
Inject. Date: 26-May-2022 10:54:00 ALS Bottle#: 0 Worklist Smp#: 3
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111372-003
Operator ID: Instrument ID: WC_IonChrom11
Sublist: chrom-Anions_IC11*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 27-May-2022 12:31:40 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1619

First Level Reviewer: foxr Date: 26-May-2022 12:37:04

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.558 | 2.558 | 0.000 | 5219727 | 0.5000 | 0.4467 | M |
| 2 Chloride | 3.742 | 3.742 | 0.000 | 26634615 | 2.50 | 2.29 | |
| 3 Nitrite as N | 4.517 | 4.517 | 0.000 | 12430822 | NC | NC | M |
| 4 Bromide | 5.458 | 5.458 | 0.000 | 2290153 | 0.5000 | 0.4912 | |
| 5 Nitrate as N | 6.075 | 6.075 | 0.000 | 13346070 | NC | NC | M |
| 7 Orthophosphate as P | 9.192 | 9.192 | 0.000 | 2814874 | NC | NC | M |
| 6 Sulfate | 10.175 | 10.175 | 0.000 | 18940873 | 2.50 | 2.35 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC Cal low_00641 Amount Added: 0.05 Units: mL
IC CAL cl/so4_00423 Amount Added: 0.05 Units: mL

Report Date: 27-May-2022 12:31:40 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0004.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 10:54:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | std L2 | | | Worklist Smp#: | 3 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0004.d
Injection Date: 26-May-2022 10:54:00 Instrument ID: WC_IonChrom11
Lims ID: std L2
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 3
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 1 Fluoride, CAS: 16984-48-8

Signal: 1


Processing Integration Results

RT: 2.56
Area: 33363075
Amount: 1.762284
Amount Units: ug/ml




Manual Integration Results

RT: 2.56
Area: 5219727
Amount: 0.446654
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:36:37
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0004.d
Injection Date: 26-May-2022 10:54:00 Instrument ID: WC_IonChrom11
Lims ID: std L2
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 3
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.18
Area: 18981907
Amount: 2.354369
Amount Units: ug/ml




Manual Integration Results

RT: 10.18
Area: 18940873
Amount: 2.353060
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:37:00
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0005.d
Lims ID: std L3
Client ID:
Sample Type: IC Calib Level: 3
Inject. Date: 26-May-2022 11:10:00 ALS Bottle#: 0 Worklist Smp#: 4
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111372-004
Operator ID: Instrument ID: WC_IonChrom11
Sublist: chrom-Anions_IC11*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 27-May-2022 12:31:41 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1619

First Level Reviewer: foxr Date: 26-May-2022 12:37:31

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.558 | 2.558 | 0.000 | 11338695 | 1.00 | 0.9103 | M |
| 2 Chloride | 3.742 | 3.742 | 0.000 | 54995610 | 5.00 | 4.02 | |
| 3 Nitrite as N | 4.517 | 4.517 | 0.000 | 25675354 | NC | NC | |
| 4 Bromide | 5.458 | 5.458 | 0.000 | 4595846 | 1.00 | 0.9817 | |
| 5 Nitrate as N | 6.075 | 6.075 | 0.000 | 27022389 | NC | NC | |
| 7 Orthophosphate as P | 9.192 | 9.192 | 0.000 | 6383013 | NC | NC | |
| 6 Sulfate | 10.183 | 10.183 | 0.000 | 37920723 | 5.00 | 4.14 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC Cal low_00641 Amount Added: 0.10 Units: mL
IC CAL cl/so4_00423 Amount Added: 0.10 Units: mL

Report Date: 27-May-2022 12:31:41 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0005.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 11:10:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | std L3 | | | Worklist Smp#: | 4 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0005.d
Injection Date: 26-May-2022 11:10:00 Instrument ID: WC_IonChrom11
Lims ID: std L3
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 4
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 1 Fluoride, CAS: 16984-48-8

Signal: 1


Processing Integration Results

RT: 2.56
Area: 38639447
Amount: 2.553611
Amount Units: ug/ml




Manual Integration Results

RT: 2.56
Area: 11338695
Amount: 0.910300
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:37:16
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0005.d
Injection Date: 26-May-2022 11:10:00 Instrument ID: WC_IonChrom11
Lims ID: std L3
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 4
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.18
Area: 38035188
Amount: 4.146443
Amount Units: ug/ml




Manual Integration Results

RT: 10.18
Area: 37920723
Amount: 4.137949
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:37:27
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0006.d
Lims ID: std L4
Client ID:
Sample Type: IC Calib Level: 4
Inject. Date: 26-May-2022 11:25:00 ALS Bottle#: 0 Worklist Smp#: 5
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111372-005
Operator ID: Instrument ID: WC_IonChrom11
Sublist: chrom-Anions_IC11*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 27-May-2022 12:31:42 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1619

First Level Reviewer: foxr Date: 26-May-2022 12:37:57

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.558 | 2.558 | 0.000 | 49965260 | 4.00 | 3.84 | M |
| 2 Chloride | 3.792 | 3.792 | 0.000 | 932518975 | 60.0 | 57.4 | |
| 3 Nitrite as N | 4.533 | 4.533 | 0.000 | 111213133 | NC | NC | |
| 4 Bromide | 5.450 | 5.450 | 0.000 | 18294969 | 4.00 | 3.90 | |
| 5 Nitrate as N | 6.067 | 6.067 | 0.000 | 117829461 | NC | NC | M |
| 7 Orthophosphate as P | 9.167 | 9.167 | 0.000 | 31283707 | NC | NC | |
| 6 Sulfate | 10.242 | 10.242 | 0.000 | 574628610 | 60.0 | 54.6 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC Cal low_00641 Amount Added: 0.40 Units: mL
IC CAL cl/so4_00423 Amount Added: 1.20 Units: mL

Report Date: 27-May-2022 12:31:42 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0006.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 11:25:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | std L4 | | | Worklist Smp#: | 5 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0006.d
Injection Date: 26-May-2022 11:25:00 Instrument ID: WC_IonChrom11
Lims ID: std L4
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 5
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 1 Fluoride, CAS: 16984-48-8

Signal: 1


Processing Integration Results

RT: 2.56
Area: 64048182
Amount: 4.675537
Amount Units: ug/ml




Manual Integration Results

RT: 2.56
Area: 49965260
Amount: 3.837110
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:37:43
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0006.d
Injection Date: 26-May-2022 11:25:00 Instrument ID: WC_IonChrom11
Lims ID: std L4
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 5
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.24
Area: 575024925
Amount: 54.628375
Amount Units: ug/ml




Manual Integration Results

RT: 10.24
Area: 574628610
Amount: 54.610638
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:37:54
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0007.d
Lims ID: std L5
Client ID:
Sample Type: IC Calib Level: 5
Inject. Date: 26-May-2022 11:41:00 ALS Bottle#: 0 Worklist Smp#: 6
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111372-006
Operator ID: Instrument ID: WC_IonChrom11
Sublist: chrom-Anions_IC11*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 27-May-2022 12:31:42 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1619

First Level Reviewer: foxr Date: 26-May-2022 12:38:26

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.558 | 2.558 | 0.000 | 105574056 | 8.00 | 8.05 | M |
| 2 Chloride | 3.842 | 3.842 | 0.000 | 1953390847 | 120.0 | 119.6 | |
| 3 Nitrite as N | 4.558 | 4.558 | 0.000 | 232166488 | NC | NC | |
| 4 Bromide | 5.450 | 5.450 | 0.000 | 37732662 | 8.00 | 8.03 | |
| 5 Nitrate as N | 6.058 | 6.058 | 0.000 | 256790050 | NC | NC | M |
| 7 Orthophosphate as P | 9.150 | 9.150 | 0.000 | 71067229 | NC | NC | |
| 6 Sulfate | 10.308 | 10.308 | 0.000 | 1263008535 | 120.0 | 119.3 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC Cal low_00641 Amount Added: 0.80 Units: mL
IC CAL cl/so4_00423 Amount Added: 2.40 Units: mL

Report Date: 27-May-2022 12:31:43 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0007.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 11:41:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | std L5 | | | Worklist Smp#: | 6 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0007.d | | | | |
| Injection Date: | 26-May-2022 11:41:00 | Instrument ID: | WC_IonChrom11 | | |
| Lims ID: | std L5 | | | | |
| Client ID: | | | | | |
| Operator ID: | | ALS Bottle#: | 0 | Worklist Smp#: | 6 |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 1 Fluoride, CAS: 16984-48-8

Signal: 1


Processing Integration Results

RT: 2.56
Area: 106761759
Amount: 8.108157
Amount Units: ug/ml




Manual Integration Results

RT: 2.56
Area: 105574056
Amount: 8.050697
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:38:09
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0007.d
Injection Date: 26-May-2022 11:41:00 Instrument ID: WC_IonChrom11
Lims ID: std L5
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 6
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.31
Area: 1263421851
Amount: 119.3537
Amount Units: ug/ml




Manual Integration Results

RT: 10.31
Area: 1263008535
Amount: 119.3468
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:38:23
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d
Lims ID: std L6
Client ID:
Sample Type: IC Calib Level: 6
Inject. Date: 26-May-2022 11:57:00 ALS Bottle#: 0 Worklist Smp#: 7
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111372-007
Operator ID: Instrument ID: WC_IonChrom11
Sublist: chrom-Anions_IC11*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 27-May-2022 12:31:43 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1619

First Level Reviewer: foxr Date: 26-May-2022 12:38:45

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.558 | 2.558 | 0.000 | 134115666 | 10.0 | 10.2 | |
| 2 Chloride | 3.883 | 3.883 | 0.000 | 3338209746 | 200.0 | 203.9 | |
| 3 Nitrite as N | 4.567 | 4.567 | 0.000 | 297186668 | NC | NC | |
| 4 Bromide | 5.450 | 5.450 | 0.000 | 47405131 | 10.0 | 10.1 | |
| 5 Nitrate as N | 6.058 | 6.058 | 0.000 | 330425787 | NC | NC | |
| 7 Orthophosphate as P | 9.133 | 9.133 | 0.000 | 92281418 | NC | NC | |
| 6 Sulfate | 10.358 | 10.358 | 0.000 | 2192517280 | 200.0 | 206.8 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC Cal low_00641 Amount Added: 1.00 Units: mL
IC CAL cl/so4_00423 Amount Added: 4.00 Units: mL

Report Date: 27-May-2022 12:31:43 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 11:57:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | std L6 | | | Worklist Smp#: | 7 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d
Injection Date: 26-May-2022 11:57:00 Instrument ID: WC_IonChrom11
Lims ID: std L6
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 7
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.36
Area: 2193191665
Amount: 206.7877
Amount Units: ug/ml




Manual Integration Results

RT: 10.36
Area: 2192517280
Amount: 206.7589
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:38:42
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

# IC Instrument Information

**WL:** 111372 **Inst ID:** ICV **Analysis Date:** 5/26/2022 **Analyst:** CJ

| Rush | Job No. | Samples | Anions | QC Req | HT Exp |
|---|---|---|---|---|---|
| ☐ | 162169 | 2 | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 162320 | 11 | F Cl NO2 Br NO3 PO4 SO4 | MS/D 4/11 | |
| ☐ | 162317 | 1 | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 162489 | 14 | F Cl NO2 Br NO3 PO4 SO4 | MS/D 8 | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |

## Dilutions

| Job No. | Samples | Anions | Dilution | Reason |
|---|---|---|---|---|
| 317 | 1 | F Cl NO2 Br NO3 PO4 SO4 | 50X | rerun |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |

Eurofins Environment Testing America
Initial Calibration Summary Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m

| | | | |
|---|---|---|---|
| Instrument: | WC_IonChrom11 | Lims Location: | 280 |
| Lock State: | Unlocked | Cpnd Order: | Retention Time |
| Integrator: | Falcon | Last Modified: | 27-May-2022 12:31:35 |

No.Compounds:7

## Initial Calibration Batches

Ical Batch: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b
Inj Date : 26-May-2022 10:38:00, Sublist: chrom-Anions_IC11*sub1

Detector 1: 0005

| | Wet - Anions 28D | | | | Wet - Anions | | | |
|---|---|---|---|---|---|---|---|---|
| Compound | b | M1 | M2 | Err | b | M1 | M2 | Err |
| 1 Fluoride | -674991 | 1319749 | | 0.998 | | | | |
| 2 Chloride | -109886 | 1642772 | | 1.000 | | | | |
| 3 Nitrite as N | | | | | -158663 | 2924831 | | 0.999 |
| 4 Bromide | -18634 | 4700337 | | 1.000 | | | | |
| 5 Nitrate as N | | | | | -211435 | 3221570 | | 0.999 |
| 7 Orthophosphate as P | | | | | -120257 | 8951923 | | 0.995 |
| 6 Sulfate | -608069 | 1063363 | | 0.997 | | | | |

Eurofins Environment Testing America
Initial Calibration Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m

| | | | |
|---|---|---|---|
| Instrument: | WC_IonChrom11 | Lims Location: | 280 |
| Lock State: | Unlocked | Cpnd Order: | Retention Time |
| Integrator: | Falcon | Last Modified: | 27-May-2022 12:36:13 |

No.Compounds:7
Sublist: chrom-Anions_IC11*sub1
Limit Group: Wet - Anions

## Detectors

Detector: 1, 0005
Data Type: ic Spec Type: none
Supports Extracted Chromatograms: False
Run Time: 0.000-13.500 No. Points: 1561

## Calibration File Names

| | | | |
|---|---|---|---|
| Level: 1 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0003.d | | |
| | Inj Date: 26-May-2022 10:38:00 | Worklist: 111372 | Sample#: 2 |
| Level: 2 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0004.d | | |
| | Inj Date: 26-May-2022 10:54:00 | Worklist: 111372 | Sample#: 3 |
| Level: 3 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0005.d | | |
| | Inj Date: 26-May-2022 11:10:00 | Worklist: 111372 | Sample#: 4 |
| Level: 4 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0006.d | | |
| | Inj Date: 26-May-2022 11:25:00 | Worklist: 111372 | Sample#: 5 |
| Level: 5 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0007.d | | |
| | Inj Date: 26-May-2022 11:41:00 | Worklist: 111372 | Sample#: 6 |
| Level: 6 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d | | |
| | Inj Date: 26-May-2022 11:57:00 | Worklist: 111372 | Sample#: 7 |

Start Cal Date: 26-May-2022 10:22:00 End Cal Date: 26-May-2022 11:57:00

## Individual Compound Calibration Parameters

Quant Method: ESTD RF Calibration: Replace
Rule Name: Linear1 Curve: Linear Weighting: Conc
Origin: None Error: raw_COD Error Limit: 1.00
RF %Dif: 0.0 SPCC Limit: 0.0 CCC Limit: 0.0
Dependent Variable: Resp

Number of Compounds: 3

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|
| 3 Nitrite as N | | | | Signal: 1 | | | | | |
| 24963350 | 24861644 | 25675354 | 27803283 | 29020811 | 29718667 | -1586638 | | | 0.999 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 29248311 | | |
| M4992670 | M12430822 | 25675354 | 111213133 | 232166488 | 297186668 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |
| 5 Nitrate as N | | | | Signal: 1 | | | | | |
| Error: CorrCoef | | | | | | | | | |
| 27061825 | 26692140 | 27022389 | 29457365 | 32098756 | 33042579 | -2114359 | | | 0.999 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 32215708 | | |
| M5412365 | M13346070 | 27022389 | M117829461 | M256790050 | 330425787 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |
| 7 Orthophosphate as P | | | | Signal: 1 | | | | | |
| 5574505 | 5629748 | 6383013 | 7820927 | 8883404 | 9228142 | -1202572 | | | 0.995 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 8951923 | | |
| M1114901 | M2814874 | 6383013 | 31283707 | 71067229 | 92281418 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |

Eurofins Environment Testing America
Initial Calibration Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m
Instrument: WC_IonChrom11 Lims Location: 280
Lock State: Unlocked Cpnd Order: Retention Time
Integrator: Falcon Last Modified: 27-May-2022 12:31:35
No.Compounds:7
Sublist: chrom-Anions_IC11*sub1
Limit Group: Wet - Anions 28D

## Detectors

Detector: 1, 0005
Data Type: ic Spec Type: none
Supports Extracted Chromatograms: False
Run Time: 0.000-13.500 No. Points: 1561

### Calibration File Names

Level: 1 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0003.d
Inj Date: 26-May-2022 10:38:00 Worklist: 111372 Sample#: 2
Level: 2 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0004.d
Inj Date: 26-May-2022 10:54:00 Worklist: 111372 Sample#: 3
Level: 3 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0005.d
Inj Date: 26-May-2022 11:10:00 Worklist: 111372 Sample#: 4
Level: 4 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0006.d
Inj Date: 26-May-2022 11:25:00 Worklist: 111372 Sample#: 5
Level: 5 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0007.d
Inj Date: 26-May-2022 11:41:00 Worklist: 111372 Sample#: 6
Level: 6 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d
Inj Date: 26-May-2022 11:57:00 Worklist: 111372 Sample#: 7

Start Cal Date: 26-May-2022 10:22:00 End Cal Date: 26-May-2022 11:57:00

### Individual Compound Calibration Parameters

Quant Method: ESTD RF Calibration: Replace
Rule Name: Linear1 Curve: Linear Weighting: Conc
Origin: None Error: CorrCoef Error Limit: 1.00
RF %Dif: 0.0 SPCC Limit: 0.0 CCC Limit: 0.0
Dependent Variable: Resp

Number of Compounds: 4

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|
| 1 Fluoride | | | | Signal: 1 | | | | | |
| Error: raw_COD | | | | | | | | | |
| 12586645 | 10439454 | 11338695 | 12491315 | 13196757 | 13411567 | -674991 | | | 0.998 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 13197497 | | |
| M2517329 | M5219727 | M11338695 | M49965260 | M105574056 | 134115666 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |
| 2 Chloride | | | | Signal: 1 | | | | | |
| 10490612 | 10653846 | 10999122 | 15541983 | 16278257 | 16691049 | -10988650 | | | 1.000 |
| 1.0000 (1) | 2.5000 (2) | 5.0000 (3) | 60.0 (4) | 120.0 (5) | 200.0 (6) | | 16427728 | | |
| M10490612 | 26634615 | 54995610 | 932518975 | 1953390847 | 3338209746 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |
| 4 Bromide | | | | Signal: 1 | | | | | |
| 4837110 | 4580306 | 4595846 | 4573742 | 4716583 | 4740513 | -18634 | | | 1.000 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 4700337 | | |
| 967422 | 2290153 | 4595846 | 18294969 | 37732662 | 47405131 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |
| 6 Sulfate | | | | Signal: 1 | | | | | |
| Error: raw_COD | | | | | | | | | |
| 7664956 | 7576349 | 7584145 | 9577144 | 10525071 | 10962586 | -6080692 | | | 0.997 |
| 1.0000 (1) | 2.5000 (2) | 5.0000 (3) | 60.0 (4) | 120.0 (5) | 200.0 (6) | | 10633630 | | |
| M7664956 | M18940873 | M37920723 | M574628610 | M1263008535 | M2192517280 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0009.d
Lims ID: ICV
Client ID:
Sample Type: ICV
Inject. Date: 26-May-2022 12:13:00 ALS Bottle#: 0 Worklist Smp#: 8
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111372-008
Operator ID: Instrument ID: WC_IonChrom11
Sublist:

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 27-May-2022 13:00:49 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1619

First Level Reviewer: foxr Date: 26-May-2022 12:40:10

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.558 | 2.558 | 0.000 | 50105606 | 4.00 | 3.85 | M |
| 2 Chloride | 3.817 | 3.817 | 0.000 | 1298948516 | 80.0 | 79.7 | |
| 3 Nitrite as N | 4.533 | 4.533 | 0.000 | 103024016 | NC | NC | |
| 4 Bromide | 5.450 | 5.450 | 0.000 | 18252164 | 4.00 | 3.89 | |
| 5 Nitrate as N | 6.067 | 6.067 | 0.000 | 114182014 | NC | NC | M |
| 7 Orthophosphate as P | 9.167 | 9.167 | 0.000 | 29859783 | NC | NC | |
| 6 Sulfate | 10.258 | 10.258 | 0.000 | 801034337 | 80.0 | 75.9 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


| | | | |
|---|---|---|---|
| IC SO4 ICV_00022 | Amount Added: | 0.40 | Units: mL |
| Cl ICV Std_00005 | Amount Added: | 0.40 | Units: mL |
| IC ICV 5_00366 | Amount Added: | 0.40 | Units: mL |

Report Date: 27-May-2022 13:00:49 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0009.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 12:13:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | ICV | | | Worklist Smp#: | 8 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0009.d
Injection Date: 26-May-2022 12:13:00 Instrument ID: WC_IonChrom11
Lims ID: ICV
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 8
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.26
Area: 801258136
Amount: 75.923166
Amount Units: ug/ml




Manual Integration Results

RT: 10.26
Area: 801034337
Amount: 75.902119
Amount Units: ug/ml




Reviewer: foxr, 26-May-2022 12:39:12
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0010.d
Lims ID: ICB
Client ID:
Sample Type: ICB
Inject. Date: 26-May-2022 12:29:00 ALS Bottle#: 0 Worklist Smp#: 9
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111372-009
Misc. Info.: 10
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 27-May-2022 13:00:49 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1619

First Level Reviewer: jindaratc Date: 27-May-2022 12:30:27

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | | 2.558 | | | | ND | |
| 2 Chloride | | 3.817 | | | | ND | U |
| 3 Nitrite as N | | 4.533 | | | | ND | U |
| 4 Bromide | | 5.450 | | | | ND | U |
| 5 Nitrate as N | | 6.067 | | | | ND | U |
| 7 Orthophosphate as P | 9.350 | 9.167 | 0.183 | 260525 | | NC | |
| 6 Sulfate | | 10.258 | | | | ND | |

## QC Flag Legend


Processing Flags
NC - Not Calibrated
Review Flags
U - Marked Undetected

Report Date: 27-May-2022 13:00:50 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0010.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 26-May-2022 12:29:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | ICB | | | Worklist Smp#: | 9 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



# IC Instrument Information

**WL:** 111492 **Inst ID:** IC11 **Analysis Date:** 6-01-22 **Analyst:** RF

| Rush | Job No. | Samples | Anions | QC Req | HT Exp |
|---|---|---|---|---|---|
| ☐ | 162673 | 2 | (F) Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 162098 | 1 | F Cl NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162930 | 1 | (F) Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 162386 | 4 | F Cl NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162342 | 1 | F Cl NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162343 | 1 | F Cl NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162699 | 1 | F Cl NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162493 | 1 | F (Cl) NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162494 | 10 | F Cl NO2 Br NO3 PO4 (SO4) | (MS/D) # 1 | |
| ☐ | 162479 | 9 | F (Cl) NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |

## Dilutions

| Job No. | Samples | Anions | Dilution | Reason |
|---|---|---|---|---|
| 673 | 1 | (F) Cl NO2 Br NO3 PO4 SO4 | 5x10x20x | rerun |
| 098 | 1 | F Cl NO2 Br NO3 PO4 (SO4) | 20x | rerun |
| 386 | 4 | F Cl NO2 Br NO3 PO4 (SO4) | 5x | rerun |
| 342 | 1 | F Cl NO2 Br NO3 PO4 (SO4) | 50x | rerun |
| 343 | 1 | F Cl NO2 Br NO3 PO4 (SO4) | 50x | rerun |
| 699 | 1 | F Cl NO2 Br NO3 PO4 (SO4) | 50x | test |
| 493 | 1 | F (Cl) NO2 Br NO3 PO4 (SO4) | 10x | test |
| 494 | 7 | F Cl NO2 Br NO3 PO4 (SO4) | 5x10x | test |
| 479 | 7 | F (Cl) NO2 Br NO3 PO4 (SO4) | 5x10x20x | test |

Eurofins Environment Testing America
Initial Calibration Summary Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m

| | | | |
|---|---|---|---|
| Instrument: | WC_IonChrom11 | Lims Location: | 280 |
| Lock State: | Unlocked | Cpnd Order: | Retention Time |
| Integrator: | Falcon | Last Modified: | 27-May-2022 12:31:35 |

No.Compounds:7

## Initial Calibration Batches

Ical Batch: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b
Inj Date : 26-May-2022 10:38:00, Sublist: chrom-Anions_IC11*sub1

Detector 1: 0005

| | Wet - Anions 28D | | | | Wet - Anions | | | |
|---|---|---|---|---|---|---|---|---|
| Compound | b | M1 | M2 | Err | b | M1 | M2 | Err |
| 1 Fluoride | -674991 | 1319749 | | 0.998 | | | | |
| 2 Chloride | -109886 | 1642772 | | 1.000 | | | | |
| 3 Nitrite as N | | | | | -158663 | 2924831 | | 0.999 |
| 4 Bromide | -18634 | 4700337 | | 1.000 | | | | |
| 5 Nitrate as N | | | | | -211435 | 3221570 | | 0.999 |
| 7 Orthophosphate as P | | | | | -120257 | 8951923 | | 0.995 |
| 6 Sulfate | -608069 | 1063363 | | 0.997 | | | | |

Eurofins Environment Testing America
Initial Calibration Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m

| | | | |
|---|---|---|---|
| Instrument: | WC_IonChrom11 | Lims Location: | 280 |
| Lock State: | Unlocked | Cpnd Order: | Retention Time |
| Integrator: | Falcon | Last Modified: | 27-May-2022 12:36:13 |

No.Compounds:7
Sublist: chrom-Anions_IC11*sub1
Limit Group: Wet - Anions

## Detectors

Detector: 1, 0005
Data Type: ic Spec Type: none
Supports Extracted Chromatograms: False
Run Time: 0.000-13.500 No. Points: 1561

## Calibration File Names

| | | | |
|---|---|---|---|
| Level: 1 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0003.d | | |
| | Inj Date: 26-May-2022 10:38:00 | Worklist: 111372 | Sample#: 2 |
| Level: 2 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0004.d | | |
| | Inj Date: 26-May-2022 10:54:00 | Worklist: 111372 | Sample#: 3 |
| Level: 3 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0005.d | | |
| | Inj Date: 26-May-2022 11:10:00 | Worklist: 111372 | Sample#: 4 |
| Level: 4 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0006.d | | |
| | Inj Date: 26-May-2022 11:25:00 | Worklist: 111372 | Sample#: 5 |
| Level: 5 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0007.d | | |
| | Inj Date: 26-May-2022 11:41:00 | Worklist: 111372 | Sample#: 6 |
| Level: 6 | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d | | |
| | Inj Date: 26-May-2022 11:57:00 | Worklist: 111372 | Sample#: 7 |

Start Cal Date: 26-May-2022 10:22:00 End Cal Date: 26-May-2022 11:57:00

## Individual Compound Calibration Parameters

| | | |
|---|---|---|
| Quant Method: ESTD | RF Calibration: Replace | |
| Rule Name: Linear1 | Curve: Linear | Weighting: Conc |
| Origin: None | Error: raw_COD | Error Limit: 1.00 |
| RF %Dif: 0.0 | SPCC Limit: 0.0 | CCC Limit: 0.0 |
| Dependent Variable: Resp | | |

Number of Compounds: 3

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|
| 3 Nitrite as N | | | | Signal: 1 | | | | | |
| 24963350 | 24861644 | 25675354 | 27803283 | 29020811 | 29718667 | -1586638 | | | 0.999 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 29248311 | | |
| M4992670 | M12430822 | 25675354 | 111213133 | 232166488 | 297186668 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |
| 5 Nitrate as N | | | | Signal: 1 | | | | | |
| Error: CorrCoef | | | | | | | | | |
| 27061825 | 26692140 | 27022389 | 29457365 | 32098756 | 33042579 | -2114359 | | | 0.999 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 32215708 | | |
| M5412365 | M13346070 | 27022389 | M117829461 | M256790050 | 330425787 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |
| 7 Orthophosphate as P | | | | Signal: 1 | | | | | |
| 5574505 | 5629748 | 6383013 | 7820927 | 8883404 | 9228142 | -1202572 | | | 0.995 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 8951923 | | |
| M1114901 | M2814874 | 6383013 | 31283707 | 71067229 | 92281418 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |

Eurofins Environment Testing America
Initial Calibration Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\Anions_IC11.m
Instrument: WC_IonChrom11 Lims Location: 280
Lock State: Unlocked Cpnd Order: Retention Time
Integrator: Falcon Last Modified: 27-May-2022 12:31:35
No.Compounds:7
Sublist: chrom-Anions_IC11*sub1
Limit Group: Wet - Anions 28D

## Detectors

Detector: 1, 0005
Data Type: ic Spec Type: none
Supports Extracted Chromatograms: False
Run Time: 0.000-13.500 No. Points: 1561

### Calibration File Names

Level: 1 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0003.d
Inj Date: 26-May-2022 10:38:00 Worklist: 111372 Sample#: 2
Level: 2 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0004.d
Inj Date: 26-May-2022 10:54:00 Worklist: 111372 Sample#: 3
Level: 3 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0005.d
Inj Date: 26-May-2022 11:10:00 Worklist: 111372 Sample#: 4
Level: 4 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0006.d
Inj Date: 26-May-2022 11:25:00 Worklist: 111372 Sample#: 5
Level: 5 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0007.d
Inj Date: 26-May-2022 11:41:00 Worklist: 111372 Sample#: 6
Level: 6 \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d
Inj Date: 26-May-2022 11:57:00 Worklist: 111372 Sample#: 7

Start Cal Date: 26-May-2022 10:22:00 End Cal Date: 26-May-2022 11:57:00

### Individual Compound Calibration Parameters

Quant Method: ESTD RF Calibration: Replace
Rule Name: Linear1 Curve: Linear Weighting: Conc
Origin: None Error: CorrCoef Error Limit: 1.00
RF %Dif: 0.0 SPCC Limit: 0.0 CCC Limit: 0.0
Dependent Variable: Resp

Number of Compounds: 4

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|
| 1 Fluoride | | | | Signal: 1 | | | | | |
| Error: raw_COD | | | | | | | | | |
| 12586645 | 10439454 | 11338695 | 12491315 | 13196757 | 13411567 | -674991 | | | 0.998 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 13197497 | | |
| M2517329 | M5219727 | M11338695 | M49965260 | M105574056 | 134115666 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |
| 2 Chloride | | | | Signal: 1 | | | | | |
| 10490612 | 10653846 | 10999122 | 15541983 | 16278257 | 16691049 | -10988650 | | | 1.000 |
| 1.0000 (1) | 2.5000 (2) | 5.0000 (3) | 60.0 (4) | 120.0 (5) | 200.0 (6) | | 16427728 | | |
| M10490612 | 26634615 | 54995610 | 932518975 | 1953390847 | 3338209746 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |
| 4 Bromide | | | | Signal: 1 | | | | | |
| 4837110 | 4580306 | 4595846 | 4573742 | 4716583 | 4740513 | -18634 | | | 1.000 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 4700337 | | |
| 967422 | 2290153 | 4595846 | 18294969 | 37732662 | 47405131 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |
| 6 Sulfate | | | | Signal: 1 | | | | | |
| Error: raw_COD | | | | | | | | | |
| 7664956 | 7576349 | 7584145 | 9577144 | 10525071 | 10962586 | -6080692 | | | 0.997 |
| 1.0000 (1) | 2.5000 (2) | 5.0000 (3) | 60.0 (4) | 120.0 (5) | 200.0 (6) | | 10633630 | | |
| M7664956 | M18940873 | M37920723 | M574628610 | M1263008535 | M2192517280 | | | | |
| 111372(2) | 111372(3) | 111372(4) | 111372(5) | 111372(6) | 111372(7) | | | | |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0002.d
Lims ID: CCV
Client ID:
Sample Type: CCV
Inject. Date: 01-Jun-2022 11:09:00 ALS Bottle#: 0 Worklist Smp#: 1
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111492-001
Operator ID: Instrument ID: WC_IonChrom11
Sublist: chrom-Anions_IC11*sub5

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:52:56 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 01-Jun-2022 11:29:54

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.550 | 2.550 | 0.000 | 62732932 | 5.00 | 4.80 | Ma |
| 2 Chloride | 3.800 | 3.800 | 0.000 | 1651592049 | 100.0 | 101.2 | |
| 3 Nitrite as N | 4.500 | 4.500 | 0.000 | 148441244 | NC | NC | |
| 4 Bromide | 5.392 | 5.392 | 0.000 | 23399178 | 5.00 | 4.98 | |
| 5 Nitrate as N | 6.000 | 6.000 | 0.000 | 152951417 | NC | NC | |
| 7 Orthophosphate as P | 8.975 | 8.975 | 0.000 | 40658538 | NC | NC | |
| 6 Sulfate | 10.067 | 10.067 | 0.000 | 1044051146 | 100.0 | 98.8 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated
a - User Assigned ID

## Reagents:


IC LCS_01879 Amount Added: 5.00 Units: mL

Report Date: 02-Jun-2022 11:52:56 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0002.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 11:09:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | CCV | | | Worklist Smp#: | 1 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0002.d | | | | |
| Injection Date: | 01-Jun-2022 11:09:00 | Instrument ID: | WC_IonChrom11 | | |
| Lims ID: | CCV | | | | |
| Client ID: | | | | | |
| Operator ID: | | ALS Bottle#: | 0 | Worklist Smp#: | 1 |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.07
Area: 1044547209
Amount: 0
Amount Units: ug/ml




Manual Integration Results

RT: 10.07
Area: 1044051146
Amount: 98.755728
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:29:39
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0003.d
Lims ID: CCB
Client ID:
Sample Type: CCB
Inject. Date: 01-Jun-2022 11:25:00 ALS Bottle#: 0 Worklist Smp#: 2
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111492-002
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:52:56 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 01-Jun-2022 12:24:28

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | | 2.550 | | | | ND | U |
| 2 Chloride | 3.708 | 3.708 | 0.000 | 566556 | | 0.7034 | M |
| 3 Nitrite as N | | 4.500 | | | | ND | |
| 4 Bromide | | 5.392 | | | | ND | |
| 5 Nitrate as N | 6.025 | 6.025 | 0.000 | 165543 | | NC | |
| 7 Orthophosphate as P | | 8.975 | | | | ND | U |
| 6 Sulfate | 9.950 | 9.950 | 0.000 | 771865 | | 0.6444 | |

## QC Flag Legend


Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated
U - Marked Undetected

Report Date: 02-Jun-2022 11:52:56 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0003.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 11:25:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | CCB | | | Worklist Smp#: | 2 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0004.d
Lims ID: MRL
Client ID:
Sample Type: MRL
Inject. Date: 01-Jun-2022 11:41:00 ALS Bottle#: 0 Worklist Smp#: 3
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111492-003
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:52:57 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 01-Jun-2022 12:25:04

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.550 | 2.550 | 0.000 | 3997199 | 0.5000 | 0.3540 | M |
| 2 Chloride | 3.725 | 3.725 | 0.000 | 54739733 | 5.00 | 4.00 | M |
| 3 Nitrite as N | 4.483 | 4.483 | 0.000 | 12585217 | NC | NC | |
| 4 Bromide | 5.417 | 5.417 | 0.000 | 2245093 | 0.5000 | 0.4816 | |
| 5 Nitrate as N | 6.033 | 6.033 | 0.000 | 13029682 | NC | NC | |
| 7 Orthophosphate as P | 9.017 | 9.017 | 0.000 | 2887656 | NC | NC | |
| 6 Sulfate | 9.950 | 9.950 | 0.000 | 37169300 | 5.00 | 4.07 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC Cal low_00642 Amount Added: 0.05 Units: mL
IC CAL cl/so4_00424 Amount Added: 0.10 Units: mL

Report Date: 02-Jun-2022 11:52:57 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0004.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 11:41:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | MRL | | | Worklist Smp#: | 3 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0004.d
Injection Date: 01-Jun-2022 11:41:00 Instrument ID: WC_IonChrom11
Lims ID: MRL
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 3
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.95
Area: 37565892
Amount: 4.104580
Amount Units: ug/ml




Manual Integration Results

RT: 9.95
Area: 37169300
Amount: 4.067284
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 12:24:56
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0005.d
Lims ID: LCS
Client ID:
Sample Type: LCS
Inject. Date: 01-Jun-2022 11:57:00 ALS Bottle#: 0 Worklist Smp#: 4
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111492-004
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:52:57 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 01-Jun-2022 12:25:38

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.550 | 2.550 | 0.000 | 61908899 | 5.00 | 4.74 | M |
| 2 Chloride | 3.800 | 3.800 | 0.000 | 1639417624 | 100.0 | 100.5 | |
| 3 Nitrite as N | 4.517 | 4.517 | 0.000 | 146806416 | NC | NC | |
| 4 Bromide | 5.417 | 5.417 | 0.000 | 23241189 | 5.00 | 4.95 | |
| 5 Nitrate as N | 6.025 | 6.025 | 0.000 | 151406322 | NC | NC | |
| 7 Orthophosphate as P | 8.975 | 8.975 | 0.000 | 40855496 | NC | NC | |
| 6 Sulfate | 10.058 | 10.058 | 0.000 | 1038833553 | 100.0 | 98.3 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC LCS_01879 Amount Added: 5.00 Units: mL

Report Date: 02-Jun-2022 11:52:57 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0005.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 11:57:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | LCS | | | Worklist Smp#: | 4 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0005.d
Injection Date: 01-Jun-2022 11:57:00 Instrument ID: WC_IonChrom11
Lims ID: LCS
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 4
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.06
Area: 1039060093
Amount: 0
Amount Units: ug/ml




Manual Integration Results

RT: 10.06
Area: 1038833553
Amount: 98.265059
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 12:25:28
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0006.d
Lims ID: LCSD
Client ID:
Sample Type: LCSD
Inject. Date: 01-Jun-2022 12:13:00 ALS Bottle#: 0 Worklist Smp#: 5
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111492-005
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:52:58 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 01-Jun-2022 12:37:30

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.550 | 2.550 | 0.000 | 61957599 | 5.00 | 4.75 | M |
| 2 Chloride | 3.808 | 3.808 | 0.000 | 1632135685 | 100.0 | 100.0 | |
| 3 Nitrite as N | 4.517 | 4.517 | 0.000 | 146793776 | NC | NC | |
| 4 Bromide | 5.425 | 5.425 | 0.000 | 23188067 | 5.00 | 4.94 | |
| 5 Nitrate as N | 6.025 | 6.025 | 0.000 | 150822327 | NC | NC | |
| 7 Orthophosphate as P | 8.983 | 8.983 | 0.000 | 41232492 | NC | NC | |
| 6 Sulfate | 10.067 | 10.067 | 0.000 | 1033144108 | 100.0 | 97.7 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC LCS_01879 Amount Added: 5.00 Units: mL

Report Date: 02-Jun-2022 11:52:58 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0006.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 12:13:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | LCSD | | | Worklist Smp#: | 5 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0006.d
Injection Date: 01-Jun-2022 12:13:00 Instrument ID: WC_IonChrom11
Lims ID: LCSD
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 5
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.07
Area: 1033243688
Amount: 0
Amount Units: ug/ml




Manual Integration Results

RT: 10.07
Area: 1033144108
Amount: 97.730016
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 12:37:21
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0007.d
Lims ID: MB
Client ID:
Sample Type: MB
Inject. Date: 01-Jun-2022 12:28:00 ALS Bottle#: 0 Worklist Smp#: 6
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111492-006
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:52:58 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 01-Jun-2022 12:50:10

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.000 | 3.000 | 0.000 | 60808 | | 0.0558 | M |
| 2 Chloride | 3.725 | 3.725 | 0.000 | 35259 | | 0.6711 | M |
| 3 Nitrite as N | | 4.517 | | | | ND | |
| 4 Bromide | | 5.425 | | | | ND | |
| 5 Nitrate as N | 6.050 | 6.050 | 0.000 | 110149 | | NC | |
| 7 Orthophosphate as P | | 8.983 | | | | ND | |
| 6 Sulfate | | 10.067 | | | | ND | |

## QC Flag Legend


Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 02-Jun-2022 11:52:58 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0007.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 12:28:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | MB | | | Worklist Smp#: | 6 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0016.d
Lims ID: 280-162386-F-3
Client ID: G0117-22A
Sample Type: Client
Inject. Date: 01-Jun-2022 15:12:00 ALS Bottle#: 0 Worklist Smp#: 16
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111492-016
Misc. Info.: 2574
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:52:58 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 01-Jun-2022 16:05:24

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|
| 1 Fluoride | | 3.000 | | | ND | U |
| 2 Chloride | 3.733 | 3.725 | 0.008 | 178472597 | 11.5 | M |
| 3 Nitrite as N | | 4.517 | | | ND | U |
| 4 Bromide | 5.467 | 5.425 | 0.042 | 422039 | 0.0938 | M |
| 5 Nitrate as N | | 6.050 | | | ND | U |
| 7 Orthophosphate as P | | 8.983 | | | ND | U |
| 6 Sulfate | 10.042 | 10.067 | -0.025 | 804249207 | 76.2 | M |


## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected

Report Date: 02-Jun-2022 11:53:03 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0016.d | | | | |
| Injection Date: | 01-Jun-2022 15:12:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | 280-162386-F-3 | Lab Sample ID: | 280-162386-3 | Worklist Smp#: | 16 |
| Client ID: | G0117-22A | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0016.d
Injection Date: 01-Jun-2022 15:12:00 Instrument ID: WC_IonChrom11
Lims ID: 280-162386-F-3 Lab Sample ID: 280-162386-3
Client ID: G0117-22A
Operator ID: ALS Bottle#: 0 Worklist Smp#: 16
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.04
Area: 817800750
Amount: 77.478854
Amount Units: ug/ml




Manual Integration Results

RT: 10.04
Area: 804249207
Amount: 76.204450
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 16:04:39
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0017.d
Lims ID: 280-162386-F-3 DU
Client ID:
Sample Type: DU
Inject. Date: 01-Jun-2022 15:28:00 ALS Bottle#: 0 Worklist Smp#: 17
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111492-017
Misc. Info.: 11090
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:52:58 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 01-Jun-2022 16:06:07

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | | 3.000 | | | | ND | U |
| 2 Chloride | 3.725 | 3.725 | 0.000 | 178515638 | | 11.5 | M |
| 3 Nitrite as N | | 4.517 | | | | ND | U |
| 4 Bromide | 5.467 | 5.425 | 0.042 | 404380 | | 0.0900 | M |
| 5 Nitrate as N | | 6.050 | | | | ND | U |
| 7 Orthophosphate as P | | 8.983 | | | | ND | U |
| 6 Sulfate | 10.042 | 10.067 | -0.025 | 802798016 | | 76.1 | M |

## QC Flag Legend


Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected

Report Date: 02-Jun-2022 11:53:03 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0017.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 15:28:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | 280-162386-F-3 DU | | | Worklist Smp#: | 17 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0017.d
Injection Date: 01-Jun-2022 15:28:00 Instrument ID: WC_IonChrom11
Lims ID: 280-162386-F-3 DU
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 17
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.04
Area: 812349637
Amount: 76.966225
Amount Units: ug/ml




Manual Integration Results

RT: 10.04
Area: 802798016
Amount: 76.067978
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 16:06:04
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0018.d
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 01-Jun-2022 15:44:00 ALS Bottle#: 0 Worklist Smp#: 18
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111492-018
Misc. Info.: 11007
Operator ID: Instrument ID: WC_IonChrom11
Sublist: chrom-Anions_IC11*sub5

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:53:04 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 01-Jun-2022 16:06:36

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.550 | 3.000 | -0.450 | 62013201 | 5.00 | 4.75 | M |
| 2 Chloride | 3.800 | 3.725 | 0.075 | 1646651137 | 100.0 | 100.9 | |
| 3 Nitrite as N | 4.508 | 4.517 | -0.009 | 147326768 | NC | NC | |
| 4 Bromide | 5.408 | 5.425 | -0.017 | 23315400 | 5.00 | 4.96 | |
| 5 Nitrate as N | 6.017 | 6.050 | -0.033 | 151758399 | NC | NC | |
| 7 Orthophosphate as P | 8.942 | 8.983 | -0.041 | 41717444 | NC | NC | |
| 6 Sulfate | 10.025 | 10.067 | -0.042 | 1039107706 | 100.0 | 98.3 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC LCS_01879 Amount Added: 5.00 Units: mL

Report Date: 02-Jun-2022 11:53:04 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0018.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 15:44:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | ccv | | | Worklist Smp#: | 18 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0018.d
Injection Date: 01-Jun-2022 15:44:00 Instrument ID: WC_IonChrom11
Lims ID: ccv
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 18
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.03
Area: 1039250888
Amount: 98.304306
Amount Units: ug/ml




Manual Integration Results

RT: 10.03
Area: 1039107706
Amount: 98.290840
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 16:06:33
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0019.d | | | | |
| Lims ID: | ccb | | | | |
| Client ID: | | | | | |
| Sample Type: | CCB | | | | |
| Inject. Date: | 01-Jun-2022 16:00:00 | ALS Bottle#: | 0 | Worklist Smp#: | 19 |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | | |
| Sample Info: | 280-0111492-019 | | | | |
| Misc. Info.: | 16958 | | | | |
| Operator ID: | | Instrument ID: | WC_IonChrom11 | | |
| Method: | \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m | | | | |
| Limit Group: | Wet - Anions 28D | | | | |
| Last Update: | 02-Jun-2022 11:53:04 | Calib Date: | 26-May-2022 11:57:00 | | |
| Integrator: | Falcon | | | | |
| Quant Method: | External Standard | Quant By: | Initial Calibration | | |
| Last ICal File: | \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d | | | | |
| Column 1 : | | | Det: 0005 | | |
| Process Host: | CTX1617 | | | | |
| First Level Reviewer: foxr | | Date: | 02-Jun-2022 11:35:21 | | |

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | | 3.000 | | | | ND | U |
| 2 Chloride | | 3.725 | | | | ND | U |
| 3 Nitrite as N | | 4.517 | | | | ND | |
| 4 Bromide | | 5.425 | | | | ND | |
| 5 Nitrate as N | | 6.050 | | | | ND | |
| 7 Orthophosphate as P | | 8.983 | | | | ND | |
| 6 Sulfate | | 10.067 | | | | ND | |

## QC Flag Legend

Processing Flags

Review Flags


U - Marked Undetected

Report Date: 02-Jun-2022 11:53:04 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0019.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 16:00:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | ccb | | | Worklist Smp#: | 19 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0020.d
Lims ID: 280-162386-F-3 MS
Client ID:
Sample Type: MS
Inject. Date: 01-Jun-2022 16:16:00 ALS Bottle#: 0 Worklist Smp#: 20
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111492-020
Misc. Info.: 14235
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:53:04 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.550 | 3.000 | -0.450 | 60039988 | 1.00 | 4.60 | |
| 2 Chloride | 3.767 | 3.725 | 0.042 | 1015381849 | 10.0 | 62.5 | |
| 3 Nitrite as N | 4.525 | 4.517 | 0.008 | 131654566 | NC | NC | |
| 4 Bromide | 5.458 | 5.425 | 0.033 | 22164697 | 1.00 | 4.72 | |
| 5 Nitrate as N | 6.100 | 6.050 | 0.050 | 144092719 | NC | NC | |
| 7 Orthophosphate as P | 8.975 | 8.983 | -0.008 | 41406017 | NC | NC | |
| 6 Sulfate | 10.108 | 10.067 | 0.041 | 1383717305 | 10.0 | 130.7 | |

## QC Flag Legend

Processing Flags
NC - Not Calibrated

## Reagents:


ICMS/MSD WEEK_00760 Amount Added: 0.05 Units: mL

Report Date: 02-Jun-2022 11:53:05 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0020.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 16:16:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | 280-162386-F-3 MS | | | Worklist Smp#: | 20 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0021.d
Lims ID: 280-162386-F-3 MSD
Client ID:
Sample Type: MSD
Inject. Date: 01-Jun-2022 16:32:00 ALS Bottle#: 0 Worklist Smp#: 21
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111492-021
Misc. Info.: 27745
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:53:04 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 02-Jun-2022 11:35:51

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.550 | 3.000 | -0.450 | 60455044 | 1.00 | 4.63 | |
| 2 Chloride | 3.775 | 3.725 | 0.050 | 1021069519 | 10.0 | 62.8 | |
| 3 Nitrite as N | 4.525 | 4.517 | 0.008 | 132285989 | NC | NC | |
| 4 Bromide | 5.467 | 5.425 | 0.042 | 22299700 | 1.00 | 4.75 | |
| 5 Nitrate as N | 6.100 | 6.050 | 0.050 | 144944034 | NC | NC | |
| 7 Orthophosphate as P | 8.975 | 8.983 | -0.008 | 41904193 | NC | NC | |
| 6 Sulfate | 10.108 | 10.067 | 0.041 | 1389846089 | 10.0 | 131.3 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


ICMS/MSD WEEK_00760 Amount Added: 0.05 Units: mL

Report Date: 02-Jun-2022 11:53:05 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0021.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 16:32:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | 280-162386-F-3 MSD | | | Worklist Smp#: | 21 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0021.d
Injection Date: 01-Jun-2022 16:32:00 Instrument ID: WC_IonChrom11
Lims ID: 280-162386-F-3 MSD
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 21
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.11
Area: 1390313852
Amount: 131.3187
Amount Units: ug/ml




Manual Integration Results

RT: 10.11
Area: 1389846089
Amount: 131.2747
Amount Units: ug/ml




Reviewer: foxr, 02-Jun-2022 11:35:48
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0022.d
Lims ID: 280-162386-F-6
Client ID: G0116-22A
Sample Type: Client
Inject. Date: 01-Jun-2022 16:48:00 ALS Bottle#: 0 Worklist Smp#: 22
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111492-022
Misc. Info.: 31978
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:53:04 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 02-Jun-2022 11:36:14

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|
| 1 Fluoride | 3.025 | 3.000 | 0.025 | 14168656 | 1.12 | |
| 2 Chloride | 3.733 | 3.725 | 0.008 | 206674610 | 13.2 | |
| 3 Nitrite as N | 4.500 | 4.517 | -0.017 | 22077004 | NC | |
| 4 Bromide | 5.483 | 5.425 | 0.058 | 10401037 | 2.22 | |
| 5 Nitrate as N | 6.175 | 6.050 | 0.125 | 3063975 | NC | |
| 7 Orthophosphate as P | 9.033 | 8.983 | 0.050 | 7246539 | NC | |
| 6 Sulfate | 10.025 | 10.067 | -0.042 | 521701799 | 49.6 | M |

## QC Flag Legend


Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 02-Jun-2022 11:53:06 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0022.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 16:48:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | 280-162386-F-6 | Lab Sample ID: | 280-162386-6 | Worklist Smp#: | 22 |
| Client ID: | G0116-22A | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0022.d | | | | |
| Injection Date: | 01-Jun-2022 16:48:00 | Instrument ID: | WC_IonChrom11 | | |
| Lims ID: | 280-162386-F-6 | Lab Sample ID: | 280-162386-6 | | |
| Client ID: | G0116-22A | | | | |
| Operator ID: | | ALS Bottle#: | 0 | Worklist Smp#: | 22 |
| Injection Vol: | 10.0 ul | Dil. Factor: | 5.0000 | | |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.03
Area: 542700602
Amount: 51.608088
Amount Units: ug/ml




Manual Integration Results

RT: 10.03
Area: 521701799
Amount: 49.633334
Amount Units: ug/ml




Reviewer: foxr, 02-Jun-2022 11:36:06
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0023.d
Lims ID: 280-162386-F-7
Client ID: PZ014-22A
Sample Type: Client
Inject. Date: 01-Jun-2022 17:04:00 ALS Bottle#: 0 Worklist Smp#: 23
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111492-023
Misc. Info.: 13937
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:53:04 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 02-Jun-2022 11:36:27

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|
| 1 Fluoride | 3.225 | 3.000 | 0.225 | 12862104 | 1.03 | |
| 2 Chloride | 3.725 | 3.725 | 0.000 | 196934440 | 12.7 | |
| 3 Nitrite as N | 4.442 | 4.517 | -0.075 | 12333106 | NC | |
| 4 Bromide | 5.442 | 5.425 | 0.017 | 2350391 | 0.5040 | |
| 5 Nitrate as N | | 6.050 | | | ND | |
| 7 Orthophosphate as P | | 8.983 | | | ND | |
| 6 Sulfate | 10.067 | 10.067 | 0.000 | 1027700689 | 97.2 | M |


## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 02-Jun-2022 11:53:06 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0023.d | | | | |
| Injection Date: | 01-Jun-2022 17:04:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | 280-162386-F-7 | Lab Sample ID: | 280-162386-7 | Worklist Smp#: | 23 |
| Client ID: | PZ014-22A | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0023.d | | | | |
| Injection Date: | 01-Jun-2022 17:04:00 | Instrument ID: | WC_IonChrom11 | | |
| Lims ID: | 280-162386-F-7 | Lab Sample ID: | 280-162386-7 | | |
| Client ID: | PZ014-22A | | | | |
| Operator ID: | | ALS Bottle#: | 0 | Worklist Smp#: | 23 |
| Injection Vol: | 10.0 ul | Dil. Factor: | 5.0000 | | |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.07
Area: 1035860545
Amount: 97.985473
Amount Units: ug/ml




Manual Integration Results

RT: 10.07
Area: 1027700689
Amount: 97.218110
Amount Units: ug/ml




Reviewer: foxr, 02-Jun-2022 11:36:24

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0024.d
Lims ID: 280-162386-F-9
Client ID: PZ013-22A
Sample Type: Client
Inject. Date: 01-Jun-2022 17:19:00 ALS Bottle#: 0 Worklist Smp#: 24
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111492-024
Misc. Info.: 8553
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:53:04 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 02-Jun-2022 11:36:44

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|
| 1 Fluoride | 2.958 | 3.000 | -0.042 | 9484824 | 0.7698 | |
| 2 Chloride | 3.725 | 3.725 | 0.000 | 152405585 | 9.95 | |
| 3 Nitrite as N | 4.425 | 4.517 | -0.092 | 20054118 | NC | |
| 4 Bromide | 5.458 | 5.425 | 0.033 | 7439672 | 1.59 | |
| 5 Nitrate as N | 6.092 | 6.050 | 0.042 | 41545593 | NC | |
| 7 Orthophosphate as P | 9.042 | 8.983 | 0.059 | 4256171 | NC | |
| 6 Sulfate | 10.042 | 10.067 | -0.025 | 707123265 | 67.1 | M |


## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 02-Jun-2022 11:53:06 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0024.d | | | | |
| Injection Date: | 01-Jun-2022 17:19:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | 280-162386-F-9 | Lab Sample ID: | 280-162386-9 | Worklist Smp#: | 24 |
| Client ID: | PZ013-22A | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0024.d
Injection Date: 01-Jun-2022 17:19:00 Instrument ID: WC_IonChrom11
Lims ID: 280-162386-F-9 Lab Sample ID: 280-162386-9
Client ID: PZ013-22A
Operator ID: ALS Bottle#: 0 Worklist Smp#: 24
Injection Vol: 10.0 ul Dil. Factor: 5.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.04
Area: 715851433
Amount: 67.891411
Amount Units: ug/ml




Manual Integration Results

RT: 10.04
Area: 707123265
Amount: 67.070603
Amount Units: ug/ml




Reviewer: foxr, 02-Jun-2022 11:36:41
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0030.d
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 01-Jun-2022 18:54:00 ALS Bottle#: 0 Worklist Smp#: 30
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111492-030
Misc. Info.: 14678
Operator ID: Instrument ID: WC_IonChrom11
Sublist: chrom-Anions_IC11*sub5

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:53:08 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 02-Jun-2022 11:38:24

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 2.550 | 3.000 | -0.450 | 62267796 | 5.00 | 4.77 | M |
| 2 Chloride | 3.808 | 3.725 | 0.083 | 1637982742 | 100.0 | 100.4 | |
| 3 Nitrite as N | 4.525 | 4.517 | 0.008 | 146987534 | NC | NC | |
| 4 Bromide | 5.433 | 5.425 | 0.008 | 23210893 | 5.00 | 4.94 | |
| 5 Nitrate as N | 6.033 | 6.050 | -0.017 | 151104412 | NC | NC | |
| 7 Orthophosphate as P | 8.950 | 8.983 | -0.033 | 42776311 | NC | NC | |
| 6 Sulfate | 10.042 | 10.067 | -0.025 | 1030527825 | 100.0 | 97.5 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC LCS_01879 Amount Added: 5.00 Units: mL

Report Date: 02-Jun-2022 11:53:08 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0030.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 18:54:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | ccv | | | Worklist Smp#: | 30 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0030.d
Injection Date: 01-Jun-2022 18:54:00 Instrument ID: WC_IonChrom11
Lims ID: ccv
Client ID:
Operator ID: ALS Bottle#: 0 Worklist Smp#: 30
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions_IC11 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.04
Area: 1031934470
Amount: 97.616260
Amount Units: ug/ml




Manual Integration Results

RT: 10.04
Area: 1030527825
Amount: 97.483978
Amount Units: ug/ml




Reviewer: foxr, 02-Jun-2022 11:38:17
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0031.d
Lims ID: ccb
Client ID:
Sample Type: CCB
Inject. Date: 01-Jun-2022 19:10:00 ALS Bottle#: 0 Worklist Smp#: 31
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111492-031
Misc. Info.: 15989
Operator ID: Instrument ID: WC_IonChrom11

Method: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\Anions_IC11.m
Limit Group: Wet - Anions 28D
Last Update: 02-Jun-2022 11:53:08 Calib Date: 26-May-2022 11:57:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220526-111372.b\0008.d

Column 1 : Det: 0005
Process Host: CTX1617

First Level Reviewer: foxr Date: 02-Jun-2022 11:38:48

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | | 3.000 | | | | ND | U |
| 2 Chloride | | 3.725 | | | | ND | U |
| 3 Nitrite as N | | 4.517 | | | | ND | U |
| 4 Bromide | | 5.425 | | | | ND | U |
| 5 Nitrate as N | | 6.050 | | | | ND | |
| 7 Orthophosphate as P | | 8.983 | | | | ND | |
| 6 Sulfate | | 10.067 | | | | ND | |

## QC Flag Legend


Processing Flags
Review Flags
U - Marked Undetected

Report Date: 02-Jun-2022 11:53:09 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom11\20220601-111492.b\0031.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 19:10:00 | Instrument ID: | WC_IonChrom11 | Operator ID: | |
| Lims ID: | ccb | | | Worklist Smp#: | 31 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions_IC11 | Limit Group: | Wet - Anions 28D | | |



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-175
Lims ID: std L1
Client ID:
Sample Type: IC Calib Level: 1
Inject. Date: 16-May-2022 17:34:00 ALS Bottle#: 0 Worklist Smp#: 2
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111056-002
Misc. Info.: 280-0111056-002
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist: chrom-Anions-IC13*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 17-May-2022 16:38:05 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1686

First Level Reviewer: jindaratc Date: 16-May-2022 18:42:07

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.388 | 3.388 | 0.000 | 4412713 | 0.2000 | 0.2447 | M |
| 2 Chloride | 4.843 | 4.843 | 0.000 | 11659033 | 1.00 | 1.03 | |
| 3 Nitrite as N | 5.760 | 5.760 | 0.000 | 5450264 | NC | NC | |
| 4 Bromide | 7.353 | 7.353 | 0.000 | 859089 | 0.2000 | 0.2218 | |
| 5 Nitrate as N | 8.440 | 8.440 | 0.000 | 5447078 | NC | NC | |
| 7 Orthophosphate as P | 10.468 | 10.468 | 0.000 | 2110652 | NC | NC | a |
| 6 Sulfate | 11.525 | 11.525 | 0.000 | 8433467 | 1.00 | 1.12 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated
a - User Assigned ID


## Reagents:

IC CAL cl/so4_00419 Amount Added: 0.02 Units: mL
IC Cal low_00637 Amount Added: 0.02 Units: mL

Report Date: 17-May-2022 16:38:05 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-175022.d | | | | |
| Injection Date: | 16-May-2022 17:34:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | std L1 | | | Worklist Smp#: | 2 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-175

Injection Date: 16-May-2022 17:34:00 Instrument ID: WC_IonChrom13

Lims ID: std L1

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 2

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 1 Fluoride, CAS: 16984-48-8

Signal: 1


Processing Integration Results

RT: 3.39
Area: 5073159
Amount: 0.233064
Amount Units: ug/ml




Manual Integration Results

RT: 3.39
Area: 4412713
Amount: 0.244724
Amount Units: ug/ml




Reviewer: jindaratc, 16-May-2022 19:10:58

Audit Action: Manually Integrated Audit Reason: Incomplete Integration

Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-175

Injection Date: 16-May-2022 17:34:00 Instrument ID: WC_IonChrom13

Lims ID: std L1

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 2

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 11.53
Area: 8832678
Amount: 1.128319
Amount Units: ug/ml




Manual Integration Results

RT: 11.53
Area: 8433467
Amount: 1.122740
Amount Units: ug/ml




Reviewer: mitchellj, 17-May-2022 09:48:34

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-180
Lims ID: std L2
Client ID:
Sample Type: IC Calib Level: 2
Inject. Date: 16-May-2022 17:50:00 ALS Bottle#: 0 Worklist Smp#: 3
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111056-003
Misc. Info.: 280-0111056-003
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist: chrom-Anions-IC13*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 17-May-2022 16:38:05 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1686

First Level Reviewer: jindaratc Date: 16-May-2022 18:42:16

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.395 | 3.395 | 0.000 | 10409686 | 0.5000 | 0.4559 | M |
| 2 Chloride | 4.857 | 4.857 | 0.000 | 32101000 | 2.50 | 2.46 | |
| 3 Nitrite as N | 5.777 | 5.777 | 0.000 | 14711403 | NC | NC | |
| 4 Bromide | 7.377 | 7.377 | 0.000 | 2249159 | 0.5000 | 0.4938 | |
| 5 Nitrate as N | 8.447 | 8.447 | 0.000 | 14500376 | NC | NC | |
| 7 Orthophosphate as P | 10.430 | 10.430 | 0.000 | 6276830 | NC | NC | a |
| 6 Sulfate | 11.587 | 11.587 | 0.000 | 21407179 | 2.50 | 2.39 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated
a - User Assigned ID


## Reagents:

IC CAL cl/so4_00419 Amount Added: 0.05 Units: mL
IC Cal low_00637 Amount Added: 0.05 Units: mL

Report Date: 17-May-2022 16:38:06 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-180622.d | | | | |
| Injection Date: | 16-May-2022 17:50:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | std L2 | | | Worklist Smp#: | 3 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-180

Injection Date: 16-May-2022 17:50:00 Instrument ID: WC_IonChrom13

Lims ID: std L2

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 3

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 1 Fluoride, CAS: 16984-48-8

Signal: 1


Processing Integration Results

RT: 3.40
Area: 11330273
Amount: 0.483646
Amount Units: ug/ml




Manual Integration Results

RT: 3.40
Area: 10409686
Amount: 0.455890
Amount Units: ug/ml




Reviewer: mitchellj, 17-May-2022 09:49:01

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-180
Injection Date: 16-May-2022 17:50:00 Instrument ID: WC_IonChrom13
Lims ID: std L2
Client ID:
Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 3
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions-IC13 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 11.59
Area: 21602155
Amount: 2.395938
Amount Units: ug/ml




Manual Integration Results

RT: 11.59
Area: 21407179
Amount: 2.388647
Amount Units: ug/ml




Reviewer: mitchellj, 17-May-2022 09:49:19
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-182
Lims ID: std L3
Client ID:
Sample Type: IC Calib Level: 3
Inject. Date: 16-May-2022 18:06:00 ALS Bottle#: 0 Worklist Smp#: 4
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111056-004
Misc. Info.: 280-0111056-004
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist: chrom-Anions-IC13*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 17-May-2022 16:38:06 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1686

First Level Reviewer: jindaratc Date: 16-May-2022 18:42:26

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.390 | 3.390 | 0.000 | 22759491 | 1.00 | 0.8908 | M |
| 2 Chloride | 4.842 | 4.842 | 0.000 | 68705864 | 5.00 | 5.02 | |
| 3 Nitrite as N | 5.757 | 5.757 | 0.000 | 31465657 | NC | NC | |
| 4 Bromide | 7.345 | 7.345 | 0.000 | 4610780 | 1.00 | 0.9559 | |
| 5 Nitrate as N | 8.393 | 8.393 | 0.000 | 30914952 | NC | NC | |
| 7 Orthophosphate as P | 10.317 | 10.317 | 0.000 | 16934127 | NC | NC | a |
| 6 Sulfate | 11.525 | 11.525 | 0.000 | 44956370 | 5.00 | 4.69 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated
a - User Assigned ID


## Reagents:

IC CAL cl/so4_00419 Amount Added: 0.10 Units: mL
IC Cal low_00637 Amount Added: 0.10 Units: mL

Report Date: 17-May-2022 16:38:06 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-182220.d | | | | |
| Injection Date: | 16-May-2022 18:06:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | std L3 | | | Worklist Smp#: | 4 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-182

Injection Date: 16-May-2022 18:06:00 Instrument ID: WC_IonChrom13

Lims ID: std L3

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 4

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 1 Fluoride, CAS: 16984-48-8

Signal: 1


Processing Integration Results

RT: 3.39
Area: 23846856
Amount: 0.935869
Amount Units: ug/ml




Manual Integration Results

RT: 3.39
Area: 22759491
Amount: 0.890754
Amount Units: ug/ml




Reviewer: mitchellj, 17-May-2022 09:49:46

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-182
Injection Date: 16-May-2022 18:06:00 Instrument ID: WC_IonChrom13
Lims ID: std L3
Client ID:
Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 4
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Method: Anions-IC13 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 11.53
Area: 45368182
Amount: 4.714089
Amount Units: ug/ml




Manual Integration Results

RT: 11.53
Area: 44956370
Amount: 4.686453
Amount Units: ug/ml




Reviewer: mitchellj, 17-May-2022 09:49:59
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-183
Lims ID: std L4
Client ID:
Sample Type: IC Calib Level: 4
Inject. Date: 16-May-2022 18:22:00 ALS Bottle#: 0 Worklist Smp#: 5
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111056-005
Misc. Info.: 280-0111056-005
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist: chrom-Anions-IC13*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 17-May-2022 16:38:07 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1686

First Level Reviewer: jindaratc Date: 16-May-2022 18:43:11

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.003 | 3.003 | 0.000 | 104149841 | 4.00 | 3.76 | M |
| 2 Chloride | 4.283 | 4.283 | 0.000 | 852385867 | 60.0 | 59.8 | a |
| 3 Nitrite as N | 5.062 | 5.062 | 0.000 | 126377817 | NC | NC | M |
| 4 Bromide | 6.452 | 6.452 | 0.000 | 18437619 | 4.00 | 3.66 | a |
| 5 Nitrate as N | 7.317 | 7.317 | 0.000 | 129439113 | NC | NC | a |
| 7 Orthophosphate as P | 9.025 | 9.025 | 0.000 | 101511529 | NC | NC | |
| 6 Sulfate | 10.165 | 10.165 | 0.000 | 604480306 | 60.0 | 59.3 | Ma |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated
a - User Assigned ID


## Reagents:

IC CAL cl/so4_00419 Amount Added: 1.20 Units: mL
IC Cal low_00637 Amount Added: 0.40 Units: mL

Report Date: 17-May-2022 16:38:07 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-183819.d | | | | |
| Injection Date: | 16-May-2022 18:22:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | std L4 | | | Worklist Smp#: | 5 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-183

Injection Date: 16-May-2022 18:22:00 Instrument ID: WC_IonChrom13

Lims ID: std L4

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 5

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 1 Fluoride, CAS: 16984-48-8

Signal: 1


Processing Integration Results

RT: 3.00
Area: 104339066
Amount: 3.867875
Amount Units: ug/ml




Manual Integration Results

RT: 3.00
Area: 104149841
Amount: 3.756685
Amount Units: ug/ml




Reviewer: jindaratc, 16-May-2022 19:11:48

Audit Action: Manually Integrated Audit Reason: Peak Tail

Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-183

Injection Date: 16-May-2022 18:22:00 Instrument ID: WC_IonChrom13

Lims ID: std L4

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 5

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 2 Chloride, CAS: 16887-00-6

Signal: 1


Processing Integration Results

RT: 5.06
Area: 115443110
Amount: 0
Amount Units: ug/ml




Manual Integration Results

RT: 4.28
Area: 852385867
Amount: 59.824737
Amount Units: ug/ml




Reviewer: jindaratc, 16-May-2022 18:42:42

Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-183

Injection Date: 16-May-2022 18:22:00 Instrument ID: WC_IonChrom13

Lims ID: std L4

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 5

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 4 Bromide, CAS: 24959-67-9

Signal: 1


Processing Integration Results

RT: 7.32
Area: 129439113
Amount: 0
Amount Units: ug/ml




Manual Integration Results

RT: 6.45
Area: 18437619
Amount: 3.661238
Amount Units: ug/ml




Reviewer: jindaratc, 16-May-2022 18:42:38

Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-183

Injection Date: 16-May-2022 18:22:00 Instrument ID: WC_IonChrom13

Lims ID: std L4

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 5

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D

Column: Detector 0005


## 6 Sulfate, CAS: 14808-79-8

Signal: 1

Not Detected

Expected RT: 10.17

Processing Integration Results





Manual Integration Results

RT: 10.17

Area: 604480306

Amount: 59.281866

Amount Units: ug/ml




Reviewer: mitchellj, 17-May-2022 09:50:36

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-185
Lims ID: std L5
Client ID:
Sample Type: IC Calib Level: 5
Inject. Date: 16-May-2022 18:38:00 ALS Bottle#: 0 Worklist Smp#: 6
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111056-006
Misc. Info.: 280-0111056-006
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist: chrom-Anions-IC13*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 17-May-2022 16:38:08 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1686

First Level Reviewer: jindaratc Date: 16-May-2022 19:01:02

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.007 | 3.007 | 0.000 | 224066163 | 8.00 | 7.98 | |
| 2 Chloride | 4.295 | 4.295 | 0.000 | 1673785026 | 120.0 | 117.3 | a |
| 3 Nitrite as N | 5.035 | 5.035 | 0.000 | 256222089 | NC | NC | Ma |
| 4 Bromide | 6.427 | 6.427 | 0.000 | 39667629 | 8.00 | 7.82 | a |
| 5 Nitrate as N | 7.258 | 7.258 | 0.000 | 270760556 | NC | NC | a |
| 7 Orthophosphate as P | 8.965 | 8.965 | 0.000 | 181549150 | NC | NC | a |
| 6 Sulfate | 10.118 | 10.118 | 0.000 | 1200244426 | 120.0 | 117.4 | Ma |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated
a - User Assigned ID


## Reagents:

IC CAL cl/so4_00419 Amount Added: 2.40 Units: mL
IC Cal low_00637 Amount Added: 0.80 Units: mL

Report Date: 17-May-2022 16:38:08 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-185419.d | | | | |
| Injection Date: | 16-May-2022 18:38:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | std L5 | | | Worklist Smp#: | 6 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-185

Injection Date: 16-May-2022 18:38:00 Instrument ID: WC_IonChrom13

Lims ID: std L5

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 6

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 2 Chloride, CAS: 16887-00-6

Signal: 1


Processing Integration Results

RT: 5.04
Area: 196027803
Amount: 0
Amount Units: ug/ml




Manual Integration Results

RT: 4.30
Area: 1673785026
Amount: 117.2719
Amount Units: ug/ml




Reviewer: jindaratc, 16-May-2022 19:00:21

Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-185

Injection Date: 16-May-2022 18:38:00 Instrument ID: WC_IonChrom13

Lims ID: std L5

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 6

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 4 Bromide, CAS: 24959-67-9

Signal: 1


Processing Integration Results

RT: 7.26
Area: 270760556
Amount: 0
Amount Units: ug/ml




Manual Integration Results

RT: 6.43
Area: 39667629
Amount: 7.815104
Amount Units: ug/ml




Reviewer: jindaratc, 16-May-2022 19:00:18

Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-185

Injection Date: 16-May-2022 18:38:00 Instrument ID: WC_IonChrom13

Lims ID: std L5

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 6

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D

Column: Detector 0005


## 6 Sulfate, CAS: 14808-79-8

Signal: 1

Not Detected

Expected RT: 10.12

Processing Integration Results





Manual Integration Results

RT: 10.12

Area: 1200244426

Amount: 117.4134

Amount Units: ug/ml




Reviewer: mitchellj, 17-May-2022 09:51:03

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191
Lims ID: std L6
Client ID:
Sample Type: IC Calib Level: 6
Inject. Date: 16-May-2022 18:54:00 ALS Bottle#: 0 Worklist Smp#: 7
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111056-007
Misc. Info.: 280-0111056-007
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist: chrom-Anions-IC13*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 17-May-2022 16:38:08 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1686

First Level Reviewer: jindaratc Date: 16-May-2022 19:13:17

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.008 | 3.008 | 0.000 | 292041123 | 10.0 | 10.4 | |
| 2 Chloride | 4.325 | 4.325 | 0.000 | 2898216814 | 200.0 | 202.9 | Ma |
| 3 Nitrite as N | 5.028 | 5.028 | 0.000 | 334812084 | NC | NC | M |
| 4 Bromide | 6.422 | 6.422 | 0.000 | 53656450 | 10.0 | 10.6 | a |
| 5 Nitrate as N | 7.243 | 7.243 | 0.000 | 356636332 | NC | NC | a |
| 7 Orthophosphate as P | 8.958 | 8.958 | 0.000 | 220410536 | NC | NC | a |
| 6 Sulfate | 10.098 | 10.098 | 0.000 | 2083602807 | 200.0 | 203.6 | Ma |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated
a - User Assigned ID


## Reagents:

IC CAL cl/so4_00419 Amount Added: 4.00 Units: mL
IC Cal low_00637 Amount Added: 1.00 Units: mL

Report Date: 17-May-2022 16:38:09 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191019.d | | | | |
| Injection Date: | 16-May-2022 18:54:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | std L6 | | | Worklist Smp#: | 7 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Injection Date: 16-May-2022 18:54:00 Instrument ID: WC_IonChrom13

Lims ID: std L6

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 7

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 2 Chloride, CAS: 16887-00-6

Signal: 1


Processing Integration Results

RT: 5.03
Area: 259494000
Amount: 33.830738
Amount Units: ug/ml




Manual Integration Results

RT: 4.33
Area: 2898216814
Amount: 202.9065
Amount Units: ug/ml




Reviewer: jindaratc, 16-May-2022 19:13:11

Audit Action: Manually Integrated/Assigned Compound ID Audit Reason: Incomplete Integration

Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Injection Date: 16-May-2022 18:54:00 Instrument ID: WC_IonChrom13

Lims ID: std L6

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 7

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 4 Bromide, CAS: 24959-67-9

Signal: 1


Processing Integration Results

RT: 7.24
Area: 356636332
Amount: 18.565454
Amount Units: ug/ml




Manual Integration Results

RT: 6.42
Area: 53656450
Amount: 10.552158
Amount Units: ug/ml




Reviewer: jindaratc, 16-May-2022 19:12:25

Audit Action: Assigned Compound ID Audit Reason: Peak assignment corrected

Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Injection Date: 16-May-2022 18:54:00 Instrument ID: WC_IonChrom13

Lims ID: std L6

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 7

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D

Column: Detector 0005


## 6 Sulfate, CAS: 14808-79-8

Signal: 1

Not Detected

Expected RT: 10.10

Processing Integration Results





Manual Integration Results

RT: 10.10

Area: 2083602807

Amount: 203.6069

Amount Units: ug/ml




Reviewer: mitchellj, 17-May-2022 09:51:33

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

# IC Instrument Information

**WL:** 111056 **Inst ID:** IC13 **Analysis Date:** 5/17/21 **Analyst:** SM

| Rush | Job No. | Samples | Anions | QC Req | HT Exp |
|---|---|---|---|---|---|
| ☐ | 161730 | 2 | F Cl NO2 Br (NO3) PO4 SO4 | MS/D | |
| ☐ | 161689 | 3 | F Cl NO2 Br (NO3) PO4 SO4 | MS/D | |
| ☐ | 161851 | 2 | (F) Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 161983 | 2 | (F) Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 161941 | 3 | (F) (Cl) NO2 (Br) NO3 PO4 (SO4) | MS/D | |
| ☐ | 161987 | 6 | (F) Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 162040 | 12 | (F) (Cl) NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |

## Dilutions

| Job No. | Samples | Anions | Dilution | Reason |
|---|---|---|---|---|
| 689 | 3 | F Cl NO2 Br (NO3) PO4 SO4 | 20,50 | Rerun |
| 983 | 2 | (F) Cl NO2 Br NO3 PO4 SO4 | 5,10 | Rerun |
| 941 | 3 | (F) (Cl) NO2 (Br) NO3 PO4 (SO4) | 1,10,20 | Test |
| 040 | 12 | (F) (Cl) NO2 Br NO3 PO4 (SO4) | 1,5,10,20,100,200 | ↓ |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |
| | | F Cl NO2 Br NO3 PO4 SO4 | | |

Eurofins Environment Testing America
Initial Calibration Summary Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Instrument: WC_IonChrom13 Lims Location: 280
Lock State: Initial Calib Locked Cpnd Order: Retention Time
Integrator: Falcon Last Modified: 17-May-2022 16:42:13
No.Compounds:7

## Initial Calibration Batches

Ical Batch: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b
Inj Date : 16-May-2022 17:34:00, Sublist: chrom-Anions-IC13*sub1

Detector 1: 0005

| | Wet - Anions | | | | Wet - Anions 28D | | | |
|---|---|---|---|---|---|---|---|---|
| Compound | b | M1 | M2 | Err | b | M1 | M2 | Err |
| 1 Fluoride | | | | | -253726 | 2839926 | | 0.997 |
| 2 Chloride | | | | | -300840 | 1429833 | | 1.000 |
| 3 Nitrite as N | -135857 | 3279286 | | 0.999 | | | | |
| 4 Bromide | | | | | -274617 | 5110904 | | 0.996 |
| 5 Nitrate as N | -222268 | 3464280 | | 0.998 | | | | |
| 7 Orthophosphate as P | -340970 | 2317515 | R1 | ).994* | | | | |
| 6 Sulfate | | | | | -307299 | 1024855 | | 1.000 |

ICalib Error Legend
R1, Curve Fit Fail Error Limit Test

Eurofins Environment Testing America
Initial Calibration Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Instrument: WC_IonChrom13 Lims Location: 280
Lock State: Initial Calib Locked Cpnd Order: Retention Time
Integrator: Falcon Last Modified: 17-May-2022 16:42:13
No.Compounds:7
Sublist: chrom-Anions-IC13*sub1
Limit Group: Wet - Anions

## Detectors

Detector: 1, 0005
Data Type: ic Spec Type: none
Supports Extracted Chromatograms: False
Run Time: 0.000-15.917 No. Points: 1561

## Calibration File Names

Level: 1 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-17502
Inj Date: 16-May-2022 17:34:00 Worklist: 111056 Sample#: 2
Level: 2 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18062
Inj Date: 16-May-2022 17:50:00 Worklist: 111056 Sample#: 3
Level: 3 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18222
Inj Date: 16-May-2022 18:06:00 Worklist: 111056 Sample#: 4
Level: 4 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18381
Inj Date: 16-May-2022 18:22:00 Worklist: 111056 Sample#: 5
Level: 5 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18541
Inj Date: 16-May-2022 18:38:00 Worklist: 111056 Sample#: 6
Level: 6 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-19101
Inj Date: 16-May-2022 18:54:00 Worklist: 111056 Sample#: 7

Start Cal Date: 16-May-2022 17:19:00 End Cal Date: 16-May-2022 18:54:00

## Individual Compound Calibration Parameters

Quant Method: ESTD RF Calibration: Replace
Rule Name: Linear1 Curve: Linear Weighting: Conc
Origin: None Error: raw_COD Error Limit: 1.00
RF %Dif: 0.0 SPCC Limit: 0.0 CCC Limit: 0.0
Dependent Variable: Resp

Number of Compounds: 3

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|
| 3 Nitrite as N | | | | Signal: 1 | | | | | |
| 27251320 | 29422806 | 31465657 | 31594454 | 32027761 | 33481208 | -1358579 | | | 0.999 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 32792860 | | |
| 5450264 | 14711403 | 31465657 | M126377817 | M256222089 | M334812084 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |
| 5 Nitrate as N | | | | Signal: 1 | | | | | |
| Error: CorrCoef | | | | | | | | | |
| 27235390 | 29000752 | 30914952 | 32359778 | 33845070 | 35663633 | -2222686 | | | 0.998 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 34642807 | | |
| 5447078 | 14500376 | 30914952 | M129439113 | M270760556 | M356636332 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |
| 7 Orthophosphate as P | | | | Signal: 1 | | | | R1 | |
| 10553260 | 12553660 | 16934127 | 25377882 | 22693644 | 22041054 | -3409708 | | | *0.994 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 23175151 | | |
| M2110652 | M6276830 | M16934127 | 101511529 | M181549150 | M220410536 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |

ICalib Error Legend
R1, Curve Fit Fail Error Limit Test

Eurofins Environment Testing America
Initial Calibration Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Instrument: WC_IonChrom13 Lims Location: 280
Lock State: Initial Calib Locked Cpnd Order: Retention Time
Integrator: Falcon Last Modified: 17-May-2022 16:42:13
No.Compounds:7
Sublist: chrom-Anions-IC13*sub1
Limit Group: Wet - Anions 28D

## Detectors

Detector: 1, 0005
Data Type: ic Spec Type: none
Supports Extracted Chromatograms: False
Run Time: 0.000-15.917 No. Points: 1561

## Calibration File Names

Level: 1 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-17502
Inj Date: 16-May-2022 17:34:00 Worklist: 111056 Sample#: 2
Level: 2 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18062
Inj Date: 16-May-2022 17:50:00 Worklist: 111056 Sample#: 3
Level: 3 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18222
Inj Date: 16-May-2022 18:06:00 Worklist: 111056 Sample#: 4
Level: 4 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18381
Inj Date: 16-May-2022 18:22:00 Worklist: 111056 Sample#: 5
Level: 5 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18541
Inj Date: 16-May-2022 18:38:00 Worklist: 111056 Sample#: 6
Level: 6 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-19101
Inj Date: 16-May-2022 18:54:00 Worklist: 111056 Sample#: 7

Start Cal Date: 16-May-2022 17:19:00 End Cal Date: 16-May-2022 18:54:00

## Individual Compound Calibration Parameters

Quant Method: ESTD RF Calibration: Replace
Rule Name: Linear1 Curve: Linear Weighting: Conc
Origin: None Error: CorrCoef Error Limit: 1.00
RF %Dif: 0.0 SPCC Limit: 0.0 CCC Limit: 0.0
Dependent Variable: Resp

Number of Compounds: 4

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|
| 1 Fluoride | | | | Signal: 1 | | | | | |
| Error: raw_COD | | | | | | | | | |
| 22063565 | 20819372 | 22759491 | 26037460 | 28008270 | 29204112 | -2537266 | | | 0.997 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 28399266 | | |
| M4412713 | M10409686 | M22759491 | M104149841 | 224066163 | 292041123 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |
| 2 Chloride | | | | Signal: 1 | | | | | |
| 11659033 | 12840400 | 13741173 | 14206431 | 13948209 | 14491084 | -3008401 | | | 1.000 |
| 1.0000 (1) | 2.5000 (2) | 5.0000 (3) | 60.0 (4) | 120.0 (5) | 200.0 (6) | | 14298337 | | |
| 11659033 | 32101000 | 68705864 | M852385867 | M1673785026 | M2898216814 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |
| 4 Bromide | | | | Signal: 1 | | | | | |
| 4295445 | 4498318 | 4610780 | 4609405 | 4958454 | 5365645 | -274617 | | | 0.996 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 5110904 | | |
| 859089 | 2249159 | 4610780 | M18437619 | M39667629 | M53656450 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |
| 6 Sulfate | | | | Signal: 1 | | | | | |
| Error: raw_COD | | | | | | | | | |
| 8433467 | 8562872 | 8991274 | 10074672 | 10002037 | 10418014 | -3072992 | | | 1.000 |
| 1.0000 (1) | 2.5000 (2) | 5.0000 (3) | 60.0 (4) | 120.0 (5) | 200.0 (6) | | 10248552 | | |
| M8433467 | M21407179 | M44956370 | M604480306 | M1200244426 | M2083602807 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-192
Lims ID: ICV
Client ID:
Sample Type: ICV
Inject. Date: 16-May-2022 19:10:00 ALS Bottle#: 0 Worklist Smp#: 8
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111056-008
Misc. Info.: 280-0111056-008
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist:

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 17-May-2022 16:54:01 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1686

First Level Reviewer: foxr Date: 17-May-2022 16:54:01

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.000 | 3.000 | 0.000 | 103863715 | 4.00 | 3.75 | M |
| 2 Chloride | 4.288 | 4.288 | 0.000 | 1193181581 | 80.0 | 83.7 | |
| 3 Nitrite as N | 5.058 | 5.058 | 0.000 | 119495939 | NC | NC | M |
| 4 Bromide | 6.445 | 6.445 | 0.000 | 19140618 | 4.00 | 3.80 | |
| 5 Nitrate as N | 7.312 | 7.312 | 0.000 | 130351577 | NC | NC | |
| 7 Orthophosphate as P | 9.002 | 9.002 | 0.000 | 88395481 | NC | NC | |
| 6 Sulfate | 10.130 | 10.130 | 0.000 | 855978859 | 80.0 | 83.8 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated


## Reagents:

| | | | |
|---|---|---|---|
| IC SO4 ICV_00022 | Amount Added: | 0.80 | Units: mL |
| Cl ICV Std_00005 | Amount Added: | 0.80 | Units: mL |
| IC ICV 5_00364 | Amount Added: | 0.80 | Units: mL |

Report Date: 17-May-2022 16:54:01 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-192620.d | | | | |
| Injection Date: | 16-May-2022 19:10:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | ICV | | | Worklist Smp#: | 8 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-192

Injection Date: 16-May-2022 19:10:00 Instrument ID: WC_IonChrom13

Lims ID: ICV

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 8

Injection Vol: 10.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.13
Area: 857521281
Amount: 83.972278
Amount Units: ug/ml




Manual Integration Results

RT: 10.13
Area: 855978859
Amount: 83.821777
Amount Units: ug/ml




Reviewer: mitchellj, 17-May-2022 09:53:01

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-194
Lims ID: ICB
Client ID:
Sample Type: ICB
Inject. Date: 16-May-2022 19:26:00 ALS Bottle#: 0 Worklist Smp#: 9
Injection Vol: 10.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111056-009
Misc. Info.: 280-0111056-009
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 17-May-2022 16:43:22 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1686

First Level Reviewer: mitchellj Date: 17-May-2022 09:59:51

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.107 | 3.000 | 0.107 | 25038 | | 0.0902 | M |
| 2 Chloride | | 4.288 | | | | ND | |
| 3 Nitrite as N | | 5.058 | | | | ND | |
| 4 Bromide | | 6.445 | | | | ND | |
| 5 Nitrate as N | | 7.312 | | | | ND | |
| 7 Orthophosphate as P | 10.210 | 9.002 | 1.208 | 342663 | | NC | |
| 6 Sulfate | | 10.130 | | | | ND | |


## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 17-May-2022 16:43:22 Chrom Revision: 2.3 12-Apr-2022 20:29:44

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-194219.d | | | | |
| Injection Date: | 16-May-2022 19:26:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | ICB | | | Worklist Smp#: | 9 |
| Client ID: | | | | | |
| Injection Vol: | 10.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



# IC Instrument Information

**WL:** 111462 **Inst ID:** IC13 **Analysis Date:** 5-31-22 **Analyst:** RF

| Rush | Job No. | Samples | Anions | QC Req | HT Exp |
|---|---|---|---|---|---|
| ☐ | 162252 | 1 | F (Cl) NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 162329 | 4 | F Cl NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162423 | 1 | F (Cl) NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 162418 | 1 | F (Cl) NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 162681 | 3 | F (Cl) NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | 162343 | 2 | F (Cl) NO2 Br NO3 PO4 (SO4) | (MS/D) #2 | |
| ☐ | 162334 | 2 | F (Cl) NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162342 | 2 | F (Cl) NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162349 | 1 | F (Cl) NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162667 | 1 | F Cl NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162646 | 11 | F (Cl) NO2 Br NO3 PO4 (SO4) | MS/D | |
| ☐ | 162386 | 10 | F Cl NO2 Br NO3 PO4 (SO4) | (MS/D) #1 | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |
| ☐ | | | F Cl NO2 Br NO3 PO4 SO4 | MS/D | |

## Dilutions

| Job No. | Samples | Anions | Dilution | Reason |
|---|---|---|---|---|
| 252 | 1 | F (Cl) NO2 Br NO3 PO4 SO4 | 50X | rerun |
| 329 | 4 | F Cl NO2 Br NO3 PO4 (SO4) | 5X 10X 20X | rerun |
| 423 | 1 | F (Cl) NO2 Br NO3 PO4 SO4 | 5X | rerun |
| 418 | 1 | F (Cl) NO2 Br NO3 PO4 SO4 | 200X | rerun |
| 681 | 3 | F (Cl) NO2 Br NO3 PO4 SO4 | 2X5X | test |
| 343 | 2 | F (Cl) NO2 Br NO3 PO4 (SO4) | 5X 20X | test |
| 334 | 1 | F (Cl) NO2 Br NO3 PO4 (SO4) | 5X | test |
| 342 | 2 | F (Cl) NO2 Br NO3 PO4 (SO4) | 5X 20X | test |
| 349 | 1 | F (Cl) NO2 Br NO3 PO4 (SO4) | 10X | test |
| 667 | 1 | (SO4) | 5X | test |
| 646 | 5 | (Cl) (SO4) | 5X | test |
| 386 | | (SO4) | 2X5X | test |

Eurofins Environment Testing America
Initial Calibration Summary Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m

| | | | |
|---|---|---|---|
| Instrument: | WC_IonChrom13 | Lims Location: | 280 |
| Lock State: | Initial Calib Locked | Cpnd Order: | Retention Time |
| Integrator: | Falcon | Last Modified: | 17-May-2022 16:42:13 |

No.Compounds:7

## Initial Calibration Batches

Ical Batch: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b
Inj Date : 16-May-2022 17:34:00, Sublist: chrom-Anions-IC13*sub1

Detector 1: 0005

| | Wet - Anions | | | | Wet - Anions 28D | | | |
|---|---|---|---|---|---|---|---|---|
| Compound | b | M1 | M2 | Err | b | M1 | M2 | Err |
| 1 Fluoride | | | | | -253726 | 2839926 | | 0.997 |
| 2 Chloride | | | | | -30084 | 1429833 | | 1.000 |
| 3 Nitrite as N | -135857 | 3279286 | | 0.999 | | | | |
| 4 Bromide | | | | | -274617 | 5110904 | | 0.996 |
| 5 Nitrate as N | -222268 | 3464280 | | 0.998 | | | | |
| 7 Orthophosphate as P | -340970 | 2317515 | R1 | ).994* | | | | |
| 6 Sulfate | | | | | -307299 | 1024855 | | 1.000 |

ICalib Error Legend
R1, Curve Fit Fail Error Limit Test

Eurofins Environment Testing America
Initial Calibration Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m

| | | | |
|---|---|---|---|
| Instrument: | WC_IonChrom13 | Lims Location: | 280 |
| Lock State: | Initial Calib Locked | Cpnd Order: | Retention Time |
| Integrator: | Falcon | Last Modified: | 17-May-2022 16:42:13 |
| No.Compounds: | 7 | | |
| Sublist: | chrom-Anions-IC13*sub1 | | |
| Limit Group: | Wet - Anions | | |

## Detectors

Detector: 1, 0005
Data Type: ic Spec Type: none
Supports Extracted Chromatograms: False
Run Time: 0.000-15.917 No. Points: 1561

## Calibration File Names

Level: 1 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-17502
Inj Date: 16-May-2022 17:34:00 Worklist: 111056 Sample#: 2

Level: 2 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18062
Inj Date: 16-May-2022 17:50:00 Worklist: 111056 Sample#: 3

Level: 3 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18222
Inj Date: 16-May-2022 18:06:00 Worklist: 111056 Sample#: 4

Level: 4 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18381
Inj Date: 16-May-2022 18:22:00 Worklist: 111056 Sample#: 5

Level: 5 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18541
Inj Date: 16-May-2022 18:38:00 Worklist: 111056 Sample#: 6

Level: 6 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-19101
Inj Date: 16-May-2022 18:54:00 Worklist: 111056 Sample#: 7

Start Cal Date: 16-May-2022 17:19:00 End Cal Date: 16-May-2022 18:54:00

## Individual Compound Calibration Parameters

| | | |
|---|---|---|
| Quant Method: ESTD | RF Calibration: Replace | |
| Rule Name: Linear1 | Curve: Linear | Weighting: Conc |
| Origin: None | Error: raw_COD | Error Limit: 1.00 |
| RF %Dif: 0.0 | SPCC Limit: 0.0 | CCC Limit: 0.0 |
| Dependent Variable: Resp | | |

Number of Compounds: 3

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|
| 3 Nitrite as N | | | | Signal: 1 | | | | | |
| 27251320 | 29422806 | 31465657 | 31594454 | 32027761 | 33481208 | -1358579 | | | 0.999 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 32792860 | | |
| 5450264 | 14711403 | 31465657 | M126377817 | M256222089 | M334812084 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |
| 5 Nitrate as N | | | | Signal: 1 | | | | | |
| Error: CorrCoef | | | | | | | | | |
| 27235390 | 29000752 | 30914952 | 32359778 | 33845070 | 35663633 | -2222686 | | | 0.998 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 34642807 | | |
| 5447078 | 14500376 | 30914952 | M129439113 | M270760556 | M356636332 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |
| 7 Orthophosphate as P | | | | Signal: 1 | | | | R1 | |
| 10553260 | 12553660 | 16934127 | 25377882 | 22693644 | 22041054 | -3409708 | | | *0.994 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 23175151 | | |
| M2110652 | M6276830 | M16934127 | 101511529 | M181549150 | M220410536 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |

ICalib Error Legend
R1, Curve Fit Fail Error Limit Test

Eurofins Environment Testing America
Initial Calibration Report

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Anions-IC13.m
Instrument: WC_IonChrom13 Lims Location: 280
Lock State: Initial Calib Locked Cpnd Order: Retention Time
Integrator: Falcon Last Modified: 17-May-2022 16:42:13
No.Compounds:7
Sublist: chrom-Anions-IC13*sub1
Limit Group: Wet - Anions 28D

## Detectors

Detector: 1, 0005
Data Type: ic Spec Type: none
Supports Extracted Chromatograms: False
Run Time: 0.000-15.917 No. Points: 1561

## Calibration File Names

Level: 1 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-17502
Inj Date: 16-May-2022 17:34:00 Worklist: 111056 Sample#: 2
Level: 2 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18062
Inj Date: 16-May-2022 17:50:00 Worklist: 111056 Sample#: 3
Level: 3 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18222
Inj Date: 16-May-2022 18:06:00 Worklist: 111056 Sample#: 4
Level: 4 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18381
Inj Date: 16-May-2022 18:22:00 Worklist: 111056 Sample#: 5
Level: 5 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-18541
Inj Date: 16-May-2022 18:38:00 Worklist: 111056 Sample#: 6
Level: 6 \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-19101
Inj Date: 16-May-2022 18:54:00 Worklist: 111056 Sample#: 7

Start Cal Date: 16-May-2022 17:19:00 End Cal Date: 16-May-2022 18:54:00

## Individual Compound Calibration Parameters

Quant Method: ESTD RF Calibration: Replace
Rule Name: Linear1 Curve: Linear Weighting: Conc
Origin: None Error: CorrCoef Error Limit: 1.00
RF %Dif: 0.0 SPCC Limit: 0.0 CCC Limit: 0.0
Dependent Variable: Resp

Number of Compounds: 4

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|

| RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | RF/Amt(Lvl) Response WL(Smp) | b | m1 | m2 | Error |
|---|---|---|---|---|---|---|---|---|---|
| 1 Fluoride | | | | Signal: 1 | | | | | |
| Error: raw_COD | | | | | | | | | |
| 22063565 | 20819372 | 22759491 | 26037460 | 28008270 | 29204112 | -2537266 | | | 0.997 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 28399266 | | |
| M4412713 | M10409686 | M22759491 | M104149841 | 224066163 | 292041123 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |
| 2 Chloride | | | | Signal: 1 | | | | | |
| 11659033 | 12840400 | 13741173 | 14206431 | 13948209 | 14491084 | -3008401 | | | 1.000 |
| 1.0000 (1) | 2.5000 (2) | 5.0000 (3) | 60.0 (4) | 120.0 (5) | 200.0 (6) | | 14298337 | | |
| 11659033 | 32101000 | 68705864 | M852385867 | M1673785026 | M2898216814 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |
| 4 Bromide | | | | Signal: 1 | | | | | |
| 4295445 | 4498318 | 4610780 | 4609405 | 4958454 | 5365645 | -274617 | | | 0.996 |
| 0.200000(1) | 0.500000(2) | 1.0000 (3) | 4.0000 (4) | 8.0000 (5) | 10.0 (6) | | 5110904 | | |
| 859089 | 2249159 | 4610780 | M18437619 | M39667629 | M53656450 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |
| 6 Sulfate | | | | Signal: 1 | | | | | |
| Error: raw_COD | | | | | | | | | |
| 8433467 | 8562872 | 8991274 | 10074672 | 10002037 | 10418014 | -3072992 | | | 1.000 |
| 1.0000 (1) | 2.5000 (2) | 5.0000 (3) | 60.0 (4) | 120.0 (5) | 200.0 (6) | | 10248552 | | |
| M8433467 | M21407179 | M44956370 | M604480306 | M1200244426 | M2083602807 | | | | |
| 111056(2) | 111056(3) | 111056(4) | 111056(5) | 111056(6) | 111056(7) | | | | |

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-114
Lims ID: MRL
Client ID:
Sample Type: MRL
Inject. Date: 31-May-2022 11:29:00 ALS Bottle#: 0 Worklist Smp#: 3
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-003
Misc. Info.: 280-0111462-003
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 31-May-2022 16:09:15 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1655

First Level Reviewer: foxr Date: 31-May-2022 12:02:05

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.037 | 3.042 | -0.005 | 9763981 | 0.5000 | 0.4332 | M |
| 2 Chloride | 4.308 | 4.325 | -0.017 | 62419767 | 5.00 | 4.58 | |
| 3 Nitrite as N | 5.107 | 5.077 | 0.030 | 14334908 | NC | NC | |
| 4 Bromide | 6.483 | 6.447 | 0.036 | 2302366 | 0.5000 | 0.5042 | M |
| 5 Nitrate as N | 7.407 | 7.295 | 0.112 | 13598892 | NC | NC | |
| 7 Orthophosphate as P | 8.978 | 8.857 | 0.121 | 4948868 | NC | NC | |
| 6 Sulfate | 9.982 | 9.938 | 0.044 | 43637030 | 5.00 | 4.56 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC Cal low_00641 Amount Added: 0.10 Units: mL
IC CAL cl/so4_00423 Amount Added: 0.20 Units: mL

Report Date: 31-May-2022 16:09:17 Chrom Revision: 2.3 18-May-2022 20:00:04

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-114458.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 31-May-2022 11:29:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | MRL | | | Worklist Smp#: | 3 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-114

Injection Date: 31-May-2022 11:29:00 Instrument ID: WC_IonChrom13

Lims ID: MRL

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 3

Injection Vol: 5.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.98
Area: 43890104
Amount: 4.582413
Amount Units: ug/ml




Manual Integration Results

RT: 9.98
Area: 43637030
Amount: 4.557719
Amount Units: ug/ml




Reviewer: foxr, 31-May-2022 12:01:56

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-215
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 31-May-2022 21:37:00 ALS Bottle#: 0 Worklist Smp#: 48
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-048
Misc. Info.: 280-0111462-048
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist: chrom-Anions-IC13*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:35 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:36:46

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.042 | 3.042 | 0.000 | 130048334 | 5.00 | 4.67 | |
| 2 Chloride | 4.312 | 4.325 | -0.013 | 1427313442 | 100.0 | 100.0 | |
| 3 Nitrite as N | 5.045 | 5.077 | -0.032 | 166317538 | NC | NC | |
| 4 Bromide | 6.365 | 6.447 | -0.082 | 26247990 | 5.00 | 5.19 | |
| 5 Nitrate as N | 7.195 | 7.295 | -0.100 | 172322901 | NC | NC | |
| 7 Orthophosphate as P | 8.908 | 8.857 | 0.051 | 124486255 | NC | NC | |
| 6 Sulfate | 9.977 | 9.938 | 0.039 | 1026160832 | 100.0 | 100.4 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated


## Reagents:

IC LCS_01878 Amount Added: 10.00 Units: mL

Report Date: 01-Jun-2022 13:29:36 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-215301.d | | | | |
| Injection Date: | 31-May-2022 21:37:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | ccv | | | Worklist Smp#: | 48 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-215
Injection Date: 31-May-2022 21:37:00 Instrument ID: WC_IonChrom13
Lims ID: ccv
Client ID:
Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 48
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Method: Anions-IC13 Limit Group: Wet - Anions 28D
Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.98
Area: 1029149555
Amount: 100.7189
Amount Units: ug/ml




Manual Integration Results

RT: 9.98
Area: 1026160832
Amount: 100.4272
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:36:43
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-220
Lims ID: ccb
Client ID:
Sample Type: CCB
Inject. Date: 31-May-2022 21:53:00 ALS Bottle#: 0 Worklist Smp#: 49
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-049
Misc. Info.: 280-0111462-049
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:35 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:37:01

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | | 3.042 | | | | ND | |
| 2 Chloride | 4.307 | 4.325 | -0.018 | 64064 | | 0.2149 | M |
| 3 Nitrite as N | | 5.077 | | | | ND | |
| 4 Bromide | | 6.447 | | | | ND | U |
| 5 Nitrate as N | | 7.295 | | | | ND | |
| 7 Orthophosphate as P | | 8.857 | | | | ND | |
| 6 Sulfate | 10.080 | 9.938 | 0.142 | 2179732 | | 0.5125 | |


## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected

Report Date: 01-Jun-2022 13:29:36 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-220858.d | | | | |
| Injection Date: | 31-May-2022 21:53:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | ccb | | | Worklist Smp#: | 49 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-234
Lims ID: lcs
Client ID:
Sample Type: LCS
Inject. Date: 31-May-2022 23:28:00 ALS Bottle#: 0 Worklist Smp#: 55
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-055
Misc. Info.: 280-0111462-055
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:35 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:40:29

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.045 | 3.042 | 0.003 | 129650059 | 5.00 | 4.65 | |
| 2 Chloride | 4.317 | 4.325 | -0.008 | 1424084137 | 100.0 | 99.8 | |
| 3 Nitrite as N | 5.053 | 5.077 | -0.024 | 165599426 | NC | NC | |
| 4 Bromide | 6.378 | 6.447 | -0.069 | 26220785 | 5.00 | 5.18 | |
| 5 Nitrate as N | 7.212 | 7.295 | -0.083 | 171806870 | NC | NC | |
| 7 Orthophosphate as P | 8.907 | 8.857 | 0.050 | 124318113 | NC | NC | |
| 6 Sulfate | 9.982 | 9.938 | 0.044 | 1023939883 | 100.0 | 100.2 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC LCS_01878 Amount Added: 10.00 Units: mL

Report Date: 01-Jun-2022 13:29:38 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-234433.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 31-May-2022 23:28:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | lcs | | | Worklist Smp#: | 55 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220531-234

Injection Date: 31-May-2022 23:28:00 Instrument ID: WC_IonChrom13

Lims ID: lcs

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 55

Injection Vol: 5.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.98
Area: 1027399799
Amount: 100.5481
Amount Units: ug/ml




Manual Integration Results

RT: 9.98
Area: 1023939883
Amount: 100.2105
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:40:26

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-000
Lims ID: lcsd
Client ID:
Sample Type: LCSD
Inject. Date: 31-May-2022 23:44:00 ALS Bottle#: 0 Worklist Smp#: 56
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-056
Misc. Info.: 280-0111462-056
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:35 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:40:45

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.048 | 3.042 | 0.006 | 136580782 | 5.00 | 4.90 | |
| 2 Chloride | 4.320 | 4.325 | -0.005 | 1432272638 | 100.0 | 100.4 | |
| 3 Nitrite as N | 5.058 | 5.077 | -0.019 | 165995547 | NC | NC | |
| 4 Bromide | 6.395 | 6.447 | -0.052 | 26430798 | 5.00 | 5.23 | |
| 5 Nitrate as N | 7.227 | 7.295 | -0.068 | 172912839 | NC | NC | |
| 7 Orthophosphate as P | 8.912 | 8.857 | 0.055 | 135759191 | NC | NC | |
| 6 Sulfate | 9.998 | 9.938 | 0.060 | 1030668760 | 100.0 | 100.9 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC LCS_01878 Amount Added: 10.00 Units: mL

Report Date: 01-Jun-2022 13:29:39 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-000030.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 31-May-2022 23:44:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | lcsd | | | Worklist Smp#: | 56 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-000

Injection Date: 31-May-2022 23:44:00 Instrument ID: WC_IonChrom13

Lims ID: lcsd

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 56

Injection Vol: 5.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.00
Area: 1034221782
Amount: 101.2138
Amount Units: ug/ml




Manual Integration Results

RT: 10.00
Area: 1030668760
Amount: 100.8671
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:40:42

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-001
Lims ID: mb
Client ID:
Sample Type: MB
Inject. Date: 01-Jun-2022 00:00:00 ALS Bottle#: 0 Worklist Smp#: 57
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-057
Misc. Info.: 280-0111462-057
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:35 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:41:05

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | | 3.042 | | | | ND | |
| 2 Chloride | 4.305 | 4.325 | -0.020 | 60176 | | 0.2146 | M |
| 3 Nitrite as N | | 5.077 | | | | ND | |
| 4 Bromide | | 6.447 | | | | ND | U |
| 5 Nitrate as N | | 7.295 | | | | ND | |
| 7 Orthophosphate as P | | 8.857 | | | | ND | |
| 6 Sulfate | 10.083 | 9.938 | 0.145 | 2333042 | | 0.5275 | |

## QC Flag Legend


Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected

Report Date: 01-Jun-2022 13:29:40 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-001627.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 00:00:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | mb | | | Worklist Smp#: | 57 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-003
Lims ID: 280-162386-F-1
Client ID: PZ007-22A
Sample Type: Client
Inject. Date: 01-Jun-2022 00:16:00 ALS Bottle#: 0 Worklist Smp#: 58
Injection Vol: 5.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111462-058
Misc. Info.: 280-0111462-058
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:35 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:41:32

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|
| 1 Fluoride | 3.040 | 3.042 | -0.002 | 2788897 | 0.1875 | |
| 2 Chloride | 4.292 | 4.325 | -0.033 | 187928467 | 13.4 | |
| 3 Nitrite as N | | 5.077 | | | ND | |
| 4 Bromide | 6.450 | 6.447 | 0.003 | 1210698 | 0.2906 | |
| 5 Nitrate as N | 7.375 | 7.295 | 0.080 | 2441835 | NC | |
| 7 Orthophosphate as P | | 8.857 | | | ND | |
| 6 Sulfate | 9.970 | 9.938 | 0.032 | 1741471524 | 170.2 | M |


## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 01-Jun-2022 13:29:40 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-003224.d | | | | |
| Injection Date: | 01-Jun-2022 00:16:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | 280-162386-F-1 | Lab Sample ID: | 280-162386-1 | Worklist Smp#: | 58 |
| Client ID: | PZ007-22A | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-003 | | | | |
| Injection Date: | 01-Jun-2022 00:16:00 | Instrument ID: | WC_IonChrom13 | | |
| Lims ID: | 280-162386-F-1 | Lab Sample ID: | 280-162386-1 | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | wetchemd | ALS Bottle#: | 0 | Worklist Smp#: | 58 |
| Injection Vol: | 5.0 ul | Dil. Factor: | 5.0000 | | |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.97
Area: 1749765795
Amount: 171.0328
Amount Units: ug/ml




Manual Integration Results

RT: 9.97
Area: 1741471524
Amount: 170.2235
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:41:29
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-004
Lims ID: 280-162386-F-1 DU
Client ID:
Sample Type: DU
Inject. Date: 01-Jun-2022 00:32:00 ALS Bottle#: 0 Worklist Smp#: 59
Injection Vol: 5.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111462-059
Misc. Info.: 280-0111462-059
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:35 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:41:54

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.040 | 3.042 | -0.002 | 2736914 | | 0.1857 | |
| 2 Chloride | 4.293 | 4.325 | -0.032 | 184201041 | | 13.1 | M |
| 3 Nitrite as N | | 5.077 | | | | ND | |
| 4 Bromide | 6.443 | 6.447 | -0.004 | 351813 | | 0.1226 | |
| 5 Nitrate as N | 7.373 | 7.295 | 0.078 | 2228905 | | NC | |
| 7 Orthophosphate as P | | 8.857 | | | | ND | |
| 6 Sulfate | 9.967 | 9.938 | 0.029 | 1706049208 | | 166.8 | M |


## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 01-Jun-2022 13:29:41 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-004821.d | | | | |
| Injection Date: | 01-Jun-2022 00:32:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | 280-162386-F-1 DU | | | Worklist Smp#: | 59 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-004

Injection Date: 01-Jun-2022 00:32:00 Instrument ID: WC_IonChrom13

Lims ID: 280-162386-F-1 DU

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 59

Injection Vol: 5.0 ul Dil. Factor: 5.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.97
Area: 1712063300
Amount: 167.3540
Amount Units: ug/ml




Manual Integration Results

RT: 9.97
Area: 1706049208
Amount: 166.7672
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:41:51

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-010
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 01-Jun-2022 00:48:00 ALS Bottle#: 0 Worklist Smp#: 60
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-060
Misc. Info.: 280-0111462-060
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist: chrom-Anions-IC13*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:41 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:42:09

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.043 | 3.042 | 0.001 | 131290055 | 5.00 | 4.71 | |
| 2 Chloride | 4.317 | 4.325 | -0.008 | 1431717210 | 100.0 | 100.3 | |
| 3 Nitrite as N | 5.055 | 5.077 | -0.022 | 166364313 | NC | NC | |
| 4 Bromide | 6.387 | 6.447 | -0.060 | 26303215 | 5.00 | 5.20 | |
| 5 Nitrate as N | 7.222 | 7.295 | -0.073 | 172372459 | NC | NC | |
| 7 Orthophosphate as P | 8.907 | 8.857 | 0.050 | 125113692 | NC | NC | |
| 6 Sulfate | 9.977 | 9.938 | 0.039 | 1028943924 | 100.0 | 100.7 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated


## Reagents:

IC LCS_01878 Amount Added: 10.00 Units: mL

Report Date: 01-Jun-2022 13:29:41 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-010419.d | | | | |
| Injection Date: | 01-Jun-2022 00:48:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | ccv | | | Worklist Smp#: | 60 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-010

Injection Date: 01-Jun-2022 00:48:00 Instrument ID: WC_IonChrom13

Lims ID: ccv

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 60

Injection Vol: 5.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.98
Area: 1033205797
Amount: 101.1147
Amount Units: ug/ml




Manual Integration Results

RT: 9.98
Area: 1028943924
Amount: 100.6988
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:42:06

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-012
Lims ID: ccb
Client ID:
Sample Type: CCB
Inject. Date: 01-Jun-2022 01:04:00 ALS Bottle#: 0 Worklist Smp#: 61
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-061
Misc. Info.: 280-0111462-061
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:41 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:42:25

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | | 3.042 | | | | ND | |
| 2 Chloride | 4.303 | 4.325 | -0.022 | 54601 | | 0.2142 | M |
| 3 Nitrite as N | | 5.077 | | | | ND | |
| 4 Bromide | | 6.447 | | | | ND | U |
| 5 Nitrate as N | | 7.295 | | | | ND | |
| 7 Orthophosphate as P | | 8.857 | | | | ND | |
| 6 Sulfate | 10.078 | 9.938 | 0.140 | 2206954 | | 0.5152 | |


## QC Flag Legend

Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected

Report Date: 01-Jun-2022 13:29:41 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-012018.d | | | | |
| Injection Date: | 01-Jun-2022 01:04:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | ccb | | | Worklist Smp#: | 61 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-013
Lims ID: 280-162386-F-1 MS
Client ID: PZ007-22A
Sample Type: MS
Inject. Date: 01-Jun-2022 01:20:00 ALS Bottle#: 0 Worklist Smp#: 62
Injection Vol: 5.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111462-062
Misc. Info.: 280-0111462-062
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:41 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:42:42

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.043 | 3.042 | 0.001 | 146987106 | 1.00 | 5.27 | |
| 2 Chloride | 4.300 | 4.325 | -0.025 | 964654152 | 10.0 | 67.7 | |
| 3 Nitrite as N | 5.055 | 5.077 | -0.022 | 158477055 | NC | NC | |
| 4 Bromide | 6.397 | 6.447 | -0.050 | 26461280 | 1.00 | 5.23 | |
| 5 Nitrate as N | 7.225 | 7.295 | -0.070 | 181778974 | NC | NC | |
| 7 Orthophosphate as P | 8.908 | 8.857 | 0.051 | 166267028 | NC | NC | |
| 6 Sulfate | 9.953 | 9.938 | 0.015 | 2193225177 | 10.0 | 214.3 | EM |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
E - Exceeded Maximum Amount
Review Flags
M - Manually Integrated


## Reagents:

ICMS/MSD WEEK_00759 Amount Added: 0.10 Units: mL

Report Date: 01-Jun-2022 13:29:42 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-013616.d | | | | |
| Injection Date: | 01-Jun-2022 01:20:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | 280-162386-F-1 MS | | | Worklist Smp#: | 62 |
| Client ID: | PZ007-22A | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-013


| | | | |
|---|---|---|---|
| Injection Date: | 01-Jun-2022 01:20:00 | Instrument ID: | WC_IonChrom13 |
| Lims ID: | 280-162386-F-1 MS | | |
| Client ID: | PZ007-22A | | |
| Operator ID: | wetchemd | ALS Bottle#: | 0 Worklist Smp#: 62 |
| Injection Vol: | 5.0 ul | Dil. Factor: | 5.0000 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D |
| Column: | | Detector | 0005 |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.95
Area: 2197344767
Amount: 214.7052
Amount Units: ug/ml




Manual Integration Results

RT: 9.95
Area: 2193225177
Amount: 214.3033
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:42:39

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-015
Lims ID: 280-162386-F-1 MSD
Client ID: PZ007-22A
Sample Type: MSD
Inject. Date: 01-Jun-2022 01:36:00 ALS Bottle#: 0 Worklist Smp#: 63
Injection Vol: 5.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111462-063
Misc. Info.: 280-0111462-063
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:41 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:42:59

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.043 | 3.042 | 0.001 | 143476303 | 1.00 | 5.14 | |
| 2 Chloride | 4.302 | 4.325 | -0.023 | 971822232 | 10.0 | 68.2 | |
| 3 Nitrite as N | 5.058 | 5.077 | -0.019 | 160338209 | NC | NC | |
| 4 Bromide | 6.392 | 6.447 | -0.055 | 26647411 | 1.00 | 5.27 | |
| 5 Nitrate as N | 7.223 | 7.295 | -0.072 | 182687619 | NC | NC | |
| 7 Orthophosphate as P | 8.917 | 8.857 | 0.060 | 153379112 | NC | NC | |
| 6 Sulfate | 9.950 | 9.938 | 0.012 | 2203065562 | 10.0 | 215.3 | EM |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
E - Exceeded Maximum Amount
Review Flags
M - Manually Integrated


## Reagents:

ICMS/MSD WEEK_00759 Amount Added: 0.10 Units: mL

Report Date: 01-Jun-2022 13:29:42 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-015215.d | | | | |
| Injection Date: | 01-Jun-2022 01:36:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | 280-162386-F-1 MSD | | | Worklist Smp#: | 63 |
| Client ID: | PZ007-22A | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-015


| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 01:36:00 | Instrument ID: | WC_IonChrom13 | | |
| Lims ID: | 280-162386-F-1 MSD | | | | |
| Client ID: | PZ007-22A | | | | |
| Operator ID: | wetchemd | ALS Bottle#: | 0 | Worklist Smp#: | 63 |
| Injection Vol: | 5.0 ul | Dil. Factor: | 5.0000 | | |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.95
Area: 2208605257
Amount: 215.8040
Amount Units: ug/ml




Manual Integration Results

RT: 9.95
Area: 2203065562
Amount: 215.2634
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:42:57

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-020
Lims ID: 280-162386-F-2
Client ID: G0087-22A
Sample Type: Client
Inject. Date: 01-Jun-2022 01:52:00 ALS Bottle#: 0 Worklist Smp#: 64
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-064
Misc. Info.: 280-0111462-064
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:41 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:43:24

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|
| 1 Fluoride | 3.042 | 3.042 | 0.000 | 6351414 | 0.3130 | |
| 2 Chloride | 4.322 | 4.325 | -0.003 | 378663714 | 26.7 | M |
| 3 Nitrite as N | | 5.077 | | | ND | |
| 4 Bromide | 6.465 | 6.447 | 0.018 | 901707 | 0.2302 | |
| 5 Nitrate as N | 7.228 | 7.295 | -0.067 | 237032260 | NC | |
| 7 Orthophosphate as P | | 8.857 | | | ND | |
| 6 Sulfate | 9.993 | 9.938 | 0.055 | 1392207847 | 136.1 | M |


## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 01-Jun-2022 13:29:43 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-020815.d | | | | |
| Injection Date: | 01-Jun-2022 01:52:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | 280-162386-F-2 | Lab Sample ID: | 280-162386-2 | Worklist Smp#: | 64 |
| Client ID: | G0087-22A | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-020 | | | | |
| Injection Date: | 01-Jun-2022 01:52:00 | Instrument ID: | WC_IonChrom13 | | |
| Lims ID: | 280-162386-F-2 | Lab Sample ID: | 280-162386-2 | | |
| Client ID: | G0087-22A | | | | |
| Operator ID: | wetchemd | ALS Bottle#: | 0 | Worklist Smp#: | 64 |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.99
Area: 1443801461
Amount: 141.1784
Amount Units: ug/ml




Manual Integration Results

RT: 9.99
Area: 1392207847
Amount: 136.1442
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:43:19

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-024
Lims ID: 280-162386-F-4
Client ID: G0022-22A
Sample Type: Client
Inject. Date: 01-Jun-2022 02:24:00 ALS Bottle#: 0 Worklist Smp#: 66
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-066
Misc. Info.: 280-0111462-066
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:41 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:44:08

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|
| 1 Fluoride | 3.043 | 3.042 | 0.001 | 12255858 | 0.5209 | |
| 2 Chloride | 4.335 | 4.325 | 0.010 | 372296969 | 26.2 | M |
| 3 Nitrite as N | | 5.077 | | | ND | |
| 4 Bromide | 6.480 | 6.447 | 0.033 | 596861 | 0.1705 | |
| 5 Nitrate as N | 7.233 | 7.295 | -0.062 | 261881590 | NC | |
| 7 Orthophosphate as P | | 8.857 | | | ND | |
| 6 Sulfate | 9.998 | 9.938 | 0.060 | 1405397021 | 137.4 | M |


## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 01-Jun-2022 13:29:44 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-024015.d | | | | |
| Injection Date: | 01-Jun-2022 02:24:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | 280-162386-F-4 | Lab Sample ID: | 280-162386-4 | Worklist Smp#: | 66 |
| Client ID: | G0022-22A | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-024 | | | | |
| Injection Date: | 01-Jun-2022 02:24:00 | Instrument ID: | WC_IonChrom13 | | |
| Lims ID: | 280-162386-F-4 | Lab Sample ID: | 280-162386-4 | | |
| Client ID: | G0022-22A | | | | |
| Operator ID: | wetchemd | ALS Bottle#: | 0 | Worklist Smp#: | 66 |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.00
Area: 1411174241
Amount: 137.9948
Amount Units: ug/ml




Manual Integration Results

RT: 10.00
Area: 1405397021
Amount: 137.4311
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:44:05
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-025
Lims ID: 280-162386-F-5
Client ID: G0088-22A
Sample Type: Client
Inject. Date: 01-Jun-2022 02:40:00 ALS Bottle#: 0 Worklist Smp#: 67
Injection Vol: 5.0 ul Dil. Factor: 2.0000
Sample Info: 280-0111462-067
Misc. Info.: 280-0111462-067
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:41 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:44:47

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|
| 1 Fluoride | 3.042 | 3.042 | 0.000 | 3421662 | 0.2098 | |
| 2 Chloride | 4.307 | 4.325 | -0.018 | 305916928 | 21.6 | M |
| 3 Nitrite as N | | 5.077 | | | ND | |
| 4 Bromide | 6.467 | 6.447 | 0.020 | 602609 | 0.1716 | |
| 5 Nitrate as N | 7.348 | 7.295 | 0.053 | 18790264 | NC | |
| 7 Orthophosphate as P | | 8.857 | | | ND | |
| 6 Sulfate | 9.990 | 9.938 | 0.052 | 1426971356 | 139.5 | M |


## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 01-Jun-2022 13:29:44 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-025616.d | | | | |
| Injection Date: | 01-Jun-2022 02:40:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | 280-162386-F-5 | Lab Sample ID: | 280-162386-5 | Worklist Smp#: | 67 |
| Client ID: | G0088-22A | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 2.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-025 | | | | |
| Injection Date: | 01-Jun-2022 02:40:00 | Instrument ID: | WC_IonChrom13 | | |
| Lims ID: | 280-162386-F-5 | Lab Sample ID: | 280-162386-5 | | |
| Client ID: | G0088-22A | | | | |
| Operator ID: | wetchemd | ALS Bottle#: | 0 | Worklist Smp#: | 67 |
| Injection Vol: | 5.0 ul | Dil. Factor: | 2.0000 | | |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.99
Area: 1450600598
Amount: 141.8418
Amount Units: ug/ml




Manual Integration Results

RT: 9.99
Area: 1426971356
Amount: 139.5362
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:44:40
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-034
Lims ID: 280-162386-F-8
Client ID: G0092-22A
Sample Type: Client
Inject. Date: 01-Jun-2022 03:28:00 ALS Bottle#: 0 Worklist Smp#: 70
Injection Vol: 5.0 ul Dil. Factor: 5.0000
Sample Info: 280-0111462-070
Misc. Info.: 280-0111462-070
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:41 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:48:37

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|
| 1 Fluoride | 3.040 | 3.042 | -0.002 | 2876217 | 0.1906 | |
| 2 Chloride | 4.298 | 4.325 | -0.027 | 144574947 | 10.3 | M |
| 3 Nitrite as N | | 5.077 | | | ND | |
| 4 Bromide | 6.455 | 6.447 | 0.008 | 343207 | 0.1209 | |
| 5 Nitrate as N | | 7.295 | | | ND | |
| 7 Orthophosphate as P | | 8.857 | | | ND | |
| 6 Sulfate | 9.992 | 9.938 | 0.054 | 837289727 | 82.0 | M |

## QC Flag Legend

Processing Flags


Review Flags

M - Manually Integrated

Report Date: 01-Jun-2022 13:29:45 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-034420.d | | | | |
| Injection Date: | 01-Jun-2022 03:28:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | 280-162386-F-8 | Lab Sample ID: | 280-162386-8 | Worklist Smp#: | 70 |
| Client ID: | G0092-22A | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 5.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-034 | | | | |
| Injection Date: | 01-Jun-2022 03:28:00 | Instrument ID: | WC_IonChrom13 | | |
| Lims ID: | 280-162386-F-8 | Lab Sample ID: | 280-162386-8 | | |
| Client ID: | G0092-22A | | | | |
| Operator ID: | wetchemd | ALS Bottle#: | 0 | Worklist Smp#: | 70 |
| Injection Vol: | 5.0 ul | Dil. Factor: | 5.0000 | | |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.99
Area: 840118224
Amount: 82.274179
Amount Units: ug/ml




Manual Integration Results

RT: 9.99
Area: 837289727
Amount: 81.998189
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:48:33
Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-041
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 01-Jun-2022 04:00:00 ALS Bottle#: 0 Worklist Smp#: 72
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-072
Misc. Info.: 280-0111462-072
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist: chrom-Anions-IC13*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:46 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:49:30

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.045 | 3.042 | 0.003 | 130705746 | 5.00 | 4.69 | |
| 2 Chloride | 4.320 | 4.325 | -0.005 | 1437941840 | 100.0 | 100.8 | |
| 3 Nitrite as N | 5.058 | 5.077 | -0.019 | 166945414 | NC | NC | |
| 4 Bromide | 6.392 | 6.447 | -0.055 | 26473813 | 5.00 | 5.23 | |
| 5 Nitrate as N | 7.230 | 7.295 | -0.065 | 173546328 | NC | NC | |
| 7 Orthophosphate as P | 8.938 | 8.857 | 0.081 | 112503705 | NC | NC | |
| 6 Sulfate | 9.982 | 9.938 | 0.044 | 1034023774 | 100.0 | 101.2 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC LCS_01878 Amount Added: 10.00 Units: mL

Report Date: 01-Jun-2022 13:29:46 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-041624.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 04:00:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | ccv | | | Worklist Smp#: | 72 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-041

Injection Date: 01-Jun-2022 04:00:00 Instrument ID: WC_IonChrom13

Lims ID: ccv

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 72

Injection Vol: 5.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.98
Area: 1038396477
Amount: 101.6211
Amount Units: ug/ml




Manual Integration Results

RT: 9.98
Area: 1034023774
Amount: 101.1945
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:49:27

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-043
Lims ID: ccb
Client ID:
Sample Type: CCB
Inject. Date: 01-Jun-2022 04:16:00 ALS Bottle#: 0 Worklist Smp#: 73
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-073
Misc. Info.: 280-0111462-073
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:46 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:49:57

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | | 3.042 | | | | ND | |
| 2 Chloride | 4.303 | 4.325 | -0.022 | 54962 | | 0.2142 | M |
| 3 Nitrite as N | | 5.077 | | | | ND | |
| 4 Bromide | | 6.447 | | | | ND | U |
| 5 Nitrate as N | | 7.295 | | | | ND | |
| 7 Orthophosphate as P | | 8.857 | | | | ND | |
| 6 Sulfate | 10.072 | 9.938 | 0.134 | 2250013 | | 0.5194 | M |

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated


U - Marked Undetected

Report Date: 01-Jun-2022 13:29:47 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-043226.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 04:16:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | ccb | | | Worklist Smp#: | 73 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-043

Injection Date: 01-Jun-2022 04:16:00 Instrument ID: WC_IonChrom13

Lims ID: ccb

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 73

Injection Vol: 5.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.07
Area: 3418710
Amount: 0.633426
Amount Units: ug/ml




Manual Integration Results

RT: 10.07
Area: 2250013
Amount: 0.519391
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:49:54

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-044
Lims ID: 280-162386-F-10
Client ID: G0081-22A
Sample Type: Client
Inject. Date: 01-Jun-2022 04:32:00 ALS Bottle#: 0 Worklist Smp#: 74
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-074
Misc. Info.: 280-0111462-074
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:46 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:50:22

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|
| 1 Fluoride | 3.045 | 3.042 | 0.003 | 7631440 | 0.3581 | |
| 2 Chloride | 4.335 | 4.325 | 0.010 | 616514918 | 43.3 | M |
| 3 Nitrite as N | | 5.077 | | | ND | |
| 4 Bromide | 6.483 | 6.447 | 0.036 | 1159837 | 0.2807 | |
| 5 Nitrate as N | 7.407 | 7.295 | 0.112 | 3923659 | NC | |
| 7 Orthophosphate as P | 9.097 | 8.857 | 0.240 | 23891805 | NC | |
| 6 Sulfate | 9.990 | 9.938 | 0.052 | 1711180764 | 167.3 | M |


## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

Report Date: 01-Jun-2022 13:29:47 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-044828.d | | | | |
| Injection Date: | 01-Jun-2022 04:32:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | 280-162386-F-10 | Lab Sample ID: | 280-162386-10 | Worklist Smp#: | 74 |
| Client ID: | G0081-22A | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver


| | | | | | |
|---|---|---|---|---|---|
| Data File: | \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-044 | | | | |
| Injection Date: | 01-Jun-2022 04:32:00 | Instrument ID: | WC_IonChrom13 | | |
| Lims ID: | 280-162386-F-10 | Lab Sample ID: | 280-162386-10 | | |
| Client ID: | G0081-22A | | | | |
| Operator ID: | wetchemd | ALS Bottle#: | 0 | Worklist Smp#: | 74 |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | | |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |
| Column: | | Detector | 0005 | | |

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.99
Area: 1713052802
Amount: 167.4506
Amount Units: ug/ml




Manual Integration Results

RT: 9.99
Area: 1711180764
Amount: 167.2679
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:50:19

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-104
Lims ID: ccv
Client ID:
Sample Type: CCV
Inject. Date: 01-Jun-2022 10:24:00 ALS Bottle#: 0 Worklist Smp#: 87
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-087
Misc. Info.: 280-0111462-087
Operator ID: wetchemd Instrument ID: WC_IonChrom13
Sublist: chrom-Anions-IC13*sub1

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:52 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:54:43

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | 3.038 | 3.042 | -0.004 | 131114514 | 5.00 | 4.71 | |
| 2 Chloride | 4.313 | 4.325 | -0.012 | 1451281498 | 100.0 | 101.7 | |
| 3 Nitrite as N | 5.053 | 5.077 | -0.024 | 167920168 | NC | NC | |
| 4 Bromide | 6.387 | 6.447 | -0.060 | 26593472 | 5.00 | 5.26 | |
| 5 Nitrate as N | 7.227 | 7.295 | -0.068 | 175185853 | NC | NC | |
| 7 Orthophosphate as P | 8.902 | 8.857 | 0.045 | 113043965 | NC | NC | |
| 6 Sulfate | 9.963 | 9.938 | 0.025 | 1044579548 | 100.0 | 102.2 | M |

## QC Flag Legend

Processing Flags
NC - Not Calibrated
Review Flags
M - Manually Integrated

## Reagents:


IC LCS_01878 Amount Added: 10.00 Units: mL

Report Date: 01-Jun-2022 13:29:52 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-104052.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 10:24:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | ccv | | | Worklist Smp#: | 87 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-104

Injection Date: 01-Jun-2022 10:24:00 Instrument ID: WC_IonChrom13

Lims ID: ccv

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 87

Injection Vol: 5.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 9.96
Area: 1048207051
Amount: 102.5784
Amount Units: ug/ml




Manual Integration Results

RT: 9.96
Area: 1044579548
Amount: 102.2244
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:54:40

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

Eurofins Denver
Target Compound Quantitation Report

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-105
Lims ID: ccb
Client ID:
Sample Type: CCB
Inject. Date: 01-Jun-2022 10:40:00 ALS Bottle#: 0 Worklist Smp#: 88
Injection Vol: 5.0 ul Dil. Factor: 1.0000
Sample Info: 280-0111462-088
Misc. Info.: 280-0111462-088
Operator ID: wetchemd Instrument ID: WC_IonChrom13

Method: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Anions-IC13.m
Limit Group: Wet - Anions 28D
Last Update: 01-Jun-2022 13:29:52 Calib Date: 16-May-2022 18:54:00
Integrator: Falcon
Quant Method: External Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220516-111056.b\Info 2_DENPC584_Anions_20220516-191

Column 1 : Det: 0005
Process Host: CTX1653

First Level Reviewer: foxr Date: 01-Jun-2022 11:55:03

| Compound | RT (min.) | Exp RT (min.) | Dlt RT (min.) | Response | Cal Amt ug/ml | OnCol Amt ug/ml | Flags |
|---|---|---|---|---|---|---|---|
| 1 Fluoride | | 3.042 | | | | ND | |
| 2 Chloride | 4.305 | 4.325 | -0.020 | 50346 | | 0.2139 | M |
| 3 Nitrite as N | | 5.077 | | | | ND | |
| 4 Bromide | | 6.447 | | | | ND | U |
| 5 Nitrate as N | | 7.295 | | | | ND | |
| 7 Orthophosphate as P | | 8.857 | | | | ND | |
| 6 Sulfate | 10.060 | 9.938 | 0.122 | 2317731 | | 0.5260 | M |

## QC Flag Legend


Processing Flags
Review Flags
M - Manually Integrated
U - Marked Undetected

Report Date: 01-Jun-2022 13:29:52 Chrom Revision: 2.3 26-May-2022 13:30:40

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-105650.d

| | | | | | |
|---|---|---|---|---|---|
| Injection Date: | 01-Jun-2022 10:40:00 | Instrument ID: | WC_IonChrom13 | Operator ID: | wetchemd |
| Lims ID: | ccb | | | Worklist Smp#: | 88 |
| Client ID: | | | | | |
| Injection Vol: | 5.0 ul | Dil. Factor: | 1.0000 | ALS Bottle#: | 0 |
| Method: | Anions-IC13 | Limit Group: | Wet - Anions 28D | | |



Manual Integration/User Assign Peak Report

Eurofins Denver

Data File: \\chromfs\Denver\ChromData\WC_IonChrom13\20220531-111462.b\Info 2_DENPC584_Anions_20220601-105

Injection Date: 01-Jun-2022 10:40:00 Instrument ID: WC_IonChrom13

Lims ID: ccb

Client ID:

Operator ID: wetchemd ALS Bottle#: 0 Worklist Smp#: 88

Injection Vol: 5.0 ul Dil. Factor: 1.0000

Method: Anions-IC13 Limit Group: Wet - Anions 28D


Column: Detector 0005

## 6 Sulfate, CAS: 14808-79-8

Signal: 1


Processing Integration Results

RT: 10.06
Area: 3397975
Amount: 0.631403
Amount Units: ug/ml




Manual Integration Results

RT: 10.06
Area: 2317731
Amount: 0.525999
Amount Units: ug/ml




Reviewer: foxr, 01-Jun-2022 11:54:53

Audit Action: Manually Integrated Audit Reason: Baseline Smoothing

# FILTRATION Analysis Sheet

(To Accompany Samples to Instruments)

Batch Number: 280-576248

Analyst: Wondimu, Akewak B

Batch Open: 5/26/2022 8:41:00AM

Batch End:

06/06/2022

## Sample Filtration

| | Input Sample Lab ID (Analytical Method) | SDG (Job #) | Matrix | Initial Amount | Final Amount | Due Date | Analytical TAT | Dlv Rank | Comments | Output Sample Lab ID |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | LCS~280-576248/1 N/A | N/A | | | | N/A | N/A | N/A | | LCS 280-576248/1-A |
| 2 | MB~280-576248/2 N/A | N/A | | | | N/A | N/A | N/A | | MB 280-576248/2-A |
| 3 | 280-162386-D-1 (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-1-A |
| 4 | 280-162386-D-1~MS (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-1-B MS |
| 5 | 280-162386-D-1~MSD (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-1-C MSD |
| 6 | 280-162386-D-2 (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-2-A |
| 7 | 280-162386-D-3 (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-3-A |
| 8 | 280-162386-D-4 (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-4-A |
| 9 | 280-162386-D-5 (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-5-A |
| 10 | 280-162386-D-6 (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-6-A |
| 11 | 280-162386-D-7 (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-7-A |
| 12 | 280-162386-D-8 (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-8-A |
| 13 | 280-162386-D-9 (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-9-A |
| 14 | 280-162386-D-10 (9060A_Diss) | N/A (280-162386-1) | Water | | | 6/3/22 | 18_Days | 4 | | 280-162386-D-10-A |

# FILTRATION Analysis Sheet

(To Accompany Samples to Instruments)



Batch Number: 280-576248

Analyst: Wondimu, Akewak B

Batch Open: 5/26/2022 8:41:00AM

Batch End:

## Batch Notes

| | |
|---|---|
| Pipette/Syringe/Dispenser ID | 1272995 |
| Filter ID | R1MB55774-2036-DS |
| Nitric Acid ID | N/A |
| Batch Comment | DOC Filtration |

# FILTRATION Analysis Sheet

(To Accompany Samples to Instruments)

06/06/2022

Batch Number: 280-576248

Analyst: Wondimu, Akewak B

Batch Open: 5/26/2022 8:41:00AM

Batch End:

## Comments

| | | |
|---|---|---|
| 280-162386-D-1 | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-1~MS | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-1~MS | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-2 | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-3 | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-4 | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-5 | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-6 | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-7 | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-8 | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-9 | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |
| 280-162386-D-10 | Method Comments: | Q5Rev3.1-12212015_Std Var App_60day disposal |

# FILTRATION Analysis Sheet

(To Accompany Samples to Instruments)

06/06/2022

Batch Number: 280-576248

Analyst: Wondimu, Akewak B

Batch Open: 5/26/2022 8:41:00AM

Batch End:

## Reagent Additions Worksheet

| Lab ID | Reagent Code | Amount Added | Final Amount | By | Witness |
|---|---|---|---|---|---|
| | | | | | |

### Other Reagents:

| Reagent | Amount/Units | Lot#: |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |

| | Type | Analysis | Sample Name | Sample ID | ObjectID | Origin |
|---|---|---|---|---|---|---|
| 1 | Unknown | NPOC | ICV | | 0L-10900100866-10 | NPOC 2022.met |
| 2 | Unknown | NPOC | ICB | | 0L-10900100866-10 | NPOC 2022.met |
| 3 | Unknown | NPOC | LCS | | 0L-10900100866-10 | NPOC 2022.met |
| 4 | Unknown | NPOC | MB | | 0L-10900100866-10 | NPOC 2022.met |
| 5 | Unknown | NPOC | TIC | | 0L-10900100866-10 | NPOC 2022.met |
| 6 | Unknown | NPOC | 240-166903-s-1 | | 0L-10900100866-10 | NPOC 2022.met |
| 7 | Unknown | NPOC | MS 240-166903-s-1 | | 0L-10900100866-10 | NPOC 2022.met |
| 8 | Unknown | NPOC | MSD 240-166903-s-1 | | 0L-10900100866-10 | NPOC 2022.met |
| 9 | Unknown | NPOC | 240-166903-d-7 | | 0L-10900100866-10 | NPOC 2022.met |
| 10 | Unknown | NPOC | 240-166903-d-8 | | 0L-10900100866-10 | NPOC 2022.met |
| 11 | Unknown | NPOC | 240-166903-d-9 | | 0L-10900100866-10 | NPOC 2022.met |
| 12 | Unknown | NPOC | 240-166903-d-10 | | 0L-10900100866-10 | NPOC 2022.met |
| 13 | Unknown | NPOC | 280-162395-d-2 | | 0L-10900100866-10 | NPOC 2022.met |
| 14 | Unknown | NPOC | 280-162395-d-3 | | 0L-10900100866-10 | NPOC 2022.met |
| 15 | Unknown | NPOC | CCV | | 0L-10900100866-10 | NPOC 2022.met |
| 16 | Unknown | NPOC | CCB | | 0L-10900100866-10 | NPOC 2022.met |
| 17 | Unknown | NPOC | 280-162395-d-4 | | 0L-10900100866-10 | NPOC 2022.met |
| 18 | Unknown | NPOC | 280-162395-d-5 | | 0L-10900100866-10 | NPOC 2022.met |
| 19 | Unknown | NPOC | 280-162395-d-6 | | 0L-10900100866-10 | NPOC 2022.met |
| 20 | Unknown | NPOC | lcs 280-576248/1-a | | 0L-10900100866-10 | NPOC 2022.met |
| 21 | Unknown | NPOC | mb 280-576248/2-a | | 0L-10900100866-10 | NPOC 2022.met |
| 22 | Unknown | NPOC | 280-162386-d-1-a | | 0L-10900100866-10 | NPOC 2022.met |
| 23 | Unknown | NPOC | 280-162386-d-1-b ms | | 0L-10900100866-10 | NPOC 2022.met |
| 24 | Unknown | NPOC | 280-162386-d-1-c ms | | 0L-10900100866-10 | NPOC 2022.met |
| 25 | Unknown | NPOC | 280-162386-d-2-a | | 0L-10900100866-10 | NPOC 2022.met |
| 26 | Unknown | NPOC | 280-162386-d-3-a | | 0L-10900100866-10 | NPOC 2022.met |
| 27 | Unknown | NPOC | CCV | | 0L-10900100866-10 | NPOC 2022.met |
| 28 | Unknown | NPOC | CCB | | 0L-10900100866-10 | NPOC 2022.met |
| 29 | Unknown | NPOC | 280-162386-d-4-a | | 0L-10900100866-10 | NPOC 2022.met |
| 30 | Unknown | NPOC | 280-162386-d-5-a | | 0L-10900100866-10 | NPOC 2022.met |
| 31 | Unknown | NPOC | 280-162386-d-6-a | | 0L-10900100866-10 | NPOC 2022.met |
| 32 | Unknown | NPOC | 280-162386-d-7-a | | 0L-10900100866-10 | NPOC 2022.met |
| 33 | Unknown | NPOC | 280-162386-d-8-a | | 0L-10900100866-10 | NPOC 2022.met |
| 34 | Unknown | NPOC | 280-162386-d-9-a | | 0L-10900100866-10 | NPOC 2022.met |
| 35 | Unknown | NPOC | 280-162386-d-10-a | | 0L-10900100866-10 | NPOC 2022.met |
| 36 | Unknown | NPOC | 280-161875-B-3 | | 0L-10900100866-10 | NPOC 2022.met |
| 37 | Unknown | NPOC | MS 280-161875-B-3 | | 0L-10900100866-10 | NPOC 2022.met |
| 38 | Unknown | NPOC | MSD 280-161875-b-3 | | 0L-10900100866-10 | NPOC 2022.met |
| 39 | Unknown | NPOC | CCV | | 0L-10900100866-10 | NPOC 2022.met |
| 40 | Unknown | NPOC | CCB | | 0L-10900100866-10 | NPOC 2022.met |
| 41 | Unknown | NPOC | 280-161875-a-4 | | 0L-10900100866-10 | NPOC 2022.met |
| 42 | Unknown | NPOC | LCS | | 0L-10900100866-10 | NPOC 2022.met |
| 43 | Unknown | NPOC | LCSD | | 0L-10900100866-10 | NPOC 2022.met |
| 44 | Unknown | NPOC | MB | | 0L-10900100866-10 | NPOC 2022.met |
| 45 | Unknown | NPOC | TIC | | 0L-10900100866-10 | NPOC 2022.met |
| 46 | Unknown | NPOC | 280-162257-b-3 | | 0L-10900100866-10 | NPOC 2022.met |
| 47 | Unknown | NPOC | MS 280-162257-b-3 | | 0L-10900100866-10 | NPOC 2022.met |
| 48 | Unknown | NPOC | MSD 280-162257-b-3 | | 0L-10900100866-10 | NPOC 2022.met |
| 49 | Unknown | NPOC | 280-162257-b-4 | | 0L-10900100866-10 | NPOC 2022.met |
| 50 | Unknown | NPOC | 280-162257-b-8 | | 0L-10900100866-10 | NPOC 2022.met |
| 51 | Unknown | NPOC | CCV | | 0L-10900100866-10 | NPOC 2022.met |
| 52 | Unknown | NPOC | CCB | | 0L-10900100866-10 | NPOC 2022.met |
| 53 | Unknown | NPOC | 280-162257-b-5 | | 0L-10900100866-10 | NPOC 2022.met |

| | Manual Diluti | Result | Notes | Comment | Status | Action | Date / Time | Vial |
|---|---|---|---|---|---|---|---|---|
| 1 | 1.000 | NPOC:19.61mg/L | | | Completed | | 5/26/2022 4:50:23 P | 1 |
| 2 | 1.000 | NPOC:-0.03476mg/L | | | Completed | | 5/26/2022 5:06:42 P | 2 |
| 3 | 1.000 | NPOC:24.27mg/L | | | Completed | | 5/26/2022 5:21:12 P | 3 |
| 4 | 1.000 | NPOC:0.01308mg/L | | | Completed | | 5/26/2022 5:37:30 P | 4 |
| 5 | 1.000 | NPOC:0.06160mg/L | | | Completed | | 5/26/2022 5:51:47 P | 5 |
| 6 | 1.000 | NPOC:1.351mg/L | | | Completed | | 5/26/2022 6:10:10 P | 6 |
| 7 | 1.000 | NPOC:25.97mg/L | | | Completed | | 5/26/2022 6:26:31 P | 7 |
| 8 | 1.000 | NPOC:25.81mg/L | | | Completed | | 5/26/2022 6:40:56 P | 8 |
| 9 | 1.000 | NPOC:0.8126mg/L | | | Completed | | 5/26/2022 6:59:16 P | 9 |
| 10 | 1.000 | NPOC:0.6279mg/L | | | Completed | | 5/26/2022 7:15:27 P | 10 |
| 11 | 1.000 | NPOC:0.8769mg/L | | | Completed | | 5/26/2022 7:33:49 P | 11 |
| 12 | 1.000 | NPOC:0.8830mg/L | | | Completed | | 5/26/2022 7:50:17 P | 12 |
| 13 | 10.00 | NPOC:172.3mg/L | | | Completed | | 5/26/2022 8:04:25 P | 13 |
| 14 | 2.000 | NPOC:60.22mg/L | | | Completed | | 5/26/2022 8:18:46 P | 14 |
| 15 | 1.000 | NPOC:24.80mg/L | | | Completed | | 5/26/2022 8:37:24 P | 15 |
| 16 | 1.000 | NPOC:0.04310mg/L | | | Completed | | 5/26/2022 8:53:32 P | 16 |
| 17 | 5.000 | NPOC:127.7mg/L | | | Completed | | 5/26/2022 9:07:49 P | 17 |
| 18 | 2.000 | NPOC:46.02mg/L | | | Completed | | 5/26/2022 9:22:13 P | 18 |
| 19 | 5.000 | NPOC:161.2mg/L | | | Completed | | 5/26/2022 9:38:52 P | 19 |
| 20 | 1.000 | NPOC:25.08mg/L | | | Completed | | 5/26/2022 9:53:28 P | 20 |
| 21 | 1.000 | NPOC:0.1399mg/L | | | Completed | | 5/26/2022 10:07:42 P | 21 |
| 22 | 1.000 | NPOC:4.221mg/L | | | Completed | | 5/26/2022 10:21:55 P | 22 |
| 23 | 1.000 | NPOC:28.39mg/L | | | Completed | | 5/26/2022 10:40:43 P | 23 |
| 24 | 1.000 | NPOC:28.72mg/L | | | Completed | | 5/26/2022 10:54:54 P | 24 |
| 25 | 1.000 | NPOC:3.114mg/L | | | Completed | | 5/26/2022 11:11:09 P | 25 |
| 26 | 1.000 | NPOC:10.40mg/L | | | Completed | | 5/26/2022 11:27:30 P | 26 |
| 27 | 1.000 | NPOC:24.30mg/L | | | Completed | | 5/26/2022 11:46:13 P | 27 |
| 28 | 1.000 | NPOC:0.1118mg/L | | | Completed | | 5/27/2022 12:02:22 A | 28 |
| 29 | 1.000 | NPOC:3.861mg/L | | | Completed | | 5/27/2022 12:16:34 A | 29 |
| 30 | 1.000 | NPOC:2.905mg/L | | | Completed | | 5/27/2022 12:34:57 A | 30 |
| 31 | 1.000 | NPOC:16.94mg/L | | | Completed | | 5/27/2022 12:51:19 A | 31 |
| 32 | 1.000 | NPOC:7.759mg/L | | | Completed | | 5/27/2022 1:09:38 A | 32 |
| 33 | 1.000 | NPOC:3.380mg/L | | | Completed | | 5/27/2022 1:27:51 A | 33 |
| 34 | 1.000 | NPOC:8.580mg/L | | | Completed | | 5/27/2022 1:43:59 A | 34 |
| 35 | 1.000 | NPOC:5.987mg/L | | | Completed | | 5/27/2022 2:02:21 A | 35 |
| 36 | 10.00 | NPOC:251.2mg/L | | | Completed | | 5/27/2022 2:20:41 A | 36 |
| 37 | 10.00 | NPOC:495.2mg/L | | | Completed | | 5/27/2022 2:35:31 A | 37 |
| 38 | 10.00 | NPOC:492.9mg/L | | | Completed | | 5/27/2022 2:50:13 A | 38 |
| 39 | 1.000 | NPOC:24.48mg/L | | | Completed | | 5/27/2022 3:04:46 A | 39 |
| 40 | 1.000 | NPOC:0.01650mg/L | | | Completed | | 5/27/2022 3:21:14 A | 40 |
| 41 | 5.000 | NPOC:138.0mg/L | | | Completed | | 5/27/2022 3:35:41 A | 41 |
| 42 | 1.000 | NPOC:24.08mg/L | | | Completed | | 5/27/2022 3:50:01 A | 42 |
| 43 | 1.000 | NPOC:24.04mg/L | | | Completed | | 5/27/2022 4:04:17 A | 43 |
| 44 | 1.000 | NPOC:0.06617mg/L | | | Completed | | 5/27/2022 4:18:31 A | 44 |
| 45 | 1.000 | NPOC:0.07639mg/L | | | Completed | | 5/27/2022 4:32:51 A | 45 |
| 46 | 1.000 | NPOC:2.166mg/L | | | Completed | | 5/27/2022 4:49:12 A | 46 |
| 47 | 1.000 | NPOC:26.66mg/L | | | Completed | | 5/27/2022 5:03:42 A | 47 |
| 48 | 1.000 | NPOC:26.32mg/L | | | Completed | | 5/27/2022 5:18:04 A | 48 |
| 49 | 1.000 | NPOC:1.162mg/L | | | Completed | | 5/27/2022 5:32:18 A | 49 |
| 50 | 1.000 | NPOC:2.186mg/L | | | Completed | | 5/27/2022 5:48:34 A | 50 |
| 51 | 1.000 | NPOC:24.34mg/L | | | Completed | | 5/27/2022 6:02:58 A | 51 |
| 52 | 1.000 | NPOC:0.03330mg/L | | | Completed | | 5/27/2022 6:17:12 A | 52 |
| 53 | 1.000 | NPOC:0.6438mg/L | | | Completed | | 5/27/2022 6:33:27 A | 53 |

| | Type | Analysis | Sample Name | Sample ID | ObjectID | Origin |
|---|---|---|---|---|---|---|
| 54 | Unknown | NPOC | 280-162213-f-1 | | 0L-10900100866-10 | NPOC 2022.met |
| 55 | Unknown | NPOC | 280-162213-f-2 | | 0L-10900100866-10 | NPOC 2022.met |
| 56 | Unknown | NPOC | 280-162252-l-4 | | 0L-10900100866-10 | NPOC 2022.met |
| 57 | Unknown | NPOC | 280-162252-l-5 | | 0L-10900100866-10 | NPOC 2022.met |
| 58 | Unknown | NPOC | 280-162463-b-6 | | 0L-10900100866-10 | NPOC 2022.met |
| 59 | Unknown | NPOC | 280-162463-b-7 | | 0L-10900100866-10 | NPOC 2022.met |
| 60 | Unknown | NPOC | 280-162463-b-8 | | 0L-10900100866-10 | NPOC 2022.met |
| 61 | Unknown | NPOC | MS 280-162463-b-8 | | 0L-10900100866-10 | NPOC 2022.met |
| 62 | Unknown | NPOC | MSD 280-162463-b-8 | | 0L-10900100866-10 | NPOC 2022.met |
| 63 | Unknown | NPOC | CCV | | 0L-10900100866-10 | NPOC 2022.met |
| 64 | Unknown | NPOC | CCB | | 0L-10900100866-10 | NPOC 2022.met |
| 65 | Unknown | NPOC | 280-162463-b-9 | | 0L-10900100866-10 | NPOC 2022.met |
| 66 | Unknown | NPOC | 280-162463-b-10 | | 0L-10900100866-10 | NPOC 2022.met |
| 67 | Unknown | NPOC | 280-162318-b-3 | | 0L-10900100866-10 | NPOC 2022.met |
| 68 | Unknown | NPOC | 280-162478-a-1 | | 0L-10900100866-10 | NPOC 2022.met |
| 69 | Unknown | NPOC | 280-162478-a-2 | | 0L-10900100866-10 | NPOC 2022.met |
| 70 | Unknown | NPOC | 280-162478-a-3 | | 0L-10900100866-10 | NPOC 2022.met |
| 71 | Unknown | NPOC | 280-162377-b-2 | | 0L-10900100866-10 | NPOC 2022.met |
| 72 | Unknown | NPOC | 280-162377-b-3 | | 0L-10900100866-10 | NPOC 2022.met |
| 73 | Unknown | NPOC | 280-162377-b-4 | | 0L-10900100866-10 | NPOC 2022.met |
| 74 | Unknown | NPOC | CCV | | 0L-10900100866-10 | NPOC 2022.met |
| 75 | Unknown | NPOC | CCB | | 0L-10900100866-10 | NPOC 2022.met |

| | Manual Diluti | Result | Notes | Comment | Status | Action | Date / Time | Vial |
|---|---|---|---|---|---|---|---|---|
| 54 | 10.00 | NPOC:164.3mg/L | | | Completed | | 5/27/2022 6:47:54 A | 54 |
| 55 | 10.00 | NPOC:264.5mg/L | | | Completed | | 5/27/2022 7:02:07 A | 55 |
| 56 | 1.000 | NPOC:2.196mg/L | | | Completed | | 5/27/2022 7:20:31 A | 56 |
| 57 | 1.000 | NPOC:3.813mg/L | | | Completed | | 5/27/2022 7:36:40 A | 57 |
| 58 | 1.000 | NPOC:2.171mg/L | | | Completed | | 5/27/2022 7:54:59 A | 58 |
| 59 | 1.000 | NPOC:4.440mg/L | | | Completed | | 5/27/2022 8:09:07 A | 59 |
| 60 | 1.000 | NPOC:15.29mg/L | | | Completed | | 5/27/2022 8:23:43 A | 60 |
| 61 | 1.000 | NPOC:39.51mg/L | | | Completed | | 5/27/2022 8:38:08 A | 61 |
| 62 | 1.000 | NPOC:39.54mg/L | | | Completed | | 5/27/2022 8:52:39 A | 62 |
| 63 | 1.000 | NPOC:24.63mg/L | | | Completed | | 5/27/2022 9:07:16 A | 63 |
| 64 | 1.000 | NPOC:0.06764mg/L | | | Completed | | 5/27/2022 9:21:32 A | 64 |
| 65 | 1.000 | NPOC:1.010mg/L | | | Completed | | 5/27/2022 9:40:00 A | 65 |
| 66 | 1.000 | NPOC:0.9912mg/L | | | Completed | | 5/27/2022 9:54:08 A | 66 |
| 67 | 1.000 | NPOC:3.153mg/L | | | Completed | | 5/27/2022 10:12:28 A | 67 |
| 68 | 1.000 | NPOC:4.678mg/L | | | Completed | | 5/27/2022 10:26:33 A | 68 |
| 69 | 1.000 | NPOC:3.725mg/L | | | Completed | | 5/27/2022 10:40:43 A | 69 |
| 70 | 1.000 | NPOC:4.730mg/L | | | Completed | | 5/27/2022 10:54:57 A | 70 |
| 71 | 1.000 | NPOC:0.5027mg/L | | | Completed | | 5/27/2022 11:11:39 A | 71 |
| 72 | 1.000 | NPOC:2.978mg/L | | | Completed | | 5/27/2022 11:30:02 A | 72 |
| 73 | 1.000 | NPOC:2.793mg/L | | | Completed | | 5/27/2022 11:44:50 A | 73 |
| 74 | 1.000 | NPOC:24.62mg/L | | | Completed | | 5/27/2022 11:59:10 A | 74 |
| 75 | 1.000 | NPOC:0.05785mg/L | | | Completed | | 5/27/2022 12:15:29 P | 75 |

TOC-L Cal Curve Information
C:\TOC-L\CalCurves\NPOC11.2021 12 10 10 59 55.cal

Date of Creation 12/10/2021 12:12:13 PM
User
System TOC-LCSN

**Cal. Curve**

Sample Name:
Sample ID:
Object ID 0L-10900100866-10101000-134660A19CE8-0000
Cal. Curve: NPOC11.cal
Status Completed
Comment:

| Type | Anal. |
|---|---|
| Standard | NPOC |

Conc: 0.000mg/L

| No. | Area | Inj. Vol. | Aut. Dil. | Rem. | Ex. | Date / Time |
|---|---|---|---|---|---|---|
| 1 | 1.124 | 50uL | 1.000 | ******* | E | 12/10/2021 11:07:14 AM |
| 2 | 0.07080 | 50uL | 1.000 | ******* | | 12/10/2021 11:09:24 AM |
| 3 | 0.4293 | 50uL | 1.000 | ******* | | 12/10/2021 11:11:29 AM |

Acid Add. 1.500%
Sparge Gas Flow 80mL/min
Sp. Time 90.00sec
Mean Area 0.2500
SD Area 0.2535
CV Area 101.38%
Vial 0
No Washes 2

Conc: 1.000mg/L

| No. | Area | Inj. Vol. | Aut. Dil. | Rem. | Ex. | Date / Time |
|---|---|---|---|---|---|---|
| 1 | 1.772 | 50uL | 50.00 | ******* | E | 12/10/2021 11:18:47 AM |
| 2 | 1.476 | 50uL | 50.00 | ******* | | 12/10/2021 11:21:04 AM |
| 3 | 1.561 | 50uL | 50.00 | ******* | | 12/10/2021 11:23:09 AM |

Acid Add. 1.500%
Sparge Gas Flow 80mL/min
Sp. Time 90.00sec
Mean Area 1.519
SD Area 0.06010
CV Area 3.96%
Vial 0
No Washes 2

Conc: 5.000mg/L

| No. | Area | Inj. Vol. | Aut. Dil. | Rem. | Ex. | Date / Time |
|---|---|---|---|---|---|---|
| 1 | 11.35 | 50uL | 10.00 | ******* | E | 12/10/2021 11:31:48 AM |
| 2 | 10.56 | 50uL | 10.00 | ******* | | 12/10/2021 11:33:58 AM |
| 3 | 10.74 | 50uL | 10.00 | ******* | | 12/10/2021 11:36:03 AM |

Acid Add. 1.500%
Sparge Gas Flow 80mL/min
Sp. Time 90.00sec
Mean Area 10.65
SD Area 0.1273
CV Area 1.20%
Vial 0
No Washes 2

Conc: 10.00mg/L

| No. | Area | Inj. Vol. | Aut. Dil. | Rem. | Ex. | Date / Time |
|---|---|---|---|---|---|---|
| 1 | 22.70 | 50uL | 5.000 | T****** | E | 12/10/2021 11:46:23 AM |
| 2 | 21.02 | 50uL | 5.000 | ******* | | 12/10/2021 11:48:35 AM |
| 3 | 20.72 | 50uL | 5.000 | ******* | | 12/10/2021 11:50:40 AM |

| | |
|---|---|
| Acid Add. | 1.500% |
| Sparge Gas Flow | 80mL/min |
| Sp. Time | 90.00sec |
| Mean Area | 20.87 |
| SD Area | 0.2121 |
| CV Area | 1.02% |
| Vial | 0 |
| No Washes | 2 |

Conc: 25.00mg/L

| No. | Area | Inj. Vol. | Aut. Dil. | Rem. | Ex. | Date / Time |
|---|---|---|---|---|---|---|
| 1 | 54.14 | 50uL | 2.000 | ******* | E | 12/10/2021 11:58:45 AM |
| 2 | 51.98 | 50uL | 2.000 | ******* | | 12/10/2021 12:00:55 PM |
| 3 | 51.22 | 50uL | 2.000 | ******* | | 12/10/2021 12:03:00 PM |


| | |
|---|---|
| Acid Add. | 1.500% |
| Sparge Gas Flow | 80mL/min |
| Sp. Time | 90.00sec |
| Mean Area | 51.60 |
| SD Area | 0.5374 |
| CV Area | 1.04% |
| Vial | 0 |
| No Washes | 2 |

Conc: 50.00mg/L

| No. | Area | Inj. Vol. | Aut. Dil. | Rem. | Ex. | Date / Time |
|---|---|---|---|---|---|---|
| 1 | 105.5 | 50uL | 1.000 | ******* | | 12/10/2021 12:10:02 PM |
| 2 | 104.3 | 50uL | 1.000 | ******* | | 12/10/2021 12:12:13 PM |

| | |
|---|---|
| Acid Add. | 1.500% |
| Sparge Gas Flow | 80mL/min |
| Sp. Time | 90.00sec |
| Mean Area | 104.9 |
| SD Area | 0.8485 |
| CV Area | 0.81% |
| Vial | 0 |
| No Washes | 2 |

| | |
|---|---|
| Slope: | 2.095 |
| Intercept | -0.1477 |
| r^2 | 0.9999 |
| r | 0.9999 |
| RSE(%) | N/A |
| Zero Shift | No |



# TOC-Control L Report

kjgk
2022_05_26_001.tlx

**Instr.Information**

Instrument Options TOC/ASI/
Catalyst Regular Sensitivity

**Sample**

Sample Name: ICV
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:19.61mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 41.11 | 19.86mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 4:43:56 PM |
| 2 | 40.91 | 19.76mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 4:46:04 PM |
| 3 | 40.88 | 19.75mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 4:48:10 PM |
| 4 | 39.54 | 19.10mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 4:50:23 PM |

Mean Area 40.61
Mean Conc. 19.61mg/L




**Sample**

Sample Name: ICB
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:-0.03476mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.09360 | -0.00077mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 4:58:17 PM |
| 2 | 0.2559 | 0.07780mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:00:27 PM |
| 3 | 0.000 | -0.04609mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:02:32 PM |
| 4 | 0.000 | -0.04609mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:04:37 PM |
| 5 | 0.000 | -0.04609mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:06:42 PM |

Mean Area 0.02340
Mean Conc. -0.03476mg/L




**Sample**

Sample Name: LCS
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:24.27mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 50.41 | 24.36mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:14:39 PM |
| 2 | 50.48 | 24.39mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:16:50 PM |
| 3 | 50.75 | 24.52mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:18:59 PM |
| 4 | 49.23 | 23.79mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:21:12 PM |

Mean Area 50.22
Mean Conc. 24.27mg/L




**Sample**

Sample Name: MB
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.01308mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 1.308 | 0.5872mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:29:06 PM |
| 2 | 0.1096 | 0.00698mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:31:15 PM |
| 3 | 0.1541 | 0.02852mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:33:20 PM |
| 4 | 0.2251 | 0.06289mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:35:25 PM |
| 5 | 0.000 | -0.04609mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:37:30 PM |

Mean Area 0.1222
Mean Conc. 0.01308mg/L




**Sample**

Sample Name: TIC
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.06160mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.2491 | 0.07451mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:45:23 PM |
| 2 | 0.1766 | 0.03941mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:47:33 PM |
| 3 | 0.2330 | 0.06672mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:49:42 PM |
| 4 | 0.2310 | 0.06575mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:51:47 PM |

Mean Area 0.2224
Mean Conc. 0.06160mg/L




**Sample**

Sample Name: 240-166903-s-1
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:1.351mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 3.277 | 1.540mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 5:59:41 PM |
| 2 | 3.110 | 1.460mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:01:50 PM |
| 3 | 2.967 | 1.390mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:03:55 PM |
| 4 | 2.864 | 1.340mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:06:00 PM |
| 5 | 2.829 | 1.324mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:08:05 PM |
| 6 | 2.886 | 1.351mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:10:10 PM |

Mean Area 2.886
Mean Conc. 1.351mg/L




**Sample**

Sample Name: MS 240-166903-s-1
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:25.97mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 54.27 | 26.23mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:18:01 PM |
| 2 | 53.79 | 26.00mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:20:10 PM |
| 3 | 54.29 | 26.24mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:22:21 PM |
| 4 | 51.98 | 25.12mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:24:26 PM |
| 5 | 52.56 | 25.40mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:26:31 PM |

Mean Area 53.73
Mean Conc. 25.97mg/L




**Sample**

Sample Name: MSD 240-166903-s-1
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:25.81mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 53.82 | 26.01mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:34:24 PM |
| 2 | 53.83 | 26.01mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:36:46 PM |
| 3 | 53.94 | 26.07mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:38:51 PM |
| 4 | 52.04 | 25.15mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:40:56 PM |

Mean Area 53.41
Mean Conc. 25.81mg/L




**Sample**

Sample Name: 240-166903-d-7
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.8126mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 2.090 | 0.9658mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:48:50 PM |
| 2 | 1.888 | 0.8680mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:50:55 PM |
| 3 | 1.764 | 0.8079mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:53:01 PM |
| 4 | 1.696 | 0.7750mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:55:06 PM |
| 5 | 1.513 | 0.6864mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:57:11 PM |
| 6 | 1.747 | 0.7997mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 6:59:16 PM |

Mean Area 1.774
Mean Conc. 0.8126mg/L




**Sample**

Sample Name: 240-166903-d-8
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.6279mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 1.636 | 0.7460mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:07:03 PM |
| 2 | 1.522 | 0.6908mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:09:12 PM |
| 3 | 1.339 | 0.6022mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:11:17 PM |
| 4 | 1.337 | 0.6012mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:13:22 PM |
| 5 | 1.371 | 0.6177mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:15:27 PM |

Mean Area 1.392
Mean Conc. 0.6279mg/L




**Sample**

Sample Name: 240-166903-d-9
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.8769mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 2.348 | 1.091mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:23:20 PM |
| 2 | 2.021 | 0.9323mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:25:29 PM |
| 3 | 1.913 | 0.8801mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:27:34 PM |
| 4 | 1.819 | 0.8346mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:29:39 PM |
| 5 | 2.526 | 1.177mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:31:44 PM |
| 6 | 1.873 | 0.8607mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:33:49 PM |

Mean Area 1.907
Mean Conc. 0.8769mg/L



**Sample**

Sample Name: 240-166903-d-10
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.8830mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 2.174 | 1.006mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:41:37 PM |
| 2 | 1.899 | 0.8733mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:43:42 PM |
| 3 | 1.858 | 0.8534mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:46:06 PM |
| 4 | 1.963 | 0.9043mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:48:12 PM |
| 5 | 1.956 | 0.9009mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:50:17 PM |

Mean Area 1.919
Mean Conc. 0.8830mg/L




**Sample**

Sample Name: 280-162395-d-2
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 10.00 | NPOC:172.3mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 35.89 | 173.3mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 7:58:10 PM |
| 2 | 35.81 | 172.9mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:00:15 PM |
| 3 | 36.02 | 173.9mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:02:20 PM |
| 4 | 35.05 | 169.2mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:04:25 PM |

Mean Area 35.69
Mean Conc. 172.3mg/L



**Sample**

Sample Name: 280-162395-d-3
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 2.000 | NPOC:60.22mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 62.88 | 60.79mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:12:21 PM |
| 2 | 63.02 | 60.93mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:14:32 PM |
| 3 | 62.44 | 60.37mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:16:37 PM |
| 4 | 60.82 | 58.80mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:18:46 PM |

Mean Area 62.29
Mean Conc. 60.22mg/L




**Sample**

Sample Name: CCV
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:24.80mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 52.02 | 25.14mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:26:44 PM |
| 2 | 51.79 | 25.03mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:28:56 PM |
| 3 | 51.37 | 24.82mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:31:04 PM |
| 4 | 49.46 | 23.90mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:33:09 PM |
| 5 | 49.41 | 23.87mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:35:17 PM |
| 6 | 50.07 | 24.19mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:37:24 PM |

Mean Area 51.31
Mean Conc. 24.80mg/L




**Sample**

Sample Name: CCB
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.04310mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.3993 | 0.1472mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:45:12 PM |
| 2 | 0.1983 | 0.04992mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:47:17 PM |
| 3 | 0.1739 | 0.03811mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:49:22 PM |
| 4 | 0.2239 | 0.06231mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:51:27 PM |
| 5 | 0.1408 | 0.02208mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 8:53:32 PM |

Mean Area 0.1842
Mean Conc. 0.04310mg/L




**Sample**

Sample Name: 280-162395-d-4
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 5.000 | NPOC:127.7mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 52.82 | 127.6mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:01:29 PM |
| 2 | 53.32 | 128.8mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:03:34 PM |
| 3 | 53.38 | 129.0mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:05:44 PM |
| 4 | 51.94 | 125.5mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:07:49 PM |

Mean Area 52.87
Mean Conc. 127.7mg/L




**Sample**

Sample Name: 280-162395-d-5
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 2.000 | NPOC:46.02mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 47.62 | 46.02mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:15:43 PM |
| 2 | 48.08 | 46.46mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:17:48 PM |
| 3 | 48.20 | 46.58mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:20:02 PM |
| 4 | 46.60 | 45.03mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:22:13 PM |

Mean Area 47.63
Mean Conc. 46.02mg/L




**Sample**

Sample Name: 280-162395-d-6
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 5.000 | NPOC:161.2mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 67.98 | 164.3mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:30:11 PM |
| 2 | 67.04 | 162.1mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:32:21 PM |
| 3 | 66.77 | 161.4mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:34:30 PM |
| 4 | 64.43 | 155.7mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:36:35 PM |
| 5 | 64.92 | 156.9mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:38:52 PM |

Mean Area 66.68
Mean Conc. 161.2mg/L




**Sample**

Sample Name: lcs 280-576248/1-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:25.08mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 52.15 | 25.20mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:46:45 PM |
| 2 | 52.63 | 25.43mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:49:00 PM |
| 3 | 52.00 | 25.13mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:51:15 PM |
| 4 | 50.79 | 24.54mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 9:53:28 PM |

Mean Area 51.89
Mean Conc. 25.08mg/L




**Sample**

Sample Name: mb 280-576248/2-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.1399mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.4536 | 0.1735mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:01:22 PM |
| 2 | 0.3730 | 0.1345mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:03:31 PM |
| 3 | 0.3265 | 0.1120mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:05:37 PM |
| 4 | 0.3835 | 0.1396mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:07:42 PM |

Mean Area 0.3841
Mean Conc. 0.1399mg/L




**Sample**

Sample Name: 280-162386-d-1-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:4.221mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 8.901 | 4.263mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:15:36 PM |
| 2 | 8.793 | 4.211mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:17:45 PM |
| 3 | 8.917 | 4.271mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:19:49 PM |
| 4 | 8.643 | 4.138mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:21:55 PM |

Mean Area 8.814
Mean Conc. 4.221mg/L




**Sample**

Sample Name: 280-162386-d-1-b ms
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:28.39mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 60.39 | 29.19mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:29:48 PM |
| 2 | 61.50 | 29.73mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:31:54 PM |
| 3 | 59.90 | 28.95mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:34:20 PM |
| 4 | 57.89 | 27.98mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:36:29 PM |
| 5 | 58.37 | 28.21mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:38:38 PM |
| 6 | 58.81 | 28.43mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:40:43 PM |

Mean Area 58.74
Mean Conc. 28.39mg/L




**Sample**

Sample Name: 280-162386-d-1-c msd
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:28.72mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 59.98 | 28.99mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:48:32 PM |
| 2 | 59.84 | 28.92mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:50:36 PM |
| 3 | 59.82 | 28.91mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:52:48 PM |
| 4 | 58.04 | 28.05mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 10:54:54 PM |

Mean Area 59.42
Mean Conc. 28.72mg/L




**Sample**

Sample Name: 280-162386-d-2-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:3.114mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 6.642 | 3.170mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:02:48 PM |
| 2 | 6.613 | 3.155mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:04:53 PM |
| 3 | 6.442 | 3.073mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:06:58 PM |
| 4 | 6.207 | 2.959mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:09:04 PM |
| 5 | 6.409 | 3.057mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:11:09 PM |

Mean Area 6.527
Mean Conc. 3.114mg/L




**Sample**

Sample Name: 280-162386-d-3-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:10.40mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 23.46 | 11.31mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:19:03 PM |
| 2 | 22.12 | 10.66mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:21:11 PM |
| 3 | 21.58 | 10.40mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:23:19 PM |
| 4 | 21.34 | 10.29mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:25:25 PM |
| 5 | 21.23 | 10.23mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:27:30 PM |

Mean Area 21.57
Mean Conc. 10.40mg/L




**Sample**

Sample Name: CCV
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:24.30mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 55.43 | 26.79mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:35:25 PM |
| 2 | 52.84 | 25.54mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:37:42 PM |
| 3 | 51.05 | 24.67mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:39:54 PM |
| 4 | 50.13 | 24.22mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:41:59 PM |
| 5 | 49.79 | 24.06mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:44:04 PM |
| 6 | 50.18 | 24.25mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:46:13 PM |

Mean Area 50.29
Mean Conc. 24.30mg/L




**Sample**

Sample Name: CCB
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.1118mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.7179 | 0.3015mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:54:02 PM |
| 2 | 0.3742 | 0.1351mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:56:07 PM |
| 3 | 0.2894 | 0.09402mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/26/2022 11:58:12 PM |
| 4 | 0.3535 | 0.1251mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:00:17 AM |
| 5 | 0.2877 | 0.09320mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:02:22 AM |

Mean Area 0.3262
Mean Conc. 0.1118mg/L




**Sample**

Sample Name: 280-162386-d-4-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:3.861mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 8.138 | 3.894mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:10:15 AM |
| 2 | 8.050 | 3.851mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:12:24 AM |
| 3 | 8.164 | 3.906mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:14:29 AM |
| 4 | 7.929 | 3.793mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:16:34 AM |

Mean Area 8.070
Mean Conc. 3.861mg/L




**Sample**

Sample Name: 280-162386-d-5-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:2.905mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 7.125 | 3.403mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:24:28 AM |
| 2 | 6.519 | 3.110mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:26:33 AM |
| 3 | 6.243 | 2.976mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:28:38 AM |
| 4 | 6.117 | 2.915mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:30:43 AM |
| 5 | 5.892 | 2.806mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:32:52 AM |
| 6 | 6.131 | 2.922mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:34:57 AM |

Mean Area 6.096
Mean Conc. 2.905mg/L



**Sample**

Sample Name: 280-162386-d-6-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:16.94mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 37.40 | 18.06mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:42:55 AM |
| 2 | 35.79 | 17.28mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:45:03 AM |
| 3 | 34.97 | 16.88mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:47:08 AM |
| 4 | 34.86 | 16.83mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:49:13 AM |
| 5 | 34.69 | 16.75mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:51:19 AM |

Mean Area 35.08
Mean Conc. 16.94mg/L




**Sample**

Sample Name: 280-162386-d-7-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:7.759mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 19.20 | 9.249mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:59:12 AM |
| 2 | 17.15 | 8.257mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:01:18 AM |
| 3 | 16.34 | 7.865mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:03:23 AM |
| 4 | 16.24 | 7.816mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:05:28 AM |
| 5 | 15.87 | 7.637mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:07:33 AM |
| 6 | 16.04 | 7.719mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:09:38 AM |

Mean Area 16.12
Mean Conc. 7.759mg/L



**Sample**

Sample Name: 280-162386-d-8-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:3.380mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 8.990 | 4.306mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:17:26 AM |
| 2 | 7.353 | 3.514mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:19:31 AM |
| 3 | 7.049 | 3.367mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:21:36 AM |
| 4 | 7.330 | 3.503mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:23:41 AM |
| 5 | 6.914 | 3.301mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:25:46 AM |
| 6 | 7.017 | 3.351mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:27:51 AM |

Mean Area 7.078
Mean Conc. 3.380mg/L




**Sample**

Sample Name: 280-162386-d-9-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:8.580mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 19.06 | 9.181mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:35:39 AM |
| 2 | 18.17 | 8.751mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:37:44 AM |
| 3 | 17.95 | 8.644mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:39:49 AM |
| 4 | 17.53 | 8.441mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:41:54 AM |
| 5 | 17.62 | 8.484mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:43:59 AM |

Mean Area 17.82
Mean Conc. 8.580mg/L




**Sample**

Sample Name: 280-162386-d-10-a
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:5.987mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 15.65 | 7.531mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:51:52 AM |
| 2 | 13.68 | 6.577mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:54:01 AM |
| 3 | 12.74 | 6.122mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:56:06 AM |
| 4 | 12.23 | 5.875mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 1:58:11 AM |
| 5 | 12.42 | 5.967mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:00:16 AM |
| 6 | 12.46 | 5.986mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:02:21 AM |

Mean Area 12.46
Mean Conc. 5.987mg/L




**Sample**

Sample Name: 280-161875-B-3
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 10.00 | NPOC:251.2mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 52.74 | 254.9mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:10:09 AM |
| 2 | 52.33 | 252.9mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:12:14 AM |
| 3 | 51.99 | 251.2mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:14:22 AM |
| 4 | 50.13 | 242.2mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:16:27 AM |
| 5 | 50.29 | 243.0mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:18:32 AM |
| 6 | 50.89 | 245.9mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:20:41 AM |

Mean Area 51.99
Mean Conc. 251.2mg/L




**Sample**

Sample Name: MS 280-161875-B-3
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 10.00 | NPOC:495.2mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 102.6 | 496.3mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:28:44 AM |
| 2 | 103.9 | 502.6mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:30:57 AM |
| 3 | 102.8 | 497.2mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:33:14 AM |
| 4 | 100.2 | 484.6mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:35:31 AM |

Mean Area 102.4
Mean Conc. 495.2mg/L




**Sample**

Sample Name: MSD 280-161875-b-3
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 10.00 | NPOC:492.9mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 101.8 | 492.4mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:43:36 AM |
| 2 | 103.0 | 498.2mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:45:50 AM |
| 3 | 102.5 | 495.8mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:48:01 AM |
| 4 | 100.3 | 485.1mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:50:13 AM |

Mean Area 101.9
Mean Conc. 492.9mg/L




**Sample**

Sample Name: CCV
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:24.48mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 50.71 | 24.50mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 2:58:13 AM |
| 2 | 51.37 | 24.82mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:00:28 AM |
| 3 | 50.69 | 24.49mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:02:37 AM |
| 4 | 49.89 | 24.11mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:04:46 AM |

Mean Area 50.67
Mean Conc. 24.48mg/L




**Sample**

Sample Name: CCB
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.01650mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.7905 | 0.3366mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:12:49 AM |
| 2 | 0.1506 | 0.02683mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:14:58 AM |
| 3 | 0.1689 | 0.03568mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:17:03 AM |
| 4 | 0.1976 | 0.04958mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:19:09 AM |
| 5 | 0.000 | -0.04609mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:21:14 AM |

Mean Area 0.1293
Mean Conc. 0.01650mg/L




**Sample**

Sample Name: 280-161875-a-4
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 5.000 | NPOC:138.0mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 56.98 | 137.7mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:29:07 AM |
| 2 | 57.36 | 138.6mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:31:12 AM |
| 3 | 57.52 | 139.0mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:33:36 AM |
| 4 | 56.53 | 136.6mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:35:41 AM |

Mean Area 57.10
Mean Conc. 138.0mg/L




**Sample**

Sample Name: LCS
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:24.08mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 50.22 | 24.27mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:43:40 AM |
| 2 | 50.57 | 24.44mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:45:50 AM |
| 3 | 49.74 | 24.03mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:47:56 AM |
| 4 | 48.82 | 23.59mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:50:01 AM |

Mean Area 49.84
Mean Conc. 24.08mg/L




**Sample**

Sample Name: LCSD
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:24.04mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 49.85 | 24.09mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 3:57:56 AM |
| 2 | 50.37 | 24.34mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:00:03 AM |
| 3 | 49.83 | 24.08mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:02:11 AM |
| 4 | 48.99 | 23.67mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:04:17 AM |

Mean Area 49.76
Mean Conc. 24.04mg/L




**Sample**

Sample Name: MB
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.06617mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.2151 | 0.05805mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:12:12 AM |
| 2 | 0.2952 | 0.09683mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:14:21 AM |
| 3 | 0.2627 | 0.08110mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:16:26 AM |
| 4 | 0.1545 | 0.02871mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:18:31 AM |

Mean Area 0.2319
Mean Conc. 0.06617mg/L




**Sample**

Sample Name: TIC
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.07639mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.3157 | 0.1068mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:26:26 AM |
| 2 | 0.2444 | 0.07224mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:28:31 AM |
| 3 | 0.2798 | 0.08937mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:30:40 AM |
| 4 | 0.1720 | 0.03719mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:32:51 AM |

Mean Area 0.2530
Mean Conc. 0.07639mg/L




**Sample**

Sample Name: 280-162257-b-3
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:2.166mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 4.849 | 2.301mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:40:46 AM |
| 2 | 4.616 | 2.189mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:42:51 AM |
| 3 | 4.589 | 2.176mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:44:59 AM |
| 4 | 4.559 | 2.161mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:47:04 AM |
| 5 | 4.516 | 2.140mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:49:12 AM |

Mean Area 4.570
Mean Conc. 2.166mg/L




**Sample**

Sample Name: MS 280-162257-b-3
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:26.66mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 55.45 | 26.80mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:57:14 AM |
| 2 | 55.85 | 26.99mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 4:59:27 AM |
| 3 | 55.56 | 26.85mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:01:35 AM |
| 4 | 53.83 | 26.01mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:03:42 AM |

Mean Area 55.17
Mean Conc. 26.66mg/L




**Sample**

Sample Name: MSD 280-162257-b-3
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:26.32mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 54.92 | 26.54mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:11:37 AM |
| 2 | 55.06 | 26.61mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:13:50 AM |
| 3 | 54.64 | 26.41mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:15:55 AM |
| 4 | 53.20 | 25.71mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:18:04 AM |

Mean Area 54.45
Mean Conc. 26.32mg/L




**Sample**

Sample Name: 280-162257-b-4
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:1.162mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 2.520 | 1.174mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:25:59 AM |
| 2 | 2.485 | 1.157mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:28:09 AM |
| 3 | 2.558 | 1.192mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:30:14 AM |
| 4 | 2.419 | 1.125mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:32:18 AM |

Mean Area 2.496
Mean Conc. 1.162mg/L




**Sample**

Sample Name: 280-162257-b-8
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:2.186mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 4.825 | 2.290mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:40:13 AM |
| 2 | 4.585 | 2.174mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:42:18 AM |
| 3 | 4.708 | 2.233mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:44:23 AM |
| 4 | 4.638 | 2.199mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:46:29 AM |
| 5 | 4.510 | 2.137mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:48:34 AM |

Mean Area 4.610
Mean Conc. 2.186mg/L




**Sample**

Sample Name: CCV
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:24.34mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 50.11 | 24.21mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:56:28 AM |
| 2 | 50.86 | 24.58mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 5:58:33 AM |
| 3 | 50.95 | 24.62mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:00:43 AM |
| 4 | 49.59 | 23.96mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:02:58 AM |

Mean Area 50.38
Mean Conc. 24.34mg/L




**Sample**

Sample Name: CCB
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.03330mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.1894 | 0.04561mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:10:53 AM |
| 2 | 0.1718 | 0.03709mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:13:02 AM |
| 3 | 0.1979 | 0.04972mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:15:07 AM |
| 4 | 0.09680 | 0.00078mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:17:12 AM |

Mean Area 0.1640
Mean Conc. 0.03330mg/L




**Sample**

Sample Name: 280-162257-b-5
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.6438mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 1.696 | 0.7750mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:25:07 AM |
| 2 | 1.438 | 0.6501mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:27:12 AM |
| 3 | 1.418 | 0.6404mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:29:17 AM |
| 4 | 1.457 | 0.6593mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:31:22 AM |
| 5 | 1.387 | 0.6254mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:33:27 AM |

Mean Area 1.425
Mean Conc. 0.6438mg/L



**Sample**

Sample Name: 280-162213-f-1
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 10.00 | NPOC:164.3mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 34.09 | 164.6mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:41:28 AM |
| 2 | 34.47 | 166.4mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:43:39 AM |
| 3 | 34.32 | 165.7mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:45:44 AM |
| 4 | 33.26 | 160.6mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:47:54 AM |

Mean Area 34.03
Mean Conc. 164.3mg/L




**Sample**

Sample Name: 280-162213-f-2
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 10.00 | NPOC:264.5mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 55.20 | 266.8mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:55:49 AM |
| 2 | 55.23 | 266.9mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:57:54 AM |
| 3 | 55.00 | 265.8mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 6:59:59 AM |
| 4 | 53.52 | 258.6mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:02:07 AM |

Mean Area 54.74
Mean Conc. 264.5mg/L



**Sample**

Sample Name: 280-162252-I-4
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:2.196mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 4.894 | 2.323mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:10:02 AM |
| 2 | 4.802 | 2.279mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:12:11 AM |
| 3 | 5.284 | 2.512mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:14:16 AM |
| 4 | 4.600 | 2.181mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:16:21 AM |
| 5 | 4.513 | 2.139mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:18:26 AM |
| 6 | 4.613 | 2.187mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:20:31 AM |

Mean Area 4.632
Mean Conc. 2.196mg/L




**Sample**

Sample Name: 280-162252-I-5
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:3.813mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 8.244 | 3.945mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:28:20 AM |
| 2 | 8.086 | 3.869mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:30:25 AM |
| 3 | 8.114 | 3.882mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:32:30 AM |
| 4 | 7.847 | 3.753mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:34:35 AM |
| 5 | 7.838 | 3.749mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:36:40 AM |

Mean Area 7.971
Mean Conc. 3.813mg/L



**Sample**

Sample Name: 280-162463-b-6
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:2.171mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 4.614 | 2.188mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:44:34 AM |
| 2 | 4.616 | 2.189mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:46:39 AM |
| 3 | 4.871 | 2.312mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:48:44 AM |
| 4 | 4.445 | 2.106mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:50:49 AM |
| 5 | 4.402 | 2.085mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:52:54 AM |
| 6 | 4.639 | 2.200mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 7:54:59 AM |

Mean Area 4.579
Mean Conc. 2.171mg/L




**Sample**

Sample Name: 280-162463-b-7
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:4.440mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 9.315 | 4.464mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:02:48 AM |
| 2 | 9.344 | 4.478mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:04:57 AM |
| 3 | 9.344 | 4.478mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:07:02 AM |
| 4 | 9.063 | 4.342mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:09:07 AM |

Mean Area 9.267
Mean Conc. 4.440mg/L




**Sample**

Sample Name: 280-162463-b-8
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:15.29mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 32.09 | 15.49mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:17:02 AM |
| 2 | 31.73 | 15.32mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:19:10 AM |
| 3 | 31.91 | 15.40mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:21:20 AM |
| 4 | 30.98 | 14.95mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:23:43 AM |

Mean Area 31.68
Mean Conc. 15.29mg/L




**Sample**

Sample Name: MS 280-162463-b-8
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:39.51mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 81.83 | 39.57mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:31:42 AM |
| 2 | 83.15 | 40.21mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:33:54 AM |
| 3 | 81.88 | 39.59mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:35:59 AM |
| 4 | 79.99 | 38.68mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:38:08 AM |

Mean Area 81.71
Mean Conc. 39.51mg/L




**Sample**

Sample Name: MSD 280-162463-b-8
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:39.54mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 81.28 | 39.30mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:46:04 AM |
| 2 | 82.91 | 40.09mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:48:18 AM |
| 3 | 82.48 | 39.89mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:50:26 AM |
| 4 | 80.40 | 38.88mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 8:52:39 AM |

Mean Area 81.77
Mean Conc. 39.54mg/L




**Sample**

Sample Name: CCV
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:24.63mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 51.11 | 24.70mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:00:36 AM |
| 2 | 51.47 | 24.87mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:02:48 AM |
| 3 | 51.26 | 24.77mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:05:09 AM |
| 4 | 50.00 | 24.16mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:07:16 AM |

Mean Area 50.96
Mean Conc. 24.63mg/L




**Sample**

Sample Name: CCB
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.06764mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.3090 | 0.1035mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:15:12 AM |
| 2 | 0.2123 | 0.05670mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:17:21 AM |
| 3 | 0.2206 | 0.06071mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:19:26 AM |
| 4 | 0.1977 | 0.04963mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:21:32 AM |

Mean Area 0.2349
Mean Conc. 0.06764mg/L




**Sample**

Sample Name: 280-162463-b-9
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:1.010mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 2.177 | 1.008mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:29:27 AM |
| 2 | 2.240 | 1.038mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:31:35 AM |
| 3 | 2.388 | 1.110mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:33:44 AM |
| 4 | 2.160 | 0.9996mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:35:49 AM |
| 5 | 1.983 | 0.9139mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:37:55 AM |
| 6 | 2.149 | 0.9943mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:40:00 AM |

Mean Area 2.181
Mean Conc. 1.010mg/L




**Sample**

Sample Name: 280-162463-b-10
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.9912mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 2.224 | 1.031mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:47:49 AM |
| 2 | 2.174 | 1.006mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:49:57 AM |
| 3 | 2.097 | 0.9691mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:52:03 AM |
| 4 | 2.075 | 0.9585mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 9:54:08 AM |

Mean Area 2.143
Mean Conc. 0.9912mg/L




**Sample**

Sample Name: 280-162318-b-3
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:3.153mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 6.984 | 3.335mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:02:03 AM |
| 2 | 7.047 | 3.366mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:04:08 AM |
| 3 | 6.873 | 3.281mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:06:13 AM |
| 4 | 6.521 | 3.111mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:08:18 AM |
| 5 | 6.516 | 3.109mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:10:23 AM |
| 6 | 6.520 | 3.110mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:12:28 AM |

Mean Area 6.607
Mean Conc. 3.153mg/L




**Sample**

Sample Name: 280-162478-a-1
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:4.678mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 9.845 | 4.720mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:20:17 AM |
| 2 | 9.820 | 4.708mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:22:21 AM |
| 3 | 9.885 | 4.740mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:24:27 AM |
| 4 | 9.485 | 4.546mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:26:33 AM |

Mean Area 9.759
Mean Conc. 4.678mg/L




**Sample**

Sample Name: 280-162478-a-2
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:3.725mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 7.889 | 3.773mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:34:28 AM |
| 2 | 7.880 | 3.769mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:36:33 AM |
| 3 | 7.771 | 3.716mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:38:38 AM |
| 4 | 7.615 | 3.641mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:40:43 AM |

Mean Area 7.789
Mean Conc. 3.725mg/L




**Sample**

Sample Name: 280-162478-a-3
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:4.730mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 9.948 | 4.770mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:48:38 AM |
| 2 | 9.910 | 4.752mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:50:47 AM |
| 3 | 9.940 | 4.766mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:52:52 AM |
| 4 | 9.661 | 4.631mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 10:54:57 AM |

Mean Area 9.865
Mean Conc. 4.730mg/L




**Sample**

Sample Name: 280-162377-b-2
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.5027mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 1.261 | 0.5644mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:02:55 AM |
| 2 | 1.405 | 0.6341mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:05:04 AM |
| 3 | 1.108 | 0.4903mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:07:29 AM |
| 4 | 1.095 | 0.4840mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:09:34 AM |
| 5 | 1.070 | 0.4719mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:11:39 AM |

Mean Area 1.134
Mean Conc. 0.5027mg/L




**Sample**

Sample Name: 280-162377-b-3
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:2.978mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 6.261 | 2.985mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:19:33 AM |
| 2 | 6.342 | 3.024mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:21:42 AM |
| 3 | 8.008 | 3.831mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:23:46 AM |
| 4 | 6.169 | 2.941mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:25:52 AM |
| 5 | 6.009 | 2.863mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:27:57 AM |
| 6 | 6.217 | 2.964mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:30:02 AM |

Mean Area 6.247
Mean Conc. 2.978mg/L




**Sample**

Sample Name: 280-162377-b-4
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:2.793mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 5.982 | 2.850mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:38:28 AM |
| 2 | 5.816 | 2.770mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:40:37 AM |
| 3 | 5.858 | 2.790mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:42:42 AM |
| 4 | 5.802 | 2.763mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:44:50 AM |

Mean Area 5.864
Mean Conc. 2.793mg/L




**Sample**

Sample Name: CCV
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:24.62mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 51.02 | 24.65mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:52:46 AM |
| 2 | 51.20 | 24.74mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:54:52 AM |
| 3 | 51.61 | 24.94mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:57:01 AM |
| 4 | 49.93 | 24.13mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 11:59:10 AM |

Mean Area 50.94
Mean Conc. 24.62mg/L




**Sample**

Sample Name: CCB
Sample ID:
Origin: NPOC 2022.met
Status Completed
Chk. Result

# TOC-Control L Report

kjgk
2022_05_26_001.tlx


| Type | Anal. | Manual Dilution | Result |
|---|---|---|---|
| Unknown | NPOC | 1.000 | NPOC:0.05785mg/L |

1. Det

Anal.: NPOC

| No. | Area | Conc. | Inj. Vol. | Aut. Dil. | Ex. | Cal. Curve | Date / Time |
|---|---|---|---|---|---|---|---|
| 1 | 0.3007 | 0.09949mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:07:06 PM |
| 2 | 0.1519 | 0.02745mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:09:14 PM |
| 3 | 0.2005 | 0.05098mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:11:20 PM |
| 4 | 0.8693 | 0.3748mg/L | 50uL | 1.000 | E | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:13:24 PM |
| 5 | 0.2056 | 0.05345mg/L | 50uL | 1.000 | | NPOC11.2022_03_14_15_53_52.cal | 5/27/2022 12:15:29 PM |

Mean Area 0.2147
Mean Conc. 0.05785mg/L



Shi 5

9060

| | T | Analysis | Sample Name | SO | OM | Result | Notes | C | SAD | Vial |
|---|---|---|---|---|---|---|---|---|---|---|
| 1* | U | NPOC | ICV | | 0 N 1 | ✓ | | | D | 1 |
| 2* | U | NPOC | ICB | | 0 N 1 | ✓ | | | D | 2 |
| 3* | U | NPOC | LCS | | 0 N 1 | ✓ | | | D | 3 |
| 4* | U | NPOC | MB | | 0 N 1 | ✓ | | | D | 4 |
| 5* | U | NPOC | TIC | | 0 N 1 | ✓ | | | D | 5 |
| 6* | U | NPOC | 240-166903-s-1 | | 0 N 1 | ✓ | | | D | 6 |
| 7* | U | NPOC | MS 240-166903-s-1 | | 0 N 1 | ✓ | | | D | 7 |
| 8* | U | NPOC | MSD 240-166903-s-1 | | 0 N 1 | ✓ | | | D | 8 |
| 9* | U | NPOC | 240-166903-d-7 | | 0 N 1 | ✓ | | | D | 9 |
| 10* | U | NPOC | 240-166903-d-8 | | 0 N 1 | ✓ | | | D | 10 |
| 11* | U | NPOC | 240-166903-d-9 | | 0 N 1 | ✓ | | | D | 11 |
| 12* | U | NPOC | 240-166903-d-10 | | 0 N 1 | ✓ | | | D | 12 |
| 13* | U | NPOC | 280-162395-d-2 | | 0 N 1 | ✓ | 10x Dil RR | | D | 13 |
| 14* | U | NPOC | 280-162395-d-3 | | 0 N 1 | ✓ | 2x Dil RR | | D | 14 |
| 15* | U | NPOC | CCV | | 0 N 1 | ✓ | | | D | 15 |
| 16* | U | NPOC | CCB | | 0 N 1 | ✓ | | | D | 16 |
| 17* | U | NPOC | 280-162395-d-4 | | 0 N 1 | ✓ | 5x Dil RR | | D | 17 |
| 18* | U | NPOC | 280-162395-d-5 | | 0 N 1 | ✓ | 2x Dil RR | | D | 18 |
| 19* | U | NPOC | 280-162395-d-6 | | 0 N 1 | ✓ | 5x Dil RR | | D | 19 |
| 20* | U | NPOC | lcs 280-576248/1-a | | 0 N 1 | ✓ | | | D | 20 |
| 21* | U | NPOC | mb 280-576248/2-a | | 0 N 1 | ✓ | | | D | 21 |
| 22* | U | NPOC | 280-162386-d-1-a | | 0 N 1 | >2 | | | D | 22 |
| 23* | U | NPOC | 280-162386-d-1-b ms | | 0 N 1 | >2 | Filtration DOC | | D | 23 |
| 24* | U | NPOC | 280-162386-d-1-c ms | | 0 N 1 | >2 | | | D | 24 |
| 25* | U | NPOC | 280-162386-d-2-a | | 0 N 1 | >2 | | | D | 25 |
| 26* | U | NPOC | 280-162386-d-3-a | | 0 N 1 | ✓ | | | D | 26 |
| 27* | U | NPOC | CCV | | 0 N 1 | ✓ | | | D | 27 |
| 28* | U | NPOC | CCB | | 0 N 1 | ✓ | | | D | 28 |
| 29* | U | NPOC | 280-162386-d-4-a | | 0 N 1 | >2 | | | D | 29 |
| 30* | U | NPOC | 280-162386-d-5-a | | 0 N 1 | >2 | | | D | 30 |
| 31* | U | NPOC | 280-162386-d-6-a | | 0 N 1 | >2 | Filtration DOC | | D | 31 |
| 32* | U | NPOC | 280-162386-d-7-a | | 0 N 1 | >2 | | | D | 32 |
| 33* | U | NPOC | 280-162386-d-8-a | | 0 N 1 | >2 | | | D | 33 |
| 34* | U | NPOC | 280-162386-d-9-a | | 0 N 1 | >2 | | | D | 34 |
| 35* | U | NPOC | 280-162386-d-10-a | | 0 N 1 | >2 | | | D | 35 |
| 36* | U | NPOC | 280-161875-B-3 | | 0 N 1 | ✓ | 10x Dil RR | | D | 36 |
| 37* | U | NPOC | MS 280-161875-B-3 | | 0 N 1 | ✓ | 10x Dil RR | | D | 37 |
| 38* | U | NPOC | MSD 280-161875-b-3 | | 0 N 1 | ✓ | 10x Dil RR | | D | 38 |
| 39* | U | NPOC | CCV | | 0 N 1 | ✓ | DOC | | D | 39 |
| 40* | U | NPOC | CCB | | 0 N 1 | ✓ | | | D | 40 |
| 41* | U | NPOC | 280-161875-a-4 | | 0 N 1 | ✓ | 5x Dil RR | | D | 41 |
| 5310 42* | U | NPOC | LCS | | 0 N 1 | ✓ | | | D | 42 |
| 43* | U | NPOC | LCSD | | 0 N 1 | ✓ | | | D | 43 |
| 44* | U | NPOC | MB | | 0 N 1 | ✓ | | | D | 44 |
| 45* | U | NPOC | TIC | | 0 N 1 | ✓ | | | D | 45 |
| 46* | U | NPOC | 280-162257-b-3 | | 0 N 1 | ✓ | | | D | 46 |
| 47* | U | NPOC | MS 280-162257-b-3 | | 0 N 1 | ✓ | | | D | 47 |
| 48* | U | NPOC | MSD 280-162257-b-3 | | 0 N 1 | ✓ | | | D | 48 |
| 49* | U | NPOC | 280-162257-b-4 | | 0 N 1 | ✓ | | | D | 49 |
| 50* | U | NPOC | 280-162257-b-8 | | 0 N 1 | ✓ | | | D | 50 |
| 51* | U | NPOC | CCV | | 0 N 1 | ✓ | | | D | 51 |


5310

| | T | Analysis | Sample Name | S | O | M | Result pH | Notes | C | S | A | D | Vial |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 52* | U | NPOC | CCB | | 0 | N 1 | ✓ | | | D | | | 52 |
| 53* | U | NPOC | 280-162257-b-5 | | 0 | N 1 | ✓ | | | D | | | 53 |
| 54* | U | NPOC | 280-162213-f-1 | | 0 | N 1 | ✓ | 10x DIL RR | | D | | | 54 |
| 55* | U | NPOC | 280-162213-f-2 | | 0 | N 1 | ✓ | 10x DIL RR | | D | | | 55 |
| 56* | U | NPOC | 280-162252-l-4 | | 0 | N 1 | ✓ | | | D | | | 56 |
| 57* | U | NPOC | 280-162252-l-5 | | 0 | N 1 | ✓ | | | D | | | 57 |
| 58* | U | NPOC | 280-162463-b-6 | | 0 | N 1 | ✓ | | | D | | | 58 |
| 59* | U | NPOC | 280-162463-b-7 | | 0 | N 1 | ✓ | | | D | | | 59 |
| 60* | U | NPOC | 280-162463-b-8 | | 0 | N 1 | ✓ | | | D | | | 60 |
| 61* | U | NPOC | MS 280-162463-b-8 | | 0 | N 1 | ✓ | | | D | | | 61 |
| 62* | U | NPOC | MSD 280-162463-b-8 | | 0 | N 1 | ✓ | | | D | | | 62 |
| 63* | U | NPOC | CCV | | 0 | N 1 | ✓ | | | D | | | 63 |
| 64* | U | NPOC | CCB | | 0 | N 1 | ✓ | | | D | | | 64 |
| 65* | U | NPOC | 280-162463-b-9 | | 0 | N 1 | ✓ | | | D | | | 65 |
| 66* | U | NPOC | 280-162463-b-10 | | 0 | N 1 | ✓ | | | D | | | 66 |
| 67* | U | NPOC | 280-162318-b-3 | | 0 | N 1 | ✓ | | | D | | | 67 |
| 68* | U | NPOC | 280-162478-a-1 | | 0 | N 1 | ✓ | | | D | | | 68 |
| 69* | U | NPOC | 280-162478-a-2 | | 0 | N 1 | ✓ | | | D | | | 69 |
| 70* | U | NPOC | 280-162478-a-3 | | 0 | N 1 | ✓ | | | D | | | 70 |
| 71* | U | NPOC | 280-162377-b-2 | | 0 | N 1 | ✓ | | | D | | | 71 |
| 72* | U | NPOC | 280-162377-b-3 | | 0 | N 1 | ✓ | | | D | | | 72 |
| 73* | U | NPOC | 280-162377-b-4 | | 0 | N 1 | ✓ | | | D | | | 73 |
| 74* | U | NPOC | CCV | | 0 | N 1 | ✓ | | | D | | | 74 |
| 75* | U | NPOC | CCB | | 0 | N 1 | ✓ | | | D | | | 75 |

BWH 5000, 1000 MS

# *MANTECH INC.*
# Calibration Report

## Calibration Record # 1133




**Calibration Settings**

| | | | |
|---|---|---|---|
| Calibration ID | PH | Date | 05/24/2022 |
| Channel | 1 | Time | 10:29 AM |
| Probe Type | pH | Temperature | 295.05 K 21.90 C |
| Probe ID | PH ELECTRODE | Analysis Type | Single Line Fit |

**Calibration Results**

| | | | |
|---|---|---|---|
| Slope | -59.573 | CorrCoeff | 1.0000 |
| Intercept | 2.464 | Equation: | Y = (-59.573) X + ( 2.464 ) |

**Calibration Validity** **True** Operator

| | Result | Minimum | Maximum |
|---|---|---|---|
| **Slope** | -59.573 | -65.00 | -54.00 |
| **Intercept** | 2.464 | -100.00 | 100.00 |
| **Correlation Coefficient** | 1.0000 | 0.99 | 1.00 |

Note: "True" means the calibration was within the specified ranges
"False" means the calibration was NOT within the specified ranges

| Calibration Data | Standard | Reading |
|---|---|---|
| | 2.00 | 300.53 |
| | 4.00 | 181.64 |
| | 7.00 | 2.07 |
| | 10.00 | -178.10 |
| | 12.00 | -293.82 |

# *Test America*

## Water Analysis Report

Analyst:_____

**Run Number** 4114 **Order Number** 20220524-5

| SampleID | RunDate | RunTime | Temp | cond (uS) | pH | pH2 | pH3 | Acid | palk-ppm | talk-ppm | bcarb-ppm | carb-ppm | hydr-ppm | (mL) @ 8.3 | (mL) @ 4.5 | (mL) @ 4.2 | Conc (N) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RINSE | 5/24/2022 | 10:56 AM | 21.77 | -1.00 | 5.37 | -1.00 | -1.00 | -1.00 | .00 | 137.82 | 137.82 | .00 | .00 | .00 | 1.38 | -1.00 | .02 |
| INITIAL CHECK | 5/24/2022 | 11:02 AM | 21.71 | -1.00 | 10.58 | -1.00 | -1.00 | -1.00 | 115.63 | 197.54 | .00 | 163.82 | 33.73 | 1.16 | 1.98 | -1.00 | .02 |
| BUFFER 7 | 5/24/2022 | 11:15 AM | 21.64 | -1.00 | 7.02 | -1.00 | -1.00 | -1.00 | .00 | 1,455.04 | 1,455.04 | .00 | .00 | .00 | 14.55 | -1.00 | .02 |
| LCS | 5/24/2022 | 11:22 AM | 21.56 | -1.00 | 10.61 | -1.00 | -1.00 | -1.00 | 108.23 | 189.33 | .00 | 162.20 | 27.14 | 1.08 | 1.89 | -1.00 | .02 |
| LCSD | 5/24/2022 | 11:28 AM | 21.47 | -1.00 | 10.60 | -1.00 | -1.00 | -1.00 | 108.82 | 186.22 | .00 | 154.81 | 31.41 | 1.09 | 1.86 | -1.00 | .02 |
| MB | 5/24/2022 | 11:33 AM | 21.34 | -1.00 | 7.59 | -1.00 | -1.00 | -1.00 | .00 | 2.31 | 2.31 | .00 | .00 | .00 | .05 | .07 | .02 |
| 280-162550-a-2 | 5/24/2022 | 11:43 AM | 21.08 | -1.00 | 7.43 | -1.00 | -1.00 | -1.00 | .00 | 795.65 | 795.65 | .00 | .00 | .00 | 7.96 | -1.00 | .02 |
| DU 280-162550-a-2 | 5/24/2022 | 11:52 AM | 21.25 | -1.00 | 7.49 | -1.00 | -1.00 | -1.00 | .00 | 808.56 | 808.56 | .00 | .00 | .00 | 8.09 | -1.00 | .02 |
| 280-162550-a-10 | 5/24/2022 | 12:00 PM | 21.24 | -1.00 | 8.18 | -1.00 | -1.00 | -1.00 | .00 | 642.60 | 642.60 | .00 | .00 | .00 | 6.43 | -1.00 | .02 |
| 280-162379-a-3 | 5/24/2022 | 12:05 PM | 21.31 | -1.00 | 7.97 | -1.00 | -1.00 | -1.00 | .00 | 113.80 | 113.80 | .00 | .00 | .00 | 1.14 | -1.00 | .02 |
| 280-162452-a-2 | 5/24/2022 | 12:13 PM | 21.28 | -1.00 | 8.66 | -1.00 | -1.00 | -1.00 | 35.37 | 410.87 | 340.13 | 70.74 | .00 | .35 | 4.11 | -1.00 | .02 |
| 280-162452-a-10 | 5/24/2022 | 12:21 PM | 21.19 | -1.00 | 8.25 | -1.00 | -1.00 | -1.00 | .00 | 719.78 | 719.78 | .00 | .00 | .00 | 7.20 | -1.00 | .02 |
| 280-162454-a-2 | 5/24/2022 | 12:27 PM | 21.18 | -1.00 | 8.64 | -1.00 | -1.00 | -1.00 | 34.25 | 386.61 | 318.12 | 68.49 | .00 | .34 | 3.87 | -1.00 | .02 |
| 280-162454-a-9 | 5/24/2022 | 12:35 PM | 21.15 | -1.00 | 8.35 | -1.00 | -1.00 | -1.00 | 12.66 | 556.09 | 530.78 | 25.31 | .00 | .13 | 5.56 | -1.00 | .02 |
| 280-162540-a-2 | 5/24/2022 | 12:40 PM | 21.24 | -1.00 | 10.01 | -1.00 | -1.00 | -1.00 | 123.84 | 278.65 | 30.97 | 247.68 | .00 | 1.24 | 2.79 | -1.00 | .02 |
| 280-162540-a-9 | 5/24/2022 | 12:50 PM | 21.24 | -1.00 | 8.20 | -1.00 | -1.00 | -1.00 | .00 | 657.66 | 657.66 | .00 | .00 | .00 | 6.58 | -1.00 | .02 |
| CCV | 5/24/2022 | 12:55 PM | 20.95 | -1.00 | 10.54 | -1.00 | -1.00 | -1.00 | 111.44 | 196.02 | .00 | 169.16 | 26.86 | 1.11 | 1.96 | -1.00 | .02 |
| CCB | 5/24/2022 | 1:00 PM | 21.05 | -1.00 | 7.78 | -1.00 | -1.00 | -1.00 | .00 | 4.53 | 4.53 | .00 | .00 | .00 | .06 | .08 | .02 |
| 280-162548-a-2 | 5/24/2022 | 1:07 PM | 20.94 | -1.00 | 8.68 | -1.00 | -1.00 | -1.00 | 40.46 | 451.23 | 370.32 | 80.91 | .00 | .40 | 4.51 | -1.00 | .02 |
| 280-162548-a-9 | 5/24/2022 | 1:15 PM | 20.94 | -1.00 | 8.27 | -1.00 | -1.00 | -1.00 | .00 | 633.23 | 633.23 | .00 | .00 | .00 | 6.33 | -1.00 | .02 |
| 280-162571-e-1 | 5/24/2022 | 1:20 PM | 20.87 | -1.00 | 7.98 | -1.00 | -1.00 | -1.00 | .00 | 96.84 | 96.84 | .00 | .00 | .00 | .97 | -1.00 | .02 |
| 280-162571-e-2 | 5/24/2022 | 1:25 PM | 20.89 | -1.00 | 8.17 | -1.00 | -1.00 | -1.00 | .00 | 147.99 | 147.99 | .00 | .00 | .00 | 1.48 | -1.00 | .02 |
| 280-162571-e-3 | 5/24/2022 | 1:31 PM | 20.83 | -1.00 | 8.32 | -1.00 | -1.00 | -1.00 | 8.13 | 257.97 | 241.70 | 16.27 | .00 | .08 | 2.58 | -1.00 | .02 |
| 280-162571-e-4 | 5/24/2022 | 1:37 PM | 20.96 | -1.00 | 8.27 | -1.00 | -1.00 | -1.00 | .00 | 166.58 | 166.58 | .00 | .00 | .00 | 1.67 | -1.00 | .02 |
| 280-162321-c-3 | 5/24/2022 | 1:44 PM | 20.95 | -1.00 | 8.33 | -1.00 | -1.00 | -1.00 | 9.42 | 336.72 | 317.87 | 18.84 | .00 | .09 | 3.37 | -1.00 | .02 |
| 280-162321-c-7 | 5/24/2022 | 1:50 PM | 20.94 | -1.00 | 8.52 | -1.00 | -1.00 | -1.00 | 22.21 | 234.24 | 189.82 | 44.42 | .00 | .22 | 2.34 | -1.00 | .02 |
| 280-162369-a-2 | 5/24/2022 | 2:00 PM | 20.83 | -1.00 | 8.77 | -1.00 | -1.00 | -1.00 | 74.58 | 1,094.52 | 945.36 | 149.16 | .00 | .75 | 10.95 | -1.00 | .02 |

Page 1432 of 1444
06/06/2022



***PC-TitratION PLUS by Man-Tech Associates, Inc.***
Copyright Hinterland Software Ltd.

**Run Number** 4114 **Order Number** 20220524-5

| SampleID | RunDate | RunTime | Temp | cond (uS) | pH | pH2 | pH3 | Acid | palk-ppm | talk-ppm | bcarb-ppm | carb-ppm | hydr-ppm | (mL) @ 8.3 | (mL) @ 4.5 | (mL) @ 4.2 | Conc (N) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 280-162369-a-3 | 5/24/2022 | 2:12 PM | 20.78 | -1.00 | 8.73 | -1.00 | -1.00 | -1.00 | 69.28 | 1,093.74 | 955.18 | 138.56 | .00 | .69 | 10.94 | -1.00 | .02 |
| CCV | 5/24/2022 | 2:17 PM | 20.80 | -1.00 | 10.44 | -1.00 | -1.00 | -1.00 | 110.80 | 200.72 | .00 | 179.84 | 20.88 | 1.11 | 2.01 | -1.00 | .02 |
| CCB | 5/24/2022 | 2:22 PM | 20.76 | -1.00 | 7.79 | -1.00 | -1.00 | -1.00 | .00 | 5.10 | 5.10 | .00 | .00 | .00 | .06 | .08 | .02 |
| LCS | 5/24/2022 | 2:28 PM | 20.67 | -1.00 | 10.41 | -1.00 | -1.00 | -1.00 | 107.05 | 201.46 | .00 | 188.82 | 12.64 | 1.07 | 2.01 | -1.00 | .02 |
| MB | 5/24/2022 | 2:33 PM | 20.65 | -1.00 | 7.67 | -1.00 | -1.00 | -1.00 | .00 | 5.40 | 5.40 | .00 | .00 | .00 | .06 | .06 | .02 |
| 280-162369-a-4 | 5/24/2022 | 2:43 PM | 20.69 | -1.00 | 8.80 | -1.00 | -1.00 | -1.00 | 81.35 | 1,073.62 | 910.92 | 162.70 | .00 | .81 | 10.74 | -1.00 | .02 |
| DU 280-162369-a-4 | 5/24/2022 | 2:54 PM | 20.63 | -1.00 | 8.78 | -1.00 | -1.00 | -1.00 | 77.49 | 1,053.74 | 898.75 | 154.98 | .00 | .77 | 10.54 | -1.00 | .02 |
| 280-162386-f-1 | 5/24/2022 | 3:01 PM | 20.76 | -1.00 | 8.30 | -1.00 | -1.00 | -1.00 | 6.04 | 378.70 | 366.63 | 12.07 | .00 | .06 | 3.79 | -1.00 | .02 |
| 280-162386-f-2 | 5/24/2022 | 3:07 PM | 20.74 | -1.00 | 8.40 | -1.00 | -1.00 | -1.00 | 13.99 | 292.31 | 264.33 | 27.97 | .00 | .14 | 2.92 | -1.00 | .02 |
| 280-162386-f-3 | 5/24/2022 | 3:17 PM | 20.69 | -1.00 | 8.06 | -1.00 | -1.00 | -1.00 | .00 | 893.37 | 893.37 | .00 | .00 | .00 | 8.93 | -1.00 | .02 |
| 280-162386-f-4 | 5/24/2022 | 3:23 PM | 20.67 | -1.00 | 8.39 | -1.00 | -1.00 | -1.00 | 14.18 | 345.31 | 316.95 | 28.36 | .00 | .14 | 3.45 | -1.00 | .02 |
| 280-162386-f-5 | 5/24/2022 | 3:30 PM | 20.73 | -1.00 | 8.32 | -1.00 | -1.00 | -1.00 | 7.50 | 298.41 | 283.41 | 15.00 | .00 | .08 | 2.98 | -1.00 | .02 |
| 280-162386-f-6 | 5/24/2022 | 3:42 PM | 20.72 | -1.00 | 8.24 | -1.00 | -1.00 | -1.00 | .00 | 1,040.20 | 1,040.20 | .00 | .00 | .00 | 10.40 | -1.00 | .02 |
| 280-162386-f-7 | 5/24/2022 | 3:50 PM | 20.73 | -1.00 | 8.25 | -1.00 | -1.00 | -1.00 | .00 | 594.13 | 594.13 | .00 | .00 | .00 | 5.94 | -1.00 | .02 |
| 280-162386-f-8 | 5/24/2022 | 3:56 PM | 20.83 | -1.00 | 8.25 | -1.00 | -1.00 | -1.00 | .00 | 331.01 | 331.01 | .00 | .00 | .00 | 3.31 | -1.00 | .02 |
| CCV | 5/24/2022 | 4:01 PM | 20.72 | -1.00 | 10.37 | -1.00 | -1.00 | -1.00 | 105.38 | 199.30 | .00 | 187.84 | 11.46 | 1.05 | 1.99 | -1.00 | .02 |
| CCB | 5/24/2022 | 4:06 PM | 20.67 | -1.00 | 7.85 | -1.00 | -1.00 | -1.00 | .00 | 5.52 | 5.52 | .00 | .00 | .00 | .06 | .06 | .02 |
| 280-162386-f-9 | 5/24/2022 | 4:16 PM | 20.66 | -1.00 | 8.29 | -1.00 | -1.00 | -1.00 | .00 | 814.59 | 814.59 | .00 | .00 | .00 | 8.15 | -1.00 | .02 |
| 280-162386-f-10 | 5/24/2022 | 4:23 PM | 20.70 | -1.00 | 8.21 | -1.00 | -1.00 | -1.00 | .00 | 317.85 | 317.85 | .00 | .00 | .00 | 3.18 | -1.00 | .02 |
| 280-162442-f-1 | 5/24/2022 | 4:29 PM | 20.58 | -1.00 | 8.34 | -1.00 | -1.00 | -1.00 | 6.40 | 330.90 | 318.10 | 12.81 | .00 | .06 | 3.31 | -1.00 | .02 |
| 280-162442-f-2 | 5/24/2022 | 4:36 PM | 20.58 | -1.00 | 8.23 | -1.00 | -1.00 | -1.00 | .00 | 425.25 | 425.25 | .00 | .00 | .00 | 4.25 | -1.00 | .02 |
| 280-162442-f-3 | 5/24/2022 | 4:42 PM | 20.58 | -1.00 | 8.36 | -1.00 | -1.00 | -1.00 | 7.95 | 255.69 | 239.79 | 15.90 | .00 | .08 | 2.56 | -1.00 | .02 |
| 280-162442-f-4 | 5/24/2022 | 4:48 PM | 20.69 | -1.00 | 8.39 | -1.00 | -1.00 | -1.00 | 9.75 | 319.58 | 300.07 | 19.51 | .00 | .10 | 3.20 | -1.00 | .02 |
| 280-162442-f-5 | 5/24/2022 | 4:55 PM | 20.80 | -1.00 | 8.26 | -1.00 | -1.00 | -1.00 | .00 | 208.61 | 208.61 | .00 | .00 | .00 | 2.09 | -1.00 | .02 |
| 280-162442-f-6 | 5/24/2022 | 5:01 PM | 20.80 | -1.00 | 8.43 | -1.00 | -1.00 | -1.00 | 13.19 | 322.88 | 296.49 | 26.39 | .00 | .13 | 3.23 | -1.00 | .02 |
| 280-162442-f-7 | 5/24/2022 | 5:09 PM | 20.80 | -1.00 | 8.18 | -1.00 | -1.00 | -1.00 | .00 | 551.71 | 551.71 | .00 | .00 | .00 | 5.52 | -1.00 | .02 |
| 280-162442-f-8 | 5/24/2022 | 5:16 PM | 20.81 | -1.00 | 7.81 | -1.00 | -1.00 | -1.00 | .00 | 387.87 | 387.87 | .00 | .00 | .00 | 3.88 | -1.00 | .02 |
| CCV | 5/24/2022 | 5:22 PM | 20.76 | -1.00 | 10.29 | -1.00 | -1.00 | -1.00 | 88.43 | 189.29 | 12.43 | 176.86 | .00 | .88 | 1.89 | -1.00 | .02 |
| CCB | 5/24/2022 | 5:27 PM | 20.77 | -1.00 | 7.63 | -1.00 | -1.00 | -1.00 | .00 | 2.48 | 2.48 | .00 | .00 | .00 | .04 | .05 | .02 |
| LCS | 5/24/2022 | 5:33 PM | 20.67 | -1.00 | 10.28 | -1.00 | -1.00 | -1.00 | 89.79 | 189.96 | 10.38 | 179.59 | .00 | .90 | 1.90 | -1.00 | .02 |


*PC-TitratION PLUS by Man-Tech Associates, Inc.*
Copyright Hinterland Software Ltd.

**Run Number** 4114 **Order Number** 20220524-5

| SampleID | RunDate | RunTime | Temp | cond (uS) | pH | pH2 | pH3 | Acid | palk-ppm | talk-ppm | bcarb-ppm | carb-ppm | hydr-ppm | (mL) @ 8.3 | (mL) @ 4.5 | (mL) @ 4.2 | Conc (N) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| MB | 5/24/2022 | 5:38 PM | 20.76 | -1.00 | 7.65 | -1.00 | -1.00 | -1.00 | .00 | 2.45 | 2.45 | .00 | .00 | .00 | .04 | .05 | .02 |
| 280-162442-f-9 | 5/24/2022 | 5:44 PM | 20.77 | -1.00 | 8.40 | -1.00 | -1.00 | -1.00 | 12.20 | 344.06 | 319.66 | 24.39 | .00 | .12 | 3.44 | -1.00 | .02 |
| DU 280-162442-f-9 | 5/24/2022 | 5:50 PM | 20.89 | -1.00 | 8.49 | -1.00 | -1.00 | -1.00 | 17.82 | 331.78 | 296.14 | 35.64 | .00 | .18 | 3.32 | -1.00 | .02 |
| 280-162442-f-10 | 5/24/2022 | 5:56 PM | 20.80 | -1.00 | 8.47 | -1.00 | -1.00 | -1.00 | 15.83 | 293.42 | 261.76 | 31.67 | .00 | .16 | 2.93 | -1.00 | .02 |
| 280-162442-f-11 | 5/24/2022 | 6:03 PM | 20.77 | -1.00 | 8.41 | -1.00 | -1.00 | -1.00 | 11.00 | 303.44 | 281.45 | 21.99 | .00 | .11 | 3.03 | -1.00 | .02 |
| 280-162442-f-12 | 5/24/2022 | 6:09 PM | 20.76 | -1.00 | 8.44 | -1.00 | -1.00 | -1.00 | 13.77 | 325.81 | 298.26 | 27.55 | .00 | .14 | 3.26 | -1.00 | .02 |
| 280-162442-f-13 | 5/24/2022 | 6:15 PM | 20.74 | -1.00 | 8.43 | -1.00 | -1.00 | -1.00 | 11.97 | 272.65 | 248.72 | 23.93 | .00 | .12 | 2.73 | -1.00 | .02 |
| 280-162442-f-14 | 5/24/2022 | 6:23 PM | 20.76 | -1.00 | 8.18 | -1.00 | -1.00 | -1.00 | .00 | 609.08 | 609.08 | .00 | .00 | .00 | 6.09 | -1.00 | .02 |
| 280-162442-f-15 | 5/24/2022 | 6:31 PM | 20.74 | -1.00 | 8.28 | -1.00 | -1.00 | -1.00 | .00 | 491.25 | 491.25 | .00 | .00 | .00 | 4.91 | -1.00 | .02 |
| 280-162442-f-16 | 5/24/2022 | 6:37 PM | 20.74 | -1.00 | 8.42 | -1.00 | -1.00 | -1.00 | 11.20 | 237.30 | 214.91 | 22.39 | .00 | .11 | 2.37 | -1.00 | .02 |
| 280-162442-f-17 | 5/24/2022 | 6:44 PM | 20.73 | -1.00 | 8.43 | -1.00 | -1.00 | -1.00 | 11.43 | 267.04 | 244.18 | 22.86 | .00 | .11 | 2.67 | -1.00 | .02 |
| CCV | 5/24/2022 | 6:49 PM | 20.80 | -1.00 | 10.23 | -1.00 | -1.00 | -1.00 | 86.39 | 193.50 | 20.72 | 172.78 | .00 | .86 | 1.93 | -1.00 | .02 |
| CCB | 5/24/2022 | 6:54 PM | 20.74 | -1.00 | 7.64 | -1.00 | -1.00 | -1.00 | .00 | 3.77 | 3.77 | .00 | .00 | .00 | .04 | .05 | .02 |
| 280-162442-f-18 | 5/24/2022 | 7:02 PM | 20.70 | -1.00 | 8.14 | -1.00 | -1.00 | -1.00 | .00 | 695.14 | 695.14 | .00 | .00 | .00 | 6.95 | -1.00 | .02 |
| 280-162442-f-19 | 5/24/2022 | 7:09 PM | 20.74 | -1.00 | 8.44 | -1.00 | -1.00 | -1.00 | 14.93 | 351.76 | 321.91 | 29.85 | .00 | .15 | 3.52 | -1.00 | .02 |
| 280-162442-f-20 | 5/24/2022 | 7:15 PM | 20.70 | -1.00 | 8.47 | -1.00 | -1.00 | -1.00 | 15.45 | 325.68 | 294.78 | 30.90 | .00 | .15 | 3.26 | -1.00 | .02 |
| 280-162442-f-21 | 5/24/2022 | 7:21 PM | 20.67 | -1.00 | 8.38 | -1.00 | -1.00 | -1.00 | 8.98 | 235.04 | 217.08 | 17.95 | .00 | .09 | 2.35 | -1.00 | .02 |
| 280-162479-g-1 | 5/24/2022 | 7:28 PM | 20.62 | -1.00 | 8.29 | -1.00 | -1.00 | -1.00 | .00 | 511.04 | 511.04 | .00 | .00 | .00 | 5.11 | -1.00 | .02 |
| 280-162479-g-2 | 5/24/2022 | 7:36 PM | 20.69 | -1.00 | 8.35 | -1.00 | -1.00 | -1.00 | 7.66 | 469.84 | 454.53 | 15.32 | .00 | .08 | 4.70 | -1.00 | .02 |
| 280-162479-g-3 | 5/24/2022 | 7:43 PM | 20.67 | -1.00 | 8.65 | -1.00 | -1.00 | -1.00 | 32.69 | 551.69 | 486.31 | 65.38 | .00 | .33 | 5.52 | -1.00 | .02 |
| 280-162479-g-4 | 5/24/2022 | 7:50 PM | 20.78 | -1.00 | 8.70 | -1.00 | -1.00 | -1.00 | 34.37 | 526.33 | 457.60 | 68.73 | .00 | .34 | 5.26 | -1.00 | .02 |
| 280-162479-g-5 | 5/24/2022 | 7:58 PM | 20.77 | -1.00 | 8.31 | -1.00 | -1.00 | -1.00 | 3.76 | 575.77 | 568.26 | 7.51 | .00 | .04 | 5.76 | -1.00 | .02 |
| 280-162479-g-6 | 5/24/2022 | 8:06 PM | 20.69 | -1.00 | 8.95 | -1.00 | -1.00 | -1.00 | 58.35 | 643.35 | 526.64 | 116.70 | .00 | .58 | 6.43 | -1.00 | .02 |
| CCV | 5/24/2022 | 8:12 PM | 20.72 | -1.00 | 10.18 | -1.00 | -1.00 | -1.00 | 85.04 | 192.42 | 22.34 | 170.08 | .00 | .85 | 1.92 | -1.00 | .02 |
| CCB | 5/24/2022 | 8:16 PM | 20.69 | -1.00 | 7.57 | -1.00 | -1.00 | -1.00 | .00 | 4.99 | 4.99 | .00 | .00 | .00 | .05 | .05 | .02 |
| LCS | 5/24/2022 | 8:22 PM | 20.69 | -1.00 | 10.16 | -1.00 | -1.00 | -1.00 | 80.26 | 184.15 | 23.63 | 160.52 | .00 | .80 | 1.84 | -1.00 | .02 |
| MB | 5/24/2022 | 8:26 PM | 20.80 | -1.00 | 7.58 | -1.00 | -1.00 | -1.00 | .00 | 5.33 | 5.33 | .00 | .00 | .00 | .06 | .06 | .02 |
| 280-162479-g-7 | 5/24/2022 | 8:31 PM | 20.81 | -1.00 | 5.64 | -1.00 | -1.00 | -1.00 | .00 | 3.77 | 3.77 | .00 | .00 | .00 | .05 | .06 | .02 |
| DU 280-162479-g-7 | 5/24/2022 | 8:35 PM | 20.85 | -1.00 | 5.62 | -1.00 | -1.00 | -1.00 | .00 | .71 | .71 | .00 | .00 | .00 | .02 | .04 | .02 |
| 280-162479-g-8 | 5/24/2022 | 8:41 PM | 21.05 | -1.00 | 8.43 | -1.00 | -1.00 | -1.00 | 11.83 | 211.18 | 187.53 | 23.66 | .00 | .12 | 2.11 | -1.00 | .02 |

Page 1434 of 1444
06/06/2022


*PC-TitratION PLUS by Man-Tech Associates, Inc.*
Copyright Hinterland Software Ltd.

**Run Number** 4114 **Order Number** 20220524-5

| SampleID | RunDate | RunTime | Temp | cond (uS) | pH | pH2 | pH3 | Acid | palk-ppm | talk-ppm | bcarb-ppm | carb-ppm | hydr-ppm | (mL) @ 8.3 | (mL) @ 4.5 | (mL) @ 4.2 | Conc (N) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 280-162479-g-9 | 5/24/2022 | 8:48 PM | 21.09 | -1.00 | 8.20 | -1.00 | -1.00 | -1.00 | .00 | 389.88 | 389.88 | .00 | .00 | .00 | 3.90 | -1.00 | .02 |
| 280-162348-a-2 | 5/24/2022 | 8:54 PM | 21.15 | -1.00 | 8.08 | -1.00 | -1.00 | -1.00 | .00 | 93.46 | 93.46 | .00 | .00 | .00 | .93 | -1.00 | .02 |
| 280-162348-a-3 | 5/24/2022 | 8:59 PM | 21.16 | -1.00 | 7.87 | -1.00 | -1.00 | -1.00 | .00 | 61.74 | 61.74 | .00 | .00 | .00 | .62 | -1.00 | .02 |
| 280-162315-a-1 | 5/24/2022 | 9:07 PM | 21.15 | -1.00 | 8.62 | -1.00 | -1.00 | -1.00 | 38.11 | 625.83 | 549.61 | 76.21 | .00 | .38 | 6.26 | -1.00 | .02 |
| 280-162315-a-7 | 5/24/2022 | 9:13 PM | 21.25 | -1.00 | 9.07 | -1.00 | -1.00 | -1.00 | 38.27 | 185.57 | 109.03 | 76.54 | .00 | .38 | 1.86 | -1.00 | .02 |
| 280-162315-a-2 | 5/24/2022 | 9:19 PM | 21.27 | -1.00 | 8.70 | -1.00 | -1.00 | -1.00 | 19.77 | 200.55 | 161.02 | 39.54 | .00 | .20 | 2.01 | -1.00 | .02 |
| 280-162315-a-3 | 5/24/2022 | 9:25 PM | 21.35 | -1.00 | 8.77 | -1.00 | -1.00 | -1.00 | 31.39 | 281.72 | 218.94 | 62.77 | .00 | .31 | 2.82 | -1.00 | .02 |
| CCV | 5/24/2022 | 9:31 PM | 21.45 | -1.00 | 10.14 | -1.00 | -1.00 | -1.00 | 77.91 | 185.87 | 30.05 | 155.82 | .00 | .78 | 1.86 | -1.00 | .02 |
| CCB | 5/24/2022 | 9:36 PM | 21.77 | -1.00 | 7.40 | -1.00 | -1.00 | -1.00 | .00 | 4.72 | 4.72 | .00 | .00 | .00 | .05 | .06 | .02 |
| 280-162317-g-1 | 5/24/2022 | 9:44 PM | 21.67 | -1.00 | 8.02 | -1.00 | -1.00 | -1.00 | .00 | 629.26 | 629.26 | .00 | .00 | .00 | 6.29 | -1.00 | .02 |
| 280-162317-g-2 | 5/24/2022 | 9:53 PM | 21.76 | -1.00 | 8.00 | -1.00 | -1.00 | -1.00 | .00 | 623.40 | 623.40 | .00 | .00 | .00 | 6.23 | -1.00 | .02 |
| 280-162318-a-1 | 5/24/2022 | 9:58 PM | 21.73 | -1.00 | 8.28 | -1.00 | -1.00 | -1.00 | .00 | 221.28 | 221.28 | .00 | .00 | .00 | 2.21 | -1.00 | .02 |
| 280-162318-a-2 | 5/24/2022 | 10:04 PM | 21.67 | -1.00 | 8.39 | -1.00 | -1.00 | -1.00 | 10.81 | 276.24 | 254.62 | 21.63 | .00 | .11 | 2.76 | -1.00 | .02 |
| 280-162318-a-3 | 5/24/2022 | 10:10 PM | 21.70 | -1.00 | 8.04 | -1.00 | -1.00 | -1.00 | .00 | 100.49 | 100.49 | .00 | .00 | .00 | 1.00 | -1.00 | .02 |
| 280-162377-a-2 | 5/24/2022 | 10:16 PM | 21.70 | -1.00 | 8.33 | -1.00 | -1.00 | -1.00 | 5.70 | 186.21 | 174.80 | 11.41 | .00 | .06 | 1.86 | -1.00 | .02 |
| 280-162377-a-3 | 5/24/2022 | 10:22 PM | 21.74 | -1.00 | 8.30 | -1.00 | -1.00 | -1.00 | 1.45 | 206.37 | 203.47 | 2.90 | .00 | .01 | 2.06 | -1.00 | .02 |
| 280-162377-a-4 | 5/24/2022 | 10:28 PM | 21.82 | -1.00 | 8.23 | -1.00 | -1.00 | -1.00 | .00 | 229.72 | 229.72 | .00 | .00 | .00 | 2.30 | -1.00 | .02 |
| 280-162383-a-1 | 5/24/2022 | 10:39 PM | 22.13 | -1.00 | 8.69 | -1.00 | -1.00 | -1.00 | 56.87 | 1,205.02 | 1,091.28 | 113.75 | .00 | .57 | 12.05 | -1.00 | .02 |
| 280-162383-c-2 | 5/24/2022 | 10:46 PM | 22.22 | -1.00 | 8.20 | -1.00 | -1.00 | -1.00 | .00 | 303.88 | 303.88 | .00 | .00 | .00 | 3.04 | -1.00 | .02 |
| CCV | 5/24/2022 | 10:52 PM | 22.07 | -1.00 | 10.04 | -1.00 | -1.00 | -1.00 | 76.03 | 192.59 | 40.53 | 152.06 | .00 | .76 | 1.93 | -1.00 | .02 |
| CCB | 5/24/2022 | 10:57 PM | 22.07 | -1.00 | 6.85 | -1.00 | -1.00 | -1.00 | .00 | 1.70 | 1.70 | .00 | .00 | .00 | .03 | .05 | .02 |
| LCS | 5/24/2022 | 11:03 PM | 21.95 | -1.00 | 10.06 | -1.00 | -1.00 | -1.00 | 76.41 | 199.11 | 46.29 | 152.81 | .00 | .76 | 1.99 | -1.00 | .02 |
| MB | 5/24/2022 | 11:09 PM | 21.96 | -1.00 | 9.53 | -1.00 | -1.00 | -1.00 | 43.22 | 186.06 | 99.62 | 86.44 | .00 | .43 | 1.86 | -1.00 | .02 |
| 280-162383-a-3 | 5/24/2022 | 11:20 PM | 21.99 | -1.00 | 8.39 | -1.00 | -1.00 | -1.00 | 14.73 | 1,018.48 | 989.02 | 29.46 | .00 | .15 | 10.18 | -1.00 | .02 |
| DU 280-162383-a-3 | 5/24/2022 | 11:31 PM | 22.13 | -1.00 | 8.36 | -1.00 | -1.00 | -1.00 | 10.45 | 1,035.53 | 1,014.62 | 20.91 | .00 | .10 | 10.36 | -1.00 | .02 |
| 280-162383-c-4 | 5/24/2022 | 11:39 PM | 22.19 | -1.00 | 8.13 | -1.00 | -1.00 | -1.00 | .00 | 484.15 | 484.15 | .00 | .00 | .00 | 4.84 | -1.00 | .02 |
| 280-162387-a-2 | 5/24/2022 | 11:46 PM | 22.52 | -1.00 | 8.19 | -1.00 | -1.00 | -1.00 | .00 | 278.66 | 278.66 | .00 | .00 | .00 | 2.79 | -1.00 | .02 |
| 280-162254-c-1 | 5/24/2022 | 11:52 PM | 22.48 | -1.00 | 8.47 | -1.00 | -1.00 | -1.00 | 10.65 | 133.72 | 112.43 | 21.29 | .00 | .11 | 1.34 | -1.00 | .02 |
| 280-162395-a-11 | 5/25/2022 | 12:02 AM | 22.43 | -1.00 | 8.35 | -1.00 | -1.00 | -1.00 | 10.19 | 856.24 | 835.87 | 20.37 | .00 | .10 | 8.56 | -1.00 | .02 |
| 280-162395-b-17 | 5/25/2022 | 12:12 AM | 22.48 | -1.00 | 8.24 | -1.00 | -1.00 | -1.00 | .00 | 786.22 | 786.22 | .00 | .00 | .00 | 7.86 | -1.00 | .02 |


*PC-TitratION PLUS by Man-Tech Associates, Inc.*
Copyright Hinterland Software Ltd.

**Run Number** 4114 **Order Number** 20220524-5

| SampleID | RunDate | RunTime | Temp | cond (uS) | pH | pH2 | pH3 | Acid | palk-ppm | talk-ppm | bcarb-ppm | carb-ppm | hydr-ppm | (mL) @ 8.3 | (mL) @ 4.5 | (mL) @ 4.2 | Conc (N) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 280-162395-b-18 | 5/25/2022 | 12:33 AM | 22.43 | -1.00 | 8.47 | -1.00 | -1.00 | -1.00 | 72.99 | 2,434.76 | 2,288.78 | 145.98 | .00 | .73 | 24.35 | -1.00 | .02 |
| 280-162395-b-19 | 5/25/2022 | 12:37 AM | 22.51 | -1.00 | 7.94 | -1.00 | -1.00 | -1.00 | .00 | 6.09 | 6.09 | .00 | .00 | .00 | .07 | .07 | .02 |
| CCV | 5/25/2022 | 12:43 AM | 22.31 | -1.00 | 10.05 | -1.00 | -1.00 | -1.00 | 75.77 | 185.66 | 34.12 | 151.53 | .00 | .76 | 1.86 | -1.00 | .02 |
| CCB | 5/25/2022 | 12:48 AM | 22.29 | -1.00 | 7.57 | -1.00 | -1.00 | -1.00 | .00 | 2.29 | 2.29 | .00 | .00 | .00 | .03 | .05 | .02 |



***PC-TitratION PLUS by Man-Tech Associates, Inc.***

Copyright Hinterland Software Ltd.

# Shipping and Receiving Documents

**AECOM**
12120 Shamrock Plaza Suite 300, Omaha, NE 68154 (402) 334-8181 Fax (402) 334-1984

# CHAIN OF CUSTODY RECORD



| | |
|---|---|
| Project Name: CHAAP 2019 | AECOM Project Number: 60565355 |
| Project Location: Grand Island, Nebraska | AECOM Project Manager: Dean Converse |
| Sampler(s): BE GC | |

Bill to: Brice Engineering

Remarks: standard TAT

| Sample Date | Sample Time | Type Comp. | Type Grab | Sample Identification | Matrix | Containers No. | Containers Type | Explosives+MNX (8330A) | TKN (351.2), $NH_3$ (350.1), $NO_2/NO_3$ (353.2) | $SO_4$ (9056A), Alkalinity (2320B) | Sulfide (9034) | DOC (9060A)* | Methane (RSK 175) | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5-13-22 | 0915 | | X | PZ007-22A | AQ | 9 | ABCDEF | X | X | X | X | X | X | 6°C |
| 5-13-22 | 0915 | | X | PZ007-22A MS/MSD | AQ | 18 | ABCDEF | X | X | X | X | X | X | 6°C |

280-162386 Chain of Custody

| Signatures | Date | Time | Shipping Details | Special Instructions |
|---|---|---|---|---|
| Relinquished by: | 5-13-22 | 1600 | Method of Shipment: Federal Express | * Filter groundwater sample before analyzing for DOC |
| Received by: | 5/14/22 | 1115 | Airbill Number: 923524188692 | (A) (2) 500mL Ambers (Explosives)<br>(B) (1) 500mL HDPE w/ $H_2SO_4$ (TKN, $NH_3$, $NO_2/NO_3$)<br>(C) (1) 250mL HDPE ($SO_4$, Alkalinity)<br>(D) (1) 250mL HDPE w/ ZnOAc/NaOH (Sulfide)<br>(E) (1) 250mL Amber (DOC)*<br>(F) (3) 40 mL VOA w/ HCl (Methane) |
| Relinquished by: | | | **Lab Address:** TestAmerica Lab, Inc.<br>Attn: Patrick McEntee<br>4955 Yarrow St.<br>Arvada, CO 80002<br>(303) 736-0107 | |
| Received for Laboratory by: | | | | TAL/Brice Project #: 28017805 |

5.21 to 22 1112 4°C

White copy - Laboratory Yellow copy - Laboratory Pink copy - Sampler

2020638

**AECOM**
12120 Shamrock Plaza Suite 300, Omaha, NE 68154 (402) 334-8181 Fax (402) 334-1984

# CHAIN OF CUSTODY RECORD



| | |
|---|---|
| Project Name: CHAAP 2019 | AECOM Project Number: 60565355 |
| Project Location: Grand Island, Nebraska | AECOM Project Manager: Dean Converse |
| Sampler(s): BE GC JO AG | |

| Sample Date | Sample Time | Type Comp. | Type Grab | Sample Identification | Matrix | Containers No. | Containers Type | Explosives+MNX (8330A) | TKN (351.2), $NH_3$ (350.1), $NO_2$, $NO_3$ (353.2) | $SO_4$ (9056A), Alkalinity (2320B) | Sulfide (9034) | DOC (9060A)* | Methane (RSK 175) | | Remarks (standard TAT) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5-13-22 | 1315 | | X | G0087-22A | AQ | 9 | ABCDEF | X | X | X | X | X | X | | 6°C |
| 5-13-22 | 1255 | | X | G0117-22A | AQ | 9 | ABCDEF | X | X | X | X | X | X | | 6°C |
| 5-13-22 | 1425 | | X | G0022-22A | AQ | 9 | ABCDEF | X | X | X | X | X | X | | 6°C |

Bill to: Brice Engineering

| Signatures | Date | Time |
|---|---|---|
| Relinquished by: | 5-13-22 | 1600 |
| Received by: | 5/14/22 | 0745 |
| Relinquished by: | | |
| Received for Laboratory by: | | |

Shipping Details

Method of Shipment: Federal Express

Airbill Number: 923524188556

**Lab Address:**
TestAmerica Lab, Inc.
Attn: Patrick McEntee
4955 Yarrow St.
Arvada, CO 80002
(303) 736-0107

Special Instructions

* Filter groundwater sample before analyzing for DOC

**(A)** (2) 500mL Ambers (Explosives)
**(B)** (1) 500mL HDPE w/ $H_2SO_4$ (TKN, $NH_3$, $NO_2/NO_3$)
**(C)** (1) 250mL HDPE ($SO_4$, Alkalinity)
**(D)** (1) 250mL HDPE w/ ZnOAc/NaOH (Sulfide)
**(E)** (1) 250mL Amber (DOC)*
**(F)** (3) 40 mL VOA w/ HCl (Methane)

TAL/Brice Project #: 28017805

White copy - Laboratory Yellow copy - Laboratory Pink copy - Sampler



06/06/2022

**2020640**

**AECOM**
12120 Shamrock Plaza Suite 300, Omaha, NE 68154 (402) 334-8181 Fax (402) 334-1984

# CHAIN OF CUSTODY RECORD



Project Name: CHAAP 2019

AECOM Project Number: 60565355

Project Location: Grand Island, Nebraska

AECOM Project Manager: Dean Converse

Sampler(s): BE GC JO AG

Bill to: Brice Engineering

Remarks: standard TAT

| Sample Date | Sample Time | Type Comp. | Type Grab | Sample Identification | Matrix | Containers No. | Containers Type | Explosives+MNX (8330A) | TKN (351.2), $NH_3$ (350.1), $NO_2$/$NO_3$ (353.2) | $SO_4$ (9056A), Alkalinity (2320B) | Sulfide (9034) | DOC (9060A)* | Methane (RSK 175) | | Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5-13-22 | 1535 | | X | GO088-22A | AQ | 9 | ABCDEF | X | X | X | X | X | X | | 6°C |
| 5-13-22 | 1440 | | X | GO116-22A | AQ | 9 | ABCDEF | X | X | X | X | X | X | | 6°C |
| 5-13-22 | 1550 | | X | PZ014-22A | AQ | 9 | ABCDEF | X | X | X | X | X | X | | 6°C |

| Signatures | Date | Time | Shipping Details | Special Instructions |
|---|---|---|---|---|
| Relinquished by: | 5-13-22 | 1600 | Method of Shipment: Federal Express | * Filter groundwater sample before analyzing for DOC |
| Received by: | 5/13/22 | 925 | Airbill Number: 923524188545 | (A) (2) 500mL Ambers (Explosives)<br>(B) (1) 500mL HDPE w/ $H_2SO_4$ (TKN, $NH_3$, $NO_2$/$NO_3$)<br>(C) (1) 250mL HDPE ($SO_4$, Alkalinity)<br>(D) (1) 250mL HDPE w/ ZnOAc/NaOH (Sulfide)<br>(E) (1) 250mL Amber (DOC)*<br>(F) (3) 40 mL VOA w/ HCl (Methane) |
| Relinquished by: | | | **Lab Address:**<br>TestAmerica Lab, Inc.<br>Attn: Patrick McEntee<br>4955 Yarrow St.<br>Arvada, CO 80002<br>(303) 736-0107 | |
| Received for Laboratory by: | | | | TAL/Brice Project #: 28017805 |

White copy - Laboratory Yellow copy - Laboratory Pink copy - Sampler



06/06/2022

2020643

**AECOM**
12120 Shamrock Plaza Suite 300, Omaha, NE 68154 (402) 334-8181 Fax (402) 334-1984

# CHAIN OF CUSTODY RECORD

Page 1 of 1

| | |
|---|---|
| Project Name: CHAAP 2019 | AECOM Project Number: 60565355 |
| Project Location: Grand Island, Nebraska | AECOM Project Manager: Dean Converse |
| Sampler(s): BE GC JO AG | |

| Sample Date | Sample Time | Type Comp. | Type Grab | Sample Identification | Matrix | Containers No. | Containers Type | Explosives+MNX (8330A) | TKN (351.2), $NH_3$ (350.1), $NO_2$, $NO_3$ (353.2) | $SO_4$ (9056A), Alkalinity (2320B) | Sulfide (9034) | DOC (9060A)* | Methane (RSK 175) | | Bill to: Brice Engineering<br>Remarks<br>standard TAT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5-12-22 | 1420 | | X | GO092-22A | AQ | 9 | ABCDEF | X | X | X | X | X | X | | 6°C |
| 5-13-22 | 1140 | | X | PZ013-22A | AQ | 9 | ABCDEF | X | X | X | X | X | X | | |
| 5-13-22 | 1205 | | X | GO081-22A | AQ | 9 | ABCDEF | X | X | X | X | X | X | | |

| Signatures | Date | Time | Shipping Details | Special Instructions |
|---|---|---|---|---|
| Relinquished by: | 5-13-22 | 1600 | Method of Shipment: Federal Express | * Filter groundwater sample before analyzing for DOC |
| Received by: | 5/14/22 | 925 | Airbill Number: 923524188420 | (A) (2) 500mL Ambers (Explosives)<br>(B) (1) 500mL HDPE w/ $H_2SO_4$ (TKN, $NH_3$, $NO_2/NO_3$)<br>(C) (1) 250mL HDPE ($SO_4$, Alkalinity)<br>(D) (1) 250mL HDPE w/ ZnOAc/NaOH (Sulfide)<br>(E) (1) 250mL Amber (DOC)*<br>(F) (3) 40 mL VOA w/ HCl (Methane) |
| Relinquished by: | | | **Lab Address:** TestAmerica Lab, Inc.<br>Attn: Patrick McEntee<br>4955 Yarrow St.<br>Arvada, CO 80002<br>(303) 736-0107 | |
| Received for Laboratory by: | | | | TAL/Brice Project #: 28017805 |

White copy - Laboratory Yellow copy - Laboratory Pink copy - Sampler





2020639




280-162386 Waybill

Svce: PRIORITY OVERNIGHT Master 9235 2418 8383
TRCK: 9235 2418 8692

Part # 159469-434 RIT2 EXP 02/21

6 A
12:00 8692
05.14

RT 938
ST 23

ORIGIN ID:PHDA (308) 379-7542
GARY CARSON
BRICE ENGINEERING (WATER TREATMEN
7502 WEST 13TH STREET

UNITED STATES US

23SEP20
10.00 LB MAN
562065/CAFE3406

TO

EUROFINS TESTAMERICA DENVER
4955 YARROW STREET

ARVADA CO 800024517

0.5

(303) 736-0100
REF: S280-102230

RMA:

FedEx Express

FedEx
TRK# 0221 9235 2418 8692

SATURDAY 12:00P
PRIORITY OVERNIGHT

XO LAAA

80002
CO-US DEN

#3676756 05/13 577J5/1BD6/FE4A

Svce: PRIORITY OVERNIGHT Master 9235 2418 8383
TRCK: 9235 2418 8556

Part # 159470-434 RIT2 EXP 06/21

eurofins | Environ... Test...

6 A
12:00 8556
05.14

RT 938
ST 23

2.1

ORIGIN ID:PHDA (308) 379-7542
GARY CARSON
BRICE ENGINEERING (WATER TREATMENT
7502 WEST 13TH STREET

GRAND ISLAND, NE 68803
UNITED STATES US

SHIP DATE: 23SEP20
ACTWGT: 10.00 LB MAN
CAD: 0562065/CAFE3406

TO

EUROFINS TESTAMERICA DENVER
4955 YARROW STREET

ARVADA CO 800024517

(303) 736-0100
REF: S280-102230

RMA:

FedEx Express

FedEx
TRK# 0221 9235 2418 8556

SATURDAY 12:00P
PRIORITY OVERNIGHT

XO LAAA

80002
CO-US DEN

#3676756 05/13 577J5/1BD6/FE4A

# Login Sample Receipt Checklist

Client: Brice Environmental Services, Corp

Job Number: 280-162386-1

**Login Number: 162386**
**List Number: 1**
**Creator: Roehsner, Karen P**

**List Source: Eurofins Denver**

| Question | Answer | Comment |
|---|---|---|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | True | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | False | Refer to Job Narrative for details. |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | False | Narrative to indicate if headspace container used for analysis. |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |